

Causal Disentanglement of Location and Semantic Signals in Real Estate Valuation

Brandon Yee^{1,*} Jacob Crainic^{1,*}

¹Management Sciences Lab, Yee Collins Research Group

{b.yee, j.crainic}@ycrg-labs.org

*Equal contribution; co-first authors.

Abstract

Automated valuation models increasingly draw on natural-language descriptions of properties, with reported gains of 0.85–0.88 in R^2 from text embeddings on top of geographic controls alone. Whether those gains reflect causal semantic content or spatial confounding mediated through language, and whether the answer travels across metropolitan markets, has remained an open question. We address it by estimating the causal effect of property-description embeddings on log sale price across Boston, New York, and San Francisco, using 1,044 deduplicated Redfin listings matched to 556,636 parcels. Identification combines partially-linear Double Machine Learning with cross-fitted ridge nuisances, post-LEACE linear concept erasure with an iterative gradient-based polish that closes residual nonlinear leakage, a $\sin\Theta$ stability analysis of the leading principal component (Theorem ??), and Ibragimov–Müller self-normalised cluster- t critical values calibrated against a Davis–Kahan stress simulation in which standard spatial HAC procedures undercover badly at nominal 95% confidence. What emerges from this analysis is a sharply heterogeneous picture across the three markets, with different residual axes carrying the causal signal in different cities and a null result on both axes only in Boston. Replicating Shen and Ross [2021] with the Doc2Vec PV-DM embedding she uses, we recover a per- σ uniqueness effect of +0.130 on San Francisco (95% CI [+0.011, +0.232]) within 0.7 standard errors of her published Atlanta point estimate, while the same procedure returns null on New York and Boston. Along the dominant principal component of a sentence-BERT embedding, the per- σ effect is +0.169 on New York (cluster- t CI [+0.059, +0.279]) and null on the other two cities. Omnibus joint-null Wald tests reject homogeneity across cities ($\chi^2_2 = 7.97$, $p = 0.019$), and the market in which each axis carries causal weight is the market in which the available structured covariates leave room for the corresponding text variation to survive partial residualisation. Uniform deployment of NLP-augmented valuation therefore produces heterogeneous mispricing across markets, with the operative residual axis shifting by market structure, a causal disparity that predictive-only fairness audits cannot recover because it lives in the post-deconfounding residual subspace.

Keywords: Causal Inference Spatial Confounding Real Estate Valuation Text Embeddings Backdoor Adjustment

1 Introduction

Each generation of housing-market technology has produced its own characteristic disparity between groups, and each disparity has called for its own audit. Avenancio-León and Howard [2022] demonstrate on a panel of 118 million homes that Black and Hispanic owners face a 10–13% higher property-tax burden for the same bundle of public services, with just over half of the inequality arising between neighbourhoods because assessments respond less to neighbourhood attributes than market prices do. A credit-side parallel runs through Bartlett et al. [2022] on the persistence of rate disparities through the FinTech transition and Fuster et al. [2022] on the way machine learning amplifies, rather than removes, between-group divergence in predicted default. Neal et al. [2024] extend the pattern into automated valuation directly, documenting that AVM error remains larger in majority-Black tracts even after data and architectural improvements. What the literature has not yet asked, and what this paper takes up, is whether the natural-language component of a modern AVM produces causal mispricing that varies by market, and whether the operative residual axis on which the model acts shifts in a way that predictive-only audits cannot detect.

The substantive question is straightforward in form and surprisingly subtle in answer. Property descriptions are written by agents who possess complete knowledge of the property’s location, neighbourhood, and local market conditions, so any embedding of those descriptions inherits at least some spatial signal whether or not the embedding model intends it. Recent work claims that text adds real semantic content beyond geographic controls, with reported gains of 0.85–0.88 in predictive R^2 from embeddings on top of location alone [Shen and Ross, 2021, Baur et al., 2023, Bin et al., 2020, Lorenz et al., 2023]. A plain test of that claim asks whether the per- σ causal effect of an embedding is positive after standard spatial confounding adjustment. Running the test on a single market answers the question for that market and only that market, because the embedding’s geometric structure, the available structured covariates, and the per-zip listing density all vary across U.S. metropolitan housing markets in ways that determine how much room remains for text to carry causal signal once spatial controls absorb the location-confounded component of variation.

Our register is causal fairness rather than predictive fairness, and the distinction matters for what an audit can see. Predictive-fairness audits compare model errors at fixed inputs and detect disparities that show up as miscalibration or differential accuracy. Causal-fairness audits, in the sense developed by Kusner et al. [2017], Madras et al. [2019], and Plečko and Bareinboim [2024], compare model contributions at fixed counterfactual inputs and detect disparities that operate through the partial causal effect of a model component on outcomes. NLP-augmented valuation creates the first kind of disparity wherever its inputs differ systematically across groups, and it creates the second kind wherever its operative residual axis differs systematically across markets. These two disparities require different audits because they live in different parts of the prediction.

Three reinforcing margins organise our contribution. A $\sin\Theta$ stability theorem for the leading principal component of an embedding under spatial confounding (Theorem ??) identifies the eigengap of a Matérn kernel-ridge smoother as the operative quantity governing alignment with the residual causal direction, and characterises the finite-sample regime in which the asymptotic eigenvalue rate of Widom [1963] binds for the Matérn- ν class. Estimation uses cross-fitted ridge nuisances inside a partially-linear DML score, with Ibragimov–Müller self-normalised cluster- t inference replacing the asymptotic- z critical value that a Davis–Kahan stress simulation reveals to undercover at nominal 95% confidence (Appendix L). On the replication side, the procedure recovers the Shen-Ross uniqueness effect on San Francisco at +0.130 per σ within 0.7 standard errors of her published Atlanta point estimate, isolates the leading sentence-BERT principal component’s effect on New York at +0.169 per σ on a heterogeneity test that rejects equality across cities at $\chi^2_2 = 7.97$, $p = 0.019$, and ships data and code for reuse on a deduplicated 1,044-listing corpus.

The remainder of the paper proceeds in conventional order. Section 2 situates the contribution in the algorithmic-disparities literature for housing valuation alongside the hedonic and spatial-confounding traditions. Section 3 develops the partially-linear DML framework, the post-LEACE linear concept erasure pipeline with its iterative gradient-based polish, and the $\sin\Theta$ stability theorem. Section 4 describes dataset construction and the deduplication audit. Per-city causal estimates, the heterogeneity test, the omnibus joint-null result on a residual subspace orthogonal to the dominant principal component, and the cell-density and confounder-density mechanisms that organise which market displays which effect appear in Section 5. Section 6 closes with the fair-housing implications of the heterogeneity finding under Plečko and Bareinboim [2024] causal fairness analysis.

2 Related Work

2.1 Algorithmic Disparities in Housing Valuation

A literature of growing maturity now documents that each generation of housing-market technology produces its own characteristic disparity, mechanism, and audit. Avenancio-León and Howard [2022] run the canonical empirical statement of the pattern on assessed property values, finding on a panel of 118 million homes that Black and Hispanic owners face a 10–13% higher property-tax burden holding public-service bundles fixed, with over half of the inequality arising between neighbourhoods because assessments respond less to neighbourhood attributes than market prices do. Their mechanism, a model whose sensitivity is miscalibrated relative to the price-generating process, prefigures the concern that animates this paper. Bayer et al. [2017] establish on repeat-sales data that Black and Hispanic buyers pay a 2% transaction-price premium under fixed

effects, and Bayer et al. [2016] provide the structural model linking neighbourhood demographic dynamics to capitalisation.

A credit-side parallel runs through Bartlett et al. [2022], who estimate that risk-equivalent Latinx and Black borrowers pay roughly \$450 million more annually in GSE-securitised mortgage interest, with the gap persisting through the FinTech transition. Fuster et al. [2022] push the structural lesson further by showing that machine learning amplifies disparities precisely because the greater flexibility of ML models produces both between-group and within-group divergence that simpler scoring rules suppress. When a model has more degrees of freedom than the structure it attempts to estimate, those degrees of freedom are absorbed unevenly across markets and groups.

A more recent literature turns directly to AVMs. Christensen et al. [2022] show that housing discrimination concentrates minority renters in high-toxics neighbourhoods, generating a spatially correlated wedge between observed and counterfactual amenities, and Christensen and Timmins [2022] document experimentally that steering by housing agents produces neighbourhood sorting along economic-opportunity gradients. Wang et al. [2025] find a Black appraisal-undervaluation gap that persists in private-label refinance originations, and Neal et al. [2024] document on HUD administrative data that AVM percentage error remains larger in majority-Black tracts even after architectural and data improvements. The pattern these papers establish is that the disparities move with the technology, and that each new layer of automated valuation produces its own residual gap calling for its own audit.

The statistical apparatus for those audits is mature on the predictive side and developing on the causal side. Barocas and Selbst [2016] establish the doctrinal framework of disparate impact via algorithmic proxies, Hardt et al. [2016] formalise equalised-odds prediction, and Mitchell et al. [2021] provide the taxonomy of predictive-fairness criteria. For an audit to detect disparities that operate causally, through the partial effect of a model component on outcomes holding inputs fixed, a stronger register is required. Kusner et al. [2017] introduce counterfactual fairness, Madras et al. [2019] extend the framework to biased data, Coston et al. [2020] build doubly-robust fairness audits under runtime confounding, and Plečko and Bareinboim [2024] provide a complete causal toolkit that decomposes disparities into direct, indirect, and spurious causal pathways.

The NLP-AVM literature has not yet been audited in the causal register. Shen and Ross [2021], Baur et al. [2023], and Lorenz et al. [2023] report predictive gains from text features without testing whether the per- σ causal residual effect varies across markets. Nowak et al. [2021] establish that the predictive vocabulary itself shifts across submarkets, but stop short of a causal test of the operative axis. The natural prediction from Avenancio-León and Howard [2022] and Fuster et al. [2022] is that, since both the source language (agent prose) and the price-generating process vary discretely across metropolitan markets, the residual axis on which an NLP-augmented AVM operates should also vary discretely, with the implication that uniform deployment produces systematically heterogeneous mispricing. We provide the first direct test of this prediction.

2.2 From Hedonic Models to Multimodal Valuation

The idea that property values can be decomposed into contributions from observable characteristics dates to the hedonic pricing framework [Rosen, 1974, Sheppard, 1999]. Automated valuation models built on this foundation through progressively richer statistical machinery: generalized additive models [Gloude-mans, 1999], spatial autoregressive specifications that account for price correlation among neighboring properties [Pace and Barry, 1998, Can, 1992], and kriging-based approaches that interpolate unobserved spatial surfaces [Bourassa et al., 2010]. Each generation recognized more clearly that spatial dependence is not a nuisance to be corrected but a first-order feature of housing markets.

Machine learning accelerated this trajectory. Ensemble methods outperform linear hedonic models by capturing non-linear feature interactions automatically [Park and Bae, 2015, Antipov and Pokryshevskaya, 2012], and deep learning extended the input space beyond tabular features to images [Poursaeed et al., 2018, Law et al., 2019a, You and Liu, 2017] and text [Shen and Ross, 2021, Baur et al., 2023]. Visual models trained on property photographs or street-view imagery can estimate luxury level and architectural style [Poursaeed et al., 2018, Lindenthal and Johnson, 2021], while textual models extract semantic features from listing descriptions that correlate with sale prices [Nowak and Smith, 2017, Law et al., 2019b]. Multimodal systems fuse these modalities together, reporting performance gains attributed to complementary information [Bin

et al., 2020, Kang et al., 2021, Kostić and Jevremović, 2020]. Graph neural networks push the idea further by propagating information between spatially proximate properties, so that each node’s representation absorbs its neighbors’ features [Das et al., 2021, Lin et al., 2021, Peng et al., 2022, Li et al., 2018, Huang et al., 2018].

A persistent concern runs through this literature, raised early but seldom addressed. The most predictive words in property descriptions vary across geographic submarkets [Nowak and Smith, 2017, Nowak et al., 2021], visual features capture neighborhood-level rather than property-level variation [Law et al., 2019a], architectural style clusters geographically [Lindenthal and Johnson, 2021], and GNN message passing, by design, propagates whatever signal is shared among neighbors, including location-induced price similarity. If text, images, and graph features all encode geography, then fusing them creates the appearance of complementary signal from what is really redundant spatial encoding through different channels.

2.3 The Semantic Interpretation and Its Limits

The commercial and research appeal of text-based valuation rests on a specific claim: that property descriptions carry information about value that structured features miss. A one-standard-deviation increase in textual “uniqueness” is reported to raise predicted price by 10–15% [Shen and Ross, 2021]. Including text embeddings is reported to reduce valuation error by up to 17% [Baur et al., 2023]. Hierarchical graph representations that embed similar-value properties near one another in latent space appear to learn price-relevant structure [Zhang et al., 2021]. UMAP projections of these embeddings produce visually appealing clusters that seem to correspond to market segments [Baur et al., 2023].

Every one of these findings is also predicted by a model in which text carries zero independent information. If agents in affluent neighborhoods write “luxury finishes” and “steps from fine dining” while agents in family-oriented suburbs write “great school district” and “quiet cul-de-sac,” the embeddings will cluster by price segment, SHAP will rank descriptive terms as important [Lorenz et al., 2023, Stang et al., 2023], and adding text to a location-only model will improve R^2 , even though the entire gain comes from spatially confounded language rather than property-specific content. The assumption that generic quality terms like “spacious” or “renovated” provide location-independent signal [Lorenz et al., 2023] ignores that “spacious” is more frequent in suburban markets and “renovated” more frequent in gentrifying urban neighborhoods. Nowak et al. [2021] find exactly this: the predictive vocabulary shifts across submarkets, suggesting that language mirrors geography rather than transcending it. Wan and Lindenthal [2023] raise the same concern for visual features, proposing system-level tests to determine whether models respond to building attributes or to irrelevant context.

The distinction between correlation and causation is not academic here. If text embeddings genuinely encode value-relevant property attributes independent of location, then NLP-enhanced valuation models offer real information gains. If they primarily encode geography through linguistic patterns, then these models are opaque spatial models and their accuracy gains are expected, not evidence of new signal. Yet across the studies reviewed above, none tests the causal claim. The tools to do so exist in causal inference and spatial statistics, and the confounding structure is transparent, but the question has not been asked. This paper asks it.

2.4 Spatial Confounding and Attribute Leakage in Learned Representations

The concern that text may encode geography rather than semantics connects two literatures that have developed largely in parallel.

In spatial statistics and epidemiology, the problem is well characterized: when an exposure of interest varies spatially and shares its spatial pattern with unmeasured confounders, standard regression attributes the confounders’ effects to the exposure [Paciorek, 2010]. The severity depends on the spatial scale: fine-grained exposures are most vulnerable to fine-grained confounders. Methods to address this include restricted spatial regression, which orthogonalizes spatial random effects against fixed effects of interest [Reich et al., 2021], and sensitivity frameworks that quantify the confounder strength needed to overturn a finding [Cinelli and Hazlett, 2020]. A counterintuitive result from this literature is that adding spatially-correlated error terms to a model can worsen, not improve, inference about fixed effects when spatial confounding is present [Hodges and Reich, 2010]. Spatial econometrics addresses the same challenge through spatial lag and error models [Anselin, 1988, LeSage and Pace, 2009, Elhorst, 2014], though identification of spatial

dependence parameters remains difficult to separate from omitted-variable bias [Gibbons and Overman, 2014].

In NLP, a parallel line of work has shown that text embeddings absorb far more than semantic content from their training corpora. Word embeddings encode human-like gender and racial biases [Bolukbasi et al., 2016], replicate implicit association test results [Caliskan et al., 2017], and retain these biases even after standard debiasing [Gonen and Goldberg, 2019]. Language use varies systematically by geography: user location can be predicted from tweets with high accuracy [Rahimi et al., 2018], and lexical innovations diffuse through social networks along spatial paths [Eisenstein et al., 2014]. Property descriptions are an extreme case of this phenomenon because agents write with complete knowledge of the property’s location, neighborhood, and market context. The language is not incidentally spatial; it is intentionally so.

Machine learning has begun to develop tools for this class of problem. Causal representation learning seeks representations that reflect causal structure rather than spurious correlation [Schölkopf et al., 2021, Peters et al., 2017]. Counterfactual fairness formalizes the requirement that predictions be invariant to interventions on protected attributes [Kusner et al., 2017, Kilbertus et al., 2017]. Domain-adversarial networks learn confounder-invariant representations through gradient reversal [Ganin et al., 2016], and variational approaches attempt to disentangle causal from spurious factors [Louizos et al., 2017, Moyer et al., 2018]. The invariance of causal mechanisms across environments, in contrast to the instability of correlations, motivates transfer-based identification [Rojas-Carulla et al., 2018]. Causal discovery algorithms infer graph structure from data using conditional independence tests [Spirtes et al., 2000], score-based search [Chickering, 2002], or functional asymmetries between causal directions [Shimizu et al., 2006, Peters et al., 2016]. Double Machine Learning [Chernozhukov et al., 2018a] provides a semiparametric framework for estimating causal effects with machine-learned nuisance parameters at $\sqrt{n}$ rates.

Our work brings these threads together. Property valuation is a setting where the confounding structure is clear (location drives both text and price), the outcome is precisely measured (sale price), and the causal question has direct practical consequences (whether NLP adds real information to automated valuation). We provide the first causal analysis of semantic embeddings in this domain, combining structural causal modeling with DML estimation, adversarial deconfounding with a frozen-encoder probe diagnostic, and a confounder escalation test, applied across three major U.S. housing markets.

3 Methodology

3.1 Problem Formulation

Let $\mathcal{D} = \{(x_i, t_i, \ell_i, y_i)\}_{i=1}^n$ denote a dataset of n properties. The variable $x_i \in \mathbb{R}^d$ represents structured property features such as bedrooms, square footage, and age. The variable $t_i \in \mathbb{R}^p$ denotes a text embedding derived from the property description. Geographic location is specified by $\ell_i \in \mathbb{R}^2$ as latitude and longitude coordinates. Finally, $y_i \in \mathbb{R}^+$ represents the sale price or assessed value.

A standard predictive model takes the form $\hat{y}_i = f(x_i, t_i, \ell_i; \theta)$ where f is a learned function parameterized by θ . Recent work reports strong correlations between t_i and y_i , interpreting this as evidence that semantic content causally influences property value. However, correlation does not imply causation. Our central objective is to estimate the causal effect of semantic content t on property value y , independent of location ℓ .

3.2 Structural Causal Model

We propose the following structural causal model to represent the data-generating process.

Definition 1 (Real Estate SCM). *The causal relationships among variables are governed by the following*

structural equations:

$$\ell = U_\ell \quad (1)$$

$$x = f_x(\ell, U_x) \quad (2)$$

$$c = f_c(\ell, U_c) \quad (3)$$

$$t = f_t(\ell, x, c, U_t) \quad (4)$$

$$y = f_y(\ell, x, c, U_y) \quad (5)$$

where $U_\ell, U_x, U_c, U_t, U_y$ are mutually independent exogenous variables, and c represents contextual features such as demographics, amenities, and crime statistics.

The corresponding causal directed acyclic graph is shown in Figure 1.




Figure 1: Structural causal model for real estate valuation. Location ℓ is exogenous and influences property features x , contextual attributes c , text content t , and price y . The red path $\ell \rightarrow t \rightarrow y$ represents a spurious association: text t does not causally affect y but is correlated through the common cause ℓ .

Equation (4) specifies that text content t is generated as a function of location, property features, and context. This reflects the reality that property descriptions are written by agents who observe all these variables. The key point is that Equation (5) does not include t , meaning semantic content has no direct causal effect on price under this model. All observed correlation arises through the confounding path $\ell \rightarrow t$ and $\ell \rightarrow y$.

3.3 Causal Estimands

We define two key estimands that formalize the distinction between correlation and causation.

Definition 2 (Associational Effect). *The associational effect of text on price, conditional on location and features, is:*

$$\tau_{assoc} = \mathbb{E}[Y \mid T = t, L = \ell, X = x] - \mathbb{E}[Y \mid L = \ell, X = x] \quad (6)$$

This is what standard regression estimates, but it conflates causal and spurious effects.

Definition 3 (Causal Effect). *The causal effect of intervening to set text to t , written in do-notation, is:*

$$\tau_{causal} = \mathbb{E}[Y \mid do(T = t), L = \ell, X = x] - \mathbb{E}[Y \mid L = \ell, X = x] \quad (7)$$

This represents the effect of exogenously changing t while holding ℓ, x fixed.

Under our SCM (Equations 1–5), we have the following result.

Proposition 1 (Zero Causal Effect). *Under the structural equations in Definition 1, the causal effect of text on price is identically zero:*

$$\tau_{causal} = 0 \quad \forall t, \ell, x \quad (8)$$

Proof. By the do-calculus [Pearl, 1995], intervening to set $T = t$ corresponds to replacing Equation (4) with $t = t'$ for some fixed value t' . Since t does not appear in the structural equation for Y (Equation 5), changing T has no effect on the distribution of Y , yielding $\tau_{causal} = 0$. $\square$

Of course, this is the theoretical prediction under our assumed SCM. The empirical question is whether real-world data support this model, or whether semantic content has independent causal influence.

3.4 Identification Strategy

To estimate causal effects from observational data, we employ four complementary approaches: backdoor adjustment via a binarized doubly-robust (DR) estimator, Double Machine Learning (DML) on a continuous projection of the text treatment, adversarial deconfounding with a frozen-encoder probe diagnostic, and randomization intervention. The DML estimator is our primary causal test; the binarized DR is reported as a sensitivity check.

3.4.1 Backdoor Adjustment and Doubly-Robust Estimation

The backdoor criterion [Pearl, 2009] provides conditions under which causal effects can be identified by conditioning on observed covariates.

Theorem 1 (Backdoor Adjustment for Text). *To identify the causal effect of T on Y , it suffices to control for the set $\{\ell, x, c\}$, which blocks all backdoor paths from T to Y :*

$$\mathbb{E}[Y \mid do(T = t)] = \sum_{\ell, x, c} \mathbb{E}[Y \mid T = t, L = \ell, X = x, C = c] \cdot P(L = \ell, X = x, C = c) \quad (9)$$

We implement Equation (9) via doubly-robust estimation [Bang and Robins, 2005] on a binarized text treatment, where $D_i = \mathbb{I}[\|t_i^{\text{PCA}}\|_2 > \text{median}(\|t^{\text{PCA}}\|_2)]$ partitions properties at the median PCA norm. We fit an outcome model $\hat{\mu}(d, \ell, x, c) = \mathbb{E}[Y \mid D = d, L = \ell, X = x, C = c]$ via gradient boosting and a propensity model $\hat{e}(\ell, x, c) = P(D = 1 \mid L = \ell, X = x, C = c)$ via logistic regression. We report uncertainty via both the influence-function (IF) standard error

$$\hat{\text{SE}}_{\text{IF}} = \sqrt{\frac{1}{n^2} \sum_{i=1}^n (\psi_i - \hat{\tau})^2}, \quad \psi_i = \hat{\mu}_1(c_i) - \hat{\mu}_0(c_i) + \frac{D_i(Y_i - \hat{\mu}_1)}{\hat{e}_i} - \frac{(1 - D_i)(Y_i - \hat{\mu}_0)}{1 - \hat{e}_i}, \quad (10)$$

and a percentile bootstrap with 1000 resamples. We additionally compute the minimum detectable effect at 80% power and two-sided $\alpha = 0.05$, $\text{MDE} = (z_{0.975} + z_{0.80})\hat{\text{SE}}_{\text{IF}} \approx 2.8\hat{\text{SE}}_{\text{IF}}$, so that any null finding is interpretable in terms of effect sizes the test could and could not have ruled out.

We caveat the binarized DR with a known limitation: the binarization at median PCA norm correlates with description length and complexity, which may have independent effects on price unrelated to semantic content. We therefore complement it with the DML continuous estimator below, which we treat as the primary causal test.

3.4.2 Double Machine Learning on Continuous Text Treatment

To avoid the artifacts introduced by binarization, we estimate the partial effect of the first principal component of the text embedding (PC1, z -scored) on log-price, partialling out the full confounder set via cross-fitted gradient boosting [Chernozhukov et al., 2018a]. We split the sample into $K = 5$ folds and, for each fold k , train an outcome model m_y on the complementary folds to predict Y from confounders, and a treatment model m_t to predict PC1 from confounders. Out-of-fold residuals $\tilde{Y}_i = Y_i - \hat{m}_y^{(-k(i))}(c_i)$ and $\tilde{T}_i = \text{PC1}_i - \hat{m}_t^{(-k(i))}(c_i)$ are then combined into the partialling-out estimator

$$\hat{\theta} = \frac{\sum_i \tilde{T}_i \tilde{Y}_i}{\sum_i \tilde{T}_i^2}, \quad \hat{\text{SE}}_{\theta} = \sqrt{\frac{1}{n^2} \sum_i \frac{(\tilde{Y}_i - \hat{\theta} \tilde{T}_i)^2 \tilde{T}_i^2}{(\frac{1}{n} \sum_j \tilde{T}_j^2)^2}} \quad (11)$$

which is Neyman-orthogonal and converges at $\sqrt{n}$ rates as long as the nuisance models converge faster than $n^{-1/4}$. The estimand $\hat{\theta}$ has a clean interpretation: it is the expected change in log-price per one-standard-deviation change in the leading text dimension, holding all 35 confounders fixed.

3.4.3 Adversarial Deconfounding with Frozen-Encoder Probe

To remove location information from text embeddings, we employ adversarial training with gradient reversal [Ganin et al., 2016]. The architecture consists of an encoder mapping text embeddings to a deconfounded representation, a predictor mapping deconfounded embeddings to price predictions, and a multi-head discriminator classifying location from embeddings.

The training objective combines predictive accuracy with adversarial location removal:

$$\min_{\phi, \theta} \max_{\psi} \mathbb{E}_{(t, \ell, y) \sim \mathcal{D}} [\mathcal{L}_{\text{pred}}(P_{\theta}(E_{\phi}(t)), y) - \lambda \cdot \mathcal{L}_{\text{disc}}(D_{\psi}(E_{\phi}(t)), \ell)] \quad (12)$$

where $\lambda > 0$ controls the trade-off between prediction and deconfounding. As $\lambda \rightarrow \infty$, the encoder is forced to produce representations orthogonal to location, isolating any location-independent semantic signal.

To address the limitation that a single discriminator head may fail to capture the full dimensionality of location encoding, we employ a multi-head discriminator architecture. The discriminator consists of three parallel heads operating on a shared hidden layer: a zip code classification head predicting discrete geographic zones, a geolocation regression head predicting continuous latitude-longitude coordinates, and a neighborhood socioeconomic head predicting income quantile bins. The combined adversarial loss averages across all three heads:

$$\mathcal{L}_{\text{disc}} = \frac{1}{3} (\mathcal{L}_{\text{zip}}(D_{\text{zip}}(z), \ell_{\text{zip}}) + \mathcal{L}_{\text{geo}}(D_{\text{geo}}(z), \ell_{\text{coord}}) + \mathcal{L}_{\text{inc}}(D_{\text{inc}}(z), \ell_{\text{inc}})) \quad (13)$$

where $\mathcal{L}_{\text{zip}}$ and $\mathcal{L}_{\text{inc}}$ are cross-entropy losses and $\mathcal{L}_{\text{geo}}$ is mean squared error. This multi-resolution approach forces the encoder to remove location information at multiple geographic granularities simultaneously, overcoming the failure mode observed when a single head cannot capture the full complexity of spatial encoding.

Frozen-encoder probe diagnostic. The live discriminator’s terminal accuracy can be a misleading guide to whether location was actually removed: gradient reversal can drive the discriminator to a brittle saddle point where its small parameter budget (64-unit shared trunk plus three small heads) cannot escape, while the underlying location signal remains in the representation. To detect this failure mode, we freeze the encoder after training and train a fresh, independent logistic regression *from scratch* on the deconfounded representations to predict zip code, income quantile, and continuous latitude-longitude coordinates. The frozen probe has no shared parameters with the adversarial training, no gradient reversal pressure, and a clean optimization landscape; if it can recover location at substantially above-random accuracy from representations on which the live discriminator is at random, the deconfounded predictor’s residual R^2 is residual location encoding rather than location-independent semantic signal. We report both the live and probe diagnostics for every city.

3.4.4 Randomization Intervention

As a direct test of our SCM, we implement a synthetic intervention by randomly permuting location assignments. We train a predictive model on original data and compute baseline performance. Then we generate random permutations of location assignments, creating a counterfactual dataset where the causal pathway $\ell \rightarrow t$ is broken. If text embeddings encode location-independent semantic information, then randomizing locations should have minimal impact on predictive performance. Conversely, large performance degradation indicates that apparent semantic signal is primarily location-driven.

3.5 Theoretical Properties of the Frozen-Probe Diagnostic

The adversarial deconfounding pipeline of Section 3 relies on the standard intuition that, if the live discriminator can no longer distinguish location from the encoded representation, then location has been removed. The frozen-encoder probe diagnostic challenges that intuition: a fresh classifier of strictly higher capacity, trained post-hoc on the same representation, can still recover location at 19–116× random in our data. We formalize this empirical observation as a $\mathcal{V}$ -information [Xu et al., 2020] statement and connect it to the Barber–Agakov variational mutual information lower bound used in probing [Pimentel et al., 2020].

For any class $\mathcal{F}$ of probabilistic classifiers $q : \mathcal{Z} \rightarrow [0, 1]$, define the variational lower bound on $I(Z; C)$:

$$V_{\mathcal{F}}(Z; C) := \sup_{q \in \mathcal{F}} [H(C) - \mathbb{E}_{(Z, C)} [-\log q(C | Z)]] \quad (14)$$

The supremum is achieved at $q^* = p(C \mid Z)$ when $\mathcal{F}$ contains the Bayes-optimal posterior; otherwise $V_{\mathcal{F}} < I(Z; C)$ strictly.

Proposition 2 (Frozen-probe diagnostic). *Let $E_{\phi} : \mathcal{X} \rightarrow \mathcal{Z}$ be an encoder, Φ the discriminator class trained jointly via gradient reversal, and Φ' a probe class with $\Phi \subseteq \Phi'$ trained post-hoc on the frozen encoder. Then:*

- (a) $0 \leq V_{\Phi}(Z; C) \leq V_{\Phi'}(Z; C) \leq I(Z; C)$, with the rightmost inequality strict whenever Φ' omits the Bayes-optimal posterior.
- (b) The empirical Barber–Agakov lower bound under Φ equals the gradient-reversal discriminator’s converged value: $\hat{V}_{\Phi}(Z_{\hat{\phi}}; C) = H(C) - \hat{L}_{\Phi}$. Therefore “the live discriminator achieves chance” is equivalent to $\hat{V}_{\Phi} \leq \epsilon$. Under uniform-convergence conditions on Φ' , the post-hoc plug-in $\hat{V}_{\Phi'}^{post}(Z_{\hat{\phi}}; C) \rightarrow V_{\Phi'}(Z_{\hat{\phi}}; C)$ in probability, and hence $\hat{V}_{\Phi'}^{post} - \hat{V}_{\Phi}$ is a consistent lower-bound estimator of the residual mutual information $I(Z_{\hat{\phi}}; C) - V_{\Phi}(Z_{\hat{\phi}}; C) \geq 0$.
- (c) There exist a data distribution over (X, C) , a downstream label Y with $I(X; Y) > 0$, class pairs $\Phi \subsetneq \Phi'$, and a joint-game weight $\alpha > 0$ such that the joint adversarial-prediction loss

$$\mathcal{L}(\phi, g, h) = \alpha \cdot \mathcal{L}_{task}(g(E_{\phi}(X)), Y) - \mathcal{L}_{disc}(h(E_{\phi}(X)), C)$$

admits a saddle (ϕ^*, g^*, h^*) with $V_{\Phi}(Z_{\phi^*}; C) = 0$ but $V_{\Phi'}(Z_{\phi^*}; C) \geq H(C) - \delta$ for arbitrary $\delta > 0$.

Statement (a) is folklore in the variational MI literature: it appears as Proposition 1 of Xu et al. [2020] in the language of $\mathcal{V}$ -information and as the central observation of Pimentel et al. [2020] in the language of probe capacity. We restate it for self-containedness. Statements (b) and (c) are our contribution. Part (b) connects (a) to the gradient-reversal training objective and formalizes the post-hoc adversary used as a heuristic by Moyer et al. [2018] and Elazar and Goldberg [2018] as a consistent statistical estimator. Part (c) establishes that the joint adversarial-prediction game admits saddles at which the live discriminator achieves the optimum of its own minimax game while essentially all of the mutual information remains recoverable to a richer probe. The joint-game formulation is standard in the adversarial fairness literature [Xie et al., 2017, Madras et al., 2018, Zhang et al., 2018] and is needed to rule out the trivial collapsed encoder $\phi(X) \equiv 0$, which would otherwise be a saddle of the bare gradient-reversal game with $V_{\Phi} = V_{\Phi'} = 0$. The existential quantification mirrors the construction style of Ravfogel et al. [2022] Proposition 3.2 and Belrose et al. [2023] Theorem 4.3. Proofs are deferred to Appendix I; the appendix also reports three controlled numerical experiments verifying each part on synthetic data, plus a separate computational verification (§J) that includes an explicit counterexample at the collapsed encoder.

3.6 Competing Causal Models and Falsification

Our analysis pits two causal models against each other rather than testing one in isolation.

Definition 4 (SCM₀: No Direct Text Effect). *Text has no direct causal influence on price. The structural equation for Y is $Y = f_y(\ell, x, c, U_y)$, and any observed T - Y correlation is entirely mediated by location.*

Definition 5 (SCM₁: Direct Text Effect). *Text carries independent semantic information that causally influences price. The structural equation for Y is $Y = f_y(\ell, x, c, t, U_y)$, with t entering through property-specific content not captured by structured covariates.*

These two models generate distinguishable predictions. Under SCM₁, semantic content should be portable across cities: if “hardwood floors” signals quality in New York, it should signal quality in San Francisco as well. Under SCM₀, text-price associations are location-specific and should not transfer. We test this via cross-market transfer (Section 5).

Under SCM₁, the estimated $T \rightarrow Y$ effect should remain stable as confounders become richer, because adding confounders removes bias but does not change the true causal effect. Under SCM₀, the estimated effect should shrink toward zero as confounders improve, because the apparent effect was bias from the start. We test this via confounder escalation, progressively adding confounders from none through coordinates, census demographics, crime counts, amenity metrics, and micro-geographic distances, and observing whether the doubly-robust ATE diminishes.

These tests are genuinely falsifiable: if cross-market transfer succeeded or if the estimated effect held steady under richer confounders, the data would favor SCM₁ over SCM₀.

3.7 Quantifying Location Confounding

We propose multiple metrics to measure the degree of location information in text embeddings.

The normalized mutual information between text and location quantifies information leakage:

$$\text{NMI}(T; L) = \frac{I(T; L)}{H(L)} \quad (15)$$

where $I(T; L)$ is the mutual information and $H(L)$ is the entropy of location.

We train a logistic regression classifier to predict discrete location (zip code) from text embeddings:

$$\text{Acc}_{\text{loc}} = \max_w \frac{1}{n} \sum_{i=1}^n \mathbb{1} \left[\arg \max_{\ell} w^{\top} t_i = \ell_i \right] \quad (16)$$

High accuracy (exceeding 85%) would indicate that embeddings nearly deterministically encode location.

We compute the Spearman correlation between geographic distance and embedding distance:

$$\rho_{\text{spatial}} = \text{corr}(d_{\text{geo}}(i, j), d_{\text{emb}}(i, j)) \quad (17)$$

where $d_{\text{geo}}(i, j) = \|\ell_i - \ell_j\|_2$ and $d_{\text{emb}}(i, j) = 1 - \frac{t_i^{\top} t_j}{\|t_i\| \|t_j\|}$. Strong negative correlation would indicate that geographically proximate properties have similar embeddings, providing evidence of spatial clustering.

4 Dataset Construction

We describe the construction of a multi-city dataset combining property characteristics, textual descriptions, demographic context, and market values. Our data collection focuses on three major U.S. metropolitan areas with distinct housing markets: Boston, New York, and San Francisco.

4.1 Data Sources

4.1.1 Property Parcels and Assessments

For Boston, we obtained parcel-level geometry from the Boston Open Data Portal and joined it with the FY2026 Property Assessment dataset from the Boston Assessing Department. The assessment data provides bedrooms, bathrooms, living area, gross building area, lot area, year built, and assessed values for 77,210 parcels (88.4% coverage). Parcels were linked via the PID/MAP_PAR_ID identifier with zero-padding to 10 digits. Boston does not publish structured sale price data, so we use total assessed value as a proxy; median assessed value is \$812,800.

Property data for New York focuses on Manhattan and Brooklyn boroughs, sourced from NYC Open Data’s Primary Land Use Tax Lot Output (PLUTO) dataset. We restricted attention to residential buildings (land use codes 1–3) and joined sale prices from the NYC Department of Finance Annualized Rolling Sales dataset via the Borough-Block-Lot (BBL) identifier. After filtering to the \$50,000–\$20,000,000 price range, we retained 242,062 parcels with a median sale price of \$995,000.

For San Francisco, we obtained parcel geometry from DataSF’s Parcels Active and Retired dataset and joined it with the Assessor Historical Secured Property Tax Rolls, which provides bedrooms, bathrooms, square footage, year built, and assessed values. San Francisco does not publish structured sale price data. We infer transaction prices by exploiting California’s Proposition 13 reassessment mechanism: when a property sells, the assessor resets the assessed value to market value. We detect sales by identifying parcels where the `current_sales_date` changed between consecutive fiscal years and the total assessed value shifted by more than 5%. The post-sale reassessed value serves as a price proxy. This procedure yielded 37,974 inferred sale prices with a median of \$1,283,160. The fidelity of this inference is assessed in Section 5.4.4; we note here that the SF DML estimate (Section 5) uses actual Redfin sold prices for the description subset, not the inferred Prop-13 prices, so the headline causal null is unaffected by inference noise.

4.1.2 Property Listings and Descriptions

We collected property listing descriptions by scraping sold listings from a major online real estate platform. We implemented rate limiting (2–5 second random delays between requests) and filtered descriptions shorter than 50 words. Descriptions were matched to parcel records via address and zip code, with subsequent verification described in Section 4.1.2.

Table 1 summarizes text coverage. Current coverage reflects a pilot sample; scaling to full coverage through MLS data partnerships or expanded scraping is ongoing work.

Deduplication audit. The original scraper made up to three requests per Redfin URL during the initial data drop, producing 2,982 raw rows that resolved to 1,044 unique URLs once we deduplicated on listing identifier. Two facts about this duplication shape every empirical statement in the paper. First, the duplication is mechanical: the rates are 349 unique of 997 raw rows in Boston, 347 unique of 990 in New York, and 348 unique of 995 in San Francisco, so each market sees its corpus inflated by a factor close to 2.85, with the ratios homogeneous enough across markets to rule out a city-specific selection mechanism. Second, the inflation contaminates any cross-fitted or cross-validated procedure that does not explicitly enforce the leave-one-listing-out structure, because sibling copies of a held-out listing end up in the training fold and the procedure proceeds to memorise the holdout’s price through the duplicated description. Earlier versions of this manuscript reported metrics on the inflated corpus and inherited a sibling-leakage bias of substantial magnitude: location-classifier accuracy on the inflated Boston corpus reached 98% against an honest 58%, the frozen-encoder probe ratio inflated from a corrected 8–18 $\times$ random to a reported 19–116 $\times$, and a TF-IDF Shen-Ross uniqueness DML estimate on inflated San Francisco produced a spurious +0.072 per σ effect that the post-deduplication, post-formula-correction analysis does not reproduce. All numerical results in this paper are computed on the post-deduplication parquet at `data/processed/{city}_embeddings.parquet`, with one row per Redfin URL.

Table 1: Text description coverage by metropolitan area. *With Descriptions* reports unique listings after deduplication; the Redfin scraper made up to three requests per URL during the original data drop, producing 2,982 raw rows that resolved to 1,044 unique URLs. All numerical results in this paper are computed on the post-dedup, one-row-per-URL parquet (`data/processed/{city}_embeddings.parquet`).

City	Total Properties	With Descriptions	Coverage
Boston	87,340	349	0.40%
New York	242,062	347	0.14%
San Francisco	227,234	348	0.15%
Combined	556,636	1,044	0.19%

4.1.3 Census Demographics

We queried the U.S. Census Bureau’s American Community Survey 5-Year Estimates (2022) via their API to obtain block group-level demographic and socioeconomic variables. Block groups represent our finest spatial resolution, typically containing 600 to 3,000 people and providing more granular variation than zip codes.

For each property, we performed a spatial join to the containing census block group using `geopandas.sjoin` and TIGER/Line boundary shapefiles, achieving match rates of 99.4% (Boston), 100% (New York), and 100% (San Francisco). Table 2 summarizes the census variables extracted.

Table 2: Census variables extracted from American Community Survey 5-Year Estimates at block group level.

Domain	Variable	ACS Code
Income	Median household income	B19013_001E
Education	Percentage bachelor’s degree+	B15003_022E / B15003_001E
Demographics	Racial composition	B03002_*
Demographics	Age distribution	B01001_*
Housing	Median home value	B25077_001E
Housing	Median gross rent	B25064_001E
Employment	Labor force participation	B23025_003E / B23025_002E

4.1.4 Crime and Safety

We collected geocoded crime incident reports from municipal police departments: Crime Incident Reports from the Boston Police Department (2020–2023, 310,846 incidents), NYPD Complaint Data Year-to-Date from NYC Open Data (579,561 incidents), and SF Police Department Incident Reports from DataSF (2018–present, 959,130 incidents).

We developed a cross-city crime type crosswalk mapping city-specific offense codes to three standardized categories: violent crime (homicide, assault, robbery), property crime (burglary, larceny, motor vehicle theft), and quality-of-life offenses (vandalism, drug violations, disorderly conduct). For each property, we counted incidents within a 500-meter radius using spatial indexing via `scipy.spatial.cKDTree`. Where temporal sale data were available and crime data overlapped the sale period, we filtered to incidents within 365 days preceding the median sale date.

4.1.5 Amenities and Points of Interest

We queried OpenStreetMap via the Overpass API to enumerate businesses and amenities within each city’s bounding box, then performed local spatial joins to count amenities within 500 meters of each property using `scipy.spatial.cKDTree`. This approach avoids the prohibitive cost of per-property Google Places API queries (~\$8,000–10,000 for 500K+ properties) while providing comparable coverage in dense urban areas.

Table 3 summarizes the amenity categories collected.

Table 3: Amenity categories queried from OpenStreetMap within 500-meter radius.

Category	Examples
Food and Dining	Restaurants, cafes, bars
Retail	Grocery stores, shopping centers
Services	Banks, post offices, medical facilities
Recreation	Parks, gyms, entertainment venues
Transportation	Transit stops, bike shares
Education	Schools, libraries

For each category, we computed count, density per square kilometer (within the $\pi \cdot 0.5^2 \approx 0.785$ km² search area), and diversity measured by Shannon entropy across subcategories. These metrics capture both the quantity and variety of local amenities, which may influence property values and also be reflected in listing descriptions.

4.2 Text Preprocessing and Embedding

Property descriptions underwent standardized preprocessing. We removed HTML tags, special characters, and excessive whitespace. Text was converted to lowercase and contractions expanded (e.g., “won’t” → “will

not”, “it’s” $\rightarrow$ “it is”). Boilerplate phrases including “for more information,” “call today,” “schedule a showing,” “open house,” and “must see” were excluded. Specific addresses were replaced with anonymization tokens to prevent direct geocoding.

We generated semantic embeddings using the Sentence-BERT model `all-mpnet-base-v2` [Reimers and Gurevych, 2019], which produces 768-dimensional dense vectors optimized for semantic similarity. This model was selected for its strong performance on sentence-level semantic tasks and computational efficiency. For each property, the text embedding was computed as the mean-pooled output of the final transformer layer.

To validate robustness, we also generated embeddings using `all-MiniLM-L6-v2` (384 dimensions) and replicated the full causal analysis pipeline across both models. An automated sensitivity script compares confounding metrics and causal effect estimates side by side, verifying that conclusions are not artifacts of the specific embedding architecture.

4.3 Data Integration and Quality Control

We integrated all data sources through a spatial join pipeline implemented in Python using `geopandas` and `scipy.spatial`. Property coordinates were derived from parcel polygon centroids (Boston) or latitude-longitude fields (New York, San Francisco). Properties were joined to census block groups via point-in-polygon spatial joins, and crime and amenity counts were computed via radius-based spatial indexing.

Outlier detection removed properties with sale prices below \$50,000 or above \$20,000,000 (7,814 removed in New York; 968 in San Francisco), which likely represent data errors or non-representative transactions such as intrafamily transfers.

Table 4 presents summary statistics for the integrated dataset across the three metropolitan areas.

Table 4: Summary statistics for integrated dataset across three metropolitan areas.

Statistic	Boston	New York	San Francisco
Properties (total)	87,340	242,062	227,234
Median price (\$)	812,800 [†]	995,000	1,283,160 [‡]
Mean bedrooms	4.8	N/A*	3.1
Mean square feet	4,731	5,871	3,130
Census block groups	574	3,090	677
Median income (\$)	105,714	85,583	155,129
Description length (words)	136 $\pm$ 24	201 $\pm$ 117	222 $\pm$ 94
Crime incidents (500m avg)	1,280 $\pm$ 1,312	77 $\pm$ 84	1,150 $\pm$ 1,412
Restaurant count (500m avg)	11.0 $\pm$ 21.8	2.7 $\pm$ 5.8	36.5 $\pm$ 47.1

[†]Median total assessed value (sale prices not publicly available). [‡]Inferred from Prop 13 reassessment; see text. *NYC PLUTO does not publish bedroom counts; DOF CAMA data is not publicly available.

4.4 Train-Test Splitting

We employed temporal splitting to evaluate generalization to future market conditions. For cities with sale date data (New York and San Francisco), properties sold during earlier years constitute the training set (70%), with more recent sales serving as validation (15%) and test (15%) sets. Boston, which lacks sale date information, uses all parcels for training. This temporal approach prevents information leakage and better reflects real-world deployment scenarios where models must predict future sales.

We verified that train, validation, and test sets have similar spatial coverage measured by mean nearest-neighbor distance and demographic distributions measured by Jensen-Shannon divergence. Table 5 documents the similarity of splits.

Table 5: Validation of train-test split similarity. Top panel: per-split statistics. Bottom panel: Jensen-Shannon divergences between the training set and each held-out split. Results shown for New York and San Francisco, which have temporal sale data; Boston lacks sale dates and uses all parcels for training.

	New York			San Francisco		
	Train	Val	Test	Train	Val	Test
N	224,227	8,917	8,918	216,286	5,474	5,474
Mean NN dist (km)	0.029	0.186	0.192	0.007	0.047	0.045
Median income (\$)	85,141	88,942	89,405	154,789	166,250	163,025
	JS div vs. Train			JS div vs. Train		
Income	0.056		0.061	0.058		0.060
Home value	0.054		0.040	0.063		0.060
Education	0.050		0.040	0.057		0.054

Low Jensen-Shannon divergence values indicate that our temporal split maintains distributional similarity, ensuring valid comparison between training and test performance.

5 Results

We present results in five parts. We first establish that text embeddings encode geographic location, then estimate causal effects using four identification strategies (binarized DR, DML continuous treatment, adversarial deconfounding with frozen-encoder probe, and randomization intervention), examine cross-city variation in our findings, assess sensitivity to modeling choices, and present extended analyses including a confounder escalation test and a cross-market transfer test. Throughout, we connect our empirical results to the theoretical predictions of the structural causal model developed in Section 3 and to the specific claims made in prior work.

5.1 Location Information in Text Embeddings

Before estimating causal effects, we establish a prerequisite: that the confounding pathway $\ell \rightarrow t$ posited by our SCM is empirically operative. If text embeddings do not encode location, spatial confounding cannot explain their predictive power, and the correlational interpretation of prior work would stand. Three complementary metrics confirm that location encoding is pervasive and strong.

5.1.1 Normalized Mutual Information

The normalized mutual information between text embedding clusters (K-Means with $k = 50$) and discrete location labels is high across all three cities: 0.550 (Boston), 0.659 (New York), and 0.425 (San Francisco). To contextualize these values, NMI of 1.0 would indicate perfect correspondence between embedding clusters and geographic zones, while NMI of 0.0 would indicate statistical independence. Values exceeding 0.4 represent substantial information overlap.

New York exhibits the strongest mutual information (0.659), consistent with the linguistic distinctiveness of its housing submarkets. Manhattan and Brooklyn possess sharply differentiated descriptive vocabularies: “prewar doorman building” signals the Upper East Side, while “exposed brick loft” signals Williamsburg or DUMBO. These phrases are not neutral descriptions of architectural features but rather sociolinguistic markers of specific geographic markets.

Boston’s NMI (0.550) reflects a similar pattern at a smaller geographic scale. Neighborhoods like the South End, Back Bay, and Jamaica Plain each possess distinctive descriptive registers that agents deploy systematically. San Francisco’s lower NMI (0.425) likely reflects the city’s more compact geography, where neighborhood boundaries are less linguistically marked than in the sprawling boroughs of New York.

5.1.2 Location Classification

A logistic regression classifier trained on PCA-reduced embeddings (50 components) achieves location prediction accuracy far above chance in all three cities. Table 6 reports accuracy alongside random baselines.

Table 6: Confounding metrics for text embeddings across three metropolitan areas. NMI is computed between K-Means clusters ($k = 50$) and location labels. Classification accuracy is 5-fold cross-validated logistic regression on 50 PCA components predicting zip code, restricted to zips with at least five listings.²

Metric	Boston	New York	San Francisco
NMI($T; L$)	0.550	0.659	0.425
Location classifier accuracy	0.584	0.518	0.416
Random baseline	0.043	0.048	0.048
Ratio (accuracy / baseline)	13.4×	10.9×	8.7×

New York’s classifier achieves 51.8% accuracy across the 21 zip codes with five or more listings, which is 10.9 times the random baseline of 4.8%. A simple linear model, given only the semantic content of a property description, identifies the correct zip code roughly half the time across the zip codes with sufficient sample. The absolute accuracy is moderate because fine-grained zip-level prediction is inherently difficult, but the ratio to random chance reveals substantial location encoding.

Boston’s classifier reaches 58.4% accuracy (13.4 times random) across 23 zip codes with sufficient sample, reflecting more concentrated geographic variation. San Francisco achieves 41.6% accuracy across 21 zip codes with sufficient sample, 8.7 times the uniform baseline, again confirming that semantic content carries a meaningful location signal.

These results directly address the tendency in recent work to interpret embedding clusters as evidence of location-independent semantic themes [Baur et al., 2023, Zhang et al., 2021]. Our classification analysis demonstrates that the same embedding structure that produces visually appealing UMAP clusters also permits accurate geographic localization (Figure 2). Price-segment clusters identified through embedding visualization likely correspond to affluent urban cores and suburban family neighborhoods, respectively, rather than to location-independent property attributes.




Figure 2: UMAP projection of 199 New York property description embeddings, colored by zip code. Points of similar color cluster together in embedding space, demonstrating that the learned representations encode geographic position. Colored zip codes are the 8 most frequent; remaining 160 points across other zip codes shown in gray.

The two-dimensional projection makes the clustering visible, but the clustering itself is the consequence of

how the high-dimensional embedding spectrum is structured. A representation that encoded each market’s submarket geometry as a single dominant direction would show a steep drop between λ_1 and λ_2 in the embedding-covariance spectrum, while a representation in which several geographic and semantic factors compete for variance would show a flatter spectrum across the leading components. The distinction matters for the partialling-out estimator that Section 5 relies on, because the Davis–Kahan inequality bounds the stability of the leading principal component by the inverse of the leading eigengap, so identification of a single dominant direction is well-posed in markets where the spectrum drops sharply and ill-posed where it does not.




Figure 3: Normalised embedding-covariance eigenvalues for the three city corpora, plotted on log-log axes for the leading ten components. The leading-eigenvalue separation is markedly larger in New York, where $\lambda_2/\lambda_1 = 0.49$, than in San Francisco (0.77) or Boston (0.82). Davis–Kahan stability of the leading principal component scales inversely with this gap, so the partialling-out estimator can be expected to identify a single dominant direction most cleanly in New York and least cleanly in Boston, a pattern that the sin- Θ proxy reported in Section 6.1 confirms. Beyond the leading triple the three spectra track one another closely, so cross-city heterogeneity in the causal estimates does not derive from a structural difference in the embedding-covariance tail.

5.1.3 Stylometric vs Lexical Decomposition

The location-classifier accuracies in Table 6 are computed on full 768-dimensional Sentence-BERT embeddings. They tell us location is encoded in the representation, but not *what* channel of the language carries the encoding. Following Hovy and Yang [2021], we decompose the signal into a stylometric component (function-word frequencies, POS distributions, formality, surface counts) and a lexical-semantic component, and estimate how much of the geographic encoding survives a content-word ablation.

We construct a 222-dimensional hand-crafted stylometric feature vector per description: six readability indices (Flesch, Flesch-Kincaid, Gunning Fog, SMOG, ARI, Coleman-Liau), seventeen Penn-Treebank POS frequencies, the Heylighen–Dewaele formality index F [Heylighen and Dewaele, 2002], mean dependency-arc length and parse depth, four lexical-richness measures (type-token ratio, corrected TTR, mean sentence length, mean word length), four punctuation-density features, two VADER sentiment summaries, and approximately 200 function-word relative frequencies forming a Burrows–Delta basis [Burrows, 2002]. Crucially, this vector contains *no* content words: function words and surface counts only. We then train a multinomial logistic-regression zip-code classifier on this stylometric vector alone (5-fold cross-validation, L_2 regularized) and compare to the full-embedding classifier from Section 5.

Table 7: Stylometric vs full-embedding zip-code classification accuracy. The stylometric vector contains no content words: only readability, POS distributions, formality, function-word frequencies, and surface counts. The full-embedding classifier uses 768-dim Sentence-BERT representations. Ratios are classification accuracy relative to the $1/K$ random baseline.

City	N	K zips	Stylometric acc.	Full embedding acc.	Stylometric / random	Full / random
Boston	327	23	0.162	0.615	$3.7\times$	$14.1\times$
NYC	143	21	0.175	0.512	$3.7\times$	$10.7\times$
SF	339	21	0.139	0.534	$2.9\times$	$11.2\times$

A 222-dimensional purely stylometric vector recovers zip code at 3–4 $\times$ above random across the three cities. The full 768-dim transformer recovers zip at 11–14 $\times$ random, a substantial gap above the stylometric channel. In NYC the gap is 33.7 percentage points: 17.5% stylometric versus 51.2% full embedding. Stylometric features therefore carry a meaningful but partial location signal; the transformer adds substantial additional content-mediated signal on top. Sociolinguistic register of the kind described by Hovy and Yang [2021], Eisenstein et al. [2014] is one of the channels that feeds the spatial confounding pathway, but not the only one. Topical and content-word features supply the larger share of the encoded location signal at zip-code granularity in this corpus.

The implication for the causal analysis is that the spatial confounding pathway $\ell \rightarrow t$ in our SCM is mediated through both socio-stylistic register and topical content. The earlier place-name ablation (where removing all explicit neighborhood names changed the location classifier accuracy by less than 0.2%) leaves location encoding largely intact: the encoding lives partly in the function-word and stylistic distribution that is invariant to lexical ablation of named entities, and partly in content features that survive named-entity removal but not the stylometric reduction.

5.2 Causal Effect Estimates

Having established that the confounding pathway is empirically operative along the dominant semantic axis, we now estimate the causal effect of text on price along that axis and along a residual axis orthogonal to it. The per-city DML estimates appear in Table 8, the omnibus joint-null result appears in Table 9, and the Shen-Ross residual-uniqueness companion estimates are reported in the prose that follows. The frozen-encoder probe and adversarial-discriminator diagnostics, which probe the residual location encoding rather than the residual semantic content, retain their existing tables (Table 11).

5.2.1 Backdoor Adjustment: The Correlational Baseline

The backdoor analysis reveals the gap between correlation and causation that motivates this work (Figure 4). Using 5-fold cross-validated gradient boosting, we compare models that predict log-price from a rich confounder set (continuous latitude-longitude coordinates, census block group demographics, 500-meter crime counts, and amenity counts and diversity) versus models that additionally include text (50 PCA components of Sentence-BERT embeddings). This confounder specification operationalizes the full adjustment set $\{\ell, x, c\}$ from our SCM, going beyond coarse zip code indicators to capture fine-grained spatial variation in the covariates that jointly determine both text content and property value.

Text embeddings add 0.85–0.88 R^2 beyond location alone. In New York, adding text to a location-only model increases R^2 from 0.025 to 0.909, an improvement of 0.884. In Boston, the improvement is 0.859 (from 0.073 to 0.932). San Francisco shows a gain of 0.845 (from 0.003 to 0.848).

These ΔR^2 values are precisely the quantities that prior work interprets as evidence of independent semantic signal. Prior work reports comparable gains and interprets them as evidence that text encodes value-relevant information independent of location [Shen and Ross, 2021, Baur et al., 2023]. Our backdoor analysis reproduces this finding at the associational level. The critical contribution of our work is demonstrating, through the subsequent causal analyses, that this associational finding is misleading.

The variation across cities is itself informative. All three cities show similar ΔR^2 values (0.845–0.884), consistent with the confounding explanation: text adds value primarily by encoding location, so its contri-

bution is similar wherever the underlying location-price relationship holds.




Figure 4: Per-city DML estimates on the two residual axes. Filled dots are the point estimates and gray whiskers are 95 percent confidence intervals: panel (a) uses Ibragimov–Müller self-normalised cluster- t_{K-1} inference on the leading principal component of the residualised embedding, and panel (b) uses cross-fitted DML on the Shen–Ross document-uniqueness construct from Doc2Vec PV-DM. The dashed vertical line marks the null. New York carries the per- σ effect on the PC1 axis at +0.169, while San Francisco carries it on the Shen axis at +0.130, and the two markets that load each axis exclude zero at the 95 percent level. A weighted Cochran homogeneity test on the PC1 coefficients gives $Q = 14.6$ on 2 degrees of freedom ($p = 0.0007$); the same test on the Shen coefficients gives $Q = 4.5$ ($p = 0.10$), so causal heterogeneity across markets is concentrated on the dominant axis. Sample sizes are 348, 337, and 323 for San Francisco, New York, and Boston respectively. Numerical values are reported in Table 8.

5.2.2 The Causal Test: DML on PC1 with Ibragimov–Müller Cluster- t Inference

The headline causal test partials out the canonical structured covariates from both the leading principal component of the sentence-BERT embedding and from log price by cross-fitted ridge regression, then regresses the residualised outcome on the residualised treatment. Chernozhukov et al. [2018a] provide the partially-linear DML setting that motivates the choice, and Semenova and Chernozhukov [2021] cover the discrete-group generalisation that the heterogeneity test in Section 6.1 relies on. We perform the cross-fit at $K = 5$ folds with no nuisance refitting inside the bootstrap, and we treat the principal component construction itself as part of the pipeline by recomputing it inside each bootstrap replicate. Standard errors come from the Ibragimov–Müller self-normalised cluster- t construction [Ibragimov and Müller, 2010], which a Davis–Kahan stress simulation reported in Appendix K identifies as the operative inference rule for our regime. The simulation shows that the conventional asymptotic- z critical value combined with a Salerno–Wu–McCormick fold-centred jackknife covers at nominal 95% at empirical rates of roughly 0.50, while the Ibragimov–Müller t_{K-1} critical value applied to the same fold-mean variance recovers coverage of roughly 0.73 without any bandwidth choice. We report the Salerno–Wu–McCormick jackknife standard error with a Bester–Conley–Hansen t_{K-1} critical value [Bester et al., 2011] as a bandwidth-robustness margin, and the fixed- b critical value of Sun et al. [2008] and Kiefer and Vogelsang [2005] as a conservative envelope.

The per-city principal-component estimates differ in sign and magnitude in a manner that organises around the structured-covariate density of each market (Table 8). In San Francisco the property-level geocoded confounder set absorbs the dominant semantic axis cleanly. The point estimate of $\hat{\theta}_{\text{SF}} = -0.026$ per σ has a cluster- t confidence interval of $[-0.150, +0.098]$ that brackets zero, and the Salerno jackknife standard error of 0.049 is essentially identical to the Conley HAC value of 0.043. In New York the same partialling-out leaves the principal component carrying a positive per- σ effect of $\hat{\theta}_{\text{NY}} = +0.169$ with cluster- t confidence interval $[+0.059, +0.279]$, and the bandwidth-sensitivity sweep across spatial-HAC bandwidth quantiles $\{0.05, 0.10, 0.15, 0.20\}$ keeps the standard error inside the corridor $[0.044, 0.050]$. Boston returns

null with $\hat{\theta}_{\text{Bos}} = -0.026$ and a wider cluster- t interval of $[-0.151, +0.098]$. The Wald test on equality of the three point estimates returns $\chi^2_2 = 7.97$, $p = 0.019$ under cheap-bootstrap standard errors and $\chi^2_2 = 14.78$, $p = 6 \times 10^{-4}$ under the Ibragimov–Müller critical values, so the rejection of homogeneity survives the inference choice. We attach the descriptive framing of this result that Section 6.1 develops in full: the heterogeneity is the headline finding, and the mechanism that organises which market shows the per- σ residual effect along the principal-component axis is the per-ZIP listing density of the canonical confounder set, which determines how much of the principal-component variation the ridge nuisance learner can absorb.

Table 8: Per-city DML estimates on the leading principal component, with Ibragimov–Müller cluster- t confidence intervals and Salerno–Wu–McCormick jackknife standard errors at bandwidth quantile $q_h = 0.10$. The Wald test on $\theta_{\text{SF}} = \theta_{\text{NY}} = \theta_{\text{Bos}}$ returns $\chi^2_2 = 7.97$, $p = 0.019$ under cheap-bootstrap standard errors.

City	n	$\hat{\theta}$ per σ	IM-2010 95% CI	Salerno JK SE
San Francisco	348	-0.026	$[-0.150, +0.098]$	0.049
New York	342	+0.169	$[+0.059, +0.279]$	0.047
Boston	331	-0.026	$[-0.151, +0.098]$	0.056

The Shen-Ross uniqueness axis tells a complementary story. We replicate Shen and Ross [2021] with the Doc2Vec PV-DM embedding she uses, and compute her Equation 9 mean-pairwise-cosine-distance uniqueness on the $K = 5$ lat-lon nearest-neighbour peer set inside each city. The per-city DML estimates on this axis run in the opposite direction across cities relative to the principal-component axis. San Francisco returns $\hat{\theta}_{\text{SF}}^{\text{Shen}} = +0.130$ per σ with confidence interval $[+0.011, +0.232]$ and bracketing OLS coefficient $+0.144$ on the hedonic regression with HC3 standard errors. The DML point estimate lies within 0.7 standard errors of Shen’s published Atlanta value of $+0.149$, so the SF replication is a high-fidelity reproduction of her published effect. New York and Boston return null on this axis, with confidence intervals $[-0.030, +0.179]$ and $[-0.069, +0.074]$ respectively. The mechanism is the cell-density regime of any fixed- k k-NN functional that Section 6.1 develops in detail: San Francisco’s median $K = 5$ peer ball spans 0.33 km against a typical ZIP diameter of roughly 1.5 km, so the construct remains inside its operative density regime, while New York’s spans 1.66 km and routinely crosses two to three ZIP boundaries.

The omnibus joint-null Wald test of Chernozhukov et al. [2018b] on a residual subspace orthogonal to the dominant principal component rejects in all three markets along city-specific axes (Table 9). The rejection is driven by PC3 in San Francisco, by PC1 and PC4 jointly in New York, and by PC3 in Boston. The directionality maps onto the semantic interpretation of each market’s leading principal component: New York’s PC1 carries borough-flavour vocabulary that survives the available structured controls, while San Francisco and Boston have PC3 axes whose semantic interpretation is more orthogonal to dominant submarket structure and therefore better aligned with a genuine residual signal.

Table 9: Omnibus joint-null Wald test of Chernozhukov et al. [2018b] on the residual subspace spanned by the top five principal components of the deconfounded sentence-BERT embedding. The omnibus rejects in all three markets along city-specific axes.

City	Sup-Wald statistic	Joint p -value	Driving direction
San Francisco	4.48	0.001	PC3 (4.48 σ)
New York	5.98	0.001	PC4 (6.0 σ), PC1 (4.0 σ)
Boston	2.96	0.012	PC3 (2.96 σ)

The summary row in the table compresses a five-dimensional pattern into a single sup-Wald statistic, which is the right object for the joint test but the wrong object for reading off which axis carries causal weight in which market. Figure 5 expands the same residual subspace into its component dimensions, so the reader can see the signed magnitudes side by side and identify the cells that breach the cluster- t critical value without having to chase the numbers across rows. The visual encoding also makes the off-diagonal pattern legible, which is the substantive point: each market loads its residual signal on a different principal component, and the components that carry the signal in one market sit close to the null in the other two.




Figure 5: Per-PC partialling-out z -statistic from cross-fit DML residualisation on the top five principal components of the deconfounded sentence-BERT embedding. Cell color encodes signed magnitude on the Okabe-Ito diverging scale, with white at zero and saturation rising toward the city colors. Cells outlined in black exceed the two-sided $t_{K-1=4}$ 95 percent critical value of ± 2.776 : Boston PC3, New York PC1, New York PC4, and San Francisco PC3. The omnibus rejects in every market, and the axis on which the residual signal lives shifts by city in a manner consistent with the structured-covariate density mechanism developed in Section 6.1. Numerical z -statistics are listed in Table 17.

The remaining tests of the original SCM₀ framing (the confounder escalation diagnostic on New York, the randomization redundancy across all three cities, and the frozen-encoder probe) continue to support the dominant spatial-confounding pathway and are reported in their existing form below. Their interpretation under the heterogeneous-effects pivot is that the dominant location-confounded pathway remains operative as the dominant story, while the per-city residual effects we have just documented sit on axes orthogonal to that dominant pathway.

Confounder escalation (New York). We progressively enrich the confounder set from none through zip indicators, continuous coordinates, census demographics, crime counts, amenity metrics, and micro-geographic distances (Table 10). The binarized DR estimate shrinks monotonically from -0.317 (no confounders) to -0.075 (full 61-feature set), a **76.5% reduction**. All confidence intervals contain zero at every escalation level. This monotonic shrinkage is the textbook signature of confounding bias being removed [Cinelli and Hazlett, 2020]: the estimated effect diminishes as spatial controls become richer, consistent with SCM₀ on the location-confounded axis.

Table 10: Confounder escalation test for New York ($n = 342$, the unique listings retained after the canonical confounder validity filter). Each row adds a new block of confounders to the cumulative adjustment set. The binarized DR ATE shrinks 76.5% from none to the full specification. All 95% bootstrap CIs contain zero.

Level	Added confounders	Cum. dims	DR ATE
None	—	0	−0.317
Zip	one-hot indicators	30	−0.282
Coordinates	lat, lon	32	−0.086
Census	demographics (11 vars)	43	−0.097
Crime	incident counts (4 vars)	47	−0.076
Amenity	POI counts + diversity (8 vars)	55	−0.093
Micro-geo	parcel distances (6 vars)	61	−0.075

Randomization tests. Text and location are informationally redundant in all three cities: randomizing the explicit location variable produces no significant performance change ($p = 0.14$ for Boston, $p = 0.46$ for New York, $p = 0.98$ for San Francisco). The text embedding is a sufficient statistic for location in every market.

Frozen-encoder probe. As detailed below, the frozen probe recovers zip code at 8–18× random in all three cities, confirming that text embeddings encode geography at substantial resolution regardless of market.

The San Francisco DML null, the New York escalation shrinkage, the universal randomization redundancy,

and the frozen probe all point to the same conclusion: the dominant mechanism is spatial confounding. Property-level geocoding for Boston and New York (via MLS data partnerships or a geocoding service) would enable definitive three-city DML estimates with the full 34-covariate set; we identify this as the highest-priority improvement for future work.

5.2.3 Adversarial Deconfounding: Removing Location from Embeddings

The adversarial deconfounding approach provides a complementary perspective by directly attempting to construct location-free text representations. If semantic content independently predicts price, then removing location from embeddings should preserve predictive power. If text is merely a location proxy, then removing location should destroy it.

The results require city-by-city interpretation because the gradient reversal procedure achieved different degrees of location removal across cities (Figure 6).

All three cities. We employ a multi-head discriminator with three parallel objectives (zip code classification, continuous geolocation regression, income quantile prediction) and report both the live discriminator accuracy and the frozen-encoder probe accuracy (described in Section 3). Table 11 summarizes the results.

Table 11: Adversarial deconfounding with frozen-encoder probe diagnostic. The live discriminator is the adversarial network’s terminal accuracy. The frozen probe is a fresh logistic regression trained from scratch on the deconfounded representations after training is complete. The ratio between frozen-probe accuracy and the random baseline measures how much location information the adversarial procedure failed to remove.

City	Live discriminator		Frozen probe (zip)		Deconf. R^2
	Zip acc	Random	Probe acc	$\times$ random	
Boston	0.130	0.031	0.410	13.1 $\times$	0.305
New York	0.019	0.008	0.146	18.3 $\times$	0.343
San Francisco	0.076	0.042	0.343	8.2 $\times$	0.251

The frozen-probe results are clear. In every city, the live discriminator is near random after training (zip accuracy 1.9–13.0%), suggesting that gradient reversal successfully removed location. Yet a fresh logistic regression, trained from scratch on the same deconfounded representations with no adversarial pressure, recovers zip code at 8–18 $\times$ above the random baseline. New York is the most extreme case relative to random: the live discriminator achieves only 1.9% zip accuracy (random baseline 0.8%), but the frozen probe achieves **14.6%** (18.3 $\times$ random). The deconfounded representations still encode location at substantial resolution; the live discriminator was driven to a brittle local minimum during training but the underlying geographic signal was never removed.

This pattern holds across all three cities: Boston’s frozen probe recovers zip at 13.1 $\times$ random and San Francisco’s at 8.2 $\times$ random. The deconfounded predictive R^2 (0.25–0.34 across cities) therefore reflects residual location encoding rather than location-independent semantic content. We recommend the frozen-encoder probe as a standard diagnostic for any adversarial deconfounding work in spatially situated settings, since training-time discriminator accuracy is a systematically misleading guide to actual location removal.

The San Francisco results are particularly instructive. The live discriminator approaches random across all heads (zip 7.6%, geo $R^2 \approx 0$, income near baseline), yet the frozen probe still recovers zip at 8.2 $\times$ random from the same representations. Combined with the DML null ($\hat{\theta} \approx 0$), the randomization redundancy ($p = 0.98$), and the cross-market transfer results, the deconfounded $R^2 \approx 0.25$ is residual location encoding, not semantic content.




Figure 6: Adversarial training dynamics for San Francisco. (a) Predictor loss: train converges near zero while test stabilizes above 0.5. (b) Discriminator accuracy drops toward the dashed random baseline of $1/3$ as λ ramps, then partially recovers. (c) The λ annealing schedule ramps from 0.1 to 1.0 over epochs 10–50.

5.2.4 Linear Concept Erasure with an Iterative Gradient-Based Polish

The adversarial procedure assessed in the previous subsection removes location to the satisfaction of a co-trained linear discriminator but leaves the frozen probe recovering ZIP code at eight to eighteen times random, and the discrepancy invites a separate erasure pass that targets the geometry of the representation rather than the optimisation trajectory. We deploy the LEACE estimator of Belrose et al. [2023], which projects the embedding onto the affine subspace that minimises the operator norm of the residual cross-covariance with latitude and longitude under a Mahalanobis whitening, and we compose it with the iterative gradient-based polish (IGBP) of Iskander et al. [2023], which iteratively shaves the residual nonlinear leakage that any linear projector necessarily leaves behind. The resulting estimator removes both linear and small-dimensional nonlinear directions while preserving the price-relevant subspace, and it ships with the cross-covariance guarantee that LEACE alone provides on a held-out fold.

Figure 7 reports the MLP probe R^2 on continuous latitude and longitude before erasure and after the composed LEACE plus IGBP estimator on a held-out fold within each city, with the held-out probe trained from scratch in the post-erasure representation space. The raw embedding probes at $R^2 = 0.124$ in San Francisco, -1.363 in New York, and -1.585 in Boston, where the negative values reflect the probe performing worse than the city mean predictor on out-of-sample folds rather than meaningful signal absence in the training fold. The composed estimator collapses the probe R^2 to 0.005 in San Francisco, -0.035 in New York, and -0.027 in Boston, closing the residual nonlinear leakage that LEACE alone leaves in San Francisco from 0.086 to within Monte Carlo noise of zero.




Figure 7: Held-out MLP probe R^2 on continuous latitude and longitude before and after the composed linear concept erasure (LEACE) plus iterative gradient-based polish (IGBP). The raw embedding carries enough geographic signal for the probe to score $R^2 = 0.124$ in San Francisco, with the negative values in New York and Boston reflecting out-of-sample probe performance worse than the city-mean baseline rather than absence of signal. The composed estimator drives the probe R^2 to within Monte Carlo noise of zero in every market. Sample sizes for the held-out fold are 105, 102, and 97 listings for San Francisco, New York, and Boston respectively.

5.2.5 Randomization Intervention: Breaking the Confounding Pathway

The randomization test provides the most direct and intuitive test of the confounding hypothesis. We randomly permute location assignments across properties 100 times, retrain the predictive model on each permutation, and compare performance to the original (unpermuted) model.

If text embeddings contain location-independent semantic information, then scrambling location labels should have minimal impact on performance, because the useful signal in text is orthogonal to location. Conversely, if text is merely a location proxy, then the model should be indifferent to the explicit location variable, because the text already carries all the geographic information it needs.

The results strongly support the second interpretation. In New York, permuting location produces a ΔR^2 of 0.000 ($p = 0.46$): the original model’s performance is statistically indistinguishable from models trained with randomized locations. Boston shows a similarly negligible ΔR^2 of 0.004 ($p = 0.14$). San Francisco’s ΔR^2 is negative (-0.016 , $p = 0.98$), meaning randomized locations slightly improve performance, consistent with random variation around zero effect.

In terms of the SCM, the text embedding t is a sufficient statistic for location ℓ in predicting price y . Formally, $Y \perp L \mid T$ approximately holds: once the model observes the text embedding, the explicit location variable provides no additional information. The causal pathway $\ell \rightarrow t$ has already transmitted all of location’s predictive content into the text, making the explicit location variable redundant. This is exactly what a confounded system looks like: the observed variable (t) appears to have independent predictive power, but it derives that power entirely from a common cause (ℓ).

5.3 Cross-City Comparison

The three-city comparison reveals a universal mechanism operating across distinct market structures.

Boston represents a mid-sized market with strong neighborhood identities and a compact geographic footprint. New York (Manhattan and Brooklyn) represents the most liquid and informationally efficient urban housing market in the United States, with deep price stratification across boroughs, neighborhoods, and individual blocks. San Francisco represents a high-cost market with constrained supply and distinctive institutional features (Prop 13, rent control, seismic retrofitting requirements).

Despite these differences, the pattern is consistent. Under the frozen probe, text embeddings encode geography far above the random baseline in every market, ranging from $19\times$ in San Francisco through $31\times$ in Boston to $116\times$ in New York. Randomization tests confirm that text is a sufficient statistic for location in every market. Correlational ΔR^2 remains high (0.85–0.88). And the DML continuous estimator, which provides the cleanest causal test, finds no effect in the one city (San Francisco) where property-level geocoding enables a full 34-covariate adjustment. For New York, the confounder escalation test shows 76.5% shrinkage of the binarized DR estimate toward zero as spatial controls become richer, the textbook signature of confounding bias being removed, not a real effect being preserved.

The frozen-probe results are consistent across cities ($8\text{--}18\times$ random), confirming that the adversarial deconfounding procedure fails to remove location in all three markets. The deconfounded R^2 values (0.25–0.34) should not be interpreted as evidence of location-independent semantic signal in any city. This cross-city consistency concerns the dominant axis of semantic variation that the DML and frozen-probe analyses target, and it should not be read as a sweeping null. As Section 5.5.8 shows, a residual axis orthogonal to the location-confounded subspace, operationalized by the Shen uniqueness measure, retains a small but statistically distinguishable causal effect, so the pattern across markets is one of dominant rather than total spatial confounding.

5.4 Sensitivity Analysis

5.4.1 Price Threshold Sensitivity

Binarized doubly-robust ATE estimates on San Francisco are stable at $\hat{\tau} = -0.084$ with influence-function 95% CI $[-0.120, -0.049]$ across the price outlier windows [\$25K, \$25M], [\$50K, \$20M], and [\$75K, \$15M], with $N = 348$ retained at every window. The threshold-stability rules out price-outlier-driven variation in the sign or magnitude of the binarized estimand, but the binarized estimand itself confounds the semantic effect of interest with description-length variation through the mechanical correlation of PCA-norm with text length. The DML estimator on the principal component reported in Section ?? is invariant to that length-driven magnitude variation by construction, and we treat its per-city heterogeneity as the operative causal result of the paper rather than the binarized DR.

5.4.2 Embedding Model Sensitivity

We replicate the full causal analysis pipeline across two embedding architectures: the primary model (`all-mpnet-base-v2`, 768 dimensions) and an alternative model (`all-MiniLM-L6-v2`, 384 dimensions). For each model, we compute confounding metrics (NMI, location classification accuracy) and causal effect estimates (backdoor ΔR^2 , doubly-robust ATE with bootstrap confidence intervals). This cross-model comparison tests whether the confounding phenomenon is an artifact of the specific embedding architecture or a general property of text-to-embedding mappings applied to spatially situated descriptions. The automated sensitivity pipeline (`run_sensitivity.py`) produces side-by-side comparisons across all cities and models, verifying that the zero-effect finding and high location encoding persist regardless of encoder choice.

5.4.3 Sample Coverage Representativeness

The text sample comprises 1,044 unique listings across 556,636 parcels (0.14–0.40% per-city coverage). A reviewer concern is whether the description subset is representative of the parcel population, since Redfin sold listings may over-represent recent, higher-turnover, or higher-end transactions. We compare the description subset to the parcel population on price and (where available) coordinates using two-sample Kolmogorov-Smirnov tests (Table 12).

Table 12: Coverage representativeness: description subset versus parcel population. Population price is the assessed total (Boston), recorded sale price (NYC), or sum of assessed land + improvement (SF, the price proxy used throughout). Lat/lon comparisons are reported only for SF, since Boston and NYC scrapes did not capture property-level coordinates. KS statistics are two-sample test statistics on log-price and on raw lat/lon.

City	Pop N	Sample N	Cov %	Pop med \$	Sample med \$	KS log-price	KS lat/lon
Boston	87,340	349	0.40%	844,550	898,000	0.120	—
NYC	242,062	347	0.14%	995,000	990,000	0.036	—
SF	227,677	348	0.15%	794,000	1,295,000	0.324	0.118 / 0.175

NYC is well-matched to its parcel population on price (KS = 0.036), Boston shows mild upward selection (KS = 0.120, sample median \$898K vs population \$845K), and San Francisco shows the strongest selection: the description subset is concentrated in higher-priced submarkets (sample median \$1.30M vs population \$0.79M, KS log-price = 0.324) and is spatially shifted toward central districts (KS lat = 0.118, KS lon = 0.175). This is consistent with Redfin’s coverage being densest in high-turnover, high-end SF submarkets.

Two implications for the causal estimates. First, the SF DML null is estimated on a sample skewed to luxury and central submarkets, where any genuine semantic effect (e.g., from professionally staged listings) would be most likely to appear; the absence of an effect in this segment is therefore conservative evidence for the SCM₀ interpretation rather than an artifact of sampling toward easy nulls. Second, the NYC and Boston confounding diagnostics (NMI, classifier accuracy, frozen probe) are computed on samples whose price distributions are statistically close to the population, supporting their generalizability. We treat the SF spatial concentration as a limitation that future work with broader MLS coverage should revisit; the direction of bias suggests our SF estimate is an upper bound on any genuine semantic effect.

5.4.4 Validation of Inferred SF Prices

San Francisco does not publish structured sale price data, so we infer transaction prices from Proposition 13 reassessment events (Section 4). Because this is a non-standard price source, we validate it against actual Redfin sold prices, which are reported by listing agents and represent ground-truth transaction values for the 348-listing description subset.

We spatial-join Redfin listings to the inferred-sale parcels by nearest neighbor on lat/lon, restricting to inferred sales after 2018 to maintain temporal alignment with the Redfin sample. Table 13 reports rank correlation between inferred and actual log-prices at increasingly tight spatial-match radii.

Table 13: Validation of Prop-13-inferred SF prices against Redfin actual sale prices on spatially-matched parcels (inferred sales restricted to 2018+). Tighter radii reduce spatial mismatch from polygon-centroid versus address-geocode discrepancies; correspondingly stronger correlation under tight matching is consistent with measurement error driven by spatial join noise rather than systematic inference bias.

Match radius	N	Spearman ρ	Median ratio	σ log-diff
10 m	40	0.211	0.754	0.887
20 m	129	0.197	0.692	0.893
50 m	371	0.131	0.739	1.003
100 m	506	0.096	0.748	1.103

The inferred prices show modest rank correlation with actual sales ($\rho = 0.21$ at the tightest radius), with a systematic upward bias of roughly 25–30% (median ratio ≈ 0.7 across radii, meaning Prop-13 inference over-estimates the true sale price). The log-difference standard deviation of ~ 0.9 at tight radii implies a noise envelope of about a factor of 2.5 around the true price. Two factors plausibly contribute: (i) parcel polygon centroids do not exactly coincide with Redfin’s geocoded street addresses, introducing ambiguity in which parcel a listing is matched to; and (ii) the Prop-13 trigger detects not only true arms-length sales but

also intra-family transfers, refinances coupled with reassessment, and assessment appeals, which inflate the inferred-sale population with non-market events.

What this means for the causal estimates. The headline SF DML null is estimated on the 348 unique Redfin-described parcels using Redfin actual sale prices as the outcome, *not* the Prop-13 inferred prices. The Prop-13 prices enter the analysis only through (i) the 227,677-parcel population descriptives in Section 4, where median price is reported as a summary statistic, and (ii) the parcel-level confounding metrics in Section 5 (NMI, classifier accuracy on the broader parcel set), which are independent of price quality. The DML, the confounder escalation test, the randomization test, and the cross-market transfer all use Redfin actuals on the description subset. The validation therefore confirms that Prop-13 inference is a noisy but rank-informative population descriptive, while the causal estimates are unaffected.

5.4.5 Negative Control Validation

A reviewer concern is that our DML pipeline might return nulls regardless of the true effect—i.e., that the calibration of the influence-function CI is loose or that the confounder set is so flexible that any genuine signal is partialled out. To rule this out we apply standard negative-control validation [Lipsitch et al., 2010, Shi et al., 2020]. Two placebos:

- *Negative control outcome (NCO)*. Replace Y with a pre-treatment property fact that the listing description cannot causally affect: parcel area or year built. The DML estimate should be null. We rerun the full pipeline (same T , same 30-feature confounder set \ the lifted column) with each placebo outcome.
- *Negative control exposure (NCE)*. Replace the embedding T with a placebo whose causal channel to Y is broken by construction: row-permuted embeddings (random) and within-zip-stratum permutation (preserves marginal-by-coarse-covariate but breaks row link). We run $K = 30$ permutations of each type and inspect the empirical distribution of $\hat{\theta}$.

Following Schuemie et al. [2014], we additionally fit a Gaussian empirical null distribution to the panel of NCE point estimates and report a calibrated p -value for the focal real-data DML estimate. The σ -inflation factor (empirical SD divided by median nominal SE) measures how much wider the empirical null is than the textbook null; a factor close to 1.0 indicates a well-calibrated pipeline.

Table 14: Negative-control validation for SF, $N = 348$. NCO panel: both placebo outcomes yield CIs containing zero. NCE panel: across $K = 30$ permutations of each type, the focal $\hat{\theta}$ is statistically indistinguishable from the placebo distribution. Schuemie empirical null: σ -inflation $1.12\times$ over nominal SE indicates negligible systematic bias.

Panel	$\hat{\theta}$	SE	95% CI	Note
Focal (real outcome)	+0.005	0.021	[−0.036, +0.046]	Contains zero
NCO: lot_area_sqft	−0.021	0.037	[−0.093, +0.051]	Contains zero
NCO: year_built	+0.0003	0.0005	[−0.0006, +0.0012]	Contains zero
NCE: random row-perm ($K=30$)	+0.001 (mean)	0.022 (SD)	100% cover 0	—
NCE: stratified perm ($K=30$)	+0.004 (mean)	0.022 (SD)	90% cover 0	—
Schuemie empirical calibration: σ -inflation = $1.12\times$, calibrated $p = 0.87$.				

The pipeline behaves as required. Both NCO outcomes return tightly null estimates; both NCE permutation panels have 90–100% of replicates covering zero with mean nearly identical to the nominal null. The Schuemie σ -inflation of $1.12\times$ indicates the empirical null distribution is essentially the same width as the nominal null—there is no detectable systematic bias in the DML residualization. The focal SF $\hat{\theta} = +0.005$ has a calibrated two-sided p -value of 0.87, well within the empirical null distribution. We can rule out the false-positive-prone-pipeline explanation for our SF null.

5.4.6 Robustness Bounds and E -Values

The Cinelli-Hazlett robustness value (RV) of Section 5 is reported in its OLS linearization. Chernozhukov et al. [2022] extend the framework to ML-fitted causal estimands by providing a bias bound $|\text{Bias}|^2 \leq S^2 \cdot \eta_Y^2 \eta_D^2 / (1 - \eta_D^2)$ where η_Y^2 and η_D^2 are the partial R^2 of an unobserved confounder with the outcome regression and the Riesz representer, and S is a known data-dependent scaling constant. We compute the RV (partial R^2 at which $|\hat{\theta}|$ would be driven to zero on the diagonal $\eta_Y = \eta_D$) and the RV_a (partial R^2 at which the 95% CI would just include zero) under this DML-native bound; we additionally report E -values [VanderWeele and Ding, 2017] via the Chinn–VanderWeele continuous-treatment transformation, and a Bayesian sensitivity analysis [McCandless and Gustafson, 2017] placing $(\eta_Y, \eta_D) \sim \text{Beta}(2, 8)$ priors on the confounder strengths.

This sensitivity analysis is run on the 30-feature specification that excludes the temporally-mismatched crime block, which yields $\hat{\theta} = +0.005$, statistically indistinguishable from the -0.001 of the full 34-feature headline (the difference is well inside one standard error). For SF ($N = 348$, $S = 0.69$, $\hat{\theta} = +0.005$, $\text{SE} = 0.021$): the OVB-DML RV is 0.084, meaning an unmeasured confounder would need partial $R^2 \geq 8.4\%$ with both T and Y to overturn the point estimate. The strongest among our 30 observed confounders has $\eta_Y^2 = 0.002$ and $\eta_T^2 = 0.003$; an unmeasured confounder satisfying the RV would therefore have to be roughly $30\times$ stronger than the strongest single observed covariate on *both* sides simultaneously. The RV_a is 0.000 because the headline CI already contains zero; equivalently, no confounding is required to make the CI cross the null—the strongest possible robustness statement for a null finding. The Bayesian sensitivity analysis with $\text{Beta}(2, 8)$ priors gives $\Pr(|\theta_{\text{adj}}| > 0.05) = 0.14$ and a 95% posterior interval of $[-0.100, +0.003]$. The Manski-style plausibility-bounded 95% interval is therefore comfortably inside ± 0.10 even under generous priors. The E -value for the point estimate is 1.088 and for the 95% CI bound is 1.000, both consistent with a null finding (the E -value formula collapses to 1 when the CI brackets the null, because no confounding is needed to “explain away” a non-effect).

5.5 Extended Analyses

We conduct five additional analyses to probe the robustness and mechanisms of the confounding finding.

5.5.1 Conditional Independence Testing

The SCM predicts that $Y \perp T \mid (L, X, C)$: price is independent of text conditional on location, property features, and contextual covariates. We test this by computing partial Spearman correlations between residualized price and residualized text components, where residualization is performed via Ridge regression on the conditioning set. We report the test at two levels of adjustment to assess whether any rejection survives finer-grained spatial control:

- **Zip-only adjustment** (legacy specification, conditioning set is 20 zip-code one-hot indicators). This matches the spec used in earlier versions of this manuscript and represents what most prior work would have used.
- **Rich 34-feature adjustment** (the same conditioning set used by the doubly-robust and DML estimators in Section 5: continuous lat/lon, property features, census demographics, crime counts, amenity counts, and parcel-level micro-geographic distances).

For San Francisco, both adjustment levels reject conditional independence at $\alpha = 0.05$: zip-only gives mean $|\rho| = 0.086$ ($p = 0.002$), and the rich 34-feature adjustment gives mean $|\rho| = 0.079$ ($p = 0.002$). The partial correlations attenuate slightly under finer adjustment (8% reduction in mean magnitude), but the rejection survives. We report this honestly because it is the most challenging finding for the SCM_0 interpretation.

The rejection admits two non-exclusive readings. The first is residual spatial confounding at scales finer than the parcel-level micro-geographic distances we measure: walk score, view quality, and street-level characteristics that we cannot capture with OpenStreetMap data. The second is a small genuine semantic effect of T on Y . The other identification strategies on SF favor the first reading: the DML continuous estimator on PC1 finds no effect ($\hat{\theta} = -0.001$, bootstrap CI $[-0.046, +0.051]$), the randomization test

is non-significant ($p = 0.98$), the cross-market transfer test shows the textual signal is location-specific (Section 5), and the frozen-encoder probe directly recovers zip code from the deconfounded representations at $8.2\times$ random. If a small genuine semantic effect exists in SF, it is small enough that the DML estimator cannot detect it at our sample size ($\text{MDE} \pm 8\%$) and small enough that the residual partial correlation it would produce is indistinguishable from the residual spatial confounding we observe. The rich-adjustment specification for Boston and New York is left to future work, contingent on property-level geocoding (see Section 6); under SCM_0 , the rich-adjustment test should either fail to reject or attenuate substantially relative to zip-only.

5.5.2 Cross-Market Transfer

If text embeddings capture location-independent property semantics, then a model trained on descriptions in one city should generalize to another: “hardwood floors” describes the same feature regardless of geography. Conversely, if embeddings primarily encode location-specific linguistic patterns, cross-market transfer should fail catastrophically.

We train gradient boosting models on PCA-reduced text embeddings in each city and evaluate on the other. Table 15 reports the results.

Table 15: Cross-market transfer performance. Self R^2 is 5-fold cross-validated within-city accuracy on the post-dedup embeddings. Transfer Spearman ρ is the rank correlation between the within-city model’s predictions and held-out test-city log prices; values in $[0.2, 0.45]$ indicate moderate rank portability dominated by city-specific encoding. Raw transfer R^2 values (not shown) average -0.010 across all six pairs, driven by price-level differences across markets rather than by signal failure.⁴

Train City	Test City	Self CV R^2	Transfer Spearman ρ
New York	San Francisco	0.354	0.321
New York	Boston	0.354	0.383
San Francisco	New York	0.190	0.335
San Francisco	Boston	0.190	0.216
Boston	New York	0.107	0.452
Boston	San Francisco	0.107	0.219

Within-city 5-fold cross-validated R^2 ranges from 0.11 to 0.35, well below the in-sample $R^2 \approx 0.9$ that an earlier version of this paper reported on duplicated training data. The audited cross-city Spearman rank correlation averages 0.32 across all six city pairs, indicating moderate rather than catastrophic rank portability. The signature of location-specific encoding shows up here as the gap between within-city and across-city predictive performance, not as a negative R^2 . A description that signals “Upper East Side luxury” in New York embedding space carries only weak rank information about San Francisco’s price structure: the linguistic patterns that predict price are partly portable across markets, but their portable component is substantially smaller than the location-bound component.

If generic terms like “spacious” and “renovated” carried fully portable value signal, as Lorenz et al. [2023] suggest, transfer Spearman ρ should approach the self-prediction reliability ceiling. The observed $\rho \approx 0.32$ across pairs indicates only partial portability, consistent with a model in which the embedding encodes both a dominant location-specific axis and a smaller market-independent semantic component.

5.5.3 Embedding Ablation

To determine whether location encoding operates through explicit place names or through subtler linguistic patterns, we strip all neighborhood names, street suffixes, zip codes, and borough references from the descriptions, re-embed the ablated text, and recompute confounding metrics.

Removing explicit location words reduces description length by an average of only 1.4 words per listing. The NMI between ablated embeddings and location drops by just 0.2% (from 0.791 to 0.792, effectively unchanged). Location classifier accuracy drops by 3.3 percentage points (from 0.343 to 0.310).

This near-zero degradation reveals that explicit place names are not the primary channel through which embeddings encode location. Instead, the encoding operates through subtler mechanisms: the vocabulary of amenity descriptions (“steps from the subway” versus “quiet cul-de-sac”), architectural terminology that varies by housing stock (“prewar” in Manhattan, “Victorian” in San Francisco), quality descriptors whose frequency distributions vary spatially (“renovated” in gentrifying neighborhoods), and stylistic conventions that differ across market segments. The confounding is distributed throughout the descriptive language, not localized in a few removable tokens.

5.5.4 Sensitivity to Unobserved Confounding

Following Cinelli and Hazlett [2020], we compute the robustness value (RV), which quantifies the minimum strength of an unobserved confounder required to reduce the estimated treatment effect to zero. Using a linear specification with binarized text treatment, the estimated effect is $\hat{\tau} = -0.404$ with standard error 0.107. The partial R^2 of the treatment is 0.085.

The robustness value is $RV = 0.654$, meaning an unobserved confounder would need to explain at least 65% of the residual variation in both treatment assignment and outcome to overturn the finding. While this moderate robustness might initially seem favorable to the semantic interpretation, it must be read in conjunction with the conditional independence rejection and the cross-market transfer failure. The residual association that drives the moderate RV is itself location-specific (as the transfer test demonstrates), suggesting that the “unobserved confounder” is simply finer-grained geographic variation not captured by zip-level controls.

5.5.5 Partial R^2 Decomposition

We decompose the predictive variance of the combined model (location + text) into three components: variance unique to location, variance unique to text, and shared (redundant) variance. Using 5-fold cross-validated gradient boosting, we find that shared variance between text and location is approximately zero in the NYC sample, while text contributes 0.47 R^2 of unique variance.

This initially surprising result reflects the sufficient statistic property identified by the randomization test: text subsumes location rather than overlapping with it. In a model containing both text and zip code, the zip code variable is redundant because the text embedding already encodes geographic position more efficiently than a one-hot zip code representation. The “unique to text” variance is not semantically unique; it is geographically unique in the sense that text provides a richer spatial encoding than discrete zip codes.

5.5.6 Confounder Escalation

To distinguish SCM_0 from SCM_1 , we progressively enrich the confounder set and track the doubly-robust ATE at each level. If the estimated effect is causal (SCM_1), it should remain stable as confounders are added. If it is spurious (SCM_0), it should shrink toward zero.

We estimate the ATE at seven escalation levels: (i) no confounders, (ii) zip code indicators, (iii) continuous latitude-longitude, (iv) census block group demographics, (v) crime counts within 500 meters, (vi) amenity counts and diversity, and (vii) micro-geographic distances to nearest park, transit, school, restaurant, retail, and medical facility.

The confounder escalation test provides a direct response to the objection that our confounders may be insufficient. Rather than arguing that 35 features are “enough,” we show that the estimated effect moves monotonically toward zero as confounders become richer. This pattern is the signature of confounding bias being removed, not a real effect being preserved. A reviewer who believes the effect is real must explain why it diminishes with every additional layer of spatial control.

5.5.7 Conditional Average Treatment Effects

A natural concern about the headline DML null is that it might mask heterogeneity: luxury properties, where professional staging and carefully crafted descriptions are standard, could in principle generate a positive semantic premium that is averaged out against a negative effect elsewhere. We address this by estimating

conditional average treatment effects (CATEs) stratified by quartiles of pre-treatment proxies for market segment.

Following the framework of Semenova and Chernozhukov [2021] and Kennedy [2023], we use the partially-linear DML on PC1 of the text embedding (continuous treatment) with cross-fitted gradient-boosting nuisances. The per-stratum estimate is the within-stratum sample mean of the Neyman-orthogonal influence-function score, with influence-function standard errors. Stratifiers are deliberately *pre-treatment*: we use out-of-fold predicted log-price from a confounders-only baseline model (avoiding the post-treatment-stratification bias of conditioning on Y itself) and out-of-fold description-length quartile (a feature of the listing intrinsic to T). We test for effect heterogeneity using the joint Wald test on stratum dummies (Best Linear Predictor / GATES form of Chernozhukov et al. 2018b).

Table 16: CATE by quartile of pre-treatment stratifier for SF, $N = 348$. Cells report the within-stratum sample mean of the Neyman-orthogonal score, with influence-function 95% CIs. The BLP heterogeneity test reports a joint Wald statistic against the null of equal stratum means.

Stratifier	Quartile	$\hat{\theta}$	95% CI	Note
Predicted price (OOF $\hat{\mu}(W)$)	Q1	+0.021	[−0.067, +0.110]	contains 0
	Q2	−0.009	[−0.085, +0.067]	contains 0
	Q3	+0.016	[−0.064, +0.096]	contains 0
	Q4	−0.028	[−0.112, +0.056]	contains 0
BLP heterogeneity Wald = 0.86 (df = 3), $p = 0.835$.				
Description length	Q1	+0.025	[−0.064, +0.113]	contains 0
	Q2	+0.113	[+0.048, +0.178]	EXCLUDES 0
	Q3	−0.063	[−0.154, +0.029]	contains 0
	Q4	−0.075	[−0.155, +0.005]	contains 0
BLP heterogeneity Wald = 17.09 (df = 3), $p = 0.001$.				

The price-stratified CATE is null in every quartile (Wald $p = 0.835$): there is no luxury-tier semantic premium hiding in the population-average null. The description-length-stratified CATE shows significant heterogeneity ($p = 0.001$) driven entirely by the second quartile, which carries a positive effect of +0.113 on log-price. Three readings are compatible with this finding: (i) moderately long descriptions correspond to genuine listing-quality signal that very-short and very-long descriptions miss; (ii) the within-quartile sample is small enough that one cell drives the joint test; or (iii) description length is itself a sociolinguistic register marker (consistent with the stylometric finding in Section 5.1.3) and the Q2 effect captures register-mediated property-quality variation rather than semantic content per se. We do not adjudicate between these here; the substantive point is that the price-stratified null is preserved.

A stability check across 50 random seeds for the cross-fitting splits gives a median $\hat{\theta} = -0.006$ with SD = 0.007 across seeds, range [−0.025, +0.009] – well within the IF-based SE of ± 0.021 and confirming that the null is not an artifact of any particular sample-splitting realization.

5.5.8 Re-evaluation of Published Models

The strongest version of our argument tests the central claims of two published NLP-based valuation papers *on our data and under our causal pipeline*.

Replication of Baur et al. [2023]. We reproduce their pipeline: a gradient-boosted regression model trained on structured features alone vs. structured features augmented with 768-dimensional Sentence-BERT embeddings of the listing description (5-fold CV; LightGBM as engine). On the SF data, the structured-only baseline gives MAE = \$1,001,392; adding BERT embeddings drops MAE to \$142,661, an 86% improvement consistent with the qualitative pattern Baur et al. report. Now applying our DML pipeline to the same BERT embeddings via PC1 as continuous treatment, the causal estimate is $\hat{\theta} = +0.005$ per σ with 95% CI [−0.036, +0.046] – i.e., the headline result of the present paper. The predictive gain is real; the causal effect is null. Baur’s gain is a sophisticated geographic information system operating on linguistically encoded coordinates, not a property-specific semantic effect.

Replication of Shen and Ross [2021]. Shen and Ross construct a per-listing “uniqueness” score: a TF-IDF distance from the spatial- K -nearest-neighbor mean. We reproduce the construction (TF-IDF 1–2-grams, $K = 5$, max 5,000 features, min-DF = 2), then plug the scalar uniqueness measure into both their hedonic OLS and our DML pipeline. The OLS coefficient on uniqueness is $\hat{\beta} = +0.040$ per σ (HC3 SE 0.020, $p = 0.045$, +4.1% in price), notably smaller than the +15% Shen et al. report on Atlanta MLS data but in the same direction. Under our DML adjustment with the full 30-feature confounder set, the estimate is $\hat{\theta} = +0.072$ per σ (95% CI [+0.028, +0.116], MDE $\pm 6.3\%$): the effect is preserved – and slightly amplified – by the causal adjustment.

This is not a contradiction of the headline null. Shen’s uniqueness measure is, by construction, a *spatial residual*: it is the deviation of a listing’s TF-IDF vector from the average among its lat/lon neighbors. The treatment is therefore already pre-partialled-out spatially, and what survives the DML residualization is a small property-specific signal that lives in the dimensions *orthogonal* to local sociolinguistic register. By contrast, PC1 of the full Sentence-BERT embedding captures the dominant axis of semantic variation, which is precisely the spatially-confounded axis (Section 5.1.3 shows this axis is essentially stylometric register, recoverable from 222 hand-crafted features alone). Treating the full embedding as the causal target therefore averages property-specific signal against the dominant spatial encoding and finds null; treating the spatial-residual scalar as the target finds a small but non-null effect.

The text-on-price relationship is therefore not uniformly null. Its causal component is concentrated in a low-dimensional subspace orthogonal to the location-confounded subspace, with magnitude on the order of 5–10% per standard deviation of a well-chosen residual measure. Most of the apparent “semantic” predictive power in the literature – including the 86% MAE reduction from BERT augmentation – is the dominant spatially-confounded axis, where the causal effect is null to within $\pm 8\%$.

5.6 Summary of Findings

The analyses converge on four findings. First, the dominant mechanism underlying the observed text-price correlation is spatial confounding. Frozen-encoder probes recover zip code at 8–18 $\times$ random in all three cities, demonstrating that adversarial deconfounding fails to remove location even when the live discriminator appears to be at random. We formalize this empirical observation as Proposition 2: the frozen probe is a consistent estimator of the discriminator-probe gap in $\mathcal{V}$ -information. Randomization tests confirm text is a sufficient statistic for location, and a 222-dimensional purely stylometric feature vector recovers zip at 3–4 $\times$ random—falling short of the 768-dim transformer at 11–14 $\times$ (Section 5.1.3)—demonstrating that the encoding mechanism combines sociolinguistic register with topical content rather than relying on either alone. The confounding pathway $\ell \rightarrow t$ and $\ell \rightarrow y$ predicted by SCM_0 is empirically dominant.

Second, the DML continuous-treatment estimator on San Francisco (the only city with property-level geocoding enabling a full 34-covariate adjustment) finds no causal effect of the leading text principal component on price ($\hat{\theta} = -0.001$, bootstrap CI $[-0.046, +0.051]$, MDE $\pm 8\%$). The null is not masking heterogeneity: stratified CATE estimation finds null in every predicted-price quartile (BLP heterogeneity Wald $p = 0.835$; Section 5.5.7), ruling out a luxury-tier semantic premium hidden in the population average. For New York, a confounder escalation test shows the binarized DR estimate shrinking 76.5% toward zero as spatial controls become progressively richer. Property-level geocoding for Boston and New York would enable definitive DML estimates with the full confounder set in those cities; the SF result and the NYC escalation both predict a null.

Third, the null along the dominant axis of variation does not extend to all axes. Replicating Shen and Ross [2021], a TF-IDF “uniqueness” measure – by construction a spatial residual – retains a small but distinguishable causal effect of +0.072 per σ (95% CI [+0.028, +0.116], Section 5.5.8). Replicating Baur et al. [2023], the BERT-augmented predictive gain (86% MAE reduction) evaporates entirely under DML. The text-on-price relationship is therefore not uniformly null: its causal component is concentrated in a low-dimensional subspace orthogonal to the dominant location-confounded axis, with magnitude on the order of 5–10% per standard deviation. Most of the apparent “semantic” predictive power in the literature is the dominant spatially-confounded axis where the causal effect is null.

Fourth, the SF DML null is robust to a broad battery of standard robustness checks: negative-control outcomes (parcel area, year built) and exposures (row-permuted and within-zip-stratum-permuted embeddings, $K = 30$ each) all produce CIs containing zero, with a Schuemie empirical-null σ -inflation of 1.12 $\times$

(Section 5.4.5); the Chernozhukov et al. OVB-DML robustness value $RV = 0.084$ (an unmeasured confounder would need to be roughly $30\times$ stronger than the strongest observed covariate on both sides simultaneously); the Bayesian sensitivity $\Pr(|\theta_{\text{adj}}| > 0.05) = 0.14$ under Beta(2, 8) priors (Section 5.4.6); and cross-market transfer reveals only moderate rank portability ($\rho = 0.32$ averaged across six city pairs). Stability across 50 random cross-fitting seeds gives a median $\hat{\theta} = -0.006$ with $SD = 0.007$, well within the IF-based SE.

6 Discussion

6.1 Heterogeneous Causal Effects Across Markets

The empirical pattern reported in Section 5 resists a uniform reading. In San Francisco the leading principal component of the sentence-BERT embedding has no detectable causal effect on log sale price once the canonical structured covariates are partialled out, while the Shen-Ross residual-uniqueness axis carries a per- σ effect of $+0.130$ that lies within 0.7 standard errors of her published Atlanta estimate. In New York the order reverses, with the Shen residual returning null and the principal component itself exhibiting a per- σ effect of $+0.169$ under the Ibragimov–Müller cluster- t critical value that the Davis–Kahan stress simulation singles out as the operative inference rule for our regime. Boston is null on both axes. The Wald test on equality of the principal-component coefficient across the three cities returns $\chi^2_2 = 7.97$ ($p = 0.019$) under cheap-bootstrap standard errors and a sharper 14.78 ($p = 6 \times 10^{-4}$) under the Ibragimov–Müller critical values we adopt as headline, so the rejection of homogeneity survives the inference choice. We adopt the descriptive framing of the result over the strong-rejection one, in line with the editorial standard of matching claims to evidence, treating the heterogeneity as a positive empirical finding paired with an identifiable mechanism rather than as a definitive rejection of homogeneity in the population of all U.S. metropolitan markets.

The mechanism organising the heterogeneity is identifiable from the embedding geometry and the structured-covariate density of each market. San Francisco supplies the cleanest illustration of the cell-density logic that drives the Shen-Ross construct. Her Equation 9 averages cosine distance to a set of K nearest neighbours in lat-lon space, and the bias-variance behaviour of any fixed- k k-NN functional under the Mack and Rosenblatt [1979] regime requires that the peer ball remain inside the local density to be informative. San Francisco’s 24 ZIP codes hold a median of 13 listings each and a $K = 5$ peer ball of median radius 0.33 km, comfortably inside the typical ZIP diameter, so her construct retains its meaning and her effect is reproducible at 0.7 standard-error precision. New York’s 127 ZIP codes hold a median of two listings each and a $K = 5$ peer ball that spans 1.66 km in radius and routinely crosses two to three ZIP boundaries, so the construct estimates a between-area mixture rather than a within-area residual, and the Shen effect drops to a confidence interval that brackets zero. Boston sits between the two cities on this dimension, and her construct returns null there as well, consistent with the K-NN-density story [Loftsgaarden and Quesenberry, 1965, Györfi et al., 2002, Singh and Póczos, 2016] rather than with an absence of underlying signal.

A symmetric mechanism organises the principal-component result. The out-of-fold R^2 of PC1 on the canonical thirty-five-confounder set takes the value 0.376 in New York against 0.094 in San Francisco and 0.135 in Boston, so the structured controls in our New York specification absorb roughly four times less of the PC1 variation than they do in the other two markets. Figure 8 reads the three mechanism numbers off side by side. The mechanical reason is the same per-ZIP listing density that drives the Shen finding from the other direction: with two listings per ZIP, the ridge nuisance learner has no within-ZIP degrees of freedom on which to learn a per-ZIP price-text mapping, so whatever borough-flavour signal PC1 carries survives the partial residualisation. The leading principal component then admits a clean semantic reading, with the ten listings of highest positive PC1 score in New York being outer-borough one- and two-family houses (five Queens, two Staten Island, two Brooklyn, one Bronx) and the ten of lowest PC1 score being Manhattan condominiums (seven of them units in a single Midtown East new-development at 234 East 46th Street). The honest description of the New York principal-component effect is that it captures unobserved within-ZIP borough-flavour variation that the available ZIP-level controls cannot match at our sample size, not that text causally moves price along its dominant semantic axis. The Davis–Kahan stability prediction in Theorem ?? aligns with this reading, since only in New York is the empirical $\sin-\Theta$ proxy below one (at 0.97 against 1.84 in San Francisco and 2.15 in Boston), so only in New York is the leading principal component identifiable as a single direction at our sample size.

The omnibus joint-null Wald test on a residual subspace orthogonal to the dominant principal component rejects in all three cities, with $p = 0.001$ in San Francisco and New York and $p = 0.012$ in Boston, and the rejection is driven by different principal components in each market: PC3 in San Francisco at 4.48σ , PC1 and PC4 jointly in New York at 4.0σ and 6.0σ , and PC3 in Boston at 2.96σ . The residual-subspace claim that we advanced as an honest qualification to the original null framing is therefore materialised in actual numbers across all three markets, and the axis on which the residual signal lives shifts by city in a manner consistent with the cell-density and confounder-density mechanisms that determine which axis is informative in which market.




Figure 8: Three mechanism diagnostics that organise the per-city heterogeneity. Panel (a) reports the median number of listings per ZIP code, with New York at two against San Francisco’s thirteen and Boston’s nine. Panel (b) reports the median radius of the $K = 5$ lat-lon nearest-neighbour ball in kilometres, with New York at 1.66 against San Francisco’s 0.33 and Boston’s 0.63, so only San Francisco keeps the Shen peer ball inside a typical ZIP diameter. Panel (c) reports the out-of-fold R^2 of the leading principal component on the canonical thirty-five-confounder ridge nuisance regression, with New York at 0.376 against San Francisco’s 0.094 and Boston’s 0.135. The two opposite-direction mechanisms align in the same market geometry: New York’s thin per-ZIP support leaves PC1 variation unabsorbed by the structured controls, and the same thin support pushes the Shen K-NN construct outside its operative density regime.

6.2 Reinterpreting Prior Work

Our results call for a reassessment of how the field has interpreted predictive performance in text-based valuation models. The strong correlations reported in prior work are real at the associational level, and the error lies in the causal attribution rather than in the measurement. Text predicts price for the same reason that a thermometer predicts the season: both are downstream effects of a common cause, not independent sources of information. The reassessment is heterogeneous rather than uniform, however, because the dominant semantic axis carries causal weight only where the available structured covariates fail to absorb it, and the Shen-style residual axis carries causal weight only where the K-NN construction lies inside its operative density regime. Earlier versions of this manuscript reported a uniform null along the dominant semantic axis with a small residual effect of roughly five to ten percent per standard deviation; the post-deduplication, post-LEACE+IGBP, Ibragimov–Müller analysis refines that picture into the heterogeneous mapping documented in Section 6.1 above. The substantive content of the residual axis remains most plausibly property-specific information that warrants describing a listing unusually for its neighbourhood, with the caveat that the specific information shifts across markets in a manner that any uniform interpretation will misread.

Published embedding visualizations illustrate this point concretely [Baur et al., 2023]. When text embeddings are projected into two dimensions, clusters that appear to reflect price segments feel semantically meaningful. Our location classification results reveal what lies beneath: a logistic regression recovers zip codes at $26\times$ above chance from the same embeddings. Clusters that appear thematic, mapped back to geography, correspond to specific neighborhoods. What appears in embedding space as a semantic taxonomy is, in geographic space, a map. Bolukbasi et al. [2016] and Caliskan et al. [2017] documented the analogous phenomenon in general-purpose word embeddings, where apparent semantic dimensions encode societal bi-

ases from training corpora. Property embeddings encode the geography of their training data through the same mechanism.

The feature-importance analyses in interpretable ML studies [Lorenz et al., 2023, Stang et al., 2023, Nowak et al., 2021] rest on an implicit assumption that terms like “spacious” and “renovated” are distributed independently of geography. Our ablation analysis refutes this directly: removing explicit place names reduces location encoding by only 0.2%, meaning these apparently generic terms carry the spatial signal. The hedonic pricing tradition [Rosen, 1974] established long ago that property characteristics are spatially correlated. Our contribution is showing that the language describing those characteristics inherits and amplifies this structure.

6.3 Implications for Real Estate Analytics

These findings carry concrete consequences for the design, evaluation, and deployment of property valuation systems.

The automated valuation model (AVM) industry has invested heavily in NLP-enhanced systems, motivated by the correlational evidence that text features improve predictive accuracy. Our results suggest a more parsimonious explanation for these gains. A well-specified spatial model incorporating rich geographic covariates (census demographics at the block-group level, amenity counts and diversity within walking distance, localized crime exposure) should achieve comparable performance without the complexity and opacity of transformer-based text encoders. This matters for regulatory compliance. The Dodd-Frank Act and related regulations require that AVMs used in mortgage underwriting be transparent and auditable. A model that achieves its accuracy through linguistically encoded geographic coordinates is, from a regulatory perspective, a spatial model with an unnecessarily opaque feature representation.

Our cross-market transfer test (Section 5) adds nuance to this prediction. An earlier version of this manuscript reported catastrophic transfer failure (raw $R^2 < -7$); under the deduplicated canonical pipeline, both the negative R^2 and the within-city $R^2 \approx 1.0$ are no longer replicable: raw transfer R^2 averages -0.010 across six pairs and within-city CV R^2 falls to $0.11\text{--}0.35$. We find moderate rank portability (mean Spearman $\rho = 0.32$ across six pairs), meaning that within-city price rankings partially transfer. This is consistent with a spatial model that captures most of the predictive signal, plus a small portable component, potentially reflecting universal property descriptors like “renovated” or “spacious” that carry some market-independent value information. For platforms marketing “semantic intelligence,” our findings suggest a reframing: these systems are predominantly sophisticated geographic information systems operating on linguistically encoded coordinates, with a modest overlay of genuinely portable property semantics.

6.4 Beyond Real Estate: Spatial Confounding in Urban Analytics

The confounding mechanism we identify operates wherever text features are extracted from spatially situated sources. Real estate is a particularly clean setting for studying this phenomenon because the outcome variable (price) is precisely measured and the confounding structure (location drives both text and price) is transparent. Other domains face the same structural problem with less transparent confounders.

Housing discrimination detection offers a case in point. The Fair Housing Act prohibits discriminatory language in property listings, and NLP-based monitoring systems have been deployed to flag violations at scale. Our results raise a concern about the specificity of such systems. Descriptions in neighborhoods with different demographic compositions differ systematically in vocabulary, tone, and emphasis, not necessarily because of discriminatory intent, but because agents describe the actual characteristics of different neighborhoods differently. Bolukbasi et al. [2016] showed that word embeddings encode racial and gender biases; our work shows that property embeddings encode the demographic composition of neighborhoods. A discrimination detector that conflates geographic variation in language with individual discriminatory acts will generate false positives at rates that correlate with neighborhood demographic boundaries, potentially undermining the trust and utility of the monitoring system.

Gentrification forecasting faces a related challenge. Models that detect linguistic signals of impending neighborhood change (the appearance of “artisanal,” “craft,” or “curated” in listing descriptions, for instance) are often interpreted as identifying causal precursors to price appreciation. The causal structure, however, mirrors our SCM: demographic change drives both the linguistic shift and the price increase. The new

vocabulary arrives with the new residents, not before them. Eisenstein et al. [2014] demonstrated that lexical innovation diffuses through social networks with spatial structure; our framework formalizes why such diffusion creates spurious predictive associations rather than causal ones.

Urban sentiment analysis, which uses NLP to quantify neighborhood quality from social media, reviews, or news coverage, inherits the same confounding vulnerability. Positive sentiment about a neighborhood reflects its current amenities, safety, and demographics, all of which independently drive property values. The text is a mirror, not a lever. The causal framework we develop provides the conceptual and empirical tools to distinguish these roles.

6.5 The Residual Signal and Its Interpretation

The adversarial deconfounding results warrant careful interpretation in light of the frozen-encoder probe. In all three cities, the live discriminator was driven to near-random accuracy during training (zip 1.9–13.0%), yet the frozen probe recovered zip code at 8–18 $\times$ random from the same representations. The deconfounded predictor R^2 of 0.25–0.34 is therefore residual location encoding, not residual semantic content. This conclusion is reinforced by the San Francisco DML null ($\hat{\theta} \approx 0$) and the New York confounder escalation (76.5% shrinkage, all CIs containing zero).

Methodological lesson. The frozen-encoder probe is the most important diagnostic this paper introduces. The gap between training-time and post-hoc assessments of invariance echoes earlier critiques of gradient-reversal-based fairness [Moyer et al., 2018, Xie et al., 2017]: invariance to a discriminator is not invariance to all probes. We recommend the frozen-encoder probe as a standard diagnostic for any adversarial deconfounding work in spatially situated settings.

The geocoding constraint. Our strongest causal estimate comes from San Francisco, the only city where property-level coordinates were available. Boston and New York descriptions were geocoded to parcel-level coordinates via address matching (58% and 44% match rates, respectively), with the remainder assigned zip-code centroid coordinates. We discovered empirically that this mixed geocoding introduces within-zip confounding artifacts in the DML estimator: properties sharing a zip centroid receive identical confounder values, causing the DML to attribute within-zip price variation to text rather than to geography. The DML estimates for Boston and New York are therefore unreliable as point estimates. The New York confounder escalation test, which uses progressively richer spatial controls and is more robust to geocoding quality, provides the strongest NYC evidence: 76.5% effect shrinkage across seven escalation levels, consistent with SCM_0 .

The condition-signal hypothesis. The hedonic pricing literature [Rosen, 1974, Sheppard, 1999] predicts that property condition and quality are capitalized into prices, and descriptions may be one channel through which this information reaches buyers. We do not rule out a small genuine condition-related signal. However, the frozen probe’s 18 $\times$ accuracy in New York demonstrates that text representations are saturated with geographic information at a resolution our confounders cannot match. Any condition signal, if present, is confounded with and dwarfed by this residual location encoding. A definitive test would require either (a) richer structured covariates (NYC DOB permit data, interior photographs, walk score, school quality), (b) property-level geocoding for all descriptions, or (c) experimental variation in descriptions holding location fixed. We identify these as the three most productive avenues for future work.

6.6 The Spatial Confounding Audit Toolkit

Beyond the substantive findings, we release a reusable diagnostic toolkit for detecting geographic confounding in text embeddings. The `spatial_confounding_audit` module accepts any triple of (embeddings, coordinates, prices) and produces a structured report containing NMI between embedding clusters and location labels, location classification accuracy relative to random baseline, spatial autocorrelation between geographic and embedding distances, backdoor ΔR^2 measuring the correlational contribution of text beyond location, and the doubly-robust ATE with bootstrap confidence intervals. The module classifies confounding severity into four levels (low, mild, moderate, severe) based on thresholds derived from our three-city analysis.

We propose that future work involving spatially situated text report these metrics alongside predictive performance. When an embedding achieves location classification at 26 $\times$ random, the burden of proof shifts: any claim of independent semantic signal must explain the simultaneous geographic encoding.

The confounder escalation test (`confounder_escalation.py`) provides a second reusable tool. By progressively enriching the confounder set and tracking the estimated effect at each level, researchers can distinguish genuine causal effects from confounding bias without needing to argue that their confounder set is “complete.” If the effect shrinks with richer control, the confounding interpretation is favored regardless of what confounders remain unmeasured.

The competing SCM framework (`competing_scm_test` in `extended_analysis.py`) provides the third tool. Rather than testing a single causal model in isolation, it pits two models against each other and evaluates which is more consistent with the data via cross-market portability and effect stability tests. This makes the analysis falsifiable: the tests could have favored either model.

6.7 Fair-Housing Implications

The empirical pattern carries a substantive welfare implication that is easier to state in causal-fairness language than in predictive-fairness language. A uniform deployment of the same NLP-augmented automated valuation model across San Francisco, New York, and Boston produces different per- σ residual contributions to log price in each market, and the axis on which those contributions operate differs across markets in a manner that the recent causal-fairness literature would classify as a direct disparity along an unobserved mediator pathway. Plečko and Bareinboim [2024] formalise this decomposition by partitioning a model’s contribution to outcomes into direct, indirect, and spurious causal pathways. The direct pathway in our setting runs from the NLP component to the predicted log price, holding the structured covariates fixed. We have shown that this pathway carries causal weight in New York along the borough-flavour direction of the principal component, and in San Francisco along the Shen residual-uniqueness direction. The same model, deployed uniformly, mis-prices outer-borough listings relative to Manhattan listings in New York and stylistically idiosyncratic listings in San Francisco, with the mispricing magnitudes anchoring at roughly 14 to 18 percent per residual standard deviation. Predictive-fairness audits in the sense of Hardt et al. [2016] would compare model errors at fixed inputs and detect neither disparity, because the errors live in the post-deconfounding residual subspace where the predictive-fairness regime does not look.

The connection to the published housing-disparities literature runs through the mechanism rather than the magnitudes. Avenancio-León and Howard [2022] demonstrate a 10 to 13 percent property-tax-burden disparity in which the model’s sensitivity to neighbourhood attributes is miscalibrated relative to the price-generating process. Fuster et al. [2022] show that machine learning amplifies, rather than removes, between-group divergence in credit scoring through the same channel of model flexibility absorbing structural heterogeneity unevenly across groups. Our setting matches both stories in form. The NLP component of a modern AVM carries more degrees of freedom than the price-generating process in any single market, and those degrees of freedom are absorbed unevenly across markets in a manner that produces directional mispricing along different residual axes. The fair-housing implication is not that NLP-augmented valuation should be abandoned, but that its deployment requires market-specific calibration audits that examine which residual axis is operative in each market and how that axis maps onto protected characteristics in the buyer population. Coston et al. [2020] provide one statistical apparatus for such audits, and Madras et al. [2019] extend the framework to biased training data; both are directly transferable to the AVM setting once an operator commits to a per-market specification of the residual axis to audit.

6.8 Limitations and Future Directions

We close by identifying the boundaries of our analysis and the most promising paths beyond them.

Our text sample comprises 1,044 unique listings across 556,636 parcels, a coverage rate of 0.19%, with all three cities contributing approximately 348 listings each. (Earlier versions of this manuscript reported approximately three times this count because the Redfin scraper made up to three requests per listing in the original data drop; the deduplication is documented in Section 4.) The four causal methods produce consistent results on this sample, but the limited coverage constrains our ability to detect small effects. To mitigate the single-platform limitation, our scraping pipeline supports importing descriptions from external sources (Zillow, Realtor.com, or MLS exports) via CSV, enabling multi-platform aggregation. Institutional access to Multiple Listing Service data remains the single highest-impact improvement for future work, as it would simultaneously increase coverage, enable temporal analysis, and diversify the source of descriptions.

The adversarial deconfounding procedure employs a multi-head discriminator targeting zip code classification, continuous geolocation, and income quantile prediction simultaneously. Despite this multi-resolution approach, the discriminator retained high accuracy in Boston and New York (87–90% on the zip head), indicating that the gradient reversal procedure did not fully remove location from representations even under simultaneous pressure at three geographic granularities. More powerful architectures, such as variational fair autoencoders [Louizos et al., 2017] or discriminator ensembles with dozens of specialized heads, may be required to achieve complete deconfounding in markets where location encoding is deeply woven into descriptive language.

Price data quality varies across cities. New York provides direct transaction prices. Boston requires assessed values as a proxy, introducing measurement error that attenuates estimated effects. San Francisco prices are inferred from Proposition 13 reassessments, which closely approximate market value at the time of sale but may diverge for properties held for extended periods. The consistency of the zero-effect finding across all three cities, including the gold-standard New York data, provides reassurance, but uniform transaction price data would eliminate this source of heterogeneity.

Our confounder specification includes continuous latitude-longitude coordinates, block-group-level census demographics, localized crime counts, amenity metrics, and parcel-level micro-geographic distances (distance to nearest park, transit stop, school, restaurant, retail, and medical facility), totaling 35 continuous features. This provides substantially finer spatial resolution than discrete zip code indicators and captures micro-geographic variation at the parcel level. Remaining unmeasured spatial features include walk score, view quality, and street-level characteristics that require data sources beyond OpenStreetMap.

A natural extension would supplement average treatment effects with conditional average treatment effect (CATE) estimation, stratifying by price quartile to test whether the zero-effect finding holds uniformly across market segments. This would address the hypothesis that luxury condominiums, where professional staging and carefully crafted descriptions are standard practice, may represent a segment in which description quality genuinely influences buyer perception. The current text sample size (1,000 descriptions per city) limits within-stratum statistical power; larger samples from MLS partnerships would enable definitive heterogeneity analysis, potentially combined with causal forest estimation [Wager and Athey, 2018] for continuous treatment effect surfaces.

Acknowledgments

We thank the Boston, New York, and San Francisco open data programs for making parcel and crime data publicly available. We acknowledge the U.S. Census Bureau for providing demographic data through their API.

References

- Lily Shen and Stephen L. Ross. Information value of property description: A machine learning approach. *Journal of Urban Economics*, 121:103299, 2021.
- Carlos F Avenancio-León and Troup Howard. The assessment gap: Racial inequalities in property taxation. *Quarterly Journal of Economics*, 137(3):1383–1434, 2022.
- Robert Bartlett, Adair Morse, Richard Stanton, and Nancy Wallace. Consumer-lending discrimination in the fintech era. *Journal of Financial Economics*, 143(1):30–56, 2022.
- Andreas Fuster, Paul Goldsmith-Pinkham, Tarun Ramadorai, and Ansgar Walther. Predictably unequal? the effects of machine learning on credit markets. *Journal of Finance*, 77(1):5–47, 2022.
- Michael Neal, Laurie Goodman, Jung Hyun Choi, and Brett Walsh. Racial disparities in automated valuation models. *Cityscape*, 26(1), 2024. Urban Institute / HUD Office of Policy Development and Research.
- Katharina Baur, Markus Rosenfelder, and Bernhard Lutz. Automated real estate valuation with machine learning models using property descriptions. *Expert Systems with Applications*, 213:119147, 2023.
- Junchi Bin, Bryan Gardiner, Eric Li, and Zheng Liu. Multi-source urban data fusion for property value assessment: A case study in Philadelphia. *Neurocomputing*, 404:70–83, 2020.
- Felix Lorenz, Jonas Willwersch, Marcelo Cajias, and Franz Fuerst. Interpretable machine learning for real estate market analysis. *Real Estate Economics*, 51(5):1178–1208, 2023.
- Matt J. Kusner, Joshua Loftus, Chris Russell, and Ricardo Silva. Counterfactual fairness. In *Advances in Neural Information Processing Systems*, volume 30, 2017.
- David Madras, Elliot Creager, Toniann Pitassi, and Richard Zemel. Fairness through causal awareness: Learning causal latent-variable models for biased data. In *Conference on Fairness, Accountability, and Transparency (FAccT)*, pages 349–358, 2019. arXiv:1809.02519.
- Drago Plečko and Elias Bareinboim. Causal fairness analysis: A causal toolkit for fair machine learning. *Foundations and Trends in Machine Learning*, 17(3):1–238, 2024.
- Harold Widom. Asymptotic behavior of the eigenvalues of certain integral equations. *Transactions of the American Mathematical Society*, 109:278–295, 1963.
- Patrick Bayer, Marcus D Casey, Fernando Ferreira, and Robert McMillan. Racial and ethnic price differentials in the housing market. *Journal of Urban Economics*, 102:91–105, 2017.
- Patrick Bayer, Robert McMillan, Alvin Murphy, and Christopher Timmins. A dynamic model of demographic change and housing investment. *Econometrica*, 84(3):893–942, 2016.
- Peter Christensen, Ignacio Sarmiento-Barbieri, and Christopher Timmins. Housing discrimination and the toxics exposure gap in the united states: Evidence from the rental market. *Review of Economics and Statistics*, 104(4):807–818, 2022.
- Peter Christensen and Christopher Timmins. Sorting or steering: The effects of housing discrimination on neighborhood choice. *Journal of Political Economy*, 130(8):2110–2163, 2022.
- Dan Wang, Rui Yan, Zhe Wu, and Saqib Anwar. Racial disparity in appraisals: Evidence from private-label refinance mortgages. *Journal of Real Estate Finance and Economics*, 2025. doi:10.1007/s11146-025-10025-8.
- Solon Barocas and Andrew D Selbst. Big data’s disparate impact. *California Law Review*, 104:671–732, 2016.
- Moritz Hardt, Eric Price, and Nathan Srebro. Equality of opportunity in supervised learning. In *Advances in Neural Information Processing Systems (NeurIPS)*, 2016.

- Shira Mitchell, Eric Potash, Solon Barocas, Alexander D’Amour, and Kristian Lum. Algorithmic fairness: Choices, assumptions, and definitions. *Annual Review of Statistics and Its Application*, 8:141–163, 2021.
- Amanda Coston, Edward H Kennedy, and Alexandra Chouldechova. Counterfactual predictions under runtime confounding. In *Advances in Neural Information Processing Systems (NeurIPS)*, 2020. arXiv:2006.16916.
- Adam D. Nowak, Bradley S. Price, and Patrick S. Smith. Real estate dictionaries across space and time. *The Journal of Real Estate Finance and Economics*, 62(1):139–163, 2021.
- Sherwin Rosen. Hedonic prices and implicit markets: Product differentiation in pure competition. *Journal of Political Economy*, 82(1):34–55, 1974.
- Stephen Sheppard. Hedonic analysis of housing markets. *Handbook of Regional and Urban Economics*, 3: 1595–1635, 1999.
- Robert J. Gloudemans. *Mass appraisal of real property*. International Association of Assessing Officers, 1999.
- R. Kelley Pace and Ronald Barry. Sparse spatial autoregressions. *Statistics & Probability Letters*, 33(3): 291–297, 1998.
- Ayse Can. Specification and estimation of hedonic housing price models. *Regional Science and Urban Economics*, 22(3):453–474, 1992.
- Steven C. Bourassa, Eva Cantoni, and Martin Hoesli. Predicting house prices with spatial dependence: A comparison of alternative methods. *Journal of Real Estate Research*, 32(2):139–160, 2010.
- Byeonghwa Park and Jae Kwon Bae. Using machine learning algorithms for housing price prediction: The case of Fairfax County, Virginia housing data. *Expert Systems with Applications*, 42(6):2928–2934, 2015.
- Evgeny A. Antipov and Elena B. Pokryshevskaya. Mass appraisal of residential apartments: An application of random forest for valuation and a CART-based approach for model diagnostics. *Expert Systems with Applications*, 39(2):1772–1778, 2012.
- Omid Poursaeed, Tomas Matera, and Serge Belongie. Vision-based real estate price estimation. *Machine Vision and Applications*, 29:667–676, 2018.
- Stephen Law, Brooks Paige, and Chris Russell. Take a look around: Using street view and satellite images to estimate house prices. *ACM Transactions on Intelligent Systems and Technology*, 10(5):1–19, 2019a.
- Qian You and Haoming Liu. Building a better understanding of the integration of Google Street View in urban analytics. *Environment and Planning B: Urban Analytics and City Science*, 44(5):815–834, 2017.
- Thies Lindenthal and Erik B. Johnson. Machine learning, architectural styles and property values. *The Journal of Real Estate Finance and Economics*, 71:353–384, 2021.
- Adam Nowak and Patrick Smith. Textual analysis in real estate. *Journal of Applied Econometrics*, 32(7): 1307–1329, 2017.
- Stephen Law, Irfan Ismail Köse, Yao Shen, Xiaowei Zhai, and Shuang Li. House price estimation from visual and textual features. *arXiv preprint arXiv:1902.04944*, 2019b.
- Yuhao Kang, Fan Zhang, Song Gao, Wenzhe Peng, and Carlo Ratti. Human settlement value assessment from a place perspective: Considering human dynamics and perceptions in house price modeling. *Cities*, 118:103333, 2021.
- Zoran Kostić and Aleksandar Jevremović. What image features boost housing market predictions? *IEEE Transactions on Multimedia*, 22(7):1904–1916, 2020.

- Sarkar Snigdha Sarathi Das, Mohammed Eunus Ali, Yuan-Fang Li, Yong-Bin Kang, and Timos Sellis. Boosting house price predictions using geo-spatial network embedding. *Data Mining and Knowledge Discovery*, 35:2221–2250, 2021.
- Ray Rui-Feng Lin, Chihiro Ou, Kuo-Kun Tseng, Daniel Bowen, Kai Leung Yung, and Wai Hung Ip. The spatial neural network model with disruptive technology for property appraisal in real estate industry. *Technological Forecasting and Social Change*, 173:121067, 2021.
- Hao Peng, Jianxin Li, Zheng Wang, Renyu Yang, Mingzhe Liu, Mingming Zhang, Philip S. Yu, and Lifang He. Lifelong property price prediction: A case study for the Toronto real estate market. *IEEE Transactions on Knowledge and Data Engineering*, 34(12):5968–5981, 2022.
- Yaguang Li, Rose Yu, Cyrus Shahabi, and Yan Liu. Diffusion convolutional recurrent neural network: Data-driven traffic forecasting. *arXiv preprint arXiv:1707.01926*, 2018.
- Chao Huang, Junbo Zhang, Yu Zheng, and Nitesh V. Chawla. DeepCrime: Attentive hierarchical recurrent networks for crime prediction. In *Proceedings of the ACM International Conference on Information and Knowledge Management*, pages 1423–1432, 2018.
- Weijia Zhang, Hao Liu, Lubao Zha, Hengshu Zhu, Ji Liu, Dejing Dou, and Hui Xiong. MugRep: A multi-task hierarchical graph representation learning framework for real estate appraisal. In *Proceedings of the 27th ACM SIGKDD Conference on Knowledge Discovery and Data Mining*, pages 3937–3947, 2021.
- Maximilian Stang, Bastian Krämer, Marcelo Cajias, and Wolfgang Schäfers. Changing the location game — improving location analytics with the help of explainable AI. *Journal of Real Estate Research*, 46(4): 421–443, 2023.
- Wayne Xinwei Wan and Thies Lindenthal. Testing machine learning systems in real estate. *Real Estate Economics*, 51(3):754–778, 2023.
- Christopher J. Paciorek. The importance of scale for spatial-confounding bias and precision of spatial regression estimators. *Statistical Science*, 25(1):107–125, 2010.
- Brian J. Reich, Shu Yang, Yawen Guan, Andrew B. Giffin, Matthew J. Miller, and Ana Rappold. On the role of spatial confounding in complex disease mapping. *Biostatistics*, 22(2):390–408, 2021.
- Carlos Cinelli and Chad Hazlett. Making sense of sensitivity: Extending omitted variable bias. *Journal of the Royal Statistical Society: Series B*, 82(1):39–67, 2020.
- James S. Hodges and Brian J. Reich. Adding spatially-correlated errors can mess up the fixed effect you love. *The American Statistician*, 64(4):325–334, 2010.
- Luc Anselin. *Spatial econometrics: Methods and models*. Springer Science & Business Media, 1988.
- James LeSage and R. Kelley Pace. *Introduction to spatial econometrics*. Chapman and Hall/CRC, 2009.
- J. Paul Elhorst. *Spatial econometrics: From cross-sectional data to spatial panels*. Springer, 2014.
- Stephen Gibbons and Henry G. Overman. Spatial methods. *Handbook of Regional and Urban Economics*, 5:115–168, 2014.
- Tolga Bolukbasi, Kai-Wei Chang, James Y. Zou, Venkatesh Saligrama, and Adam T. Kalai. Man is to computer programmer as woman is to homemaker: Debiasing word embeddings. In *Advances in Neural Information Processing Systems*, volume 29, 2016.
- Aylin Caliskan, Joanna J. Bryson, and Arvind Narayanan. Semantics derived automatically from language corpora contain human-like biases. *Science*, 356(6334):183–186, 2017.
- Hila Gonen and Yoav Goldberg. Lipstick on a pig: Debiasing methods cover up systematic gender biases in word embeddings but do not remove them. *arXiv preprint arXiv:1903.03862*, 2019.

- Afshin Rahimi, Trevor Cohn, and Timothy Baldwin. Geolocation prediction in social media data by finding location indicative words. In *Proceedings of COLING*, pages 1535–1547, 2018.
- Jacob Eisenstein, Brendan O’Connor, Noah A. Smith, and Eric P. Xing. Diffusion of lexical change in social media. *PloS One*, 9(11):e113114, 2014.
- Bernhard Schölkopf, Francesco Locatello, Stefan Bauer, Nan Rosemary Ke, Nal Kalchbrenner, Anirudh Goyal, and Yoshua Bengio. Toward causal representation learning. *Proceedings of the IEEE*, 109(5): 612–634, 2021.
- Jonas Peters, Dominik Janzing, and Bernhard Schölkopf. *Elements of causal inference: Foundations and learning algorithms*. MIT Press, 2017.
- Niki Kilbertus, Mateo Rojas-Carulla, Giambattista Parascandolo, Moritz Hardt, Dominik Janzing, and Bernhard Schölkopf. Avoiding discrimination through causal reasoning. In *Advances in Neural Information Processing Systems*, volume 30, 2017.
- Yaroslav Ganin, Evgeniya Ustinova, Hana Ajakan, Pascal Germain, Hugo Larochelle, François Laviolette, Mario Marchand, and Victor Lempitsky. Domain-adversarial training of neural networks. *Journal of Machine Learning Research*, 17:2096–2030, 2016.
- Christos Louizos, Uri Shalit, Joris M. Mooij, David Sontag, Richard Zemel, and Max Welling. Causal effect inference with deep latent-variable models. In *Advances in Neural Information Processing Systems*, volume 30, 2017.
- Daniel Moyer, Shuyang Gao, Rob Brekelmans, Aram Galstyan, and Greg Ver Steeg. Invariant representations without adversarial training. In *Advances in Neural Information Processing Systems*, volume 31, 2018.
- Mateo Rojas-Carulla, Bernhard Schölkopf, Richard Turner, and Jonas Peters. Invariant models for causal transfer learning. *Journal of Machine Learning Research*, 19:1–34, 2018.
- Peter Spirtes, Clark N. Glymour, and Richard Scheines. *Causation, prediction, and search*. MIT Press, 2000.
- David Maxwell Chickering. Optimal structure identification with greedy search. *Journal of Machine Learning Research*, 3:507–554, 2002.
- Shohei Shimizu, Patrik O. Hoyer, Aapo Hyvärinen, and Antti Kerminen. A linear non-Gaussian acyclic model for causal discovery. *Journal of Machine Learning Research*, 7:2003–2030, 2006.
- Jonas Peters, Peter Bühlmann, and Nicolai Meinshausen. Causal inference by using invariant prediction: Identification and confidence intervals. *Journal of the Royal Statistical Society: Series B*, 78(5):947–1012, 2016.
- Victor Chernozhukov, Denis Chetverikov, Mert Demirer, Esther Duflo, Christian Hansen, Whitney Newey, and James Robins. Double/debiased machine learning for treatment and structural parameters. *The Econometrics Journal*, 21(1):C1–C68, 2018a.
- Judea Pearl. Causal diagrams for empirical research. *Biometrika*, 82(4):669–688, 1995.
- Judea Pearl. *Causality: Models, reasoning, and inference*. Cambridge University Press, 2nd edition, 2009.
- Heejung Bang and James M. Robins. Doubly robust estimation in missing data and causal inference models. *Biometrics*, 61(4):962–973, 2005.
- Yilun Xu, Shengjia Zhao, Jiaming Song, Russell Stewart, and Stefano Ermon. A theory of usable information under computational constraints. In *International Conference on Learning Representations (ICLR)*, 2020.
- Tiago Pimentel, Josef Valvoda, Rowan Hall Maudslay, Ran Zmigrod, Adina Williams, and Ryan Cotterell. Information-theoretic probing for linguistic structure. In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics (ACL)*, pages 4609–4622, 2020.

- Yanai Elazar and Yoav Goldberg. Adversarial removal of demographic attributes from text data. In *Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 11–21, 2018.
- Qizhe Xie, Zihang Dai, Yulun Du, Eduard Hovy, and Graham Neubig. Controllable invariance through adversarial feature learning. *Advances in Neural Information Processing Systems*, 30, 2017.
- David Madras, Elliot Creager, Toniann Pitassi, and Richard Zemel. Learning adversarially fair and transferable representations. In *International Conference on Machine Learning (ICML)*, pages 3384–3393, 2018.
- Brian Hu Zhang, Blake Lemoine, and Margaret Mitchell. Mitigating unwanted biases with adversarial learning. In *Proceedings of the 2018 AAAI/ACM Conference on AI, Ethics, and Society (AIES)*, pages 335–340, 2018.
- Shauli Ravfogel, Francisco Vargas, Yoav Goldberg, and Ryan Cotterell. Linear adversarial concept erasure. In *International Conference on Machine Learning (ICML)*, pages 18400–18421, 2022.
- Nora Belrose, David Schneider-Joseph, Shauli Ravfogel, Ryan Cotterell, Edward Raff, and Stella Biderman. Leace: Perfect linear concept erasure in closed form. In *Advances in Neural Information Processing Systems (NeurIPS)*, 2023.
- Nils Reimers and Iryna Gurevych. Sentence-BERT: Sentence embeddings using Siamese BERT-networks. *arXiv preprint arXiv:1908.10084*, 2019.
- Dirk Hovy and Diyi Yang. The importance of modeling social factors of language: Theory and practice. In *Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics (NAACL)*, pages 588–602, 2021.
- Francis Heylighen and Jean-Marc Dewaele. Variation in the contextuality of language: an empirical measure. *Foundations of Science*, 7:293–340, 2002.
- John Burrows. Delta: A measure of stylistic difference and a guide to likely authorship. *Literary and Linguistic Computing*, 17(3):267–287, 2002.
- Vira Semenova and Victor Chernozhukov. Debiased machine learning of conditional average treatment effects and other causal functions. *The Econometrics Journal*, 24(2):264–289, 2021.
- Rustam Ibragimov and Ulrich K Müller. t-statistic based correlation and heterogeneity robust inference. *Journal of Business and Economic Statistics*, 28(4):453–468, 2010.
- C Alan Bester, Timothy G Conley, and Christian B Hansen. Inference with dependent data using cluster covariance estimators. *Journal of Econometrics*, 165(2):137–151, 2011.
- Yixiao Sun, Peter CB Phillips, and Sainan Jin. Optimal bandwidth selection in heteroskedasticity-autocorrelation robust testing. *Econometrica*, 76(1):175–194, 2008.
- Nicholas M Kiefer and Timothy J Vogelsang. A new asymptotic theory for heteroskedasticity-autocorrelation robust tests. *Econometric Theory*, 21(6):1130–1164, 2005.
- Victor Chernozhukov, Mert Demirer, Esther Duflo, and Ivan Fernandez-Val. Generic machine learning inference on heterogeneous treatment effects in randomized experiments. Technical Report 24678, National Bureau of Economic Research, 2018b.
- Shadi Iskander, Kira Radinsky, and Yonatan Belinkov. Shielded representations: Protecting sensitive attributes through iterative gradient-based projection. In *Findings of the Association for Computational Linguistics (ACL)*, 2023. arXiv:2305.10204.
- Marc Lipsitch, Eric Tchetgen Tchetgen, and Ted Cohen. Negative controls: A tool for detecting confounding and bias in observational studies. *Epidemiology*, 21(3):383–388, 2010.

- Xu Shi, Wang Miao, and Eric Tchetgen Tchetgen. A selective review of negative control methods in epidemiology. *Current Epidemiology Reports*, 7(4):190–202, 2020.
- Martijn J Schuemie, Patrick B Ryan, William DuMouchel, Marc A Suchard, and David Madigan. Interpreting observational studies: why empirical calibration is needed to correct p-values. *Statistics in Medicine*, 33(2):209–218, 2014.
- Victor Chernozhukov, Carlos Cinelli, Whitney Newey, Amit Sharma, and Vasilis Syrgkanis. Long story short: Omitted variable bias in causal machine learning. *arXiv preprint arXiv:2112.13398*, 2022.
- Tyler J VanderWeele and Peng Ding. Sensitivity analysis in observational research: Introducing the E-value. *Annals of Internal Medicine*, 167(4):268–274, 2017.
- Lawrence C McCandless and Paul Gustafson. A comparison of Bayesian and Monte Carlo sensitivity analysis for unmeasured confounding. *Statistics in Medicine*, 36(18):2887–2901, 2017.
- Edward H Kennedy. Towards optimal doubly robust estimation of heterogeneous causal effects. *Electronic Journal of Statistics*, 17(2):3008–3049, 2023.
- Y P Mack and Murray Rosenblatt. Multivariate k-nearest neighbor density estimates. *Journal of Multivariate Analysis*, 9(1):1–15, 1979.
- D O Loftsgaarden and C P Quesenberry. A nonparametric estimate of a multivariate density function. *Annals of Mathematical Statistics*, 36(3):1049–1051, 1965.
- László Györfi, Michael Kohler, Adam Krzyżak, and Harro Walk. *A Distribution-Free Theory of Nonparametric Regression*. Springer, 2002.
- Shashank Singh and Barnabás Póczos. Finite-sample analysis of fixed-k nearest neighbor density functional estimators. In *Advances in Neural Information Processing Systems (NeurIPS)*, 2016. arXiv:1606.01554.
- Stefan Wager and Susan Athey. Estimation and inference of heterogeneous treatment effects using random forests. *Journal of the American Statistical Association*, 113(523):1228–1242, 2018.
- Arthur Gretton, Olivier Bousquet, Alex Smola, and Bernhard Schölkopf. Measuring statistical dependence with Hilbert-Schmidt norms. *Algorithmic Learning Theory*, pages 63–77, 2005.
- Alexander Kraskov, Harald Stögbauer, and Peter Grassberger. Estimating mutual information. *Physical Review E*, 69(6):066138, 2004.
- Bradley Efron. Better bootstrap confidence intervals. *Journal of the American Statistical Association*, 82(397):171–185, 1987.
- Sho Sonoda et al. Lean formalization of generalization error bound by rademacher complexity. *arXiv preprint arXiv:2503.19605*, 2025.
- Henry Lam. A cheap bootstrap method for fast inference. *Journal of the American Statistical Association*, 2022. arXiv:2202.00090.
- Stephen Salerno, Tian Wu, and Tyler H McCormick. Spatially robust inference with predicted and missing-at-random labels. *arXiv:2603.11368*, 2026.

A Per-PC Omnibus z -Statistics

Table 17 reports the per-component z -statistics underlying the heatmap in Figure 5. Each entry is the studentised cross-fitted DML coefficient on the partialled-out residual of the corresponding principal component, computed under the procedure of Chernozhukov et al. [2018b] on a Gaussian-multiplier bootstrap with $B = 1,000$ replicates. The sup-Wald statistic in each row of Table 9 equals the maximum absolute value in the corresponding row of this table. The two-sided $t_{K-1=4}$ 95 percent critical value of ± 2.776 applies to single-direction reads, while the sup-Wald p -values in Table 9 carry the multiplicity correction across the five components.

Table 17: Per-PC partialling-out z -statistics, three cities by five principal components. Bold entries exceed the two-sided $t_{K-1=4}$ 95 percent critical value of ± 2.776 on a single-direction read.

City	PC1	PC2	PC3	PC4	PC5
San Francisco	-0.78	+1.44	+4.48	-2.25	+0.05
New York	+3.98	-0.94	+0.34	+5.98	+0.18
Boston	+0.52	+0.89	-2.96	-1.22	-1.05

B Structural Causal Model: Formal Specification

We provide a complete mathematical specification of the structural causal model introduced in Section 3.

B.1 Variable Definitions

Let the following random variables represent properties in our domain. Location is denoted $L \in \mathbb{R}^2$ representing latitude and longitude coordinates. Intrinsic property features are captured by $X \in \mathbb{R}^{d_x}$, including bedrooms, bathrooms, square footage, and year built. Contextual features are represented by $C \in \mathbb{R}^{d_c}$, encompassing demographics, crime, and amenities. Text embeddings from property descriptions are denoted $T \in \mathbb{R}^{d_t}$. Finally, property value is represented by $Y \in \mathbb{R}^+$, typically the sale price or assessed value.

B.2 Structural Equations

The complete set of structural equations governing the data-generating process takes the following form. Location is exogenous, given by $L = U_L$ where U_L represents the exogenous location distribution. Property features depend on location through $X = g_x(L) + \epsilon_X$ where g_x captures how neighborhood development patterns influence property characteristics. Contextual features similarly depend on location via $C = g_c(L) + \epsilon_C$ reflecting spatial variation in demographics and amenities. Text content is generated by $T = g_t(L, X, C) + \epsilon_T$, encoding the fact that descriptions are written by agents who observe location, features, and context. Finally, property value is determined by $Y = g_y(L, X, C) + \epsilon_Y$.

The noise terms $\epsilon_X, \epsilon_C, \epsilon_T, \epsilon_Y$ are mutually independent, representing idiosyncratic variation not explained by the structural relationships. The functions g_x, g_c, g_t, g_y are deterministic mappings representing causal mechanisms.

B.3 Functional Form Specifications

While the true functional forms are unknown, we can specify reasonable parametric families. Property features depend on location through neighborhood development patterns, which we model as $g_x(L) = \alpha_x + \sum_{k=1}^K \beta_k \phi_k(L)$ where $\phi_k(L)$ are spatial basis functions such as radial basis functions centered on neighborhood centroids.

Contextual features vary smoothly over space, which we model using a Gaussian process: $g_c(L) = \alpha_c + \text{GP}(L; \kappa)$ where $\text{GP}(\cdot; \kappa)$ denotes a Gaussian process with kernel κ capturing spatial autocorrelation in demographics and amenities.

Text generation reflects the cognitive process by which agents write descriptions. We model this as $g_t(L, X, C) = \text{Encoder}(f_{\text{LLM}}(L, X, C; \theta_{\text{agent}}))$ where f_{LLM} represents the agent’s language generation process and Encoder maps text to embedding space.

Price formation depends on location, features, and local context through a log-linear specification: $g_y(L, X, C) = \exp(\alpha_y + \beta_L^\top h(L) + \beta_X^\top X + \beta_C^\top C)$ with $h(L)$ capturing non-linear spatial effects such as distance to city center or waterfront proximity.

B.4 Key Assumption: No Direct Text Effect

The critical identifying assumption is that T does not appear in the structural equation for Y . This encodes our hypothesis that descriptions do not causally influence prices. Instead, both text and price are effects of location and property characteristics.

Hypothesis 1 (Independence of Text). *Conditional on location, property features, and context, text embeddings are independent of price:*

$$Y \perp T \mid (L, X, C) \quad (18)$$

This hypothesis is testable through conditional independence tests and forms the basis for our causal identification strategy.

C Identification Proofs

We prove formal identifiability results for causal effects under our structural assumptions.

Lemma 1 (d-separation). *In the DAG corresponding to the structural equations, the set $S = \{L, X, C\}$ d-separates T from Y .*

Proof. Every path from T to Y must pass through at least one node in S . The path $T \leftarrow L \rightarrow Y$ is blocked by conditioning on L . The path $T \leftarrow X \rightarrow Y$ is blocked by conditioning on X . The path $T \leftarrow C \rightarrow Y$ is blocked by conditioning on C . Composite paths such as $T \leftarrow L \rightarrow X \rightarrow Y$ are blocked by conditioning on either L or X . Similarly, $T \leftarrow L \rightarrow C \rightarrow Y$ is blocked by conditioning on L or C . Hence S d-separates T from Y . $\square$

Theorem 2 (Backdoor Identifiability). *Under the structural causal model, the causal effect of text T on price Y is identifiable via:*

$$P(Y \mid \text{do}(T = t)) = \int P(Y \mid T = t, L = \ell, X = x, C = c) dP(L, X, C) \quad (19)$$

Proof. By Lemma 1, the set $\{L, X, C\}$ d-separates T from Y , satisfying the backdoor criterion. Therefore by the backdoor formula [Pearl, 2009], we have:

$$P(Y \mid \text{do}(T = t)) = \sum_{L, X, C} P(Y \mid T = t, L, X, C) P(L, X, C) \quad (20)$$

$$= \mathbb{E}_{L, X, C} [P(Y \mid T = t, L, X, C)] \quad (21)$$

which is identified from the observational distribution. $\square$

Corollary 1 (Zero Causal Effect Under True SCM). *If the structural equation for Y truly does not depend on T , then:*

$$P(Y \mid \text{do}(T = t)) = P(Y) \quad \forall t \quad (22)$$

implying zero causal effect.

Proof. Under the true SCM where $Y = g_y(L, X, C) + \epsilon_Y$, intervening to set $T = t$ does not change the distribution of Y since T does not appear in the structural equation. Therefore $P(Y \mid \text{do}(T = t)) = P(Y)$ for all values of t , yielding zero causal effect. $\square$

D Data Collection Protocols

D.1 Web Scraping Implementation

Property listing descriptions were collected through automated web scraping with careful attention to ethical and legal considerations. We implemented rate limiting with random delays of 2–5 seconds between requests. The scraping pipeline proceeded in two stages: first, we queried the platform’s search API to identify sold property URLs with metadata (address, price, coordinates); second, we retrieved individual listing pages and extracted description text from HTML using BeautifulSoup. Data validation excluded descriptions shorter than 50 words as likely incomplete.

D.2 Geocoding and Address Standardization

For Boston, coordinates were derived from parcel polygon centroids computed in the local projected CRS (EPSG:26986) then reprojected to WGS84. For New York and San Francisco, coordinates were taken directly from the source datasets (PLUTO latitude/longitude fields and DataSF parcel centroid fields, respectively). Address standardization was handled implicitly through the parcel identifier joins (PID for Boston, BBL for New York, block-lot for San Francisco) rather than geocoding.

D.3 Census Data Integration

Census variables were queried programmatically via the Census Bureau’s REST API using direct HTTP requests. We constructed API requests for each county’s block groups, retrieving all variables listed in Table 2. Block group polygon boundaries were obtained from TIGER/Line shapefiles. Negative sentinel values (used by the Census Bureau to indicate suppressed or unavailable data) were replaced with missing values. Derived ratios (e.g., percentage with bachelor’s degree, labor force participation rate) were computed from the raw count variables.

D.4 Crime Data Processing

Crime incident data required substantial cleaning and standardization across cities due to differing reporting schemas and offense classifications. We developed a unified crosswalk mapping city-specific crime codes to standardized categories: violent crime (homicide, assault, robbery), property crime (burglary, larceny, motor vehicle theft), and quality-of-life offenses (vandalism, drug violations, disorderly conduct).

For New York, we combine the NYPD Historic Complaint Data (2006–present) with the Year-to-Date dataset, deduplicating on complaint number, to ensure temporal coverage spanning the full sale period. For each property, we counted incidents within a 500-meter radius using spatial indexing (`cKDTree.query_ball_point`), computing separate counts for each crime category and a total. Where temporal overlap existed between crime and sale data, we filtered to incidents within 365 days preceding the median sale date; when the temporal window was too sparse (<1,000 incidents), we used all available incidents.

D.5 Amenity Data Collection

Amenity data were collected from OpenStreetMap via the Overpass API. For each city, we queried all amenities within the metropolitan bounding box by OSM tag category, then performed local radius-based spatial joins to count amenities within 500 meters of each property. This bulk-download-then-join approach is both free and faster than per-property API queries. We implemented retry logic with exponential backoff for Overpass rate limiting (HTTP 429) and server timeouts (HTTP 504).

Amenity diversity is computed using Shannon entropy:

$$H = - \sum_{i=1}^n p_i \log p_i \quad (23)$$

where p_i is the proportion of amenities in category i . This measures variety in the local amenity mix, with higher entropy indicating more diverse neighborhoods.

E Statistical Testing Procedures

E.1 Conditional Independence Testing

To test the hypothesis $Y \perp T \mid (L, X, C)$, we employ multiple conditional independence tests with different assumptions and power characteristics.

Partial Correlation Test: Under assumptions of linearity and Gaussianity, conditional independence is equivalent to zero partial correlation:

$$\rho_{YT.LXC} = \frac{\rho_{YT} - \rho_{YL}\rho_{TL}}{\sqrt{(1 - \rho_{YL}^2)(1 - \rho_{TL}^2)}} \quad (24)$$

We test $H_0 : \rho_{YT.LXC} = 0$ using Fisher’s z-transformation with sample size adjusted for degrees of freedom consumed by conditioning variables.

Kernel-Based Test: The Hilbert-Schmidt Independence Criterion (HSIC) [Gretton et al., 2005] provides a non-parametric test based on reproducing kernel Hilbert spaces:

$$\text{HSIC}(Y, T \mid L, X, C) = \mathbb{E}_{YT|LXC}[k_Y(y, y')k_T(t, t')] - \mathbb{E}_{Y|LXC}[k_Y(y, y')]\mathbb{E}_{T|LXC}[k_T(t, t')] \quad (25)$$

We use Gaussian kernels with bandwidth selected via median heuristic and compute p-values via permutation testing with 1000 resamples.

Conditional Mutual Information: We estimate $I(Y; T \mid L, X, C)$ using k-nearest neighbor density estimation [Kraskov et al., 2004]:

$$\hat{I}(Y; T \mid L, X, C) = \psi(k) + \psi(n) - \mathbb{E}[\psi(n_y + 1) + \psi(n_t + 1)] \quad (26)$$

where ψ is the digamma function, k is the number of neighbors, and n_y, n_t are neighbor counts in marginal spaces.

E.2 Sensitivity Analysis for Unobserved Confounding

While our identification strategy assumes no unobserved confounding conditional on $\{L, X, C\}$, we assess sensitivity to violations using the approach of Cinelli and Hazlett [2020].

We compute the robustness value RV , defined as the minimum strength of confounding (measured by partial R^2) required to invalidate our conclusions:

$$RV = \sqrt{\frac{\hat{\tau}^2}{\hat{\tau}^2 + \hat{\sigma}^2}} \cdot \sqrt{\frac{1}{1 - R_{Y \sim T, L, X, C}^2}} \quad (27)$$

where $\hat{\tau}$ is the estimated treatment effect and $\hat{\sigma}^2$ is its variance.

We also construct robustness contours showing combinations of confounder-treatment and confounder-outcome associations that would reduce the estimated effect to zero. This visualizes the strength of unmeasured confounding required to overturn our findings.

E.3 Permutation Tests for Location Randomization

When testing the impact of location randomization, we employ permutation-based inference to account for multiple testing across different model specifications.

For each model $m \in \{1, \dots, M\}$, we compute:

$$\Delta R_m^2 = R_{\text{original}, m}^2 - R_{\text{randomized}, m}^2 \quad (28)$$

Under the null hypothesis that text contains location-independent information, ΔR_m^2 should be small. We generate the null distribution through permutations of the location-randomization procedure.

The p-value for model m is:

$$p_m = \frac{1 + \sum_{b=1}^B \mathbb{I}(\Delta R_{m, b}^2 \leq \Delta R_m^2)}{1 + B} \quad (29)$$

We control family-wise error rate across models using Bonferroni correction.

E.4 Bootstrap Confidence Intervals

Confidence intervals for causal effect estimates are constructed using the bias-corrected and accelerated (BCa) bootstrap [Efron, 1987]. For each estimator $\hat{\theta}$, we generate bootstrap samples by resampling properties with replacement within each city to preserve geographic structure, compute $\hat{\theta}_b$ for each bootstrap sample, estimate bias correction and acceleration parameters, and construct adjusted percentile intervals accounting for both bias and skewness in the bootstrap distribution.

F Adversarial Training Implementation

F.1 Network Architecture Details

The encoder network E_ϕ maps PCA-reduced text embeddings (50 components) to 64-dimensional deconfounded representations through three fully-connected layers with batch normalization and dropout:

Table 18: Encoder architecture specification.

Layer	Input Dim	Output Dim	Activation
Linear 1	50	128	ReLU
Batch Norm	128	128	—
Dropout (0.2)	128	128	—
Linear 2	128	128	ReLU
Batch Norm	128	128	—
Dropout (0.2)	128	128	—
Linear 3	128	64	Linear

The predictor network P_θ maps the 64-dimensional deconfounded representation to a scalar price prediction through a shallow head with dropout. The shallow choice is deliberate: a deeper predictor would risk recovering location through nonlinear interactions of the residual representation even when the encoder has been pushed toward linear invariance, and the frozen-probe diagnostic discussed in Section 5 would then misread predictor performance as semantic content rather than as recovered location.

Table 19: Predictor architecture specification.

Layer	Input Dim	Output Dim	Activation
Linear 1	64	64	ReLU
Dropout (0.1)	64	64	—
Linear 2	64	1	Linear

The discriminator network D_ψ employs a shared trunk that branches into three parallel heads, each targeting location at a different geographic resolution. Routing the adversarial pressure through three resolutions simultaneously prevents the encoder from exploiting any single granularity escape hatch, since collapsing one head’s signal still leaves the other two operative and forces the gradient reversal to attack the joint location signal across resolutions rather than the lowest-cost head.

Table 20: Multi-head discriminator architecture specification. The shared trunk processes the deconfounded representation, and three parallel heads target different geographic resolutions.

Layer	Input Dim	Output Dim	Activation
<i>Shared trunk</i>			
Linear 1	64	64	ReLU
Dropout (0.1)	64	64	—
<i>Zip code head</i>			
Linear	64	$ \mathcal{Z} $	Softmax
<i>Geolocation head</i>			
Linear	64	2	Linear
<i>Income quantile head</i>			
Linear	64	Q_{inc}	Softmax

where $|\mathcal{Z}|$ is the number of unique zip codes and $Q_{\text{inc}} = 5$ is the number of income quantile bins. The three heads are trained simultaneously, with their losses averaged to form the combined discriminator objective.

F.2 Training Procedure

Training employs a minimax optimization with gradient reversal. The encoder and predictor parameters are updated to minimize prediction loss while maximizing discrimination loss (via gradient reversal), and the discriminator parameters are updated to minimize discrimination loss.

Formally, at each iteration:

$$\phi^{(t+1)}, \theta^{(t+1)} = \arg \min_{\phi, \theta} [\mathcal{L}_{\text{pred}}(P_{\theta}(E_{\phi}(T)), Y) - \lambda \mathcal{L}_{\text{disc}}(D_{\psi^{(t)}}(E_{\phi}(T)), L)] \quad (30)$$

$$\psi^{(t+1)} = \arg \min_{\psi} \mathcal{L}_{\text{disc}}(D_{\psi}(E_{\phi^{(t+1)}}(T)), L) \quad (31)$$

We use Adam optimizers for all networks with learning rate $\eta = 10^{-3}$, momentum parameters $\beta_1 = 0.9$, $\beta_2 = 0.999$, and weight decay $\lambda_{\text{wd}} = 10^{-4}$.

The adversarial parameter λ will follow an annealing schedule:

$$\lambda(t) = \begin{cases} 0.1 & t \leq 10 \\ 0.1 + 0.9 \cdot \frac{t-10}{40} & 10 < t \leq 50 \\ 1.0 & t > 50 \end{cases} \quad (32)$$

This gradual increase will allow stable convergence before applying full adversarial pressure.

F.3 Convergence Criteria

Training will terminate when one of the following conditions is met:

First, maximum epochs reached. Second, validation loss fails to improve for consecutive epochs (early stopping). Third, discriminator accuracy falls below a threshold indicating successful deconfounding.

We monitor three metrics during training:

$$\text{Predictor Loss: } \mathcal{L}_{\text{pred}} = \frac{1}{n} \sum_{i=1}^n (P_{\theta}(E_{\phi}(t_i)) - y_i)^2 \quad (33)$$

$$\text{Discriminator Loss: } \mathcal{L}_{\text{disc}} = -\frac{1}{n} \sum_{i=1}^n \log P(L_i | D_{\psi}(E_{\phi}(t_i))) \quad (34)$$

$$\text{Discriminator Accuracy: } \text{Acc}_{\text{disc}} = \frac{1}{n} \sum_{i=1}^n \mathbb{I}[\arg \max D_{\psi}(E_{\phi}(t_i)) = L_i] \quad (35)$$

Successful deconfounding is indicated by predictor loss comparable to baseline while discriminator accuracy approaches random guessing.

G Doubly-Robust Estimation Details

G.1 Outcome Model Specification

The outcome model $\mu(t, \ell, x, c) = \mathbb{E}[Y|T = t, L = \ell, X = x, C = c]$ was estimated using scikit-learn’s `GradientBoostingRegressor` with the following hyperparameters:

Table 21: Gradient boosting hyperparameters for outcome model.

Parameter	Value
Number of estimators	200
Maximum depth	4
Learning rate	0.05
Subsample ratio	0.8
Max features	$\min(0.5, 10/p)$

Feature engineering for the outcome model included:

1. Text embedding principal components (first 50 PCs via PCA)
2. Continuous location: latitude, longitude
3. Property features: bedrooms, building area, lot area, year built
4. Census demographics: median household income, education attainment, racial composition, age distribution, median home value, gross rent, labor force participation (block-group level)
5. Crime exposure: violent, property, and quality-of-life incident counts within 500 meters
6. Amenity access: food/dining, retail, services, recreation, transportation, and education counts within 500 meters, plus Shannon diversity index
7. Micro-geographic distances: meters to nearest park, transit stop, school, restaurant, retail establishment, and medical facility (computed via nearest-neighbor spatial indexing on OpenStreetMap points of interest)

This confounder set operationalizes the full adjustment set $\{\ell, x, c\}$ specified by the structural causal model, with 35 continuous features providing substantially finer confounding control than discrete zip code indicators.

Cross-validation was performed using 5-fold splits, with the `max_features` parameter adaptively set to $\min(0.5, 10/p)$ where p is the total number of features, to prevent overfitting when text PCA dimensions are included.

G.2 Propensity Model Specification

For continuous treatment (text embeddings), the propensity model estimates the conditional density $p(T|L, X, C)$ via kernel density estimation with adaptive bandwidth selection.

The bandwidth for dimension d is:

$$h_d = \hat{\sigma}_d \cdot n^{-1/(4+d_T)} \quad (36)$$

where $\hat{\sigma}_d$ is the sample standard deviation of the d -th text embedding dimension and d_T is the dimensionality after PCA reduction.

To handle the high-dimensional treatment space, we use the multivariate Gaussian kernel:

$$K_H(t - t_i) = \frac{1}{(2\pi)^{d_T/2} |H|^{1/2}} \exp \left(-\frac{1}{2} (t - t_i)^\top H^{-1} (t - t_i) \right) \quad (37)$$

where $H = \text{diag}(h_1^2, \dots, h_{d_T}^2)$ is the bandwidth matrix.

To avoid extreme weights, we trim observations with propensity scores below the 5th percentile or above the 95th percentile.

G.3 Doubly-Robust Estimator Formula

The doubly-robust estimator will combine outcome and propensity models:

$$\hat{\tau}_{\text{DR}} = \frac{1}{n} \sum_{i=1}^n \left[\frac{t_i - \hat{\mu}(0, \ell_i, x_i, c_i)}{\hat{e}_i} (y_i - \hat{\mu}(t_i, \ell_i, x_i, c_i)) + \hat{\mu}(t_i, \ell_i, x_i, c_i) \right] \quad (38)$$

This estimator has the double robustness property: it is consistent if either the outcome model or the propensity model is correctly specified, even if the other is misspecified [Bang and Robins, 2005].

Variance estimation employs the sandwich estimator to account for estimation uncertainty in both nuisance models.

H Sensitivity to Modeling Choices

H.1 Embedding Model Comparison

We validate robustness to text embedding choice by replicating key analyses with multiple alternative models:

Table 22: Text embedding models evaluated for sensitivity analysis.

Model	Dimensions	Training Corpus
all-mpnet-base-v2	768	General + NLI
text-embedding-ada-002	1536	Proprietary (OpenAI)
embed-english-v3.0	1024	Web + Books (Cohere)
all-MiniLM-L6-v2	384	General + NLI

We compute pairwise correlations between embeddings and assess whether key conclusions (location prediction accuracy, causal effect estimates) vary substantially across embedding models.

H.2 Bandwidth Selection for Spatial Kernels

Crime density estimation and spatial smoothing employ Gaussian kernels with bandwidth parameter h . We test sensitivity to bandwidth choice by varying h across multiple values and assessing stability of causal effect estimates.

H.3 Temporal Window for Feature Extraction

Contextual features (demographics, crime, amenities) are extracted using temporal windows centered on property sale dates. We test sensitivity to window width and assess whether causal effect estimates remain stable across different temporal specifications.

H.4 Outlier Threshold Selection

Price outlier exclusion employs thresholds for minimum and maximum values. We test sensitivity by varying thresholds and document stability of key findings:

Table 23: Sensitivity to outlier thresholds.

Thresholds	N (retained)	$\hat{\tau}_{\text{causal}}$
\$25K – \$25M	59,805	−0.018
\$50K – \$20M	59,449	−0.018
\$75K – \$15M	59,001	−0.018

I Frozen-Probe Diagnostic: Proofs and Numerical Verification

This appendix proves Proposition 2 (Section 3.5) and reports three controlled numerical experiments verifying each part on synthetic data.

I.1 Notation

Let $E_\phi : \mathcal{X} \rightarrow \mathcal{Z}$ be an encoder, $C \in \{0, 1\}$ a binary confounder, and $\Phi \subseteq \Phi'$ two parameterized classes of probabilistic classifiers $q : \mathcal{Z} \rightarrow [0, 1]$. For a class $\mathcal{F}$, recall the Barber–Agakov variational lower bound on $I(Z; C)$:

$$V_{\mathcal{F}}(Z; C) := \sup_{q \in \mathcal{F}} [H(C) - \mathbb{E}_{(Z, C)}[-\log q(C | Z)]] . \quad (39)$$

The supremum is achieved at $q^* = p(C | Z)$ when $\mathcal{F}$ contains the Bayes-optimal posterior. Denote the empirical version by $\hat{V}_{\mathcal{F}}$ (sample mean of the cross-entropy gain at the empirical arg sup).

I.2 Proof of Proposition 2(a)

The first inequality $V_\Phi \leq V_{\Phi'}$ is immediate from $\Phi \subseteq \Phi'$ implying the supremum over Φ' is at least as large. For the second inequality $V_{\Phi'} \leq I(Z; C)$, the Barber–Agakov bound is by construction a lower bound on the mutual information: for any q ,

$$H(C) - \mathbb{E}[-\log q(C | Z)] = H(C) - H(C | Z) - D_{\text{KL}}(p(C | Z) \| q(C | Z)) = I(Z; C) - D_{\text{KL}}(\cdot), \quad (40)$$

which is at most $I(Z; C)$ with equality iff $q = p(C | Z)$ almost surely. Taking the supremum over $q \in \Phi'$ preserves the inequality, with strictness whenever Φ' does not contain $p(C | Z)$. This statement is Proposition 1 of Xu et al. [2020] restated in the Barber–Agakov form used by Pimentel et al. [2020]; we restate it here for self-containedness. $\square$

I.3 Proof of Proposition 2(b)

(b1) Empirical equivalence. The gradient-reversal training objective on the discriminator ψ is $\min_\psi \hat{L}_\Phi(\psi)$ where $\hat{L}_\Phi(\psi) = -\frac{1}{n} \sum_i \log D_\psi(C_i | Z_i)$ is the empirical cross-entropy of D_ψ on the encoder output $Z = E_\phi(X)$. By definition of the Barber–Agakov bound,

$$\hat{V}_\Phi(Z; C) = \sup_{q \in \Phi} [H(C) - \frac{1}{n} \sum_i -\log q(C_i | Z_i)] = H(C) - \inf_\psi \hat{L}_\Phi(\psi), \quad (41)$$

so $\hat{V}_\Phi$ equals $H(C)$ minus the converged training loss of the live discriminator. Therefore “the live discriminator achieves chance-level accuracy” (i.e. $\hat{L}_\Phi \approx H(C)$) is exactly equivalent to $\hat{V}_\Phi(Z_\phi; C) \approx 0$. $\square$

(b2) Consistency of the post-hoc plug-in. Apply Theorem 3 of Xu et al. [2020], which gives uniform PAC-style consistency of the empirical $\mathcal{V}$ -information estimator under finite Rademacher complexity of $\mathcal{V}$

and bounded log-loss. Fixing the encoder at $E_{\hat{\phi}}$ and applying the theorem with $\mathcal{V} = \Phi'$ on a held-out sample of size m ,

$$\hat{V}_{\Phi'}^{\text{post}}(Z_{\hat{\phi}}; C) \xrightarrow{p} V_{\Phi'}(Z_{\hat{\phi}}; C) \quad \text{as } m \rightarrow \infty. \quad (42)$$

The fact that $\hat{V}_{\Phi}$ is also consistent (since $\Phi \subseteq \Phi'$) and the difference of two consistent estimators is consistent for the difference yields

$$\hat{V}_{\Phi'}^{\text{post}} - \hat{V}_{\Phi} \xrightarrow{p} V_{\Phi'}(Z_{\hat{\phi}}; C) - V_{\Phi}(Z_{\hat{\phi}}; C) \geq 0, \quad (43)$$

exact when Φ' contains the Bayes-optimal posterior $p(C | Z_{\hat{\phi}})$. $\square$

I.4 Proof of Proposition 2(c)

We exhibit a data distribution, a downstream label, a class pair $\Phi \subsetneq \Phi'$, and an explicit saddle of the joint adversarial-prediction game at which the gap equals $H(C)$.

Why the joint game. The bare gradient-reversal game over an unconstrained encoder admits the trivial collapsed saddle $\phi(X) \equiv 0$, at which $V_{\Phi}(Z; C) = 0$ holds vacuously and $V_{\Phi'}(Z; C) = 0$ as well. To rule this out, the proposition is stated in the joint adversarial-prediction game, the formulation of Xie et al. [2017], Madras et al. [2018], and Zhang et al. [2018]: the encoder is trained simultaneously against a downstream task Y that requires preserving information about X , eliminating the collapsed saddle as a feasible equilibrium.

Construction. Take $X = (X_1, X_2) \in \{0, 1\}^2$ with $X_1, X_2 \stackrel{\text{iid}}{\sim} \text{Bernoulli}(1/2)$, and $C = X_1 \oplus X_2$ (the XOR of the two binary features). Then $C \in \{0, 1\}$ uniformly with $H(C) = \log 2$. Take $Y = X_1$ as the downstream label, so $I(X; Y) = H(Y) = \log 2 > 0$.

Let Φ be the class of linear logistic-regression classifiers $D_{\psi}(z) = \sigma(w^{\top} z + b)$ on $z \in \mathbb{R}^2$, and let Φ' be any class containing a 2-layer MLP with hidden width ≥ 2 .

Exhibited saddle. Set $\phi^* = \text{id}$ (the identity encoder), $g^*(z) = z_1$ (linear task head reading off the first coordinate), and $h^* \equiv 1/2$ (the Bayes-optimal linear classifier of C from Z , which is constant since C is not linearly separable from Z in this DGP). Then on the joint distribution (Z, C, Y) :

- **Adversary inner max.** For any $D_{\psi} \in \Phi$ (linear), the conditional posterior $\Pr[C = 1 | Z]$ takes value 1 on $\{(0, 1), (1, 0)\}$ and value 0 on $\{(0, 0), (1, 1)\}$, which is not linearly separable. The Bayes-optimal linear classifier is the constant $D_{\psi} \equiv 1/2$, attaining cross-entropy $H(C) = \log 2$ exactly. Therefore $V_{\Phi}(Z_{\phi^*}; C) = 0$.
- **Probe completeness.** For Φ' containing the 2-layer MLP, the Bayes-optimal posterior $\Pr[C = 1 | Z] \in \{0, 1\}$ is exactly representable. Hence $V_{\Phi'}(Z_{\phi^*}; C) = I(Z_{\phi^*}; C) = H(C) = \log 2$.
- **Task decodability.** Since $Y = X_1 = (\phi^*(X))_1$, the linear head $g^*(z) = z_1$ achieves $\mathcal{L}_{\text{task}} = 0$, the global minimum of the task term.
- **Saddle.** For any $\alpha > 0$, (ϕ^*, g^*, h^*) jointly minimize the task term to its floor, while the adversary h^* is Bayes-optimal in Φ given the encoder. Any unilateral perturbation of ϕ^* that decreases the discriminator's loss must distort the linear separability of $Y = X_1$ from Z_1 and hence increase $\mathcal{L}_{\text{task}}$, yielding a stable equilibrium under the joint loss.

The gap at this saddle is therefore exactly $V_{\Phi'}(Z_{\phi^*}; C) - V_{\Phi}(Z_{\phi^*}; C) = \log 2 - 0 = H(C)$. The collapsed encoder $\phi_{\text{collapse}}(X) \equiv 0$ achieves task loss $H(Y) = \log 2 > 0$ and is therefore not a saddle of the joint game for any $\alpha > 0$. The construction generalizes from binary X to continuous distributions by replacing the XOR structure with any nonlinear interaction (e.g., $C = \text{sign}(X_1 X_2)$ for Gaussian X_1, X_2), at the cost of a vanishing $O(\delta)$ remainder controlling the off-diagonal probability mass. We verify all four bullets computationally in Appendix J (script `07_saddle_verification.py`), including an explicit numerical demonstration that ϕ_{collapse} would be a saddle of the bare GRL game with $V_{\Phi'} = 0$, motivating the joint-game restriction. $\square$

I.5 Numerical Verification

Three controlled experiments verify each part of Proposition 2 on synthetic data. Implementation in `data/scripts/theory/frozen_probe_gap.py`; raw results in `results/theory/frozen_probe_gap.json`.

Experiment 1 (static XOR). The exact construction of part (c). $Z = (Z_1, Z_2) \sim \text{Bernoulli}(1/2)^2$, $C = Z_1 \oplus Z_2$, $N = 4,000$, averaged across 5 trials. True $I(Z; C) = \log 2 = 1$ bit. Linear logistic regression: $\hat{V}_\Phi = 0.0004$ bits, accuracy 46.1% (chance). 2-layer MLP (16, 16): $\hat{V}_{\Phi'} = 0.997$ bits, accuracy 100%. The diagnostic gap $\hat{V}_{\Phi'} - \hat{V}_\Phi = 0.997$ bits is 99.7% of the true mutual information.

Experiment 2 (dynamic gradient-reversal training). A 2-layer encoder $E_\phi : \mathbb{R}^{10} \rightarrow \mathbb{R}^4$ trained adversarially against a linear discriminator via gradient reversal for 200 epochs, with a downstream MSE predictor on $Y = 0.5X_3 + \epsilon$. Confounder generated as $C = \text{sign}(X_1X_2)$ (continuous-Gaussian XOR). After training: live linear discriminator accuracy 46.3% (chance), frozen linear probe accuracy 56.4%, frozen (32, 32) MLP probe accuracy 61.0%. Diagnostic gap $\hat{V}_{\Phi'}^{\text{post}} - \hat{V}_\Phi = +14.7$ percentage points of accuracy; the encoder fooled its discriminator while leaving the underlying confounder recoverable to a richer probe.

Experiment 3 (capacity ladder). Same XOR DGP, varying classifier capacity:

Architecture	$\hat{V}_\Phi$ (bits)	Accuracy
Linear	0.000	0.510
MLP (4)	0.659	0.835
MLP (8)	0.990	1.000
MLP (16)	0.993	1.000
MLP (16, 16)	0.997	1.000
MLP (32, 32, 32)	0.999	1.000

$\hat{V}_\Phi$ is monotone non-decreasing in capacity, asymptoting at the true mutual information $\log 2 \approx 0.693$ nats = 1 bit. This operationalizes “probe-capacity escalation” as a complementary diagnostic to “confounder escalation” (Section 5): if $\hat{V}_{\Phi'}$ continues to grow as probe capacity increases, the encoder has not actually erased the confounder; it has merely outrun the current discriminator.

J Computational Verification of Analytic Claims

To complement the written proofs in Appendices C and I, we provide a computational verification artifact in the `verification/` directory of the replication repository. For every theorem, lemma, proposition, and corollary in the paper, an independent open-source toolchain re-derives the result and asserts agreement with the written proof. Each script writes a JSON certificate to `verification/results/` with a verdict (PASS/FAIL) and the numerical or symbolic quantities cited; the full suite is reproducible via `make verify` from pinned tool versions in `requirements.txt`.

Claim	Verification method
Lemma 1 (d-separation, App. C)	Path-by-path enumeration; minimality check
Theorem 1 (Backdoor Adjustment, §3)	Independent identification on hypothetical T
Theorem 2 (Backdoor Identifiability, App. C)	Same as Theorem 1; backdoor estimand return
Proposition 1 (Zero Causal Effect, §3)	Edge-set check ($T \notin \text{Pa}(Y)$); DoWhy declares
Corollary 1 (Zero Effect under True SCM, App. C)	Same as Proposition 1
Proposition 2(a) (variational MI inequality)	Symbolic KL nonneg + numerical V -chain
Proposition 2(b1) (algebraic identity)	Symbolic and numerical equality, $ \Delta < 10^{-8}$
Proposition 2(b2) (consistency of post-hoc $\hat{V}_{\Phi'}^{\text{post}}$)	Monte Carlo n -sweep; log-log slope vs. rate pr
Proposition 2(c) (XOR saddle-gap, identity-encoder construction)	Wraps <code>frozen_probe_gap.py</code> ; assertions on V_Φ
Proposition 2(c) (joint-game saddle existence + collapsed-encoder counterexample)	Explicit construction at ϕ_{id} and ϕ_{collapse} ; swee

Table 24: Mapping from analytic claims to computational verification scripts. Every entry passes; certificates are in `verification/results/*.json`.

We are explicit about what this artifact does and does not claim. It is *not* a machine-checked formal proof in Lean, Coq, or Isabelle: as of late 2025 no proof assistant has a causal-DAG library, which would gate even Lemma 1 (the closest available are HOL-Probability for measure theory, infotheo for Shannon information theory, and recent Lean ports of Rademacher complexity [Sonoda et al., 2025]). What it does claim is that every analytic statement has been re-derived by an independent, deterministic open-source tool, that the d-separation, backdoor identification, and XOR saddle constructions are mechanically checkable without estimation error, and that the asymptotic consistency claim is empirically verified at the rate predicted by the cited theorem (slope -0.547 for the $O(m^{-1/2})$ prediction). This is a reproducibility artifact for analytic claims, at the bar that current top stats journals accept; it is intended as a complement to, not a substitute for, the written proofs.

K Finite-Sample Calibration of the DML Estimator

We assess the finite-sample calibration of the headline DML interval with a Monte Carlo study. Synthetic embeddings are drawn from a Gaussian-mixture generator fit to the San Francisco corpus, with confounding induced through five latent factors that drive both the embedding and log-price and a tunable direct effect ranging over $\{0, 0.01, 0.05, 0.10\}$ per standard deviation. We draw 1,000 replications at sample sizes of 500 and 2,000, run the partialling-out estimator on each, and record whether the nominal 95% influence-function interval covers the estimand. The confounder-adjusted estimand under the null data-generating process is not exactly zero, because the five latent factors leave a small residual association of $+0.007$ that the adjustment does not remove, so coverage at the null is assessed against that residual rather than against zero.

The estimator is approximately unbiased throughout, with absolute bias below 0.02 in every cell. Its influence-function interval is nonetheless anticonservative, and the severity depends on the size of the true effect (Table 25). When a substantial effect is present the analytic standard error understates the realized sampling spread by as much as a factor of four and coverage falls to 0.77, because cross-fitted nuisance estimation injects variability at $n \approx 1,000$ that the orthogonal-score variance does not capture. At the null, where the San Francisco estimate sits, the understatement is far milder, on the order of ten to fifteen percent, and coverage remains near 0.90. Substituting the realized sampling spread for the analytic standard error, which is precisely the quantity a bootstrap resampling the entire pipeline estimates, restores coverage to between 0.91 and 0.98 across all cells.

Table 25: Monte Carlo coverage of nominal 95% intervals, 1,000 replications per cell, by effect size η (per- σ direct effect). DML rows report the influence-function interval; the final column gives the coverage attained when the standard error is set to the realized sampling spread, the quantity the pipeline bootstrap estimates. The doubly-robust estimator is shown for comparison.

Estimator	N	$\eta = 0$	$\eta = 0.01$	$\eta = 0.05$	$\eta = 0.10$	bootstrap-sized SE
DML	500	0.90	0.89	0.83	0.77	0.95–0.98
DML	2000	0.92	0.89	0.86	0.85	0.91–0.93
DR	500	0.95	0.95	0.96	0.96	—
DR	2000	0.95	0.95	0.95	0.96	—

We therefore report bootstrap intervals for the headline estimate. On the San Francisco data the percentile bootstrap, which resamples listings with replacement and refits the principal-component projection together with both nuisance models inside each resample, gives a standard error 21% larger than the influence-function value, widening the interval from $[-0.043, +0.043]$ to $[-0.046, +0.051]$ and the minimum detectable effect from 6.4 to 7.8 percent. The substantive conclusion is unchanged, since the point estimate remains indistinguishable from zero and the interval still excludes per-standard-deviation effects beyond roughly eight percent of price. The doubly-robust estimator, whose binarized treatment is not a learned direction, is well calibrated at every sample size and effect size, but it has no power against the continuous effect, because binarizing at the median principal-component norm discards the graded signal the DML estimator targets.

L Davis–Kahan Stress Test of Spatial-HAC Coverage

The choice of inference rule for the headline DML estimate is calibrated against a Davis–Kahan stress simulation that mirrors our regime. The data-generating process draws $n = 348$ locations uniformly on the unit square, an embedding $T = \lambda u_{\text{dir}} v_{\text{dir}}^\top + \sigma E$ with rank-one spike of magnitude λ along a sparse loading $v_{\text{dir}} \in \mathbb{R}^{768}$ and isotropic noise $E_{ij} \sim N(0, 1/\sqrt{n})$, and an outcome $Y = U + \tau(Tv_\perp) + \nu$ in which the spatial confounder U is sampled from a Matérn-2.5 Gaussian process with length scale ρ on the unit square. The simulation sweeps spike strengths over a fifteen-point grid and conducts 500 Monte Carlo replications at each grid point. Cheap-bootstrap intervals [Lam, 2022] are constructed with $B = 200$ replicates and a t_B pivot centred at the original-sample point estimate, in keeping with the centring identity of Lam [2022] Equation (1). Coverage of the residual-subspace estimator is recorded against the true direct effect $\tau = 0.10$ along the $v_\perp$ axis.

The headline finding of the simulation is that the conventional asymptotic- z pairing with the Salerno–Wu–McCormick fold-centred jackknife under-covers badly at our regime, while replacing the z critical value with the Ibragimov–Müller t_{K-1} critical value recovers coverage that is acceptable for headline reporting without requiring a bandwidth choice. The full sensitivity sweep across length-scale parameters $\rho \in \{0.05, 0.10, 0.15, 0.25, 0.40, 0.60\}$ (Table 26) shows that the coverage gap is essentially invariant in ρ , so the failure of the asymptotic- z pairing is driven by the fixed- K degrees-of-freedom regime rather than by spatial-dependence strength.

Table 26: Empirical coverage of nominal 95% confidence intervals across 500 Monte Carlo replications per length-scale parameter ρ , with eleven competing inference rules. Cells report empirical coverage of the residual-subspace estimator against the true direct effect $\tau = 0.10$. The rightmost column is the mean coverage across the six ρ values. SWM denotes the Salerno–Wu–McCormick jackknife HAC; BCH denotes Bester–Conley–Hansen cluster-covariance with the $K - 1 = 4$ fixed-cluster t critical value; IM denotes Ibragimov–Müller self-normalised cluster- t ; fixed- b uses the $t_{1/b-1}$ critical value of Sun et al. [2008] at $b = 0.5$; WCB denotes wild cluster bootstrap with folds as clusters; classical is OLS with homoskedastic standard errors; HC1 is White; block bootstrap uses spatial blocks of length $\sqrt{n}$.

Method	$\rho = 0.05$	0.10	0.15	0.25	0.40	0.60	mean
fixed- b ($b = 0.5, t_1$)	0.78	0.96	0.93	0.91	0.93	0.94	0.91
IM self-normalised t_{K-1}	0.75	0.67	0.71	0.76	0.79	0.81	0.75
BCH cluster cov. t_{K-1}	0.49	0.55	0.54	0.50	0.61	0.69	0.56
Block bootstrap	0.48	0.49	0.53	0.56	0.61	0.64	0.55
SWM jackknife (bw sweep max)	0.41	0.56	0.51	0.44	0.57	0.63	0.52
SWM jackknife V_{off} only	0.43	0.52	0.50	0.43	0.55	0.60	0.50
Conley HAC, Lehner bandwidth	0.44	0.51	0.46	0.42	0.55	0.60	0.50
Classical	0.47	0.46	0.43	0.43	0.56	0.62	0.49
SWM jackknife ($V_{\text{off}} + V_{\text{between}}, z = 1.96$)	0.40	0.51	0.49	0.41	0.53	0.57	0.48
HC1	0.42	0.45	0.42	0.40	0.52	0.57	0.46
Wild cluster bootstrap, folds	0.32	0.34	0.32	0.30	0.40	0.46	0.36

Three readings of Table 26 guide our choice of inference rule for the headline estimate. The first reading is that the Ibragimov–Müller construction recovers a substantial coverage improvement over the Salerno–Wu–McCormick jackknife paired with the asymptotic- z critical value, while requiring no bandwidth choice and no kernel specification. Mean coverage moves from 0.48 to 0.75 across the ρ sweep, so the construction earns the headline slot for the per-city tables in the main text. The second reading is that the $V_{\text{off}} + V_{\text{between}}$ decomposition of Salerno et al. [2026] is mathematically the right correction to the kernel-smoothed Conley HAC, but at $K = 5$ folds the two terms cancel in roughly three-quarters of replications and the net standard-error inflation closes only about three percent of the coverage gap. The third reading is that the fixed- b construction of Sun et al. [2008] and Kiefer and Vogelsang [2005] at $b = 0.5$ with the t_1 critical value reaches mean coverage of 0.91 at the cost of a roughly four-fold widening of the confidence interval, so we report it as a conservative envelope rather than as the headline. Together the three readings recover an inference rule that is honest about its small-sample limits without surrendering substantive content to width.

The decomposition of the Salerno jackknife variance into its V_{off} and V_{between} components clarifies why the $z = 1.96$ pairing under-covers. Empirical fold-mean standard deviation is roughly 3.45 times the iid theoretical value at our regime, which is direct evidence of fold-shared cross-fitted nuisance error at ranges that exceed the Conley bandwidth. The within-fold kernel-smoothed term V_{off} and the between-fold variance term V_{between} are individually large and have opposite signs in a majority of replications, so the additive variance estimator $V_{\text{JK}} = V_{\text{off}} + V_{\text{between}}$ that Salerno et al. [2026] prescribe is correctly specified but provides only a small inflation of the realised standard error. The remedy under fixed- K asymptotics is to widen the critical value rather than to enlarge the variance estimator, which is exactly what the Ibragimov–Müller and fixed- b constructions do.