## Http get header

GET /tutorials/other/top-20-mysql-best-practices/ HTTP/1.1 (Request line)

Host: net.tutsplus.com

User-Agent: Mozilla/5.0 (Windows; U; Windows NT 6.1; en-US; rv:1.9.1.5) Gecko/20091102 Firefox/3.5.5 (.NET CLR 3.5.30729)

Accept: text/html,application/xhtml+xml,application/xml;q=0.9,\*/\*;q=0.8

Accept-Language: en-us,en;q=0.5 Accept-Encoding: gzip,deflate

Accept-Charset: ISO-8859-1, utf-8; q=0.7, \*; q=0.7

Keep-Alive: 300

Connection: keep-alive

Cookie: PHPSESSID=r2t5uvjq435r4q7ib3vtdjq120

Pragma: no-cache

Cache-Control: no-cache

## 討論區

https://forum.arduino.cc/index.php?topic=349985.0

## Http post header

POST /foo.php HTTP/1.1

Host: localhost

User-Agent: Mozilla/5.0 (Windows; U; Windows NT 6.1; en-US; rv:1.9.1.5) Gecko/20091102 Firefox/3.5.5 (.NET CLR 3.5.30729)

Accept: text/html,application/xhtml+xml,application/xml;q=0.9,\*/\*;q=0.8

Accept-Language: en-us,en;q=0.5 Accept-Encoding: gzip,deflate

Accept-Charset: ISO-8859-1, utf-8; q=0.7, \*; q=0.7

Keep-Alive: 300

Connection: keep-alive

Referer: http://localhost/test.php

Content-Type: application/x-www-form-urlencoded application/json

Content-Length: 43

first\_name=John&last\_name=Doe&action=Submiti