
홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > 데...
account.hanatrial.ondemand.com
Site Directory
Groups
ndemand.com/cockpit/#/acc/p2002330645trial/databaseschemas
SAP Cloud Platform Cockpit
개요
어플리케이션
Java 어플리케이션
HTML5 어플리케이션
HANA XS 어플리케이션
등록
서비스
솔루션
SAP HANA / SAP ASE
데이터베이스 시스템
데이터베이스 및 스키마
서비스 요청
연결
대상
클라우드 커넥터
보안
유용한 링크
법률 정보
홈 [유럽(Rot) - 평가판]
유럽(Rot) - 평가판
p2002330645trial
하위 계정: p2002330645trial - 데이터베이스 및 스키마
모두: 0
신규
모든 유형
검색
DB/스키마 ID
버전
신규 데이터베이스/스키마
*데이터베이스 ID:
cp10005
데이터베이스 시스템:
HANA MDC (<trial>)
데이터베이스 SYSTEM 사...
*비밀번호:
*비밀번호 확인:
SHINE 데모 어플리케이션
SHINE의 사용자를 구성하...
꺼짐
매개변수
웹 액세스:
켬
DP 서버:
꺼짐
생성
취소


홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com
Site Directory
Groups
ndemand.com/cockpit/#/acc/p2002330645trial/dbs/cp10005/overview
SAP Cloud Platform Cockpit
예진
개요
데이터 소스 바인딩
하위 계정 전반 권한
이벤트
유용한 링크
법률 정보
홈 [유럽(Rot) - 평가판] / 유럽(Rot) - 평가판 / p2002330645trial / cp10005
데이터베이스: cp10005 - 개요
시작됨
11시간 45분 후에 중지됩니다.
구성
중지
삭제
세부사항
유형: 데이터베이스
데이터베이스 시스템: HANA MDC (<trial>)
버전: 1.00.122.08.1490178281
바인딩: 0 사용 가능
JDBC URL: jdbc:sap://vadbiz9.nwtrial.od.sap.biz:30047/
관리 툴: SAP HANA 콕피트
개발 툴: SAP HANA 웹 기반 개발 워크벤치
교육 툴: SAP HANA 대화형 교육(SHINE)
구성
웹 액세스:
상태: 사용
XS 엔진:
상태: 임베드됨
인덱스 서버:
스크립트 서버:
상태: 사용 안 함
DP 서버:
상태: 사용 안 함


홈 [유럽(Rot) - 평가판] > 유럽(
SAP HANA Cockpit
Site Directory
Groups
홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com
45trial.hanatrial.ondemand.com/sap/hana/admin/cockpit/
Information
You're not authorized to open the SAP HANA Cockpit.
You will be assigned the necessary role.
For more information, see Open SAP HANA Cockpit.
OK
Cancel


홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com
[NEO_P2002330645TRIAL_CP10
[IZ9] SAP HANA Web-based De
Site Directory
Groups
45trial.hanatrial.ondemand.com/sap/hana/uis/clients/ushell-app/shells/fiori/FioriLaunchpad.html?siteId=sap|hana|admin|cockpit|app|cockpit
SYSTEM
SAP HANA Database Administration
Manage Services
Overall Database Status - IZ9 - 1 Host
Running
Services not running 0
Services running 6
Alerts
High Priority 0
Medium Priority 1
Used Memory
19.69 GB
226.42 GB
CPU Usage
1 %
5:34
6:34
now
Disk Usage
5 Disks
%
Disks
User Tables
%
Hosts
High Priority 0
Medium Priority 0
Table Alerts
Monitor Statements
Long-Running Statements 0
Long-Running Blocking Situations 0
Manage Workload Classes
Threads
Active 8
Blocked 0
Service Restarts
Restarted Services 0
Number of Dumps
Dumps 0
General Information
SAP HANA Version
1.00.122.08.1490178281
Last Update
17. 4. 24. 오후 12:53
Platform
SUSE Linux Enterprise ...
Configure Alerts
Manage Roles and Users
SAP HANA Cockpit
for Offline Administration
SAP HANA Documentation
Database Administration


홈 [유럽(Rot) - 평가판] > 유럽(
Site Directory
Groups
홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com
ndemand.com/cockpit/#/acc/p2002330645trial/dbs/cp10005/overview
www.googl...
테크타운 - 웹&앱...
순록의 Smart Worl:...
[안드로이드/Androi...
Android Splash(로...
Android CardView...
안드로이드 아름다...
Google 지도
강의수강 - 서울디...
SAP Cloud Platform Cockpit
예진
개요
데이터 소스 바인딩
하위 계정 전반 권한
이벤트
유용한 링크
법률 정보
홈 [유럽(Rot) - 평가판]
유럽(Rot) - 평가판
p2002330645trial
cp10005
데이터베이스: cp10005 - 개요
시작됨
11시간 45분 후에 중지됩니다.
구성
중지
삭제
세부사항
유형: 데이터베이스
데이터베이스 시스템: HANA MDC (<trial>)
버전: 1.00.122.08.1490178281
바인딩: 0 사용 가능
JDBC URL: jdbc:sap://vadbiz9.nwtrial.od.sap.biz:30047/
관리 툴: SAP HANA 콕피트
개발 툴: SAP HANA 웹 기반 개발 워크벤치
교육 툴: SAP HANA 대화형 교육(SHINE)
구성
웹 액세스:
상태: 사용
XS 엔진:
상태: 임베드됨
인덱스 서버:
스크립트 서버:
상태: 사용 안 함
DP 서버:
상태: 사용 안 함

SAP HANA Web-based Development Workbench

Editor

Create, edit, execute, debug and manage HANA Repository artifacts

Catalog

Create, edit, execute and manage HANA DB SQL catalog artifacts

Security

Create users, create roles, assign objects and manage security

Traces

View, download traces for HANA applications, set trace levels


홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com
[NEO_P2002330645TRIAL_CP10
[IZ9] SAP HANA Web-based De
[IZ9] SAP HANA: Security
Site Directory
45trial.hanatrial.ondemand.com/sap/hana/ide/security/
SAP HANA Web-based Development Workbench: Security
v 1.120.20 | Help | SYSTEM | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz 00) |
Now editing: USER: SYSTEM
Security
Users
SYS
SYSTEM
XSSQLCC_AUTO_USER_3094F258A8978F
XSSQLCC_AUTO_USER_5E2492DBCDEDA
XSSQLCC_AUTO_USER_D5D3B0C4F06A7
_SYS_AFL
_SYS_EPM
_SYS_REPO
_SYS_STATISTICS
_SYS_TASK
_SYS_WORKLOAD_REPLAY
_SYS_XB
Roles
SYSTEM
User
User Parameters
Application Role Collections
SYSTEM
Authentication
Password
Password*:
Confirm*:
SAML
SAP Logon Ticket
Configure
Kerberos
X509
SAP Assertion Ticket
Configure
External ID*:
Valid From:
Aug 27, 2020
4:09:04 PM
UTC+09:00
Valid Until:
hh:mm:ss
Session Client:
Granted Roles
System Privileges
Object Privileges
Analytic Privileges
Package Privileges
Application Privileges
Privileges on Users
Display:
8
Details
Assign authorization on Granted Roles in order to control by whom objects can be modified
Role
Grantor
AFLPM_CREATOR_ERASER_EXECUTE
SYS
AFLPM_ONLINE_REGISTRATION_EXECUTE
SYS
CONTENT_ADMIN
SYS
MODELING
SYS
PUBLIC
SYS
sap.hana.admin.roles::Administrator
_SYS_REPO
sap.hana.ide.roles::SecurityAdmin
_SYS_REPO


홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com
[NEO_P2002330645TRIAL_CP10
[IZ9] SAP HANA Web-based De
[IZ9] SAP HANA: Security
Site Directory
45trial.hanatrial.ondemand.com/sap/hana/ide/security/
SAP HANA Web-based Development Workbench: Security
Now editing: USER: SYSTEM
Security
Users
SYS
SYSTEM
XSSQLCC_AUTO_USER_3094F258A8978F
XSSQLCC_AUTO_USER_5E2492DBCDEDA
XSSQLCC_AUTO_USER_D5D3B0C4F06A7
_SYS_AFL
_SYS_EPM
_SYS_REPO
_SYS_STATISTICS
_SYS_TASK
_SYS_WORKLOAD_REPLAY
_SYS_XB
Roles
SYSTEM
User
User Parameters
Application Role Collections
SYSTEM
Authentication
Password*
External ID*
Valid From:
Aug 27, 2020
Session Client:
Granted Roles
Role
AFLPM_CREATOR_ER
AFLPM_ONLINE_REGI
CONTENT_ADMIN
MODELING
PUBLIC
sap.hana.admin.roles::Administrator
sap.hana.ide.roles::SecurityAdmin
_SYS_REPO
_SYS_REPO
Find Role
Type name to find a role:
developer
7 item(s) matched
sap.hana.ide.roles::CatalogDeveloper
sap.hana.ide.roles::Developer
sap.hana.ide.roles::EditorDeveloper
sap.hana.xs.ide.roles::CatalogDeveloper
sap.hana.xs.ide.roles::Developer
sap.hana.xs.ide.roles::EditorDeveloper
sap.hana.xs.lm.roles::Developer
OK
Cancel


홈 [유립(Rot) - 평가판] > 유립(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com
[NEO_P2002330645TRIAL_CP10
[IZ9] SAP HANA Web-based De
[IZ9] SAP HANA: Security
Site Directory
45trial.hanatrial.ondemand.com/sap/hana/ide/security/
SAP HANA Web-based Development Workbench: Security
Security
Users
SYS
SYSTEM
XSSQLCC_AUTO_USER_3094F258A8978F
XSSQLCC_AUTO_USER_5E2492DBCDEDA
XSSQLCC_AUTO_USER_D5D3B0C4F06A7
_SYS_AFL
_SYS_EPM
_SYS_REPO
_SYS_STATISTICS
_SYS_TASK
_SYS_WORKLOAD_REPLAY
_SYS_XB
Roles
*SYSTEM
User
User Parameters
Application Role Collections
SYSTEM
Authentication
Password*
External ID*
Valid From:
Aug 27, 2020
Session Client:
Granted Roles
Role
sap.hana.xs.lm.roles::De
sap.hana.xs.ide.roles::E
sap.hana.xs.ide.roles::D
sap.hana.xs.ide.roles::C
sap.hana.ide.roles::Edito
sap.hana.ide.roles::Developer
sap.hana.ide.roles::CatalogDeveloper
_SYS_REPO
_SYS_REPO
Find Role
Type name to find a role:
admin
43 item(s) matched
CONTENT_ADMIN
sap.hana.admin.cockpit.sysrep.roles::SysRepAdmin
sap.hana.admin.roles::Administrator
sap.hana.admin.roles::Monitoring
sap.hana.admin.roles::RestrictedUserDBSLAccess
sap.hana.admin.roles::SolutionManagerMonitoring
sap.hana.backup.roles::Administrator
sap.hana.democontent.epm.roles::Admin
sap.hana.ide.roles::SecurityAdmin
sap.hana.security.base.roles::HANAAuditPoliciesAdmin
sap.hana.security.base.roles::HANACertificateAdmin
OK
Cancel
Details for 'sap.hana.xs.lm.roles::Developer' ...'


홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com
[NEO_P2002330645TRIAL_CP10
[IZ9] SAP HANA Web-based De
[IZ9] SAP HANA: Security
Site Directory
45trial.hanatrial.ondemand.com/sap/hana/ide/security/
SAP HANA Web-based Development Workbench: Security
v 1.120.20 | Help | SYSTEM | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz 00) |
Now editing: USER: SYSTEM
Security
Users
SYS
SYSTEM
XSSQLCC_AUTO_USER_3094F258A8
XSSQLCC_AUTO_USER_5E2492DBCI
XSSQLCC_AUTO_USER_D5D3B0C4F
_SYS_AFL
_SYS_EPM
_SYS_REPO
_SYS_STATISTICS
_SYS_TASK
_SYS_WORKLOAD_REPLAY
_SYS_XB
Roles
*SYSTEM
User
User Parameters
Application Role Collections
SYSTEM
Authentication
Password
Password*:
Confirm*:
SAML
Configure
SAP Logon Ticket
Kerberos
External ID*:
X509
Configure
SAP Assertion Ticket
Valid From:
Aug 27, 2020
4:09:04 PM
UTC+09:00
Valid Until:
hh:mm:ss
Session Client:
Granted Roles
System Privileges
Object Privileges
Analytic Privileges
Package Privileges
Application Privileges
Privileges on Users
Display:
8
Details for 'sap.hana.xs.wdisp.admin::WebDisp ...'
Role
Grantor
Grantable to other users and roles
sap.hana.xs.wdisp.admin::WebDispatcherMonitor
_SYS_REPO
sap.hana.xs.wdisp.admin::WebDispatcherAdmin
_SYS_REPO
sap.hana.xs.selfService.admin.roles::USSAdministrator
_SYS_REPO
sap.hana.xs.oAuth.role::oAuthAdmin
_SYS_REPO
sap.hana.xs.lm.roles::SLP_CTS_ping_admin
SYS_REPO
오후 4:51:20 (Security Editor) The object "sap.hana.ide.roles::CatalogDeveloper" is already indicated in the privilege list
오후 4:52:41 (Security Editor) The object "sap.hana.admin.roles::Administrator, sap.hana.ide.roles::SecurityAdmin" is already indicated in the privilege list


[NEO_P2002330645TRIAL_CP10
[IZ9] SAP HANA Web-based De
[IZ9] SAP HANA: Security
Site Directory
cp10005p2002330645trial.hanatrial.ondemand.com/sap/hana/ide/security/
SAP HANA Web-based Development Workbench: Security
v 1.120.20 | Help | SYSTEM | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz 00)
Now editing: USER: SYSTEM
Security
Users
SYS
SYSTEM
XSSQLCC
XSSQLCC
XSSQLCC
_SYS_AFL
_SYS_EPM
_SYS_REPO
_SYS_STATISTICS
_SYS_TASK
_SYS_WORKLOAD_REPLAY
_SYS_XB
Roles
Search (Ctrl+Shift+F)
Reset Browser
Copy User
Where-Used List (Ctrl+Alt+U)
Delete
Copy Shortcut
SYSTEM
User
User Parameters
Application Role Collections
SYSTEM
Authentication
Password
Password*:
Confirm*:
SAML
Configure
SAP Logon Ticket
Kerberos
External ID*:
X509
Configure
SAP Assertion Ticket
Valid From:
Aug 27, 2020
4:09:04 PM
UTC+09:00
Valid Until:
hh:mm:ss
Session Client:
Granted Roles
System Privileges
Object Privileges
Analytic Privileges
Package Privileges
Application Privileges
Privileges on Users
Display:
8
Details
Assign authorization on Granted Roles in order to control by whom objects can be modified
Role
Grantor
AFLPM_CREATOR_ERASER_EXECUTE
SYS
AFLPM_ONLINE_REGISTRATION_EXECUTE
SYS
CONTENT_ADMIN
SYS
MODELING
SYS
PUBLIC
SYS


[IZ9] SAP HANA: Security
Site Directory
cp10005p2002330645trial.hanatrial.ondemand.com/sap/hana/ide/security/
SAP HANA Web-based Development Workbench: Security
Security
Users
SYS
SYSTEM
USER1
XSSQLCC_AUTO_USER_3094F258A8
XSSQLCC_AUTO_USER_5E2492DBCI
XSSQLCC_AUTO_USER_D5D3B0C4F
_SYS_AFL
_SYS_EPM
_SYS_REPO
_SYS_STATISTICS
_SYS_TASK
_SYS_WORKLOAD_REPLAY
_SYS_XB
Roles
SYSTEM
User
User Parameters
Application Role Collections
Job Log
8/27/2020 16:56:59
Copy from 'SYSTEM' user
To be reviewed
Clear all
Close
비밀번호를 저장하시겠습니까?
사용자이름
USER1
비밀번호
저장
사용하지 않음
어느 기기에서나 사용할 수 있도록 비밀번호가 Google 계정에 저장됩니다.
CONTENT_ADMIN
SYS
MODELING
SYS
PUBLIC
SYS
404 - Granting privilege 'SELECT' on TABLE 'CLEANSE_STATISTICS_' failed: insufficient privilege: Not authorized.
404 - Granting privilege 'SELECT' on TABLE 'GEOCODE_STATISTICS_' failed: insufficient privilege: Not authorized.
404 - Granting privilege 'SELECT' on TABLE 'BEST_RECORD_GROUP_MASTER_STATISTICS_' failed: insufficient privilege: Not authorized.
404 - Granting privilege 'SELECT' on TABLE 'FUNCTION_EXECUTION_COUNTS' failed: insufficient privilege: Not authorized.
404 - Granting privilege 'INSERT' on TABLE 'P_SQLSCRIPT_TRACE2_' failed: insufficient privilege: only internal SYS user can modify objects in SYS and _SYS_AUDIT schema


홈 [유럽(Rot) - 평가판] > 유럽(
HANA Login
[IZ9] SAP HANA Web-based De
Site Directory
홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com
45trial.hanatrial.ondemand.com/sap/hana/xs/formLogin/login.html?x-sap-origin-location=%2Fsap%2Fhana%2Fuis%2Fclients%2Fushell-app%2Fshells%2Ffiori%2FFioriLaun...
www.googl...
테크타운 - 웹&앱...
순록의 Smart Worl:...
[안드로이드/Androi...
Android Splash(로...
Android CardView...
안드로이드 아름다...
Google 지도
강의수강 - 서울디...
SAP HANA
Logon
USER1
Log On
Copyright © 2016 SAP SE. All rights reserved.


홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com
HANA Login
[IZ9] SAP HANA Web-based De
Site Directory
45trial.hanatrial.ondemand.com/sap/hana/xs/formLogin/login.html?x-sap-origin-location=%2Fsap%2Fhana%2Fuis%2Fclients%2Fushell-app%2Fshells%2Ffiori%2FFioriLaun...
www.googl...
테크타운 - 웹&앱...
순록의 Smart Worl:...
[안드로이드/Androi...
Android Splash(로...
Android CardView...
안드로이드 아름다...
Google 지도
강의수강 - 서울디...
SAP HANA
Change Password
Change Password
SAP
Copyright © 2016 SAP SE. All rights reserved.


홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com
[NEO_P2002330645TRIAL_CP10
[IZ9] SAP HANA Web-based De
Site Directory
45trial.hanatrial.ondemand.com/sap/hana/uis/clients/ushell-app/shells/fiori/FioriLaunchpad.html?siteId=sap|hana|admin|cockpit|app|cockpit
www.googl...
테크타운 - 웹&앱...
순록의 Smart Worl...
[안드로이드/Androi...
Android Splash(로...
Android CardView...
안드로이드 아름다...
Google 지도
강의수강 - 서울디...
USER1
SAP HANA System Administration
SAP HANA Database Administration
Manage Services
Overall Database Status - IZ9 - 1 Host
Running
Services not running 0
Services running 6
Alerts
High Priority 0
Medium Priority 1
Used Memory
18.89 GB
226.42 GB
CPU Usage
1 %
6:01
7:01
now
Disk Usage
5 Disks
%
Disks
User Tables
%
Hosts
High Priority 0
Medium Priority 0
Monitor Statements
Long-Running Statements 0
Long-Running Blocking Situations 0
Manage Workload Classes
Threads
Active 6
Blocked 0
Service Restarts
Restarted Services 0
Number of Dumps
Dumps 0

홈 [유럽(Rot) - 평가판] > 유럽(P | [NEO_P2002330645TRIAL_CP10 | [IZ9] SAP HANA Web-based De | Site Directory

cp10005p2002330645trial.hanatrial.ondemand.com/sap/hana/ide/

앱 | Edge에서 가져옴 | https://www.googl... | 테크타운 - 웹&앱... | 순록의 Smart Worl:... | [안드로이드/Androi... | Android Splash(로... | Android CardView... | 서울디...

SAP HANA Web-based Development Workbench v 1.120.20 | USER1 | NEO | l.od.sap.biz 00)

비밀번호를 업데이트하시겠습니까?

사용자이름 USER1

비밀번호 ••••••••••

비밀번호 업데이트 취소

어느 기기에서나 사용할 수 있도록 비밀번호가 Google 계정에 저장됩니다.

SAP HANA Web-based Development Workl

Editor
Create, edit, execute, debug and manage HANA Repository artifacts

Catalog
Create, edit, execute and manage HANA DB SQL catalog artifacts

Security
Create users, create roles, assign objects and manage security

Traces
View, download traces for HANA applications, set trace levels