홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com

45trial.hanatrial.ondemand.com/sap/hana/ide/

www.googl... 테크타운 - 웹&앱... 순록의 Smart Worl:... [안드로이드/Androi... Android Splash(로... Android CardView... 안드로이드 아름다... Google 지도 강의수강 - 서울디...

SAP HANA Web-based Development Workbench | v 1.120.20 | USER1 | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz 00)

SAP HANA Web-based Development Workbench

Editor
Create, edit, execute, debug and manage HANA Repository artifacts

Catalog
Create, edit, execute and manage HANA DB SQL catalog artifacts

Security
Create users, create roles, assign objects and manage security

Traces
View, download traces for HANA applications, set trace levels


[NEO_P2002330645TRIAL_CP10
[IZ9] SAP HANA Web-based De
[IZ9] SAP HANA: Editor
cp10005p2002330645trial.hanatrial.ondemand.com/sap/hana/ide/editor/
Edge에서 가져옴
https://www.googl...
테크타운 - 웹&앱...
순록의 Smart Worl:...
[안드로이드/Androi...
Android Splash(로...
Android CardView...
안드로이드 아름다...
Google 지도
강의수강 - 서울디...
SAP HANA Web-based Development Workbench: Editor
v 1.120.20 | Help | USER1 | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz 00) |
New
Import
Export Package
Undo (Ctrl+Z)
Redo (Ctrl+Y)
Cut (Ctrl+X)
Copy (Ctrl+C)
Paste (Ctrl+V)
Rename (F2)
Delivery Unit
Search Text
Create Application
Change Package Attributes
Refresh
Synchronize with Github
Delete
Force Delete
Generate JSDoc
https://cp10005p2002330645trial.hanatrial.ondemand.com/sap/hana/ide/editor/#


홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com
[NEO_P2002330645TRIAL_CP10
[IZ9] SAP HANA Web-based De
[IZ9] SAP HANA: Editor
45trial.hanatrial.ondemand.com/sap/hana/ide/editor/
SAP HANA Web-based Development Workbench: Editor
v 1.120.20 | Help | USER1 | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz:00) |
Content
public
sap
system-local
Create Package
Package name:
mypackage
Description:
mypackage ODATA Test
Responsible:
mypackage
Original Language:
EN
Create
Cancel


[NEO_P2002330645TRIAL_CP10
[IZ9] SAP HANA Web-based De
[IZ9] SAP HANA: Editor
cp10005p2002330645trial.hanatrial.ondemand.com/sap/hana/ide/editor/
SAP HANA Web-based Development Workbench: Editor
v 1.120.20 | Help | USER1 | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz 00) |
Content
mypackage
public
sap
system-loc
New
Import
Export Package
Undo (Ctrl+Z)
Redo (Ctrl+Y)
Cut (Ctrl+X)
Copy (Ctrl+C)
Paste (Ctrl+V)
Rename (F2)
Delivery Unit
Search Text
Create Application
Activate All
Change Package Attributes
Refresh
Synchronize with Github
Delete
Force Delete
Generate JSDoc
Copy Shortcut
[17:45:17] Package /mypackage created successfully.
https://cp10005p2002330645trial.hanatrial.ondemand.com/sap/hana/ide/editor/#


홈 [유럽(Rot) - 평가판] > 유럽(
[NEO_P2002330645TRIAL_CP10
[IZ9] SAP HANA Web-based De
[IZ9] SAP HANA: Editor
홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com
45trial.hanatrial.ondemand.com/sap/hana/ide/editor/
www.googl...
테크타운 - 웹&앱...
순록의 Smart Worl:...
[안드로이드/Androi...
Android Splash(로...
Android CardView...
안드로이드 아름다...
Google 지도
강의수강 - 서울디...
SAP HANA Web-based Development Workbench: Editor
v 1.120.20 | Help | USER1 | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz 00) |
Content
mypackage
public
sap
system-local
Create Application
Template:
Empty application (with XSAccess and
Package:
mypackage
Create
Cancel
[17:45:17] Package /mypackage created successfully.


홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com
[NEO_P2002330645TRIAL_CP10
[IZ9] SAP HANA Web-based De
[IZ9] SAP HANA: Editor
45trial.hanatrial.ondemand.com/sap/hana/ide/editor/
www.googl...
테크타운 - 웹&앱...
순록의 Smart Worl:...
[안드로이드/Androi...
Android Splash(로...
Android CardView...
안드로이드 아름다...
Google 지도
강의수강 - 서울디...
SAP HANA Web-based Development Workbench: Editor
v 1.120.20 | Help | USER1 | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz 00) |
Now editing: /mypackage/index.html
Content
mypackage
.xsaccess
.xsapp
index.html
public
sap
system-local
index.html
1 <!DOCTYPE HTML>
2
3 <html lang="en">
4
5 <head>
6
7 <meta http-equiv="content-type" content="text/html; charset=utf-8">
8
9 <title>Title Goes Here</title>
10
11 </head>
12
13
14 <body>
15 This is my web page
16 Hello world:)
17 </body>
18
19 </html>
[17:45:17] Package /mypackage created successfully.
[17:46:41] Application in package mypackage created successfully
[17:47:30] File /mypackage/index.html saved & activated successfully.


홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com
[NEO_P2002330645TRIAL_CP10
[IZ9] SAP HANA Web-based De
[IZ9] SAP HANA: Editor
45trial.hanatrial.ondemand.com/sap/hana/ide/editor/
www.googl...
테크타운 - 웹&앱...
순록의 Smart Worl:...
[안드로이드/Androi...
Android Splash(로...
Android CardView...
안드로이드 아름다...
Google 지도
강의수강 - 서울디...
SAP HANA Web-based Development Workbench: Editor
v.1.120.20 | Help | USER1 | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz:00) |
Content
mypackage
.xsaccess
.xsapp
index.html
public
sap
system-local
index.html
[package] mypackage
Package: mypackage
Description: mypackage ODATA Test | R
System: NEO_P2002330645TRIAL_CP10005@IZ9 | Source Tenant: <empty> | Original Langua
Create File
File name:
.xsprivileges
Create
Cancel
Multi-File Drop Zone
[17:45:17] Package /mypackage created successfully.
[17:46:41] Application in package mypackage created successfully.
[17:47:30] File /mypackage/index.html saved & activated successfully.

홈 [유럽(Rot) - 평가판] > 유럽(R

[NEO_P2002330645TRIAL_CP10

[IZ9] SAP HANA Web-based De

[IZ9] SAP HANA: Editor

홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com

45trial.hanatrial.ondemand.com/sap/hana/ide/editor/

www.googl... 테크타운 - 웹&앱... 순록의 Smart Worl:... [안드로이드/Androi... Android Splash(로... Android CardView... 안드로이드 아름다... Google 지도 강의수강 - 서울디...

SAP HANA Web-based Development Workbench: Editor

v 1.120.20 | Help | USER1 | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz 00) |

Now editing: /mypackage/.xsprivileges

- Content
  - mypackage
    - .xsaccess
    - .xsapp
    - .xsprivileges
    - index.html
  - public
  - sap
  - system-local

index.html | [package] mypackage | *.xsprivileges

```
1 {
2 "privileges": [
3 {"name": "Execute", "description": "Execute"}
4 ]
5 }
```

[17:45:17] Package /mypackage created successfully.
[17:46:41] Application in package mypackage created successfully
[17:47:30] File /mypackage/index.html saved & activated successfully.
[17:49:38] File /mypackage/.xsprivileges created successfully.


홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com
[NEO_P2002330645TRIAL_CP10
[IZ9] SAP HANA Web-based De
[IZ9] SAP HANA: Editor
45trial.hanatrial.ondemand.com/sap/hana/ide/editor/
SAP HANA Web-based Development Workbench: Editor
Now editing: /mypackage/user.hdbrole
Content
mypackage
.xsaccess
.xsapp
.xsprivileges
index.html
user.hdbrole
public
sap
system-local
index.html
[package] mypackage
*user.hdbrole
.xsprivileges
mypackage::user
Granted Roles
Object Name
Privileges
Select Object Privilege
Design-time
Run-time
Select Object Type:
ALL
Enter search string to find an Object Privilege:
store
Matching Items:
Name
Object Type
REORGANIZE_ROWSTORE(SYS)
PROCEDURE
SECURE_STORE(_SYS_XS)
TABLE
SECURE_STORE_LIST(_SYS_XS)
TABLE
SHARED_STORE_USED_VALUES(_SYS_STA...
PROCEDURE
STORE
SCHEMA
STORED_PLAN_ID_SEQ(SYS)
SEQUENCE
STORED_TASK_RUNID_SEQ(SYS)
SEQUENCE
OK
Cancel
[17:46:41] Application in package mypackage created successfully
[17:47:30] File /mypackage/index.html saved & activated successfully.
[17:49:38] File /mypackage/.xsprivileges created successfully.
[17:50:09] File /mypackage/.xsprivileges saved & activated successfully.
[17:51:38] File /mypackage/user.hdbrole created successfully.


홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com
[NEO_P2002330645TRIAL_CP10
[IZ9] SAP HANA Web-based De
[IZ9] SAP HANA: Editor
45trial.hanatrial.ondemand.com/sap/hana/ide/editor/
SAP HANA Web-based Development Workbench: Editor
v 1.120.20 | Help | USER1 | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz 00) |
Now editing: /mypackage/user.hdbrole
Content
mypackage
.xsaccess
.xsapp
.xsprivileges
index.html
user.hdbrole
public
sap
system-local
index.html
[package] mypackage
*user.hdbrole
.xsprivileges
mypackage::user
Granted Roles
System Privileges
Object Privileges
Analytic Privileges
Package Privileges
Application Privileges
Display: 10
Object Name
Object Type
Origin
STORE
SCHEMA
Run Time
Privileges
CREATE ANY
ALTER
DROP
EXECUTE
SELECT
INSERT
UPDATE
DELETE
INDEX
TRIGGER
DEBUG
REFERENCES
[17:46:41] Application in package mypackage created successfully
[17:47:30] File /mypackage/index.html saved & activated successfully.
[17:49:38] File /mypackage/.xsprivileges created successfully.
[17:50:09] File /mypackage/.xsprivileges saved & activated successfully.
[17:51:38] File /mypackage/user.hdbrole created successfully.


홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com
[NEO_P2002330645TRIAL_CP10
[IZ9] SAP HANA Web-based De
[IZ9] SAP HANA: Editor
45trial.hanatrial.ondemand.com/sap/hana/ide/editor/
SAP HANA Web-based Development Workbench: Editor
Now editing: /mypackage/user.hdbrole
Content
mypackage
.xsaccess
.xsapp
.xsprivileges
index.html
user.hdbrole
public
sap
system-local
index.html
[package] mypackage
user.hdbrole
user.hdbrole
.xsprivileges
mypackage::user
Granted Roles
System Privile
Application Privilege
Display: 10
Select Application Privilege
Enter search string to find an Application Privilege:
Matching Items:
Name
mypackage::Execute
sap.bc.ina.service.v2::Execute
sap.hana.admin::Administrator
sap.hana.admin::Monitoring
sap.hana.admin.cockpit.app::AppSiteAccess:cockpit
sap.hana.admin.cockpit.app::WidgetAccess:monitoring
sap.hana.admin.cockpit.sysrep::WidgetAccess:sysrepadmin
OK
Cancel
[17:50:09] File /mypackage/.xsprivileges saved & activated successfully.
[17:51:38] File /mypackage/user.hdbrole created successfully.
[17:55:35] File /mypackage/user.hdbrole saved successfully.
[17:55:35] Error while activating /mypackage/user.hdbrole:


홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com
[NEO_P2002330645TRIAL_CP10
[IZ9] SAP HANA Web-based De
[IZ9] SAP HANA: Editor
45trial.hanatrial.ondemand.com/sap/hana/ide/editor/
SAP HANA Web-based Development Workbench: Editor
v 1.120.20 | Help | USER1 | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz 00) |
Now editing: /mypackage/user.hdbrole
Content
mypackage
.xsaccess
.xsapp
.xsprivileges
index.html
user.hdbrole
public
sap
system-local
index.html
[package] mypackage
*user.hdbrole
*user.hdbrole
.xsprivileges
mypackage::user
Granted Roles
System Privileges
Object Privileges
Analytic Privileges
Package Privileges
Application Privileges
Display: 10
Application Privilege
mypackage::Execute
[17:50:09] File /mypackage/.xsprivileges saved & activated successfully.
[17:51:38] File /mypackage/user.hdbrole created successfully.
[17:55:35] File /mypackage/user.hdbrole saved successfully.
[17:55:35] Error while activating /mypackage/user.hdbrole:
[mypackage:user.hdbrole] insufficient privilege: Not authorized at /sapmnt/ld7272/a/HDB/jenkins_prod/workspace/HANA__FA_CO_LIN64GCC48HAPPY_rel_fa~hana1sp12/s/ptime/query/checker/query_check.cc:3716

홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com

SAP HANA Web-based Development Workbench: Editor

v 1.120.20 | Help | USER1 | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz 00) |

Now editing: /mypackage/user.hdbrole

- Content
  - mypackage
    - .xsaccess
    - .xsapp
    - .xsprivileges
    - index.html
    - user.hdbrole
  - public
  - sap
  - system-local

index.html | [package] mypackage | user.hdbrole | **user.hdbrole** | .xsprivileges

```
1  role mypackage::user
2  {
3  catalog schema "STORE": CREATE ANY, DROP, SELECT, INSERT, UPDATE, DELETE, INDEX;
4
5
6  application privilege: "mypackage::Execute";
7
8  }
```

[17:55:35] Error while activating /mypackage/user.hdbrole:
[mypackage:user.hdbrole] insufficient privilege: Not authorized at /sapmnt/ld7272/a/HDB/jenkins_prod/workspace/HANA__FA_CO_LIN64GCC48HAPPY_rel_fa~hana1sp12/s/ptime/query/checker/query_check.cc:3716
[17:59:43] File /mypackage/user.hdbrole saved successfully.
[17:59:43] Error while activating /mypackage/user.hdbrole:
[mypackage:user.hdbrole] insufficient privilege: Not authorized at /sapmnt/ld7272/a/HDB/jenkins_prod/workspace/HANA__FA_CO_LIN64GCC48HAPPY_rel_fa~hana1sp12/s/ptime/query/checker/query_check.cc:3716


홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com
[NEO_P2002330645TRIAL_CP10
[IZ9] SAP HANA Web-based De
[IZ9] SAP HANA: Editor
Error - Information - Paperlike
45trial.hanatrial.ondemand.com/sap/hana/ide/editor/
SAP HANA Web-based Development Workbench: Editor
v 1.120.20 | Help | USER1 | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz 00) |
Now editing: /mypackage/services.xsodata
Content
mypackage
.xsaccess
.xsapp
.xsprivileges
index.html
services.xsodata
user.hdbrole
public
sap
system-local
index.html
[package] mypackage
*services.xsodata
1 service {
2 "STORE"."BOOK" as "BOOK"
3 create forbidden
4 update forbidden
5 delete forbidden;
6 "STORE"."CUSTOMER" as "CUSTOMER"
7 create forbidden
8 update forbidden
9 delete forbidden;
10 }
[mypackage:user.hdbrole] insufficient privilege: Not authorized at /sapmnt/ld7272/a/HDB/jenkins_prod/workspace/HANA__FA_CO_LIN64GCC48HAPPY_rel_fa~hana1sp12/s/ptime/query/checker/query_check.cc:3716
[17:59:43] File /mypackage/user.hdbrole saved successfully.
[17:59:43] Error while activating /mypackage/user.hdbrole:
[mypackage:user.hdbrole] insufficient privilege: Not authorized at /sapmnt/ld7272/a/HDB/jenkins_prod/workspace/HANA__FA_CO_LIN64GCC48HAPPY_rel_fa~hana1sp12/s/ptime/query/checker/query_check.cc:3716
[18:06:34] File /mypackage/services.xsodata created successfully.

This XML file does not appear to have any style information associated with it. The document tree is shown below.


```
▼<service xmlns:atom="http://www.w3.org/2005/Atom" xmlns:app="http://www.w3.org/2007/app" xmlns="http://www.w3.org/2007/app"
 xml:base="https://cp10005p2002330645trial.hanatrial.ondemand.com:443/mypackage/services.xsodata/">
  ▼<workspace>
     <atom:title>Default</atom:title>
    ▼<collection href="BOOK">
       <atom:title>BOOK</atom:title>
     </collection>
    ▼<collection href="CUSTOMER">
       <atom:title>CUSTOMER</atom:title>
     </collection>
   </workspace>
 </service>
```


홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com
[NEO_P2002330645TRIAL_CP10
[IZ9] SAP HANA Web-based De
[IZ9] SAP HANA: Editor
Shipping - Paperlike - Checkout
45trial.hanatrial.ondemand.com/sap/hana/ide/editor/
SAP HANA Web-based Development Workbench: Editor
v 1.120.20 | Help | USER1 | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz 00) |
Now editing: /mypackage/index.html
Content
mypackage
.xsaccess
.xsapp
.xsprivileges
index.html
services.xsodata
user.hdbrole
public
sap
system-local
*index.html
[package] mypackage
services.xsodata
1 <!DOCTYPE HTML>
2
3 <html lang="en">
4
5 <head>
6
7 <meta http-equiv="content-type" content="text/html; charset=utf-8">
8
9 <title>Title Goes Here</title>
10
11 </head>
12
13
14 <body>
15 This is my web page
16 Hello world:)
17 <h1>The service is working fine</h1>
18 <h2>Click here for the metadata file</h2>
19 <a href="https://cp10005p2002330645trial.hanatrial.ondemand.com/mypackage/services.xsodata">Metadata file</a>
20 </body>
21
22 </html>
[17:59:43] File /mypackage/user.hdbrole saved successfully.
[17:59:43] Error while activating /mypackage/user.hdbrole:
[mypackage:user.hdbrole] insufficient privilege: Not authorized at /sapmnt/ld7272/a/HDB/jenkins_prod/workspace/HANA__FA_CO_LIN64GCC48HAPPY_rel_fa~hana1sp12/s/ptime/query/checker/query_check.cc:3716
[18:06:34] File /mypackage/services.xsodata created successfully.
[18:07:04] File /mypackage/services.xsodata saved & activated successfully.

This is my web page

Hello world:)

The service is working fine

Click here for the metadata file

Metadata file

This XML file does not appear to have any style information associated with it. The document tree is shown below.


```
▼<service xmlns:atom="http://www.w3.org/2005/Atom" xmlns:app="http://www.w3.org/2007/app" xmlns="http://www.w3.org/2007/app"
 xml:base="https://cp10005p2002330645trial.hanatrial.ondemand.com:443/mypackage/services.xsodata/">
  ▼<workspace>
     <atom:title>Default</atom:title>
    ▼<collection href="BOOK">
       <atom:title>BOOK</atom:title>
     </collection>
    ▼<collection href="CUSTOMER">
       <atom:title>CUSTOMER</atom:title>
     </collection>
   </workspace>
 </service>
```