

홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com

www.googl... 테크타운 - 웹&앱... 순록의 Smart Work:... [안드로이드/Androi... Android Splash(로... Android CardView... 안드로이드 아름다... Google 지도 sbu 강의수강 - 서울디...

SAP HANA Web-based Development Workbench: Catalogv 1.120.20 | Help | USER1 | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz 00) |

Favorite

Catalog

Public Synonyms

HANA_XS_BASE

SAP_AUTHORIZATION

SAP_HANA_ADMIN

SAP_HANA_BACKUP

SAP_HANA_DEMO

SAP_REST_API

SAP_XS_LM

SAP_XS_LM_PE

SAP_XS_LM_PE_TMP

SAP_XS_USAGE

STORE

Column Views

Functions

Indexes

Procedures

Sequences

Synonyms

Tables

BOOK

Triggers

Views

SYS

SYSTEM

UIS

untitled0.sql

```
1 create column table book(  
2   bookId int not NULL  
3   ,bookName varchar(100) not NULL  
4   ,isbn varchar(20) not NULL  
5   ,price int not NULL  
6   ,priceCurrency varchar(10) not NULL  
7   ,authorName varchar(100) not NULL  
8   ,primary key (bookID));
```

오후 5:07:53 (Catalog) Create new schema 'STORE' successfully
오후 5:13:22 (SQL Editor) Statement 'create column table book(bookId int not NULL ,bookName varchar(100) not NULL ,isbn varchar(20) ...'
successfully executed in 6 ms.

홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com

www.googl...태크타운 - 웹&앱...순록의 Smart Worl...[안드로이드/Androi...Android Splash(로...Android CardView...안드로이드 아름다...Google 지도SDU 강의수강 - 서울디...

SAP HANA Web-based Development Workbench: Catalogv 1.120.20 | Help | USER1 | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz 00) |

☰ 🔍 📁 📄 📌 🔄

Now viewing: COLUMN TABLE: STORE/BOOK

★ Favorite

📁 Catalog

- Public Synonyms
- 📁 HANA_XS_BASE
- 📁 SAP_AUTHORIZATION
- 📁 SAP_HANA_ADMIN
- 📁 SAP_HANA_BACKUP
- 📁 SAP_HANA_DEMO
- 📁 SAP_REST_API
- 📁 SAP_XS_LM
- 📁 SAP_XS_LM_PE
- 📁 SAP_XS_LM_PE_TMP
- 📁 SAP_XS_USAGE
- 📁 STORE
 - 📁 Column Views
 - 📁 Functions
 - 📁 Indexes
 - 📁 Procedures
 - 📁 Sequences
 - 📁 Synonyms
 - 📁 Tables
 - 📄 BOOK
 - 📁 Triggers
 - 📁 Views
- 📁 SYS
- 📁 SYSTEM
- 📁 UIS

untile0.sqlBOOKBOOK

Table NameSchemaType


BOOKSTORECOLUMNOpen Content...

ColumnsIndexes

	Name	SQL Data Type	Dim	Column Store Da...	Key	Not Null	Default	Comment
1	BOOKID	INTEGER		INT	(X1)	X		
2	BOOKNAME	VARCHAR	100	STRING		X		
3	ISBN	VARCHAR	20	STRING		X		
4	PRICE	INTEGER		INT		X		
5	PRICECURRENCY	VARCHAR	10	STRING		X		
6	AUTHORNAME	VARCHAR	100	STRING		X		

오후 5:07:53 (Catalog) Create new schema 'STORE' successfully

오후 5:13:22 (SQL Editor) Statement 'create column table book(bookId Int not NULL ,bookName varchar(100) not NULL ,isbn varchar(20) ...' successfully executed in 6 ms.



홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com

www.googl... 테크타운 - 웹&앱... 순록의 Smart Worl... [안드로이드/Androi... Android Splash(로... Android CardView... 안드로이드 아름다... Google 지도 강의를강 - 서울디...

SAP HANA Web-based Development Workbench: Catalogv 1.120.20 | Help | USER1 | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz 00) |

Favorite

Catalog

- Public Synonyms
- HANA_XS_BASE
- SAP_AUTHORIZATION
- SAP_HANA_ADMIN
- SAP_HANA_BACKUP
- SAP_HANA_DEMO
- SAP_REST_API
- SAP_XS_LM
- SAP_XS_LM_PE
- SAP_XS_LM_PE_TMP
- SAP_XS_USAGE
- STORE
 - Column Views
 - Functions
 - Indexes
 - Procedures
 - Sequences
 - Synonyms
 - Tables
 - BOOK
 - Triggers
 - Views
- SYS
- SYSTEM
- UIS

untitled0.sqlBOOKBOOK

Type to filter

0 row(s)

	BOOKID	BOOKNAME	ISBN	PRICE	PRICECURRENCY	AUTHORNAME
No data						

오후 5:07:53 (Catalog) Create new schema 'STORE' successfully

오후 5:13:22 (SQL Editor) Statement 'create column table book(bookId Int not NULL ,bookName varchar(100) not NULL ,isbn varchar(20) ...'

successfully executed in 6 ms.

홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com

www.googl... 테크타운 - 웹&앱... 순록의 Smart Worl... [안드로이드/Androi... Android Splash(로... Android CardView... 안드로이드 아틀라스... Google 지도 강의를강 - 서클디...

SAP HANA Web-based Development Workbench: Catalog v 1.120.20 | Help | USER1 | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz 00) |

☰ 🔍 📁 📄 📌 📁 📄 📌 📁 📄 📌

Now editing: SQL CONSOLE: untitled1.sql - Current Schema: STORE

Favorite

Catalog

- Public Synonyms
- HANA_XS_BASE
- SAP_AUTHORIZATION
- SAP_HANA_ADMIN
- SAP_HANA_BACKUP
- SAP_HANA_DEMO
- SAP_REST_API
- SAP_XS_LM
- SAP_XS_LM_PE
- SAP_XS_LM_PE_TMP
- SAP_XS_USAGE
- STORE
 - Column Views
 - Functions
 - Indexes
 - Procedures
 - Sequences
 - Synonyms
 - Tables
 - BOOK
 - Triggers
 - Views
- SYS
- SYSTEM
- UIS

untitled0.sql

untitled1.sql

BOOK

BOOK

BOOK

```
1 insert into store.book values ('110',' The Great Gatsby','743273567','11',' USD','Scott Fitzgerald');
2 insert into store.book values ('111',' Tender Is the Night','1853260975','9',' USD','Scott Fitzgerald');
3 insert into store.book values ('112',' This Side of Paradise','486289990','5',' USD','Scott Fitzgerald');
4 insert into store.book values ('120',' 1984','451524934','7',' USD','George Orwell');
5 insert into store.book values ('121',' Animal Farm',' 812911612X','14',' USD','George Orwell');
6 insert into store.book values ('130',' The Catcher in the Rye','316769487','5',' USD','Salinger');
7 insert into store.book values ('140',' Slaughterhouse-Five','385333846','10',' USD','Kurt Vonnegut');
8 insert into store.book values ('141',' Cats Cradle',' 038533348X','10',' USD','Kurt Vonnegut');
9 insert into store.book values ('142',' Breakfast of Champions','385334206','10',' USD','Kurt Vonnegut');
10 insert into store.book values ('143',' The Sirens of Titan','385333498','9',' USD','Kurt Vonnegut');
```

오후 5:15:41 (SQL Editor) Statement 'insert into store.book values ('141',' Cats Cradle',' 038533348X','10',' USD','Kurt Vonnegut')' successfully executed in 1 ms - Rows Affected: 1

오후 5:15:41 (SQL Editor) Statement 'insert into store.book values ('142',' Breakfast of Champions','385334206','10',' USD','Kurt Vonnegut')' successfully executed in 0 ms - Rows Affected: 1

오후 5:15:41 (SQL Editor) Statement 'insert into store.book values ('143',' The Sirens of Titan','385333498','9',' USD','Kurt Vonnegut')' successfully executed in 0 ms - Rows Affected: 1

홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com

www.googl... 테크타운 - 웹&앱... 순록의 Smart Worl... [안드로이드/Androi... Android Splash(로... Android CardView... 안드로이드 아름다... Google 지도 강의를강 - 서울디...

SAP HANA Web-based Development Workbench: Catalog v 1.120.20 | Help | USER1 | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz 00) |

Now editing: STORE/BOOK

FavoriteCatalogPublic SynonymsHANAXS_BASESAP_AUTHORIZATIONSAP_HANA_ADMINSAP_HANA_BACKUPSAP_HANA_DEMO SAP_REST_APISAP_XS_LMSAP_XS_LM_PESAP_XS_LM_PE_TMP SAP_XS_USAGESTOREColumn ViewsFunctionsIndexesProceduresSequencesSynonymsTablesBOOKTriggersViewsSYSYSTEMUIS

untitled0.sqluntitled1.sqlBOOKBOOK

Type to filter

10 row(s)

		BOOKID	BOOKNAME	ISBN	PRICE	PRICECURRENCY	AUTHORNAME
1	110	The Great Gatsby	743273567	11	USD	Scott Fitzgerald	
2	111	Tender Is the Night	1853260975	9	USD	Scott Fitzgerald	
3	112	This Side of Paradise	486289990	5	USD	Scott Fitzgerald	
4	120	1984	451524934	7	USD	George Orwell	
5	121	Animal Farm	812911612X	14	USD	George Orwell	
6	130	The Catcher in the Rye	316769487	5	USD	Salinger	
7	140	Slaughterhouse-Five	385333846	10	USD	Kurt Vonnegut	
8	141	Cats Cradle	038533348X	10	USD	Kurt Vonnegut	
9	142	Breakfast of Champions	385334206	10	USD	Kurt Vonnegut	
10	143	The Sirens of Titan	385333498	9	USD	Kurt Vonnegut	

오후 5:15:41 (SQL Editor) Statement 'insert into store.book values ('141', 'Cats Cradle', '038533348X', '10', 'USD', 'Kurt Vonnegut')' successfully executed in 1 ms - Rows Affected: 1

오후 5:15:41 (SQL Editor) Statement 'insert into store.book values ('142', 'Breakfast of Champions', '385334206', '10', 'USD', 'Kurt Vonnegut')' successfully executed in 0 ms - Rows Affected: 1

오후 5:15:41 (SQL Editor) Statement 'insert into store.book values ('143', 'The Sirens of Titan', '385333498', '9', 'USD', 'Kurt Vonnegut')' successfully executed in 0 ms - Rows Affected: 1

홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com

45trial.hanatrial.ondemand.com/sap/hana/ide/catalog/

www.googl... 테크타운 - 웹&앱... 순록의 Smart Work... [안드로이드/Androi... Android Splash(로... Android CardView... 안드로이드 아름다... Google 지도 강의를강 - 서울디...

SAP HANA Web-based Development Workbench: Catalog v 1.120.20 | Help | USER1 | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz 00) |

Favorite

Catalog

- Public Synonyms
- HANA_XS_BASE
- SAP_AUTHORIZATION
- SAP_HANA_ADMIN
- SAP_HANA_BACKUP
- SAP_HANA_DEMO
- SAP_REST_API
- SAP_XS_LM
- SAP_XS_LM_PE
- SAP_XS_LM_PE_TMP
- SAP_XS_USAGE
- STORE
 - Column Views
 - Functions
 - Indexes
 - Procedures
 - Sequences
 - Synonyms
 - Tables
 - BOOK
 - CUSTOMER
 - Triggers
 - Views
- SYS
- SYSTEM

untitled0.sql

untitled2.sql

CUSTOMER

untitled1.sql

BOOK

BOOK

```
1 create column table customer(  
2 custId int not NULL  
3 ,custName varchar(100) not NULL  
4 ,gender varchar(100) not NULL  
5 ,age int not NULL  
6 ,primary key (custId));
```

오후 5:15:41 (SQL Editor) Statement 'insert into store.book values ('142', 'Breakfast of Champions', '385334208', '10', 'USD', 'Kurt ...'
successfully executed in 0 ms - Rows Affected: 1
오후 5:15:41 (SQL Editor) Statement 'insert into store.book values ('143', 'The Sirens of Titan', '385333498', '9', 'USD', 'Kurt Vonnegut')'
successfully executed in 0 ms - Rows Affected: 1
오후 5:36:46 (SQL Editor) Statement 'create column table customer(custId int not NULL ,custName varchar(100) not NULL ,gender ...'
successfully executed in 6 ms.

홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com

www.googl... 테크타운 - 웹&앱... 순록의 Smart Worl... [안드로이드/Androi... Android Splash(로... Android CardView... 안드로이드 아름다... Google 지도 SDU 강의수강 - 서울디...

SAP HANA Web-based Development Workbench: Catalogv 1.120.20 | Help | USER1 | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz 00) |

Favorite

Catalog

- Public Synonyms
- HANA_XS_BASE
- SAP_AUTHORIZATION
- SAP_HANA_ADMIN
- SAP_HANA_BACKUP
- SAP_HANA_DEMO
- SAP_REST_API
- SAP_XS_LM
- SAP_XS_LM_PE
- SAP_XS_LM_PE_TMP
- SAP_XS_USAGE
- STORE
 - Column Views
 - Functions
 - Indexes
 - Procedures
 - Sequences
 - Synonyms
 - Tables
 - BOOK
 - CUSTOMER
 - Triggers
 - Views
- SYS
- SYSTEM

Now viewing: COLUMN TABLE: STORE/CUSTOMER

Table NameSchemaType

CUSTOMERSTORECOLUMNOpen Content...

ColumnsIndexes

	Name	SQL Data Type	Dim	Column Store Da...	Key	Not Null	Default	Comment
1	CUSTID	INTEGER		INT	(X1)	X		
2	CUSTNAME	VARCHAR	100	STRING		X		
3	GENDER	VARCHAR	100	STRING		X		
4	AGE	INTEGER		INT		X		

오후 5:15:41 (SQL Editor) Statement 'insert into store.book values ('142', 'Breakfast of Champions', '385334206', '10', 'USD', 'Kurt ...'
successfully executed in 0 ms - Rows Affected: 1
오후 5:15:41 (SQL Editor) Statement 'insert into store.book values ('143', 'The Sirens of Titan', '385333498', '9', 'USD', 'Kurt Vonnegut')'
successfully executed in 0 ms - Rows Affected: 1
오후 5:36:46 (SQL Editor) Statement 'create column table customer(custid int not NULL ,custName varchar(100) not NULL ,gender ...'
successfully executed in 6 ms.

홈 [유럽(Rot) - 평가판] > 유럽(Rot) - 평가판 > p2002330645trial > ...
account.hanatrial.ondemand.com

www.googl... 테크타운 - 웹&앱... 순록의 Smart Worl... [안드로이드/Androi... Android Splash(로... Android CardView... 안드로이드 아틀다... Google 지도 sbu 강의수강 - 서울디...

SAP HANA Web-based Development Workbench: Catalog v 1.120.20 | Help | USER1 | NEO_P2002330645TRIAL_CP10005 | IZ9 (vsa6803571.nwtrial.od.sap.biz 00) |

Favorite

Catalog

Public Synonyms

HANA_XS_BASE

SAP_AUTHORIZATION

SAP_HANA_ADMIN

SAP_HANA_BACKUP

SAP_HANA_DEMO

SAP_REST_API

SAP_XS_LM

SAP_XS_LM_PE

SAP_XS_LM_PE_TMP

SAP_XS_USAGE

STORE

Column Views

Functions

Indexes

Procedures

Sequences

Synonyms

Tables

BOOK

CUSTOMER

Triggers

Views

SYS

SYSTEM

untitle2.sql

CUSTOMER

BOOK

BOOK

1 insert into store.customer values ('101','Hong Gil Dong','M','24');

2 insert into store.customer values ('102','Choi Ji Woo','F','24');

오후 5:36:46 (SQL Editor) Statement 'create column table customer(custid int not null ,custname varchar(100) not null ,gender ...
successfully executed in 6 ms.

오후 5:41:05 (SQL Editor) Statement 'insert into store.customer values ('101','Hong Gil Dong','M','24')'
successfully executed in 4 ms - Rows Affected: 1

오후 5:41:05 (SQL Editor) Statement 'insert into store.customer values ('102','Choi Ji Woo','F','24')'
successfully executed in 1 ms - Rows Affected: 1

The screenshot displays the SAP HANA Studio interface. On the left, the 'Catalog' tree shows the 'STORE' schema with the 'CUSTOMER' table selected. The main window shows the 'CUSTOMER' table with the following data:

CUSTID	CUSTNAME	GENDER	AGE
1	Hong Gil Dong	M	24
2	Choi Ji Woo	F	24

The bottom status bar shows the execution of SQL statements:

```

오후 5:36:46 (SQL Editor) Statement 'create column table customer( custid int not null ,custname varchar(100) not null ,gender ...
successfully executed in 6 ms.
오후 5:41:05 (SQL Editor) Statement 'insert into store.customer values ('101','Hong Gil Dong','M','24')'
successfully executed in 4 ms - Rows Affected: 1
오후 5:41:05 (SQL Editor) Statement 'insert into store.customer values ('102','Choi Ji Woo','F','24')'
successfully executed in 1 ms - Rows Affected: 1

```