

THE BUILD PROTOCOL • PREMIUM FIELD GUIDE

The Command Center

Build a self-updating business dashboard with an automated daily email brief. Open it offline in one click. Let it brief you every morning before you wake.

A step-by-step build guide by Yuri Kruman


 Offline dashboard

 Automated morning brief

 Self-updating feeds

 No-Code & Full-Code tracks

 Teachable in 4 sessions



The finished product: your whole business on one offline screen. This is what your students will build.

WHAT'S INSIDE

1. What you are building
2. The architecture
3. Project setup
4. Module 1 — Your data
5. Module 2 — The engine
6. Module 3 — Helpers
7. Module 4 — Feeds
8. Module 5 — The dashboard
9. Module 6 — The brief
10. Module 7 — Email
11. Module 8 — Schedule it
12. Module 9 — The ritual
13. The No-Code track
14. Teaching kit
15. Appendices

What you are building

A **Command Center**: a single place to run your business, plus an engine that keeps it current and reports to you every morning. It is plain files in one folder, which is exactly why it is portable, ownable and teachable.

It has three things you can see and touch:

- **A dashboard** you open with one double-click. Works offline, opens instantly, shows your companies, pipeline, goals, tasks and live feeds. You edit it directly and it remembers your edits.
- **An engine** of small scripts that runs on a schedule: pulls fresh news, reads your notes, rebuilds the dashboard's data and emails you a brief.
- **A morning brief** in your inbox: top 3 actions today, what is due, where each part of the business stands, the headlines that matter and any risk flags.

THREE TRACKS, ONE IDEA

TRACK	WHO	BUILDS	TIME
No-Code	Non-technical	The same system in a spreadsheet + a daily reminder	90 min
Low-Code	Can copy-paste	The dashboard + a script you run by hand	1 weekend
Full-Code	Builders	The complete app: data, feeds, brief, auto-email, scheduler	2 weekends


This guide teaches the **Full-Code** build in full, then gives a complete [No-Code spreadsheet track](#) so a non-technical reader finishes with a working Command Center too.

THE PROMISE

Build it once. Change **one file** to make it yours. From then on it runs while you sleep and the only daily habit is reading a two-minute email.

The architecture

Every Command Center has the same five parts. Learn these names and you can teach the whole system.



The five parts. You edit the Source of Truth. The Engine pulls Intelligence, writes the Snapshot and sends the brief. The dashboard just reads the Snapshot.

THE DATA FLOW, IN ONE LINE

```
SOURCE OF TRUTH → ENGINE → data.js → index.html
scripts/data.mjs  (gather + (snapshot) (dashboard)
                  compose)
                  |
                  └─→ EMAIL BRIEF (your inbox)
```

THE ONE RULE THAT MAKES IT RELIABLE

Offline-first, push-second. The thing you open must never depend on a server running. The dashboard is a static file that opens with a double-click and works with the internet off. The engine is separate and only needs to run once a day. If the engine fails one morning, yesterday's dashboard still opens. Reliability is the first feature.

Prerequisites: **Node.js 20+**, a code editor, a terminal, and (for email) a Gmail account where you can make an app password. You need to *read* code, not write much.

1 Create the folder and initialize:

```
mkdir command-center
cd command-center
npm init -y
mkdir scripts ; mkdir setup
```

2 Set the commands in `package.json` (the five things you will run):

```
"scripts": {
  "refresh":      "node scripts/build-data.mjs",
  "brief":        "node scripts/daily-brief.mjs",
  "brief:dry":    "node scripts/daily-brief.mjs --no-email",
  "verify-email": "node scripts/daily-brief.mjs --verify",
  "open":         "start index.html"
}
```

3 Install the one dependency: `npm install nodemailer`

```
command-center/
├─ index.html the dashboard you double-click
├─ data.js generated snapshot (auto)
├─ scripts/ data.mjs · feeds · digest · build-data · brief · email · daily-brief
├─ setup/ install-scheduler.ps1
└─ .env your email credentials (never shared)
```

Every file you build maps to one box in the architecture diagram.

MODULE 1

Your data

`scripts/data.mjs`

This is the only file you edit day to day. It holds your companies or projects, pipeline, goals, tasks and the list of feeds you follow. Everything else reads from it. To rebuild this app for any business, you

change this one file.

THE SHAPE (REPLACE WITH YOUR BUSINESS)

```
// scripts/data.mjs
export const COMPANIES = [{
  id: 'acme', // short, lowercase, never changes
  name: 'Acme Consulting', emoji: '🔗', color: '#0ea5e9',
  health: 60, // 0-100, your honest gut score
  revenueLabel: 'MRR', revenueCurrent: 0, revenueTarget: 12500,
  pipelineValue: 84000, focusAction: 'Send the proposal you keep dodging',
  kpis: [{ label: 'Pipeline', value: '$84K' }], notes: '',
}]
export const PIPELINE_DEALS_DEFAULT = [{
  id: 'd1', company: 'acme', name: 'Series B pilot', value: 84000,
  stage: 'qualified', nextAction: 'Book discovery call', dueDate: '2026-06-15' }]
export const TASKS_DEFAULT = [{
  id: 't1', priority: 'critical', company: 'acme',
  title: 'Send the proposal', category: 'Sales', done: false, dueISO: '2026-06-09' }]
// ...OKRS_DEFAULT, STAGES, FEED_SOURCES, BUILD_STATUS (see Appendix C)
```

HONESTY IS THE FEATURE

Use real numbers. Put `0` where something is unpaid or unstarted, never an aspirational figure. A dashboard you trust is one you keep using. A dashboard that flatters you is one you quietly stop opening.

✓ CHECKPOINT M1

Functional	data.mjs holds 5-9 companies/projects with no errors.
Aligned	Every number is one you would bet on.
Leveraged	You cut at least one vanity metric.

COMMON FAILURE

Changing an `id` later and breaking the deals and tasks that reference it. Rename the display `name` freely, but leave `id` alone.

The engine that writes the snapshot

build-data.mjs

This imports your data, fetches the feeds, reads your notes digest, and writes one file: `data.js`, which sets `window.__CC__` to the whole snapshot. The dashboard reads that.



The morning run, start to finish, in under a minute, with no one watching.

```
// scripts/build-data.mjs (essence)
export async function buildData({ fetchFeeds = true } = {}) {
  const feeds = fetchFeeds ? await fetchAllFeeds(FEED_SOURCES) : {}
  const digest = readLatestDigest()
  const snapshot = { generatedAt: new Date().toISOString(),
    companies: COMPANIES, deals: PIPELINE_DEALS_DEFAULT, okrs: OKRS_DEFAULT,
    tasks: TASKS_DEFAULT, stages: STAGES, feedSources: FEED_SOURCES, feeds, digest }
  fs.writeFileSync('data.js', `window.__CC__ = ` + JSON.stringify(snapshot) + `;`)
}
```

COMMON FAILURE

Editing `data.js` by hand. Never do that, it is regenerated every morning. Edit `data.mjs`.

The helpers

env.mjs · digest.mjs

Two tiny files. `env.mjs` loads your `.env` credentials and locates the project root. `digest.mjs` reads the newest Markdown file from a notes folder you point it at (and returns `null` safely if you do not keep one, so everything still works).

```
// digest.mjs – newest note from your folder, or null
export function readLatestDigest() {
  if (!fs.existsSync(DIGEST_DIR)) return null
  const files = fs.readdirSync(DIGEST_DIR).filter(f => f.endsWith('.md')).sort().reverse()
  return files.length ? { content: fs.readFileSync(...), date: files[0] } : null
}
```

MODULE 4

The intelligence layer

feeds.mjs

Fetches and parses your news feeds *server-side*, where there are no browser restrictions. The cleanest source is a Google News RSS search: take `https://news.google.com/rss/search?q=` and add your terms joined by `+`.

The Feeds tab then shows everything the last morning run pulled, refreshed daily:

⚡ Command Center

💎 Portfolio

⚡ Pipeline

📊 OKRs

✓ Tasks 2

⊕ Feeds

🏗 Builds

Sun, Jun 7, 202611🔄

PORTFOLIO

📌 Acme Consulting68

📌 Widget App48

📌 The Friday Memo78

📌 Advisory Practice72

Live Feeds

Last refreshed Jun 7, 01:54 AM · auto-updates each morning

My IndustryAl for BusinessTech & Funding

MY INDUSTRYWhat is moving in my market

Small Business Development Center Growth Summit brings statewide network to Penn State - The Pennsylvania State University

THE PENNSYLVANIA STATE UNIVERSITY · Jun 4

<a href="https://news.google.com/rss/articles/CBMivgFBVV95cUxQRmZLeGJBMmlSQU9lQTY3OFgxLXZnM1JfRm9lcTk4NVdmVkg5SWJlaGMrSmY45Z2Z6ME00b0pGNjBjS2JldUlnL9FNmxDcUR3Y1lX0pLYTRaWDVNWwHoyZ1A5EjpRXpHQjBkX0VZ

Showing up for small businesses - The Food Section

THE FOOD SECTION · Jun 5

<a href="https://news.google.com/rss/articles/CBMia0FVX3lxTE5laTdQUjVpWUw3R19kcHZIdFNNcnA4LTF5VnZtYjcwVUw1c3UxZXNlU05wbTY3WHRvVTBtWktNTdNQWFRUlpmMR1BheHRZRG5VQXJ5eGpLUlUqaU1uV21QODJoNndVbEZlcXRJ7oc=

AI Will Ruin Your Job Search Unless You Follow Mark Cuban's Small Business Strategy - Shark Tank Blog

SHARK TANK BLOG · Jun 4

<a href="https://news.google.com/rss/articles/CBMipgFBVV95cUxQdmZHUdVtcTFsTkZaENwWk9mUEpWeEYzcm5CakVGR09fQWZh2LVhOemZFZXNFWUJlLW11ZWVOMEZVdDF6cU53MH04N21yV0NmQmZBbFB4R0p2bWRuejIqSnM3eFFIM1d5ZlRvX05

Top Small Business Statistics - Forbes

FORBES · Jun 1

<a href="https://news.google.com/rss/articles/CBMiifkFVX3lxTE03aDY3ZXNHtFMcFkybHJrMW9QNkIMaFBSRkxhQ1U5Zi0zZ2NkNTZ3OXl5LWpUyZlaVWZzSmFyYXVzVkd3SnI4bm1MMUFI5UjLYVRjdjB1WS1EdXpURFNxvEiUVWhzUIIXU095X1hPWL

How Coaching for Impact Helps Miami Small Businesses Thrive - Miami Herald

MIAMI HERALD · Jun 5

<a href="https://news.google.com/rss/articles/CBMiifkFVX3lxTE4taGk1XU11RFQ3UmZ0dc0eWj6Ufgxa1ZVnc5Z3MyM01HemiZLTNDRE1vaXl2dXcxqTko3OFBhbKZCaVZuNUpDM1pDVESTMk44eINMMHBSM0h2X2l1ZERccGtUb1dpQkNuaVZLSU8

Small businesses adapt to rising costs and uncertainty - SCBiz

SCBIZ · Jun 4

<a href="https://news.google.com/rss/articles/CBMiifkFVX3lxTE5wdkFqSWNlSHFzNnU2OW4zSUVkURcUmM5TIBIT0J2cnMxdVRUck5OV1Q0dUpQN1c3Q0gtelJYTlFfWUJOeXFYT0Itb242N3Z2WWZaZmZ2aTJhNGZ1Q3VZeWhZbDh6a0tNNi1HN1A

Online marketing helps small businesses compete with larger brands - KIRO 7 News Seattle

KIRO 7 NEWS SEATTLE · Jun 4

<a href="https://news.google.com/rss/articles/CBMihAFBVV95cUxNR0RLWwN0V1NQ2VydXJjclpNIR2UGISQmktlloyQXZkaHEwM1FOZZZQS0d4clJwSwo4YTktWNNZHMzVm50UV9XVU4tcDycyBjT3B2LWdpWG1xV2cwLUZlMWhlekNseFdDS

10 ways small businesses can boost their marketing success - London Business News

LONDON BUSINESS NEWS · 16h ago

<a href="https://news.google.com/rss/articles/CBMilgFBVV95cUxQbTVFc1ptdzgzdFgRmZlTmhFVGZOXkz2x2BU2VOTJlUzM3poNlFleDlwZjF9qODZlRXFvdThx21JQnRSaUxSHIPZ01OdUzZWIM55VpZzZGOERlRS1UaWF6U0hjdl1BMV3V0aWRjNG

U.S. Small Businesses Embrace Trade Adaptations Amid Global Challenges - Small Business Trends

SMALL BUSINESS TRENDS · 18h ago

<a href="https://news.google.com/rss/articles/CBMingFBVV95cUxQZXMs5a0xwVfPnLkFPWjhORHxaDVBV29vRTA5Sk11TEp4ejVqY3VveEZWmWVVOHhOX1RYNDhWT0padUZlVFc5bUlyZ3VbaW1wNUg1aFJlXBgenJnMGI4X2tOjBwZDFrUgtwQktr

How Family Businesses Are Using AI to Stay Competitive - U.S. Chamber of Commerce

U.S. CHAMBER OF COMMERCE · May 13

Live feeds (left) and your notes digest (right), baked in by the morning engine. The dashboard

never fetches anything itself.

THE FILTER THAT KEEPS IT USEFUL

For each candidate feed ask: in the last month, how many items would have changed a decision I made? If the answer is zero, it is noise wearing the costume of news. Keep 3 to 5 sources, no more.

✓ CHECKPOINT M4

Functional

`npm run refresh` prints feed counts above 0.

Aligned

Every feed ties to a decision you actually make.

MODULE 5

The dashboard

`index.html`

A single self-contained HTML file: all styles and JavaScript inline, no dependencies, no CDN. It reads `window.__CC__` and renders six tabs. This is what opens by double-click and works offline.

THE PIPELINE, AS A KANBAN YOU EDIT

PORTFOLIO

● 🧑 Acme Consulting

69

● 🧩 Widget App

48

● 📄 The Friday Memo

78

● 🕒 Advisory Practice

72

Pipeline

All Companies

+ Add Deal

6

TOTAL DEALS

\$237K

OPEN PIPELINE

\$24K

CLOSED

5

ACTIVE DEALS

COLD1\$24K

Startup — board advisor

ADVISORY PRACT...\$24K

Referral intro, qualify first

Due: 2026-06-30

+ Add

WARM2\$84K

Agency — retainer

ACME CONSULTING\$36K

Re-send the one-pager

Due: 2026-06-25

PE fund — advisory seat

ADVISORY PRACT...\$48K

Intro call confirmed, prep scope

Due: 2026-06-18

+ Add

QUALIFIED1\$45K

Manufacturer — process audit

ACME CONSULTING\$45K

Book the discovery call

Due: 2026-06-20

+ Add

PROPOSAL1\$84K

Series B SaaS — ops pilot

ACME CONSULTING\$84K

Send the proposal and pricing

Due: 2026-06-15

+ Add

CLOSED1\$24K

Existing client — renewal


ACME CONSULTING\$24K

Send renewal + upsell

Due: 2026-06-12

+ Add

Deals move across stages. Click any card to edit, or use “+ Add Deal”.



Add and edit deals in a modal. Your edits save to the browser, so the morning refresh never erases them.

GOALS, TASKS AND SYSTEMS

- PORTFOLIO
- Acme Consulting

68
- Widget App

48
- The Friday Memo

78
- Advisory Practice

72

OKRs — Q2 2026

Edit any current value; saves automatically

ACME CONSULTING

Land the next pilot and reach \$12.5K MRR

33%

Discovery calls

33%

2 / 6

Proposals sent

33%

1 / 3

MRR

32%

4000 / \$13K

WIDGET APP

Get the product to \$3K MRR

29%

THE FRIDAY MEMO

Grow to 5,000 engaged subscribers

51%

ADVISORY PRACTICE

Add a second advisory retainer

39%

Goals with editable progress bars. Type a new number, it saves instantly.

⚡ Command Center

📊 Portfolio

⚡ Pipeline

📌 OKRs

✓ Tasks 2

⊕ Feeds

🏗 Builds

Sun, Jun 7, 202611🔄

PORTFOLIO

📌 Acme Consulting69

📌 Widget App48

📌 The Friday Memo78

📌 Advisory Practice72

Tasks

0/8 done · 2 CRITICAL + Add Task

Active onlyAll prioritiesAll companies8 shown

☐

Prep the PE fund advisory scope before the intro call

ADVISORY PRACT...SALESDue: Jun 11HIGH

☐

Draft next two newsletter issues

THE FRIDAY MEMOCONTENTDue: Jun 12HIGH

☐

Re-qualify the agency retainer lead

ACME CONSULTINGSALESDue: Jun 13HIGH

☐

Add a pricing page FAQ

WIDGET APPBUILDDue: Jun 16MEDIUM

☐

Repurpose last issue into a LinkedIn post

THE FRIDAY MEMOCONTENTDue: Jun 16MEDIUM

☐

Send quarterly update to current retainer client

ADVISORY PRACT...OUTREACHDue: Jun 18MEDIUM

☐

Send the Series B proposal — it is the biggest deal in the pipeline

ACME CONSULTINGSALESDue: TodayCRITICAL

☐

Ship the trial onboarding email sequence

WIDGET APPBUILDDue: TodayCRITICAL

Tasks ranked by priority, filterable, with inline add. The critical count shows on the tab.

THE PATTERN WORTH TEACHING

Read-only source, editable overlay. `data.js` is regenerated every morning, so the dashboard never stores your edits there. Your changes (a task checked, a note typed, a deal edited) live in the browser's `localStorage` and are merged on top at render time. That is why the morning refresh updates the news without ever erasing your work.

✓ CHECKPOINT M5

- Functional

Double-clicking `index.html` opens it offline.
- Aligned

It shows your real business across all six tabs.
- Leveraged

A five-second glance tells you where today's attention goes.

The brief

brief.mjs

Turns the snapshot into a ranked morning email. Ordered top to bottom by usefulness so the brief decides what to read first, and you never have to.

1. Greeting, date, an urgency line (how many overdue, how many due today).
2. **Top 3 actions today**, ranked, only things you can act on.
3. **Due this week**: pipeline and tasks with the nearest dates.
4. **Where each part stands**: one line per company, lowest health first.
5. **Market signal**: 2 to 3 headlines from your feeds.
6. **Risk flags**: anything stale or overdue.

```
// the ranking logic, the part worth teaching
const rank = { critical:0, high:1, medium:2, low:3 }
const open = tasks.filter(t => !t.done)
  .sort((a,b) => rank[a.priority]-rank[b.priority] || a.dueISO.localeCompare(b.dueISO))
const top3 = open.filter(t => t.priority==='critical' || t.priority==='high').slice(0,3)
```

CAP IT AT THREE

A brief that lists fifteen "priorities" teaches you to dread it. Three real moves, ranked. The rest is reference, not obligation.

MODULE 7

Email + the orchestrator

email.mjs · daily-brief.mjs

`email.mjs` sends through Gmail with `nodemailer`. `daily-brief.mjs` wires the whole morning run into one command: refresh data, compose, send.

- 1 Turn on **2-Step Verification** on your Google account.
- 2 Create an **App Password** at `myaccount.google.com/apppasswords` (16 characters).
- 3 Put it in `.env` and add `.env` to `.gitignore` :

```
GMAIL_USER=you@gmail.com
GMAIL_APP_PASSWORD=xxxxxxxxxxxxxxxxxxx
BRIEF_TO=you@gmail.com
```

4 Test: `npm run verify-email` → `npm run brief:dry` → `npm run brief`

SECURITY RULE TO TEACH

Never use your normal login password, only an app password. Never commit `.env`. This is the one credential the builder must create themselves.

MODULE 8

Schedule it

`install-scheduler.ps1`

Register a task that runs `node scripts/daily-brief.mjs` at the time you choose. On Windows, Task Scheduler. On Mac or Linux, `cron`.

```
# the trigger: which days, what time
$Trigger = New-ScheduledTaskTrigger -Weekly `
    -DaysOfWeek Sunday,Monday,Tuesday,Wednesday,Thursday,Friday -At 7:00AM
```

Drop a day from `-DaysOfWeek` to skip it. Change `-At` for the time. Install, then test instantly:

```
powershell -ExecutionPolicy Bypass -File setup\install-scheduler.ps1
Start-ScheduledTask -TaskName CommandCenter-MorningBrief
```

MAC / LINUX

`crontab -e` then `0 7 * * 0-5 cd /path/to/command-center && node scripts/daily-brief.mjs`.
Same script, different scheduler.

The daily ritual

Nothing to build. This is how you operate it, and the habit that makes it pay off.

- 1 Read the brief on your phone.
- 2 Commit to the top 3 actions.
- 3 Open the dashboard only if a number needs your judgment.
- 4 Close it, do action one, do not browse.

Upkeep: weekly, update health scores and goals, retire one weak feed and add one. When the business changes, edit `data.mjs` and run `npm run refresh` . Back up your edits with the dashboard's export button now and then.

PART 4

The No-Code track (spreadsheet)

Not everyone will run Node. The same system works in a spreadsheet, and a non-technical reader can finish in about 90 minutes. The companion file `Command-Center-NoCode-Template.xlsx` ships with this guide, prebuilt with every tab and the summary dashboard below.

THE FIVE TABS (THE SAME FIVE PARTS)

TAB	WHAT GOES IN IT	MAPS TO
Companies	One row per company/project: name, health (0-100), revenue now, target, focus action	Source of Truth
Pipeline	One row per deal: company, name, value, stage, next action, due date	Source of Truth
Goals	One row per key result: company, label, current, target	Source of Truth
Tasks	One row per task: priority, company, title, due date, done	Source of Truth
Feeds	The 3-5 sources you follow, with the decision each informs	Intelligence Layer

THE THREE MOVES THAT MAKE A SPREADSHEET FEEL LIKE THE APP

- 1**Health colors.** Conditional formatting on the health column: red below 50, amber 50-69, green 70+. Now one glance reads the whole portfolio, exactly like the rings in the app.
- 2**A summary tab.** Use `SUMIF` to total pipeline by company and `COUNTIF` to count open critical tasks. That tab is your dashboard. Pin it as a browser tab.
- 3**The daily reminder = your engine.** A No-Code reader replaces the scheduler with a recurring calendar event at 7:00 AM titled "Open Command Center, commit to 3." For the feed and brief, a free tool like a Google Alert or a no-code automation (Zapier, Make) can email you a digest. The discipline is the system, the brand of tool does not matter.

GRADUATION PATH

The spreadsheet is not a lesser version, it is the on-ramp. When a reader outgrows it (wants the auto-email, the live feeds, the offline app) the columns map one-to-one onto `data.mjs` .

Nothing is wasted. They graduate from No-Code to Full-Code by copying their rows into the data file.

PART 5

Teaching kit

A 4-SESSION SYLLABUS

SESSION	COVERS	THEY LEAVE WITH
1	Parts 1-3 + Module 1	Their <code>data.mjs</code> (or spreadsheet) with their real business
2	Modules 2-5	A working offline dashboard showing their data and live feeds
3	Modules 6-7	A brief emailed to themselves
4	Modules 8-9	An automated daily brief + a 7-day ritual plan

RUN EVERY SESSION THE SAME WAY

- 1 Show the finished piece (the worked example).
- 2 Build one of yours live in front of them.
- 3 They build their own in the room.
- 4 Check against the module's Checkpoint rubric.
- 5 Assign the next module.

THE GRADING RUBRIC (EVERY MODULE)

LEVEL	EVIDENCE
Functional	It runs
Aligned	It holds their real business data
Leveraged	They would miss it if it broke
Transferable	They can teach it to someone else

PACKAGING TIERS

TIER	OFFER
Free / regular reader	Parts 1-3 + Module 1, the No-Code spreadsheet
Premium reader	This full field guide + the reference files
Student / cohort	The 4-session course with feedback
1-on-1	You build their Command Center with them, around their business

PART 6

Appendices

A. COMMAND CHEAT SHEET

<code>npm run refresh</code>	Rebuild <code>data.js</code> (feeds + digest). No email.
<code>npm run brief</code>	Full run: refresh + email the brief.
<code>npm run brief:dry</code>	Full run, print the brief, send nothing.
<code>npm run verify-email</code>	Check email credentials.
<code>npm run open</code>	Open the dashboard.

B. THE DATA SCHEMA

```
COMPANY: { id, name, emoji, color, health(0-100), revenueLabel,
           revenueCurrent, revenueTarget, pipelineValue, focusAction, kpis[], notes }
DEAL:    { id, company, name, value, stage, nextAction, dueDate(YYYY-MM-DD) }
OKR:     { company, objective, krs:[{ label, current, target, format? }] }
TASK:    { id, priority(critical|high|medium|low), company, title,
           category, done, dueISO(YYYY-MM-DD) }
STAGE:   { key, label, color }
FEED:    { id, label, color, url, description }
```

C. TROUBLESHOOTING

SYMPTOM	FIX
Dashboard says "run npm run refresh"	<code>data.js</code> does not exist yet. Run it.
Feeds show 0 or an error	URL blocked or wrong. Use a Google News RSS search URL; encode spaces as <code>+</code> .
verify-email auth error	You used your login password. Create an app password.
Edits disappeared after refresh	You edited <code>data.js</code> by hand. Edit <code>data.mjs</code> instead.

D. ADAPT-IT WORKSHEET

1. My "companies" are really: ____ (service lines / clients / products)
2. My pipeline stages are: ____
3. My 3-5 feeds (+ the decision each informs): ____
4. My rest day (no email): ____
5. The time I want the brief: ____
6. The one number that says each area is healthy: ____

E. REGENERATE THESE SCREENSHOTS

The screenshots in this guide were captured from the live app with `node setup/screenshots.mjs`. Re-run it any time the dashboard changes to refresh every figure automatically.

The Command Center Field Guide · Protocol and reference implementation by Yuri Kruman
Build it by changing one file: `scripts/data.mjs`