Briefly: Bioinformatics File Formats

J Fass | September 2018

Overview

- **ASCII Text**
  - **Sequence**
    - **Fasta, Fastq**
  - **~Annotation**
    - **TSV, CSV, BED, GFF, GTF, VCF, SAM**
- **Binary (Data, Compressed, Executable)**
  - **Data**
    - **HDF5**
    - **BAM / CRAM**
    - **2bit**
  - **Compressed**
    - **gzip, bzip2, bgzip**
  - **Executable**

TEXT

Fasta

>m54050R1_180210_051102/4194473/0_1421
CCCGGCTGCCCGCCCCGCTCGAAGCGATGACTTGCCGGCGGCCCGACGCGATTAGCTGCCGCGCATGCGATGCGGCCGCGGGCGGCGTGCTGACCTGGCTGGCGGTG
TTGAGCTGCTATACATCCGGCAACAACGCTGCCCAACGACTGACCTGACCGGCCGCCTCGATCCTGGCGGCCGCCGGCCTGGCCTGCGCTTTTCCTTCTTCTCTTTC
CTTC
>m54050R1_180210_051102/4194473/1497_4602
GGCGCGCTGATCGGCAAAACGGCTGGGGCGGCCGGAACACCTTTCAACCGTCGCCAACCGCGATCGCCGCGCGCACCCCGCCTTCCGCGCCGCTGTGGCGTTCCTCG
CCCGTCCTACTCTACTGGCATCCGTCTCATTTCTCCCGCTCTTCCCTCCACCCTTTCCCTGCTCACCGCTTCCGTCTTTTTGTCAACCTCTCCTCTGGGCCGACGAC
GTCGCCGCCTACTGCGACAAAAACCGAGGTCGACAAGGCCCGCCGTTACGACCGTCACCCCGAATTCCATCCGGCTGCTCCGCGGT
>m54050R1_180210_051102/4194551/0_17688
ACCGGACGTACCGCGGGCGGGGGCCTCCCCCCCGGGTGGCTCGGGTGCAGCGCAAATCCTTTCTTTGCTGACCCACCTGCGCAGCGAGTGTGAATCTGTGCGGATCG
AGAAAACAAGAAACCCGGCGGGCCCTGCCTGACGCGCGCCCGTCCCGCCGCGCCCCTTCCGCTTGGCGACGTCGAGTTTTTGACGGGAGGTTTGTCGCTTCGACAGA
CGGGTCCGCCAGCACCCCCTCGTCGCAGTCCCGTTAACTCAGGAAGAACTCCCAGTTGGCCCGGGCATCTGCCAACGCCTCCGGGG
>m54050R1_180210_051102/4194551/17752_17812
AAACATATTATTTTTTATTACTCAAATAATTATTATATTCACCTAATTTTCTTTATTATT
>m54050R1_180210_051102/4194552/0_89
CAGATCGGGGCCCAGCATGGCCACCCGTCCTGCACGTCTACGCGCACTTCGCCGGTGGGGATCGGCAGCGGGAACGGCTCGCGGGCTGG
>m54050R1_180210_051102/4194552/162_490
GCCGCACCCGAGCCGTTCCCGCTGCCGATCCACACCGTCGACGTGCGCGTCGACGTGCAGCCGGCGTCCATGCTTGCCCCGATCTTGGGCTAACAAGCCGCTGCTGA
CACCGACGGACGCCACCGCCCGCGACCAGCTGGCCCGGGCCTCGGTGATGGCGCTGTCCTACCGTCGCGCATTCCCGCGCTCGGCATCTATCAGCCTCGGTGCCGCA
GCGTCATCGACGATGGCGAAACCGTCACTGCACGTTTTCATGACGCGGGGCAGGCAGCGAACCGGGCACATCGGGCATCTACGCCT

Fasta

```
>m54050R1_180210_051102/4194473/0_1421
CCCGGCTGCCCGCCCCGCTCGAAGCGATGACTTGCCGGCGGCCCGACGCGATTAGCTGCCGCGCATGCGATGCGGCCGCGGGCGGCGTGCTGACCTGGCTGGCGGTG
TTGAGCTGCTATACATCCGGCAACAACGCTGCCCAACGACTGACCTGACCGGCCGCCTCGATCCTGGCGGCCGCCGGCCTGGCCTGCGCTTTTCCTTCTTCTCTTTC
CTTC
```

Header symbol ">" also redirects stuff into files, so be careful using > in bash commands!

Header text (sequence ID) has formats particular to different organizations and different software, but really has no consistent rules that you can rely on.

Sequence can contain: newline characters ("\n"), ACGT, N, acgt, n, x, . or - (gaps), IUPAC ambiguity codes BDHV etc., alternates like [A/T], amino acid single letter codes (protein fasta; sometimes file name is 'sequence.fna' for fasta nucleic acid, or 'sequence.faa' for fasta amino acid)

Fastq … "fasta + qualities"

```
@SN638:981:HK7HWBCXX:2:1101:14799:2762 1:N:0:TTAGGC
TGGCGCAACTGCCGATCACCATCGACACCAACGGGTATCTGGTCGCCAAC
+
GGGGGIIIIIIIIIIIIIIIGIIIIIIIIIIIIIIIIIIIIIIIIIIIIIG
@SN638:981:HK7HWBCXX:2:1101:14784:2782 1:N:0:TTAGGC
CATCATCGAGGACAGCGCCGGTGACCTGGCGGCCCGCATCGGTGCCCCCC
+
GGGGGIIIIIIIIIIIIIIIIIIIIIIIIIIIGIIIIIIIIIIIIIIGIIII
@SN638:981:HK7HWBCXX:2:1101:14983:2799 1:N:0:TTAGGC
CGGCGCCGTTGCTGCTGCTGCCGGTGCTGCTTTCGGCGCTGATCGTGCGG
+
GGGGGIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIGIIII
@SN638:981:HK7HWBCXX:2:1101:14763:2901 1:N:0:TTAGGC
CCTGACGACGGCACGAAGGACCTCTTCGTCCACTACTCCGAGATCCAGGG
+
GAGGGIGIGGGGGGGGIA.<GGGIGGAGGGGIIGIIGGIIIG<GA.<<GA
```

@Header1
Sequence
+Header2
Qualities

Blocks of four lines for each sequence (sequences shouldn't occupy more than one line, as they can in fasta). Second header line (starting with "+") is mandatory, sometimes contains the same header as the first line (that starts with "@"). Why??

The n^{th} quality character applies to the nth nucleotide, and is a number that is *encoded in a single character from the ASCII table*.

Fastq … "fasta + qualities"

```
@SN638:981:HK7HWBCXX:2:1101:14799:2762 1:N:0:TTAGGC
TGGCGCAACTGCCGATCACCATCGACACCAACGGGTATCTGGTCGCCAAC
+
GGGGGIIIIIIIIIIIIIIIIGIIIIIIIIIIIIIIIIIIIIIIIIIIIIG
```
```
@SN638:981:HK7HWBCXX:2:1101:14784:2782 1:N:0:TTAGGC
CATCATCGAGGACAGCGCCGGTGACCTGGCGGCCCGCATCGGTGCCCCCC
+
GGGGGIIIIIIIIIIIIIIIIIIIIIIIIIIIGIIIIIIIIIIIIIIIGIIII
```
```
@SN638:981:HK7HWBCXX:2:1101:14983:2799 1:N:0:TTAGGC
CGGCGCCGTTGCTGCTGCTGCCGGTGCTGCTTTCGGCGCTGATCGTGCGG
+
GGGGGIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIGIIII
@SN638:981:HK7HWBCXX:2:1101:14763:2901 1:N:0:TTAGGC
CCTGACGACGGCACGAAGGACCTCTTCGTCCACTACTCCGAGATCCAGGG
+
GAGGGIGIGGGGGGGGGIA.<GGGIGGAGGGGIIGIIGGIIIG<GA.<<GA
```

The "I" for base 16 ("C") means that that base has a quality of (I's decimal value: 73) - 33 = 40 (sometimes referred to as "Q40"). Why 33? Because there are 32 non-printable "characters" at the beginning of the ASCII table! (type 'man ascii')

Q40 means that the probability of error (that C is actually the wrong basecall) is:

$p_e = 10^{(-40 / 10)} = 0.0001$, or 1 in 10,000

see also: *https://en.wikipedia.org/wiki/FASTQ_format*

CSV and TSV - comma/tab-separated values

```
          B01  B02   B03   B04
PDCD1     0    0     0     0
GAL3ST2   0    0     0     0
D2HGDH    55   71    89    101
ING5      1    1     1     1
DTYMK     2    5     7     12
ATG4B     0    0     0     0
THAP4     136  158   85    161
BOK       0    0     0     0
STK25     145  175   195   141
```

For example, abundances of mRNAs from genes (count data).

(First tab character - "\t" - in column names sometimes omitted for ease of reading by R scripts).

BED - tsv with defined column meanings

```
chr7    127471196    127472363    Pos1    0    +
chr7    127472363    127473530    Pos2    0    +
chr7    127473530    127474697    Pos3    0    +
chr7    127474697    127475864    Pos4    0    +
chr7    127475864    127477031    Neg1    0    -
chr7    127477031    127478198    Neg2    0    -
chr7    127478198    127479365    Neg3    0    -
chr7    127479365    127480532    Pos5    0    +
chr7    127480532    127481699    Neg4    0    -
```

column	meaning
1	chromosome name
2	feature start coordinate (0-based...?)
3	feature stop coordinate (0-based...?)
4	feature name
5	score (1-1000)
6	strand ('+' or '-' or '.' for unknown or not applicable)
…	…

Number of columns used shouldn't vary within a particular file.

see also:

https://genome.ucsc.edu/FAQ/FAQformat.html#format1

GFF / GTF - tsv with defined column meanings

```
chr22   TeleGene enhancer   10000000   10001000   500 + .  touch1
chr22   TeleGene promoter   10010000   10010100   900 + .  touch1
chr22   TeleGene promoter   10020000   10025000   800 - .  touch2
```

column	meaning
1	chromosome / scaffold name
2	source (e.g. software that generated this feature / gene call)
3	feature name (e.g. "exon1", "enhance"r, "3'-UTR")
4	feature start coordinate (1-based)
5	feature stop coordinate (1-based)
6	score (1-1000)
7	strand ('+' or '-' or '.' for unknown or not applicable)
8	reading frame (0, 1, 2, or "." if N/A)
9	group (allows grouping features together)

GTF is newer, and shares the first eight (8) columns. Column 9 has additional restrictions in format (gene_id, transcript_id, etc.)

see also: *https://genome.ucsc.edu/FAQ/FAQformat.html#format3*

VCF - tsv with defined column meanings

```
##fileformat=VCFv4.2
##fileDate=20090805
##source=myImputationProgramV3.1
##reference=file:///seq/references/1000GenomesPilot-NCBI36.fasta
##contig=<ID=20,length=62435964,assembly=B36,md5=f126cdf8a6e0c7f379d618ff66beb2da,species="Homo sapiens",taxonomy=x>
##phasing=partial
##INFO=<ID=NS,Number=1,Type=Integer,Description="Number of Samples With Data">
##INFO=<ID=DP,Number=1,Type=Integer,Description="Total Depth">
##INFO=<ID=AF,Number=A,Type=Float,Description="Allele Frequency">
##INFO=<ID=AA,Number=1,Type=String,Description="Ancestral Allele">
##INFO=<ID=DB,Number=0,Type=Flag,Description="dbSNP membership, build 129">
##INFO=<ID=H2,Number=0,Type=Flag,Description="HapMap2 membership">
##FILTER=<ID=q10,Description="Quality below 10">
##FILTER=<ID=s50,Description="Less than 50% of samples have data">
##FORMAT=<ID=GT,Number=1,Type=String,Description="Genotype">
##FORMAT=<ID=GQ,Number=1,Type=Integer,Description="Genotype Quality">
##FORMAT=<ID=DP,Number=1,Type=Integer,Description="Read Depth">
##FORMAT=<ID=HQ,Number=2,Type=Integer,Description="Haplotype Quality">
#CHROM POS     ID        REF   ALT   QUAL  FILTER INFO                           FORMAT sample07 ...
20     14370   rs6054257 G     A     29    PASS   NS=3;DP=14;AF=0.5;DB;H2        GT:GQ:DP:HQ  0|0:48:1:51,51
20     17330   .         T     A     3     q10    NS=3;DP=11;AF=0.017            GT:GQ:DP:HQ  0|0:49:3:58,50
20     111069  rs6040355 A     G,T   67    PASS   NS=2;DP=10;AF=0.333,0.667;AA=T;DB  GT:GQ:DP:HQ  1|2:21:6:23,27
20     123027  .         T     .     47    PASS   NS=3;DP=13;AA=T                GT:GQ:DP:HQ  0|0:54:7:56,60
20     123457  microsat1 GTC   G,GTCT 50   PASS   NS=3;DP=9;AA=G                 GT:GQ:DP     0/1:35:4
```

UC Davis Genome Center | Bioinformatics Core | J Fass   **Formats - Sept 2018**

SAM - tsv with defined column meanings

http://www.htslib.org/

See also samtools man page: *http://samtools.sourceforge.net/*

SAM spec grew out of 1000 Genomes Project (see Li et al. 2009 *Bioinformatics* 25:2078)

SAM is plain text; BAM is binary, compressed version of SAM; CRAM is further compressed but not widely used / recognizable by many tools.

SAM - tsv with defined column meanings

```
[...]
@SQ     SN:ctg103993       LN:217
@SQ     SN:ctg103994       LN:222
@SQ     SN:ctg103995       LN:205
@SQ     SN:ctg103996       LN:210
@PG     ID:bwa  PN:bwa  VN:0.7.13-r1126 CL:bwa mem -t 4 -M ../../01_Reference/Transcriptome-Contigs-Build2.fna
../../02-Cleaned/3E/3E_SE.fastq
@PG     ID:bwa-7BC92A6F PN:bwa  VN:0.7.13-r1126 CL:bwa mem -t 4 -M ../../01_Reference/Transcriptome-Contigs-Build2.fna
../../02-Cleaned/3E/3E_R1.fastq ../../02-Cleaned/3E/3E_R2.fastq
K00188:264:HG3WJBBXX:1:1116:14692:35180#0        121     ctg2     128     58      101M    =       128     0
AAGTCTCGACCAAGTGGTTCAGATGGTGACACAGATGTTAGCCCCATCCACCATTCAGTTGCCGTTTTGATAGCTGGAAATCCTGTAAACACAATGCTGAG
FJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJFFFAA   NM:i:10
K00188:264:HG3WJBBXX:1:1116:14692:35180#0        181     ctg2     128     0       *       =       128     0
TTTAGTTTTAATTTTTGACTTTGAATAGCGGGAGTCCAGATCGTGTGAACACAGCAGACTGAGCACTCCATTGACAGCCTTCTTCTGTACTTTAGCTATCC
FJFJJFAAJF7F7JJJJAFFFAF<7<AFFJJJFJJJJJJJJJJJJJJJJJJJJJJFJJJJJJJFAJJJJJJJJJFFFJJJJJJJJJJJJFFJJJJJJJFFFAA  AS:i:0  XS:i:0
K00188:264:HG3WJBBXX:1:1202:11028:9596#0         121     ctg5     45      60      101M    =       45      0
TTCTTTTTTCTACAGTTCATTGTCTGTATAAAGTATGCATCAGGAACAATCTGACTAGGAAGGTAAATAATGTAAAACAGATGATTATTGTATGAAAGTTG
JJJJJJJJJJJJJJJJJJJJJFJJJJJJJJJJJJJJJJJJJJJJJJFJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJFFFAA    NM:i:8
K00188:264:HG3WJBBXX:1:1202:11028:9596#0         181     ctg5     45      0       *       =       45      0
TCAGCTGTATTAGTAATTTAGTAGAAAAGGTCTTGAGAGAATTATGTTTTTTAAAAATCCACATCACTTCAAACAAAAAGCCCCATTAGAATGGAGGGCCA
FJFJJJJJJFJJJJJJFFJJJJFJAJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJJFF-JFJJJJJJJJJJJJJJJJJJJJJJJJJJJJJFFFAA    AS:i:0
[...]
```

SAM - tsv with defined column meanings

Col	Field	Type	Regexp/Range	Brief description
1	QNAME	String	[!-?A-~]{1,254}	Query template NAME
2	FLAG	Int	$[0,2^{16}-1]$	bitwise FLAG
3	RNAME	String	*|[!-()+-<>-~][!-~]*	Reference sequence NAME
4	POS	Int	$[0,2^{31}-1]$	1-based leftmost mapping POSition
5	MAPQ	Int	$[0,2^{8}-1]$	MAPping Quality
6	CIGAR	String	*|([0-9]+[MIDNSHPX=])+	CIGAR string
7	RNEXT	String	*|=|[!-()+-<>-~][!-~]*	Ref. name of the mate/next read
8	PNEXT	Int	$[0,2^{31}-1]$	Position of the mate/next read
9	TLEN	Int	$[-2^{31}+1,2^{31}-1]$	observed Template LENgth
10	SEQ	String	*|[A-Za-z=.]+	segment SEQuence
11	QUAL	String	[!-~]+	ASCII of Phred-scaled base QUALity+33

BINARY

HDF5

- **"Hierarchical Data Format" used across many industries**
- **PacBio read data *no longer* comes in bas.h5 / bax.h5 files (instead, you get BAM files) … so let's forget about HDF5!**

BAM / CRAM - compressed SAM

- *** Don't dump binary formats to your terminal / shell …**
- **Indexing both BAM and CRAM allow *rapid* random read access to any coordinate range, without uncompressing whole file first**
- **CRAM restricts sequence alphabet, so compression ratio can be greater**
- **CRAM does *lossy* compression of base qualities, also helps compression ratio**

2bit

- **Old format used for sequence in UCSC Genome Browser**
- **Can only store 4 bases per position:**
  - **00 = A**
  - **01 = C**
  - **10 = G**
  - **11 = T**
  - **… N? Lower case acgt for soft masking? Nope ...**

Questions … comments … confusion?