



JOB ADVICE (Cut and Bend Bars) 工作通知 / 料表)

Date Modified: 2026-08-03 15:58

Customer ID		0	Customer Name		WOH HUP (PRIVATE) LIMITED	
Contract No		1020018906	Project ID	18906	Project Title	MARINA VIEW LP 28F 1 STRAITS BIVD, SINGAPORE 018906
Site Contact (工地联系人)						
Site Engr (工程师)	KUMAR	(H/P)	81338587	(O)		
Scheduler (开料人)	SAKTHIVEL	(H/P)	86487553	(O)		

PO Number	MVR-TT-H389		Total Weight （总重量）	6745.52
Order Date (订单日期)	2026/9/11		Total Pages （总计几页）	6
Required Date (交货日期)	2026/9/18			


Block (WBS1) (座号 / 大牌)	Storey (WBS2) (楼层)	Part(WBS3) (分部)	Project Stage (工程阶段)
MVR	L42~L43	WALL	Typical Floor

BBS Nos	BBS Description	Copy From BBS	SE (Structure Element)
钢筋加工表	平面位置 / 内容	复制钢筋编号	构件: 基础 / 梁 / 柱 / 墙 / 板
MVR-TT-H389	L42~L43 ST-02 WALL SFL:166.575~169.900 GL(H3/HE~HF)		
Internal Remark (注)			
External Remark (注)			







Han Steel Contact Persons (联络人):

Name	Contact numbers	Email Address
CHENG JIA YONG	6261 2221	

Microsoft Windows 11 Home (Ver 10.0.22631) SP0.0 64bit (16.0.4266)



以牛编号 PROJECT ID 项目编号	MVR-TT-H389	Block (座号/大牌)	MVR
PROJ. TITLE 项目名称	MARINA VIEW LP 28F 1 STRAITS BIVD,SINGAPORE 018906	Storey (楼层)	L42~L43
DATE ORDER 订单日期	2026/9/11	Part (分部)	WALL
		Total Weight	6746

BAR BENDING SCHEDULE														
ELEMENT MARKING 构件名称	BAR MARK 铁代号	TYP E 型 号	SIZ E 直 径	NO. OF MBRS 构件数量	NO. OF EACH 单件数量	TOTAL 总数	SHAPE CODE 图形代号	SHAPE 图形	A	B	C	D	TOTAL LENGTH 总长	WEIGHT 重量
ST-02 WALL														
VERT BAR(H16-100VB)														
-100	VB	H	16	1	375	375	20		4230				4230	2505
	VBA	H	16	1	88	88	20		3350				3350	465.5
	VB1	H	13	1	9	9	61		300	1075	169	169	3088	28.96
	VB1A	H	13	1	3	3	61		300	650	169	169	2238	6.996
	VB1B	H	10	2	3	6	61		80	300	130	130	1020	3.776
	VB2	H	16	1	8	8	61		300	2415	208	208	5846	73.85
	VB3	H	16	2	1	2	20		2160				2160	6.821
	VB3A	H	16	1	1	1	38A		900	300			2100	3.316
	VB3B	H	16	1	1	1	38A		1720	300			3740	5.905
HOR BAR														
#1 -100	HB	H	13	1	23	23	61		330	400	169	169	1798	43.09
	HB1	H	13	1	23	23	38A		750	330			1830	43.86



以牛编号 PROJECT ID 项目编号	MVR-TT-H389	Block (座号/大牌)	MVR
PROJ. TITLE 项目名称	MARINA VIEW LP 28F 1 STRAITS BIVD,SINGAPORE 018906	Storey (楼层)	L42~L43
DATE ORDER 订单日期	2026/9/11	Part (分部)	WALL
		Total Weight	6746

BAR BENDING SCHEDULE

ELEMENT MARKING 构件名称	BAR MARK 铁代号	TYP E 型 号	SIZ E 直 径	NO. OF MBRS 构件数 量	NO. OF EACH 单件数 量	TOTAL 总数	SHAPE CODE 图形代 号	SHAPE 图形	A	B	C	D	TOTAL LENGTH 总长	WEIGHT 重量
	HB2	H	13	1	23	23	38A		1100	330			2530	60.63
	HB3	H	13	2	23	46	20		5120				5120	245.4
	HB4	H	13	2	7	14	38A		1100	330			2530	36.91
	HB5	H	13	2	7	14	20		6450				6450	94.09
	HB4A	H	13	1	4	4	61		330	850	169	169	2698	11.25
	HB4B	H	13	1	4	4	61		330	850	169	169	2698	11.25
	HB4C	H	13	1	4	4	38A		750	330			1830	7.627
	HB4D	H	13	2	4	8	20		4430				4430	36.93
	HB4E	H	13	1	4	4	38A		1100	330			2530	10.55
VENTILATION OPENING TRIMMER BAR														
	TR1	H	13	2	4	8	37		450	900			1350	11.25
	TR2	H	13	2	4	8	20		2500				2500	20.84
	TR3	H	13	2	4	8	20		1300				1300	10.84
#2 -100	HB6	H	13	2	34	68	38A		1100	330			2530	179.3



以牛编号 PROJECT ID 项目编号	MVR-TT-H389	Block (座号/大牌)	MVR
PROJ. TITLE 项目名称	MARINA VIEW LP 28F 1 STRAITS BIVD,SINGAPORE 018906	Storey (楼层)	L42~L43
DATE ORDER 订单日期	2026/9/11	Part (分部)	WALL
		Total Weight	6746

BAR BENDING SCHEDULE

ELEMENT MARKING 构件名称	BAR MARK 铁代号	TYP E 型 号	SIZ E 直 径	NO. OF MBRS 构件数 量	NO. OF EACH 单件数 量	TOTAL 总数	SHAPE CODE 图形代 号	SHAPE 图形	A	B	C	D	TOTAL LENGTH 总长	WEIGHT 重量
	HB7	H	13	2	34	68	20		6450				6450	457
	HB8	H	13	1	34	34	38A		2250	180			4680	165.8
#3-100	HB9	H	13	1	8	8	61		330	485	169	169	1968	16.41
	HB10	H	13	1	8	8	38		750	330	2070		3150	26.26
	HB11	H	13	1	8	8	38		1100	330	2420		3850	32.09
	HB12	H	13	2	25	50	38A		1100	330			2530	131.8
	HB13	H	13	2	25	50	20		3100				3100	161.5
#4 -100	HB14	H	13	2	34	68	38A		1100	330			2530	179.3
	HB15	H	13	2	34	68	20		3100				3100	219.7
#5 -100	HB16	H	13	2	34	68	38		950	180	1660		2790	197.7
#6 -100	HB18	H	13	1	34	34	38		1100	180	1620		2900	102.7
	HB17	H	13	1	34	34	38		950	180	1460		2590	91.76
HOOK -300	HK	H	10	1	732	732	85		120	350	80	100	650	293.6



以牛编号 PROJECT ID 项目编号	MVR-TT-H389	Block (座号/大牌)	MVR
PROJ. TITLE 项目名称	MARINA VIEW LP 28F 1 STRAITS BIVD,SINGAPORE 018906	Storey (楼层)	L42~L43
DATE ORDER 订单日期	2026/9/11	Part (分部)	WALL
		Total Weight	6746

BAR BENDING SCHEDULE

ELEMENT MARKING 构件名称	BAR MARK 铁代号	TYP E 型号	SIZ E 直径	NO. OF MBRS 构件数量	NO. OF EACH 单件数量	TOTAL 总数	SHAPE CODE 图形代号	SHAPE 图形	A	B	C	D	TOTAL LENGTH 总长	WEIGHT 重量
	HK1	H	10	1	144	144	85		120	200	70	90	480	42.65
DOOR FRAME ADDITIONAL BAR														
UB1,3,4 -100		H	13	1	47	47	38A		650	250			1550	75.91
	UB2	H	13	1	23	23	38A		500	250			1250	29.96
	ADD1	H	16	2	2	4	20		4230				4230	26.72
	ADD2	H	13	2	2	4	37		200	2100			2300	9.586
WINDOW FRAME ADDITIONAL BAR														
-100	UB1	H	13	3	8	24	38A		650	250			1550	38.76
	UB2	H	13	1	8	8	38A		520	250			1290	10.75
	TR1	H	13	4	4	16	20		1900				1900	31.68
SLAB ST BAR(H10-200B/T)														
-200	ST	H	10	2	139	278	38		230	170	650		1050	180.1
SLAB ADD ST BAR														
-100	T	H	13	2	12	24	38		330	170	750		1250	31.26




以牛编号	MVR-TT-H389	Block (座号/大牌)	MVR
PROJECT ID 项目编号	18906	Storey (楼层)	L42~L43
PROJ. TITLE 项目名称	MARINA VIEW LP 28F 1 STRAITS BIVD,SINGAPORE 018906	Part (分部)	WALL
DATE ORDER 订单日期	2026/9/11	Total Weight	6746

BAR BENDING SCHEDULE														
ELEMENT MARKING 构件名称	BAR MARK 铁代号	TYP E 型 号	SIZ E 直 径	NO. OF MBRS 构件数 量	NO. OF EACH 单件数 量	TOTAL 总数	SHAPE CODE 图形代 号	SHAPE 图形	A	B	C	D	TOTAL LENGTH 总长	WEIGHT 重量
SLAB BPU OPENING TRIMMER BAR ST BAR														
	ST	H	13	4	10	40	37		250	800			1050	43.76
#1 35TW33-1(240X2100)														
-150	HB	H	10	2	22	44	54		230	170	650		1050	28.51
NON STRU WALL ST BAR														
-200	ST	H	10	2	18	36	38		230	170	650		1050	23.32
SYSTEM ADD														
	ADD1	H	13	13	8	104	20		600				600	65.02
	ADD-2	H	13	13	8	104	20		1000				1000	108.4







1 36TH - 48TH STOREY CONCRETE BODY PLAN
SCALE 1:100

Autodesk Docs://MVR/MVR_RES_CO_WH_CST_ZZ_ZZ_M3_W_0005c - 36th to 48th (Typical).rvt



KERB SCHEDULE:

RC KERB (WIDTH VARIES) TOK = 350
RC KERB (WIDTH VARIES) TOK = 200
RC KERB (WIDTH VARIES) TOK = 25
RC KERB (WIDTH VARIES) TOK = 170
RC KERB (WIDTH VARIES) TOK = 100



LEGEND:


RC WALL / COLUMN	RC WALL / COLUMN BELOW	DOUBLE SLAB	MASS CONCRETE	NON-STRUCTURAL RC WALL	NON-STRUCTURAL RC WALL FOR AMALGAMATION	IMPACT WALL/PARTIAL WALL	RECESS	DOWNHANG WALL	BUILT-UP WALL	STEEL MESH	TEMPORARY BEAM	TEMPORARY OPENING	MUCKHOLE	SHIELDING WALL	SS/HS SLAB STRENGTHENING BOUNDARY	RECESS SOFFIT	RC WALL / COLUMN c/w WATERPROOFING ADMIX	SLAB STRENGTHENING DUE TO FACADE	SLAB THICKNESS	FOR CONFIRMATION	REVISION

GENERAL NOTES:

1. SLAB DROPPERS/LOCATION & SIZE, STAIRCASE DETAILS, FIRE WALL, OPENING LOCATION & SIZE, REFER TO LATEST ARCHITECTING SETTING OUT PLAN.
2. MBE PENETRATIONS AND OPENINGS SETTING-OUT, INVERT LEVELS, LOCATION REFER TO LATEST MBE CONSTRUCTION DRAWING.
3. ALL LIFT PIT DEPTH REFER TO LATEST MBE DRAWING.
4. ALL WASTE BUMP SIZE & INVERT LEVEL, REFER TO LATEST MBE DRAWING.
5. ALL LIFTS DOOR OPENING TO REFER TO LATEST MBE DRAWING.
6. ALL DOUBLE SLAB SHALL BE 100mm THK U.O.N.

RESIDENTIAL LEVEL (TYPICAL)

STOREY	LIFT LOBBY FFL	UNIT FFL
17TH STOREY	75.875	75.825
18TH STOREY	76.200	76.200
19TH STOREY	81.825	81.825
20TH STOREY	86.850	86.800
21TH STOREY	88.175	88.225
22TH STOREY	92.900	92.900
23TH STOREY	96.825	96.875
24TH STOREY	99.100	99.200
25TH STOREY	102.475	102.525
26TH STOREY	105.850	105.850
27TH STOREY	109.125	109.175
28TH STOREY	112.450	112.500
29TH STOREY	115.775	115.825
30TH STOREY	119.100	119.150
31TH STOREY	122.425	122.475
32TH STOREY	125.750	125.800
33TH STOREY	129.075	129.125
34TH STOREY	132.400	132.450
35TH STOREY	135.725	135.775
36TH STOREY	139.050	139.100
37TH STOREY	142.375	142.425
38TH STOREY	145.700	145.750
39TH STOREY	149.025	149.075
40TH STOREY	152.350	152.400
41TH STOREY	155.675	155.725
42TH STOREY	159.000	159.050
43TH STOREY	162.325	162.375
44TH STOREY	165.650	165.700
45TH STOREY	168.975	169.025
46TH STOREY	172.300	172.350
47TH STOREY	175.625	175.675
48TH STOREY	178.950	179.000
49TH STOREY	182.275	182.325
50TH STOREY	185.600	185.650



REFERENCES:

Arch: 250917_RFA/MVR/ARC/WH/145A
M&E: 251110-ME_17TH-33TH STOREY - OVERALL PBU Penetration

FOR APPROVAL

RFA/MVR/CS&WH/070C DATE: 19/JUNE/2026

DATE RECEIVED:

SHOP DRAWING REVIEW BY:

NO.	REVISION	DATE	BY	APPROVED
1	ARCHITECT	19/06/2026	J. J. JOY	APPROVED
2	CIVIL & STRUCTURAL ENGINEER	19/06/2026	J. J. JOY	APPROVED
3	MEP CONSULTANT	19/06/2026	J. J. JOY	APPROVED
4	INTERIOR DESIGN CONSULTANT	19/06/2026	J. J. JOY	APPROVED
5	FACEBOOK CONSULTANT	19/06/2026	J. J. JOY	APPROVED
6	LANDSCAPE ARCHITECT	19/06/2026	J. J. JOY	APPROVED

Our comments and conditions made on this shop drawing shall not relieve the Contractor / Sub-contractor of his contractual responsibilities.


GENERAL NOTES:

1. ALL DIMENSIONS ARE TO BE IN "mm" UNLESS OTHERWISE STATED.
2. ALL DIMENSIONS ARE SUBJECT TO SITE VERIFICATION.
3. DO NOT SCALE ON DRAWINGS.
4. ANY DISCREPANCY MUST BE REPORTED TO MAIN CONTRACTOR IMMEDIATELY.
5. ALL DRAWINGS MUST BE USED IN CONJUNCTION WITH MBE AND STRUCTURAL DRAWINGS.

REFERENCED DRAWING NO.:

1. ARCHITECTURAL REFERENCE DWG.	
2. STRUCTURAL REFERENCE DWG.	
3. M&E REFERENCE DWG.	
4. OTHERS:	

KEY PLAN:



DEVELOPER/LAND OWNER:
Boulevard Development Pte Ltd
Boulevard Midtown Pte Ltd
38 Beach Road #24-11
South Beach Tower, Singapore 189767
Tel: 65-6338-8111

ARCHITECT:
architects61
architecture planning
architect 61 pte ltd
100 Beach Road #24-01
Tel: 65-6338-8111

CIVIL & STRUCTURAL ENGINEER:
threesixty
Threesixty Cost Management Pte Ltd
(Threesixty)
38 Beach Road
#24-01, South Beach Tower
Singapore 189767

MEP CONSULTANT:
threesixty
Threesixty Cost Management Pte Ltd
(Threesixty)
38 Beach Road
#24-01, South Beach Tower
Singapore 189767

QUANTITY SURVEYOR:
threesixty
Threesixty Cost Management Pte Ltd
(Threesixty)
38 Beach Road
#24-01, South Beach Tower
Singapore 189767

MAIN CONTRACTOR:
WCH WIP (PRIVATE) LIMITED
111 Upper Macao Road, Singapore
Tel: 65-6338-8111

PROJECT TITLE:
W RESIDENCES MARINA VIEW - SINGAPORE
PROPOSED NEW ERECTION OF 61 STOREY MIXED USE DEVELOPMENT COMPRISING 3 STOREY HOTEL AND CARPARK PODIUM, 1 STOREY HOTEL, 106 ROOMS, 36-50 STOREY RESIDENTIAL FLATS (88 UNITS) AND 2 BASEMENTS ON LOT 08/09 AND QUANTIN 15.30 AND SOUTHERN MARINE PLACE LOT 08/10 TO 12 AT MARINA VIEW (DOWNTOWN CORE PLANNING AREA).

DRAWING TITLE:
RESIDENTIAL
19TH - 33RD, 36TH - 48TH STOREY
CONCRETE BODY PLAN

DESIGNED BY: JC
CHECKED BY: JC/CY
DRAWN BY: KG
APPROVED BY: Approver
DATE: 19/JUNE/2026
SCALE: As indicated
DWG NO.: MVR_RES_CO_WH_CST_ZZ_ZZ_DG_W_0206
SIZE: A0
REV: C



BUILDING AND CONSTRUCTION AUTHORITY
APPROVED UNDER SECTION 5 / SECTION 5A OF THE
BUILDING CONTROL ACT (CHAPTER 29)

Project Ref No : A1252-00566-2022-ST20
"Approval granted herein is with respect to
structural work and civil defence shelter works"

for Commissioner of Building Control

DT-MVR-C&S-218

FOR CONSTRUCTION

13 May 2026

TECHNICAL
WOH HUP (PRIVATE) LIMITED
MARINA VIEW RESIDENCES (MVR)

PE'S CERTIFICATION



AC'S CERTIFICATION

ACCREDITED CHECKER

NO:1089

KOK KING MIN
In AC Organisation
Registration No: A054
BUILDING CONTROL ACT
SINGAPORE

CONSTRUCTION DRAWING

ISSUED

11 MAY 2026

KTP CONSULTANTS PTE LTD

1 REVISED WALL DETAILS 12.03.26

REV AMENDMENTS DR DES CHK DATE

PROJECT

PROPOSED NEW ERECTION OF 51 STOREY MIXED USE
DEVELOPMENT COMPRISING 5 STOREY HOTEL AND
CARPARK PODIUM, 9 STOREY HOTEL (350 ROOMS),
36/37 STOREY RESIDENTIAL FLATS (683 UNITS) AND
2 BASEMENTS ON LOTS 00483K AND 00484N TS 30
AND SUBTERRANEAN SPACE LOT 800772C TS 30 AT
MARINA VIEW (DOWNTOWN CORE PLANNING AREA)

ARCHITECT

ARCHITECT 61 PTE. LTD.



KTP Consultants Pte Ltd
Surbana Jurong Campus 38 Cleantech
Loop, #01-311 Singapore 638741
Tel: +65 6248 1288

DRAWN: EEN DATE: DESIGNED: JS/AP/FS


SCALE: 1:250 CHECKED: ChewAL

DWG. NO. 21.070/ST2/W4

STAIRCASE 2 (SS TOWER) WALL DETAILS-4

THE OWNERSHIP OF THE COPYRIGHT IN THIS DRAWING IS RETAINED BY KTP CONSULTANTS
WHOSE CONSENT MUST BE SOUGHT BEFORE ANY USE OR REPRODUCTION OF THE DRAWING
OR ANY PART THEREOF CAN BE MADE.

TO BE SUBMITTED
ON OTHER ST



SECTION Y-Y

STAIRCASE SHELTER SLOPING FLIGHT
STRUCTURAL CONTINUITY OF INTERNAL WALL

STANDARD CERTIFICATION FOR CIVIL DEFENCE SHELTER PLANS

I, FOONG KIT KUEN, hereby submit the detailed civil
defence shelter plans (and design calculations) prepared by me and
certify that :-

- (a) the preparation of these civil defence shelter plans are in
accordance with the Building Control Regulations; and
(b) the civil defence shelter plans works shown on these plans are
designed in accordance with the shelter technical requirements.

2. Total number of civil defence shelter plans submitted : 19
and total number of pages of design calculations : 6016




QUALIFIED PERSONS' SIGNATURE AND STAMP

13-03-2026

DATE


MINIMUM TENSION LAP AND ANCHORAGE LENGTH OF STOREY SHELTER ELEMENT		
TYPE	REINFORCEMENT BAR DIAMETER Ø(mm)	
	10 ≤ Ø ≤ 16	16 ≤ Ø ≤ 32
LAP LENGTH	47Ø	52Ø
ANCHORAGE LENGTH	37Ø	37Ø

1. THE TENSION LAP AND ANCHORAGE LENGTH OF ALL ELEMENTS WITHIN
STOREY SHELTER TOWER SHALL BE THE MAXIMUM OF THOSE SHOWN IN
DRAWING 21.070/N1 AND THE ABOVE STOREY SHELTER TECHNICAL
REQUIREMENT.




49TH STOREY PLAN

1. ALL VERTICAL REINF. TO BE H16-100
2. ALL HORIZONTAL REINF. TO BE H13-100
3. ALL HOOKS TO BE PLACED @ H10-300 BOTHWAYS FOR 250 & 350 THK. WALL
& H10-600 BOTHWAYS FOR 200 THK. WALL.
4. 'TL' DENOTES FULL TENSION LAP
5. CONCRETE GRADE : C32/40




TYPICAL 47TH TO 48TH STOREY PLAN

1. ALL VERTICAL REINF. TO BE H16-100
2. ALL HORIZONTAL REINF. TO BE H13-100
3. ALL HOOKS TO BE PLACED @ H10-300 BOTHWAYS FOR 250 & 350 THK. WALL
& H10-600 BOTHWAYS FOR 200 THK. WALL.
4. 'TL' DENOTES FULL TENSION LAP
5. CONCRETE GRADE : C32/40




TYPICAL 42ND TO 46TH STOREY PLAN

1. ALL VERTICAL REINF. TO BE H16-100
2. ALL HORIZONTAL REINF. TO BE H13-100
3. ALL HOOKS TO BE PLACED @ H10-300 BOTHWAYS FOR 250 & 350 THK. WALL
& H10-600 BOTHWAYS FOR 200 THK. WALL.
4. 'TL' DENOTES FULL TENSION LAP
5. CONCRETE GRADE : C32/40




LOWER ROOF PLAN

1. ALL VERTICAL REINF. TO BE H16-100
2. ALL HORIZONTAL REINF. TO BE H13-100
3. ALL HOOKS TO BE PLACED @ H10-300 BOTHWAYS FOR 250 & 350 THK. WALL
& H10-600 BOTHWAYS FOR 200 THK. WALL.
4. 'TL' DENOTES FULL TENSION LAP
5. CONCRETE GRADE : C32/40





51ST STOREY PLAN


1. ALL VERTICAL REINF. TO BE H16-100
2. ALL HORIZONTAL REINF. TO BE H13-100
3. ALL HOOKS TO BE PLACED @ H10-300 BOTHWAYS FOR 250 & 350 THK. WALL
& H10-600 BOTHWAYS FOR 200 THK. WALL.
4. 'TL' DENOTES FULL TENSION LAP
5. CONCRETE GRADE : C32/40















50TH STOREY PLAN


1. ALL VERTICAL REINF. TO BE H16-100
2. ALL HORIZONTAL REINF. TO BE H13-100
3. ALL HOOKS TO BE PLACED @ H10-300 BOTHWAYS FOR 250 & 350 THK. WALL
& H10-600 BOTHWAYS FOR 200 THK. WALL.
4. 'TL' DENOTES FULL TENSION LAP
5. CONCRETE GRADE : C32/40














HOOKS









DOOR FRAME RECESS HOR-BAR





WINDOW RECESS HOR-BAR














DETAIL 3

- Copy to
1. PD - Chen Han Qi
2. PM - Wong Wei Siong
3. SE
4. RE/RTO
5. All Subcons
6. MVR WH, MVR Site
7. WH QS
8. WH Rebar Scheduler
9. DC
10. IOI - Muliadi, How See, Darren

This detailed site plan illustrates the layout of a wastewater treatment plant. The plan includes several key components:

- Flow Path:** Indicated by blue arrows, showing the progression from intake through various treatment stages.
- Infrastructure:** Includes a 12D (12-inch diameter) main line running vertically through the center and horizontally along the bottom. A 12D manhole is located at the top center.
- Units and Structures:**
 - TA (Treatment Area):** Multiple rectangular areas, some with diagonal hatching, representing different treatment stages.
 - FT (Flow Tank):** A rectangular structure with a cross-hatch pattern.
 - FW (Flow Well):** A circular structure with a cross-hatch pattern.
 - Other Structures:** Various smaller rectangular and circular units, some with specific labels like 'LASE 10' and 'LASE 11'.
- Dimensions:** Numerous numerical dimensions are provided throughout the plan, indicating the size and spacing of the various units and infrastructure.
- Orientation:** A north arrow is located in the upper right corner of the plan.

Structural drawing of a square foundation (FT) with dimensions and reinforcement details.

Overall dimensions: 1190 (width) x 2140 (depth).

Reinforcement details:

- Top and Bottom: 2H16 (T&B)
- Left and Right: 2H16 (T&B)
- Vertical spacing: 175, 265, 650, 100
- Horizontal spacing: 100, 600, 100
- Foundation (FT) is highlighted in green.
- Reinforcement is shown in red.

Additional information:


- PBU (TYPE 5w.M)
- FFL: -25
- SFL: -175
- 180

TYPICAL PBU TYPE 5w.M

Additional Notes:

- KTP: No objection
KTP|KERKYX 20250828

Typ Resi PBU Slab Fold Opening Trimmer Bar Det



- Copy to
- 1. PD - Chen Han Qi
- 2. SPM/PM
- 3. SE
- 4. RE/RTO
- 5. All Subcon
- 6. WH MVR
- 7. WH QS
- 8. WH Rebar Scheduler
- 9. DC
- 10. IOI - Muliadi, How See
- Darren

From: Calvin Ya
13-Aug-2025

FOR CONSTRUCTION

24 Dec 202

TECHNICAL
WOH HUP (PRIVATE) LIMITED
MARINA VIEW RESIDENCES (MV

KTP: No objection

KerkYX 20251223

1 17TH - 33RD, 36TH - 48TH STOREY CONCRETE BODY PLAN
SCALE 1 : 100

Autodesk Docs://MVR/MVR PJW CO WH CST ZZ ZZ M3 W 0005 L17 to L33, L36 to L48.rvt

ABBREVIATIONS

SFL - STRUCTURAL FLOOR LEVEL
FFL - FINISH FLOOR LEVEL
BFL - BASIC FLOOR LEVEL
USL - UPPER SLAB LEVEL
BSL - BELOW SLAB LEVEL
MSL - MID SLAB LEVEL
TOB - TOP OF BEAM
BOB - BOTTOM OF BEAM
LSB - LEFT SEPARATION BEAM
TOW - TOP OF WALL
BOO - BOTTOM OF OPENING
BOW - BOTTOM OF WALL
UIS - UPSTAND BEAM
TOC - TOP OF COLUMN
TOCB - TOP OF CAPPING BEAM
SIL - STRUCTURAL INVERT LEVEL
MCL - MAX CONCRETE LEVEL
TOPC - TOP OF PILE CAP
TOP - TOP OF PLINTH
TH - TEMPORARY OPENING
PH - PASSENGER HOIST

LEGEND:

-  RC WALL / COLUMN
-  RC WALL / COLUMN BELOW
-  DOUBLE SLAB
-  MASS CONCRETE
-  NON-STRUCTURAL RC WALL
-  NON-STRUCTURAL RC WALL FOR AMALGAMATION
-  IMPACT WALL/PARAPET WALL
-  RECESS



DOWNHANG WALL

TEMPORARY BEAM

TEMPORARY SLAB

TEMPORARY OPENING

GENERAL NOTES

1. SLAB DROPKER LOCATION & SIZE: STAIRCASE DETAILS
FFL R.C. WALL OPENING LOCATION & SIZE
REFER TO LATEST ARCH'L SETTING OUT PLAN.
2. M&E PENETRATIONS AND OPENING/ SETTING-OUT
INVERT LEVELS LOCATION REFER TO LATEST M&E
CONSTRUCTION DRAWING.
3. ALL LIFT FIT DEPTH REFER TO LATEST M&E DRAWING.
4. ALL WASTE SUMPS/IC SIZE & INVERT LEVEL
REFER TO LATEST M&E DRAWING.
5. ALL LIFTS DOOR OPENING TO REFER TO LATEST M&E DRAWING.
6. ALL DOOR/FLOOR/SLAB SHALL BE 150mm THICK UNLESS OTHERWISE SPECIFIED.

LB1 = 100W x 2000
LB11 = 150W x 2000
LB16 = 100W x 1800
LB17 = 150W x 1800
LB18 = 200W x 1800

RESIDENTIAL LEVEL (TYPICAL)		
STOREY	LIFT LOBBY FMS	LIFT FMS
17TH STOREY	75.875	75.95
18TH STOREY	76.00	76.26
19TH STOREY	82.155	82.15
20TH STOREY	85.655	85.65
21TH STOREY	88.155	88.20
22TH STOREY	92.500	92.50
23TH STOREY	95.155	95.15
24TH STOREY	98.150	98.15
25TH STOREY	102.475	102.525
26TH STOREY	105.800	105.850
27TH STOREY	109.125	109.175
28TH STOREY	112.450	112.500
29TH STOREY	115.775	115.825
30TH STOREY	119.100	119.150
31TH STOREY	122.425	122.475
32TH STOREY	125.750	125.800
33TH STOREY	129.075	129.125
34TH STOREY	132.400	132.450
35TH STOREY	135.725	135.775
36TH STOREY	139.050	139.100
37TH STOREY	142.375	142.425
38TH STOREY	145.700	145.750
39TH STOREY	149.025	149.075
40TH STOREY	152.350	152.400
41TH STOREY	155.675	155.725
42TH STOREY	159.000	159.050
43TH STOREY	162.325	162.375
44TH STOREY	165.650	165.700
45TH STOREY	168.975	169.025
46TH STOREY	172.300	172.350
47TH STOREY	175.625	175.675
48TH STOREY	178.950	179.000
49TH STOREY	182.275	182.325
50TH STOREY	185.600	185.650

Figure 1

Follow detail 2





REFERENCES:

241216-ME_17TH-33TH STOREY - OVERALL F

REFERENCES:


Archi: 211214_Slab Fold Extension for WP (kitchen)
M&E: 241216-ME_17TH-33TH STOREY - OVERALL PBU Penetration



FOR CONSTRUCTION


24 Dec 2025

TECHNICAL
WOH HUP (PRIVATE) LIMITED
MARINA VIEW RESIDENCES (MVR)




KTP: No objection

KerkYX 20251223




ALL CORNER BARS TO SEE TYP DETAILS
MIN. 2 NOS. (FOR 150/200mm THK)
MIN. 3 NOS. (FOR 250/300mm THK)
MIN. 4 NOS. (FOR 400/500/600mm THK)
* (REBARS ARRANGEMENT @ END SAME SIZE AS VERTICAL REINF. OR OTHERWISE STATED.)



ALL CORNER BARS TO SEE TYP DETAILS
MIN. 2 NOS. (FOR 150/200mm THK)
MIN. 3 NOS. (FOR 250/300mm THK)
MIN. 4 NOS. (FOR 400/500/600mm THK)
* (REBARS ARRANGEMENT @ END SAME SIZE AS VERTICAL REINF. OR OTHERWISE STATED.)



ALL CORNER BARS TO SEE TYP DETAILS
MIN. 2 NOS. (FOR 150/200mm THK)
MIN. 3 NOS. (FOR 250/300mm THK)
MIN. 4 NOS. (FOR 400/500/600mm THK)
* (REBARS ARRANGEMENT @ END SAME SIZE AS VERTICAL REINF. OR OTHERWISE STATED.)





ALL CORNER BARS TO SEE TYP DETAILS
MIN. 2 NOS. (FOR 150/200mm THK)
MIN. 3 NOS. (FOR 250/300mm THK)
MIN. 4 NOS. (FOR 400/500/600mm THK)
* (REBARS ARRANGEMENT @ END SAME SIZE AS VERTICAL REINF. OR OTHERWISE STATED.)




ALL CORNER BARS TO SEE TYP DETAILS
MIN. 2 NOS. (FOR 150/200mm THK)
MIN. 3 NOS. (FOR 250/300mm THK)
MIN. 4 NOS. (FOR 400/500/600mm THK)
* (REBARS ARRANGEMENT @ END SAME SIZE AS VERTICAL REINF. OR OTHERWISE STATED.)

ALL CORNER BARS TO SEE TYP DETAILS
MIN. 2 NOS. (FOR 150/200mm THK)
MIN. 3 NOS. (FOR 250/300mm THK)
MIN. 4 NOS. (FOR 400/500/600mm THK)
* (REBARS ARRANGEMENT @ END SAME SIZE AS VERTICAL REINF. OR OTHERWISE STATED.)





ALL CORNER BARS TO SEE TYP DETAILS
MIN. 2 NOS. (FOR 150/200mm THK)
MIN. 3 NOS. (FOR 250/300mm THK)
MIN. 4 NOS. (FOR 400/500/600mm THK)
* (REBARS ARRANGEMENT @ END SAME SIZE AS VERTICAL REINF. OR OTHERWISE STATED.)

ALL CORNER BARS TO SEE TYP DETAILS
MIN. 2 NOS. (FOR 150/200mm THK)
MIN. 3 NOS. (FOR 250/300mm THK)
MIN. 4 NOS. (FOR 400/500/600mm THK)
* (REBARS ARRANGEMENT @ END SAME SIZE AS VERTICAL REINF. OR OTHERWISE STATED.)





ALL CORNER BARS TO SEE TYP DETAILS
MIN. 2 NOS. (FOR 150/200mm THK)
MIN. 3 NOS. (FOR 250/300mm THK)
MIN. 4 NOS. (FOR 400/500/600mm THK)
* (REBARS ARRANGEMENT @ END SAME SIZE AS VERTICAL REINF. OR OTHERWISE STATED.)

ALL CORNER BARS TO SEE TYP DETAILS
MIN. 2 NOS. (FOR 150/200mm THK)
MIN. 3 NOS. (FOR 250/300mm THK)
MIN. 4 NOS. (FOR 400/500/600mm THK)
* (REBARS ARRANGEMENT @ END SAME SIZE AS VERTICAL REINF. OR OTHERWISE STATED.)





ALL CORNER BARS TO SEE TYP DETAILS
MIN. 2 NOS. (FOR 150/200mm THK)
MIN. 3 NOS. (FOR 250/300mm THK)
MIN. 4 NOS. (FOR 400/500/600mm THK)
* (REBARS ARRANGEMENT @ END SAME SIZE AS VERTICAL REINF. OR OTHERWISE STATED.)

ALL CORNER BARS TO SEE TYP DETAILS
MIN. 2 NOS. (FOR 150/200mm THK)
MIN. 3 NOS. (FOR 250/300mm THK)
MIN. 4 NOS. (FOR 400/500/600mm THK)
* (REBARS ARRANGEMENT @ END SAME SIZE AS VERTICAL REINF. OR OTHERWISE STATED.)





ALL CORNER BARS TO SEE TYP DETAILS
MIN. 2 NOS. (FOR 150/200mm THK)
MIN. 3 NOS. (FOR 250/300mm THK)
MIN. 4 NOS. (FOR 400/500/600mm THK)
* (REBARS ARRANGEMENT @ END SAME SIZE AS VERTICAL REINF. OR OTHERWISE STATED.)

ALL CORNER BARS TO SEE TYP DETAILS
MIN. 2 NOS. (FOR 150/200mm THK)
MIN. 3 NOS. (FOR 250/300mm THK)
MIN. 4 NOS. (FOR 400/500/600mm THK)
* (REBARS ARRANGEMENT @ END SAME SIZE AS VERTICAL REINF. OR OTHERWISE STATED.)





ALL CORNER BARS TO SEE TYP DETAILS
MIN. 2 NOS. (FOR 150/200mm THK)
MIN. 3 NOS. (FOR 250/300mm THK)
MIN. 4 NOS. (FOR 400/500/600mm THK)
* (REBARS ARRANGEMENT @ END SAME SIZE AS VERTICAL REINF. OR OTHERWISE STATED.)

ALL CORNER BARS TO SEE TYP DETAILS
MIN. 2 NOS. (FOR 150/200mm THK)
MIN. 3 NOS. (FOR 250/300mm THK)
MIN. 4 NOS. (FOR 400/500/600mm THK)
* (REBARS ARRANGEMENT @ END SAME SIZE AS VERTICAL REINF. OR OTHERWISE STATED.)





ALL CORNER BARS TO SEE TYP DETAILS
MIN. 2 NOS. (FOR 150/200mm THK)
MIN. 3 NOS. (FOR 250/300mm THK)
MIN. 4 NOS. (FOR 400/500/600mm THK)
* (REBARS ARRANGEMENT @ END SAME SIZE AS VERTICAL REINF. OR OTHERWISE STATED.)

ALL CORNER BARS TO SEE TYP DETAILS
MIN. 2 NOS. (FOR 150/200mm THK)
MIN. 3 NOS. (FOR 250/300mm THK)
MIN. 4 NOS. (FOR 400/500/600mm THK)
* (REBARS ARRANGEMENT @ END SAME SIZE AS VERTICAL REINF. OR OTHERWISE STATED.)



ALL CORNER BARS TO SEE TYP DETAILS
MIN. 2 NOS. (FOR 150/200mm THK)
MIN. 3 NOS. (FOR 250/300mm THK)
MIN. 4 NOS. (FOR 400/500/600mm THK)
* (REBARS ARRANGEMENT @ END SAME SIZE AS VERTICAL REINF. OR OTHERWISE STATED.)

ALL CORNER BARS TO SEE TYP DETAILS
MIN. 2 NOS. (FOR 150/200mm THK)
MIN. 3 NOS. (FOR 250/300mm THK)
MIN. 4 NOS. (FOR 400/500/600mm THK)
* (REBARS ARRANGEMENT @ END SAME SIZE AS VERTICAL REINF. OR OTHERWISE STATED.)



CONSTRUCTION DRAWING

ISSUED

13 JULY 2026

KTP CONSULTANTS PTE. LTD.

REV	AMENDMENTS	DR	DES	CHK	DATE
5	REVISED WALL DETAIL				25.05.26
4	REVISED WALL DETAIL				22.05.26
3	REVISED WALL DETAIL				09.03.26
2	REVISED WALL DETAIL				24.02.26
1	REVISED WALL DETAIL				10.02.26

PROJECT

PROPOSED NEW ERECTION OF 51 STOREY MIXED USE DEVELOPMENT COMPRISING 5 STOREY HOTEL AND CARPARK PODIUM, 9 STOREY HOTEL (350 ROOMS), 36/37 STOREY RESIDENTIAL FLATS (683 UNITS) AND 2 BASEMENTS ON LOTS 00483K AND 00484N TS 30 AND SUBTERRANEAN SPACE LOT 800772C TS 30 AT MARINA VIEW (DOWNTOWN CORE PLANNING AREA)

ARCHITECT

ARCHITECT 61 PTE. LTD.



KTP Consultants Pte Ltd
Surbana Jurong Campus 38 Cleantech
Loop, #01-311 Singapore 638741
Tel : +65 6248 1288

DRAWN: CH

DATE:

DESIGNED: JS/AP/TS

SCALE: AS SHOWN

CHECKED: CheWAL


DWG. NO. 21.070/WD11

WALL DETAILS-11

THE OWNERSHIP OF THE COPYRIGHT IN THIS DRAWING IS RETAINED BY KTP CONSULTANTS. WHOSE CONSENT MUST BE OBTAINED BEFORE ANY USE OR REPRODUCTION OF THE DRAWING OR ANY PART THEREOF CAN BE MADE.



MVR PJW CZ WH CST ZZ ZZ SK W 2546F
Revised Beam & Slab Schedule for L17 and above (Amendment to ST19)



23 sheet of 25 PG 13/17

BUILDING AND CONSTRUCTION AUTHORITY
APPROVED UNDER SECTION 5 / SECTION 5A OF THE
BUILDING CONTROL ACT (CHAPTER 29)

Project Ref No : A1252-00566-2022-ST19

for Commissioner of Building Control

FOR CONSTRUCTION

03 MAR 2026

TECHNICAL
WOH HUP (PRIVATE) LIMITED
MARINA VIEW RESIDENCES (MVR)

PE'S CERTIFICATION



AC'S CERTIFICATION

ACCREDITED CHECKER

NO:1089

KOK KING MIN
In AC Organisation
Registration No: A054
BUILDING CONTROL ACT
SINGAPORE

CONSTRUCTION SKETCH

ISSUED

17 NOV 2025

KTP CONSULTANTS PTE LTD

REV	AMENDMENTS	DR	DES	CHK	DATE
4	REVISED SLAB REINFORCEMENT				11.17.25
3	REVISED SLAB REINFORCEMENT				26.09.25
2	REVISED SLAB REINFORCEMENT				17.09.25
1	REVISED SLAB REINFORCEMENT				05.03.25

PROJECT

PROPOSED NEW ERECTION OF 51 STOREY MIXED USE DEVELOPMENT COMPRISING 5 STOREY HOTEL AND CARPARK PODIUM, 9 STOREY HOTEL (350 ROOMS), 36/37 STOREY RESIDENTIAL FLATS (683 UNITS) AND 2 BASEMENTS ON LOTS 00483K AND 00484N TS 30 AND SUBTERRANEAN SPACE LOT 800772C TS 30 AT MARINA VIEW (DOWNTOWN CORE PLANNING AREA)

ARCHITECT

ARCHITECT 61 PTE. LTD.

KTP **KTP Consultants Pte Ltd**
Surbana Jurong Campus 38 Cleantech
Loop, #01-311 Singapore 638741
Tel : +65 6248 1288



DRAWN: CH DATE: DESIGNED: JS/AP/FS

SCALE: AS SHOWN CHECKED: ChewAL

DWG. NO. 21.070/L17S1


LEVEL - 17 TO L33, L36 TO L48 TYPICAL SLAB TOP REINFORCEMENT LAYOUT

THE OWNERSHIP OF THE COPYRIGHT IN THIS DRAWING IS RETAINED BY KTP CONSULTANTS WHOSE CONSENT MUST BE SOUGHT BEFORE ANY USE OR REPRODUCTION OF THE DRAWING OR ANY PART THEREOF CAN BE MADE.



SECTION - A

SCALE : 1:25





TYPICAL TRIMMER BARS AT RE-ENTRANT CORNER

SCALE : 1:25

LEVEL - 17 TO L33, L36 TO L48 TYPICAL SLAB TOP REINFORCEMENT LAYOUT

SCALE : 1:150



TYPICAL TRIMMER BARS AT RE-ENTRANT CORNER
SCALE : 1:25

LEVEL - 17 TO L33, L36 TO L48 TYPICAL SLAB BOTTOM REINFORCEMENT LAYOUT
SCALE : 1:150

- NOTES:
UNLESS NOTED OTHERWISE,
1. SLAB REINFORCEMENTS SHALL BE H10-200 (BW).
2. SLAB THICKNESS SHALL BE 180.
3. REINFORCEMENT LAPPING LENGTH TO BE TL.
4. FOR REINF. THAT EXCEEDS 12m, THE LAPPING SHOULD BE DONE WHERE STRESS IS LESS. THE LAPPING OF TOP REINFORCEMENT SHOULD BE AWAY FROM SUPPORTS WHERE STRESS IS HIGH.
5. --- DENOTES ADDITIONAL REINFORCEMENT.
6. TRIMMER BARS FOR OPENINGS, REFER TO DWG. NO. 21.070/N2 FOR DETAILS.

BUILDING AND CONSTRUCTION AUTHORITY
APPROVED UNDER SECTION 5 / SECTION 5A OF THE
BUILDING CONTROL ACT (CHAPTER 29)

Project Ref No : A1252-00566-2022-ST19

for Commissioner of Building Control

FOR CONSTRUCTION
03 MAR 2026
TECHNICAL
WOH HUP (PRIVATE) LIMITED
MARINA VIEW RESIDENCES (MVR)

PE'S CERTIFICATION



AC'S CERTIFICATION

ACCREDITED CHECKER
NO:1089
KOK KING MIN
In AC Organisation
Registration No: A054
BUILDING CONTROL ACT
SINGAPORE

CONSTRUCTION SKETCH

ISSUED
19 SEPT 2025
KTP CONSULTANTS PTE LTD

REV	AMENDMENTS	DR	DES	CHK	DATE
2	REVISED SLAB REINFORCEMENT				17.09.25
1	REVISED SLAB REINFORCEMENT				05.03.25

PROJECT
PROPOSED NEW ERECTION OF 51 STOREY MIXED USE DEVELOPMENT COMPRISING 5 STOREY HOTEL AND CARPARK PODIUM, 9 STOREY HOTEL (350 ROOMS), 36/37 STOREY RESIDENTIAL FLATS (683 UNITS) AND 2 BASEMENTS ON LOTS 00483K AND 00484N TS 30 AND SUBTERRANEAN SPACE LOT 800772C TS 30 AT MARINA VIEW (DOWNTOWN CORE PLANNING AREA)

ARCHITECT
ARCHITECT 61 PTE. LTD.

KTP **KTP Consultants Pte Ltd**
Surbana Jurong Campus 38 Cleantech
Loop, #01-314 Singapore 638741
Member of the Surbana Jurong Group Tel : +65 6248 1288

DRAWN: CH DATE: DESIGNED: JS/AP/FS
SCALE: 1:150 CHECKED: ChewAL

DWG. NO. 21.070/L17S2

LEVEL - 17 TO L33, L36 TO L48 TYPICAL SLAB BOTTOM REINFORCEMENT LAYOUT

THE OWNERSHIP OF THE COPYRIGHT IN THIS DRAWING IS RETAINED BY KTP CONSULTANTS. WHOSE CONSENT MUST BE SOUGHT BEFORE ANY USE OR REPRODUCTION OF THE DRAWING OR ANY PART THEREOF CAN BE MADE.



for Commissioner of Building Control

DT-MVR-C&S-165

FOR CONSTRUCTION

21 MAR 2025

TECHNICAL
WOH HUP (PRIVATE) LIMITED
MARINA VIEW RESIDENCES (MV

PE'S CERTIFICATION



ACCREDITED CHECKER

NO: 1089

KOK KING MIN
In AC Organisation
Registration No: A054
BUILDING CONTROL ACT
SINGAPORE

CONSTRUCTION DRAWING

ISSUED

19 MARCH 2025

KTP CONSULTANTS PTE LTD

[illegible]

REV	AMENDMENTS	DR	DES	CHK	DATE
-----	------------	----	-----	-----	------

PROJECT

PROPOSED NEW ERECTION OF 51 STOREY MIXED USE DEVELOPMENT COMPRISING 5 STOREY HOTEL AND CARPARK PODIUM, 9 STOREY HOTEL (350 ROOMS), 36/37 STOREY RESIDENTIAL FLATS (683 UNITS) AND 2 BASEMENTS ON LOTS 00483K AND 00484N TS 30 AND SUBTERRANEAN SPACE LOT 800772C TS 30 AT MARINA VIEW (DOWNTOWN CORE PLANNING AREA)

ARCHITECT

ARCHITECT 61 PTE. LTD.



DRAWN: CH

DATE:

DESIGNED: JS/AP/FS


SCALE: AS SHOWN

CHECKED: ChewAL


DWG. NO. 21.070/SW/T2

STAIRCASE SHELTER TYPICAL DETAILS - 2


THE OWNERSHIP OF THE COPYRIGHT IN THIS DRAWING IS RETAINED BY KTP CONSULTANTS WHOSE CONSENT MUST BE SOUGHT BEFORE ANY USE OR REPRODUCTION OF THE DRAWING OR ANY PART THEREOF CAN BE MADE.




TYPICAL ELEVATION




SHEAR KEY DETAIL




LIFTING HOOK DETAIL



TYPICAL DETAIL OF TRIMMER BARS
FOR VENTILATION SLEEVE




5-5



TYP. SS DOOR OPENING DETAILS

NOTE:

1. SIZE OF DOOR OPENING REFER TO ARCH DWG.
2. DETAILS OF PROFILE TO FOLLOW APPROVED SS DOOR MANUFACTURE'S SHOP DWGS.



SECTION A-A

SYMBOL	NAME	ABBREVIATIONS
	RL SERVICE LIFT	RL
	PL PASSENGER LIFT	PL
	SS STOREY SHELTER	SS

SYMBOL	NAME	ABBREVIATIONS
	RL SERVICE LIFT	RL
	PL PASSENGER LIFT	PL
	SS STOREY SHELTER	SS

SYMBOL	NAME	ABBREVIATIONS
	RL SERVICE LIFT	RL
	PL PASSENGER LIFT	PL
	SS STOREY SHELTER	SS

SYMBOL	NAME	ABBREVIATIONS
	RL SERVICE LIFT	RL
	PL PASSENGER LIFT	PL
	SS STOREY SHELTER	SS

SYMBOL	NAME	ABBREVIATIONS
	RL SERVICE LIFT	RL
	PL PASSENGER LIFT	PL
	SS STOREY SHELTER	SS

SYMBOL	NAME	ABBREVIATIONS
	RL SERVICE LIFT	RL
	PL PASSENGER LIFT	PL
	SS STOREY SHELTER	SS


SYMBOL	NAME	ABBREVIATIONS
	RL SERVICE LIFT	RL
	PL PASSENGER LIFT	PL
	SS STOREY SHELTER	SS

SYMBOL	NAME	ABBREVIATIONS
	RL SERVICE LIFT	RL
	PL PASSENGER LIFT	PL
	SS STOREY SHELTER	SS

SYMBOL	NAME	ABBREVIATIONS
	RL SERVICE LIFT	RL
	PL PASSENGER LIFT	PL
	SS STOREY SHELTER	SS

SYMBOL	NAME	ABBREVIATIONS
	RL SERVICE LIFT	RL
	PL PASSENGER LIFT	PL
	SS STOREY SHELTER	SS

SYMBOL	NAME	ABBREVIATIONS
	RL SERVICE LIFT	RL
	PL PASSENGER LIFT	PL
	SS STOREY SHELTER	SS





SYMBOL	NAME	ABBREVIATIONS
	RL SERVICE LIFT	RL
	PL PASSENGER LIFT	PL
	SS STOREY SHELTER	SS

SYMBOL	NAME	ABBREVIATIONS
	RL SERVICE LIFT	RL
	PL PASSENGER LIFT	PL
	SS STOREY SHELTER	SS


SYMBOL	NAME	ABBREVIATIONS
	RL SERVICE LIFT	RL
	PL PASSENGER LIFT	PL
	SS STOREY SHELTER	SS

SYMBOL	NAME	ABBREVIATIONS
	RL SERVICE LIFT	RL
	PL PASSENGER LIFT	PL
	SS STOREY SHELTER	SS




MAX. BEARING
PRESSURE = 15 N/mm²
BEARING
AREA = 10725 mm²


NOTE:
THE REQUIRED CUBE COMPRESSIVE
STRENGTH OF THE CONCRETE AT THE
TIME OF LOADING ≥ 15 N/mm²




JACKING & SUPPORT BEAM TILTFOOT SET OUT DETAIL




NOTE: ALL REBAR T13
TILTFOOT WALL RECESS
ADDITIONAL REBAR DETAIL







WORKING DRAWING
04 JULY 2024





DETAIL-1:
Required wall Recess Dimensions
for Tiltfoot Pockets of Jacking & Support Beam
for Auto climb wallform system




MAIN CONTRACTOR :		PROJECT :		DRAWING :	
	WOH HUP (PRIVATE) LIMITED BUILDING WITH INTEGRITY 217 UPPER BUKIT TIMAH ROAD WOH HUP BUILDING, SINGAPORE 588185 TEL : 63858685 FAX : 62723322		PROPOSED NEW ERECTION OF 51 STOREY MIXED USE DEVELOPMENT COMPRISING 5 STOREY HOTEL AND CARPARK PODIUM, 9 STOREY HOTEL (350 ROOMS), 36/37 STOREY RESIDENTIAL FLATS (683 UNITS) AND 2 BASEMENTS ON LOT 00483K AND 00484N TS 30 AND SUBTERRANEAN SPACE LOT 80072C TS 30 AT MARINA VIEW (DOWNTOWN CORE PLANNING AREA)		TILT FOOT DETAILS
		SUPPLIER :		DRAWN BY : JM	
				CHECKED BY : DUS	
		Nuform System Asia Pte Ltd No. 21, Fourth Cross Street, Singapore 051079 Tel No. (65) 6214 0240 (Main Line) Fax No. (65) 6445 3282 (Email: enq@nuform.com.sg)		SCALE : 1:40	
				DATE : 04-07-2024	
		PROJECT NO : NU-22-015			REV :
		NUFORM DRAWING NO : NU-22-015-NFAC			R2
		PAGE NO : 06			



SYSTEM 1A



PLAN - ANCHOR DETAIL FOR GUIDE SUSPENSION SHOE



SIDE VIEW - ANCHOR DETAIL FOR GUIDE SUSPENSION SHOE

WORKING DRAWING
26 SEP 2024

MAIN CONTRACTOR :



WOH HUP (PRIVATE) LIMITED
BUILDING WITH INTEGRITY 217 UPPER BUKIT TIMAH
ROAD WOH HUP BUILDING, SINGAPORE 588185
TEL : 63858585 FAX : 62723322

PROJECT :

PROPOSED NEW ERECTION OF 51 STOREY MIXED USE
DEVELOPMENT COMPRISING 5 STOREY HOTEL AND
CARPARK PODIUM, 9 STOREY HOTEL (350 ROOMS),
36/37 STOREY RESIDENTIAL FLATS (883 UNITS) AND 2
BASEMENTS ON LOT 00483K AND 00484N TS 30 AND
SUBTERRANEAN SPACE LOT 80072C TS 30 AT MARINA
VIEW (DOWNTOWN CORE PLANNING AREA)

SUPPLIER :

NUFORM
Nuform System Asia Pte Ltd
No.21, Fourth Chai Bin Rd,
Singapore 619706
Tel No. (65) 6214 9244(Main Line)
Fax No. (65) 6445 3282
Email: enquiry@nuform.com.sg

DRAWING :

GENERAL DETAILS

DRAWN BY : MISU

CHECKED BY : DUS

SCALE : 1:50

DATE : 08-08-2024

PROJECT NO : NU-22-015

REV :

NUFORM DRAWING NO : NU-22-015-NFAC

R0

PAGE NO : 05