

EXPERIMENT 4

Student Name: PUNYA ARORA
Branch: AIT-CSE-AIML
Semester: 5
Subject Name: ADBMS

UID: 24BAI70928
Section/Group: 24AIT_KRG1_B
Subject Code: 24CSP-310

QUESTION A:

You are given a table `tbl_happiness` that contains the ranking of happiness for different countries. Your task is to retrieve all the records from the table while ensuring that "India" and "Sri Lanka" appear at the top, followed by the rest of the countries in their original ranking order.

QUERY:

```

34 SELECT sno,rankings,country,
35 CASE
36 WHEN COUNTRY = 'India' THEN 1
37 WHEN COUNTRY = 'Sri Lanka' THEN 2
38 ELSE 3
39 END AS DERIVED
40 FROM tbl_happiness
41 ORDER BY DERIVED, RANKINGS
42
43
44
45

```

RESULT:

Data Output Messages Notifications				
Showing rows: 1 to 9 Page No: 1 of 1				
	sno [PK] integer	rankings integer	country character varying (50)	derived integer
1	8	126	India	1
2	9	128	Sri Lanka	2
3	1	1	Finland	3
4	2	2	Denmark	3
5	3	3	Iceland	3
6	4	4	Israel	3
7	5	5	Netherlands	3
8	6	6	Sweden	3
9	7	7	Norway	3

Total rows: 9 Query complete 00:00:00.143
 Successfully run. Total query runtime: 143 msec. 9 rows affected.

QUESTION B:

You are given a table `tbl_happiness` that contains the ranking of happiness for different countries. Your task is to retrieve all the records from the table while ensuring that

EXPERIMENT 4

"India" and "Sri Lanka" appear at the top, followed by the rest of the countries in their original ranking order.

Make all the rankings in descending order except India and Sri Lanka.

QUERY:

```

34 SELECT sno,rankings,country,
35 CASE
36 WHEN COUNTRY = 'India' THEN 1
37 WHEN COUNTRY = 'Sri Lanka' THEN 2
38 ELSE 3
39 END AS DERIVED
40 FROM tbl_happiness
41 ORDER BY DERIVED, RANKINGS
42
43
44
45

```

RESULT:

Data Output Messages Notifications				
Showing rows: 1 to 9 Page No: 1 of 1				
	sno [PK] integer	rankings integer	country character varying (50)	derived integer
1	8	126	India	1
2	9	128	Sri Lanka	2
3	1	1	Finland	3
4	2	2	Denmark	3
5	3	3	Iceland	3
6	4	4	Israel	3
7	5	5	Netherlands	3
8	6	6	Sweden	3
9	7	7	Norway	3

Successfully run. Total query runtime: 143 msec. 9 rows affected.

Total rows: 9 Query complete 00:00:00.143 CRLF Ln 34, Col 1

QUESTION C:

A company maintains employee information in a single table where each employee may report to another employee acting as their manager. Prepare a report that displays the details of every employee who supervises at least one other employee. The report should include the manager's employee ID, name, total number of direct reports, and the average age of those reporting employees. The average age should be rounded to the nearest whole number and the final result should be sorted by employee ID.

QUERY:

EXPERIMENT 4

```

61
62
63 SELECT e1.employee_id, e1.name, count(e2.reports_to) as report_count, round(AVG(e2.age))
64 FROM Employees as e1
65 join Employees as e2
66 on e1.employee_id = e2.reports_to
67 group by e1.employee_id;
68
69
70
71
72
73
74
75
76
77

```

RESULT:

Data Output Messages Notifications				
sno	rankings	country	derived	
[PK] Integer	Integer	character varying (50)	integer	
1	8	India	1	
2	9	Sri Lanka	2	
3	7	Norway	3	
4	6	Sweden	3	
5	5	Netherlands	3	
6	4	Israel	3	
7	3	Iceland	3	
8	2	Denmark	3	
9	1	Finland	3	

Total rows: 9 Query complete 00:00:00.194 CRLF Ln 36, Col 13

Data Output Messages Notifications				
employee_id	name	report_count	round	
Integer	character varying (50)	bigint	numeric	
1	9 Hercy	2	39	