

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg000461l_000028.1	7091.BGIBMGA007261-TA	4.55e-113	333.0	GO:0008150,GO:0050789,␣	NUDIX domain
_ptg002585l_000006.1	34740.HMEL005273-PA	7.45e-76	241.0	GO:0008150,GO:0032502	Protein of unknown function (DUF745)
_ptg000183l_000002.1	69319.XP_008559126.1	3.54e-122	357.0	GO:0008150,GO:0009987,␣	Defective proboscis extension response
_ptg001588l_000001.1	69319.XP_008559126.1	3.54e-122	357.0	GO:0008150,GO:0009987,␣	Defective proboscis extension response
_ptg000235l_000022.1	69319.XP_008559126.1	2.28e-102	306.0	GO:0008150,GO:0009987,␣	Defective proboscis extension response
_ptg000282l_000002.1	7070.TC016222-PA	4.98e-45	166.0	GO:0007275,GO:0007399,␣	activity. It is involved in the biological process described with pro
_ptg000642l_000009.1	13037.EHJ68075	1.22e-114	341.0	GO:0007275,GO:0007399,␣	Aldo/keto reductase family
_ptg003917l_000001.1	34740.HMEL008043-PA	9.01e-60	198.0	GO:0007155,GO:0007157,␣	Immunoglobulin
_ptg002459l_000005.1	7070.TC005765-PA	1.5e-41	152.0	GO:0007155,GO:0007157,␣	Immunoglobulin
_ptg002559l_000025.1	34740.HMEL006685-PA	3.35e-84	260.0	GO:0007155,GO:0007157,␣	Immunoglobulin
_ptg000776l_000004.1	13037.EHJ70658	9.14e-83	254.0	GO:0007155,GO:0007157,␣	heterophilic cell-cell adhesion via plasma membrane cell adhesi
_ptg000762l_000057.1	34740.HMEL008043-PA	3.01e-78	243.0	GO:0007155,GO:0007157,␣	Immunoglobulin
_ptg002197l_000003.1	34740.HMEL008043-PA	4.92e-77	239.0	GO:0007155,GO:0007157,␣	Immunoglobulin
_ptg000838l_000031.1	34740.HMEL017125-PA	3.7e-174	502.0	GO:0006582,GO:0006725,␣	Major royal jelly protein
_ptg002544l_000002.1	13037.EHJ78881	4.81e-208	585.0	GO:0006582,GO:0006725,␣	Major royal jelly protein
_ptg000455l_000031.1	7091.BGIBMGA007253-TA	8.27e-227	632.0	GO:0006582,GO:0006725,␣	Major royal jelly protein
_ptg000455l_000002.1	103372.F4WTZ2	2.23e-34	142.0	GO:0006582,GO:0006725,␣	Major royal jelly protein
_ptg000334l_000003.1	13037.EHJ76181	2.9e-79	238.0	GO:0005575,GO:0005911,␣	-
_ptg001456l_000020.1	7091.BGIBMGA007902-TA	1.55e-51	183.0	GO:0005575,GO:0005623,␣	Chitin-binding domain type 2
_ptg002080l_000016.1	13037.EHJ70134	1.34e-81	245.0	GO:0005575,GO:0005623,␣	-
_ptg004061l_000005.1	34740.HMEL009412-PA	3.14e-42	143.0	GO:0005575,GO:0005623,␣	-
_ptg000517l_000012.1	13037.EHJ70862	0.0	1329.0	GO:0005575,GO:0005623,␣	Domain first found in C1r, C1s, uEGF, and bone morphogenetic
_ptg002368l_000046.1	34740.HMEL000006-PA	5.4e-290	807.0	GO:0005575,GO:0005623,␣	Trehalase
_ptg000398l_000017.1	69319.XP_008548518.1	3.97e-26	116.0	GO:0005575,GO:0005623,␣	Immunoglobulin like
_ptg001471l_000040.1	34740.HMEL006250-PA	3.19e-99	301.0	GO:0005575,GO:0005623,␣	-
_ptg001021l_000001.1	7091.BGIBMGA000046-TA	2.36e-101	307.0	GO:0005575,GO:0005623,␣	Protein of unknown function (DUF1676)
_ptg001021l_000007.1	34740.HMEL010680-PA	4.36e-68	233.0	GO:0005575,GO:0005623,␣	Protein of unknown function (DUF1676)
_ptg002624l_000002.1	13037.EHJ76665	2.84e-95	285.0	GO:0005575,GO:0005623,␣	Protein of unknown function (DUF1676)
_ptg000247l_000001.1	34740.HMEL010664-PA	1.13e-86	263.0	GO:0005575,GO:0005623,␣	Protein of unknown function (DUF1676)

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg006009l_000002.1	13037.EHJ76667	6.64e-111	325.0	GO:0005575,GO:0005623,⌢	(Protein of unknown function (DUF1676)
_ptg001021l_000030.1	13037.EHJ76667	6.64e-111	325.0	GO:0005575,GO:0005623,⌢	(Protein of unknown function (DUF1676)
_ptg002053l_000016.1	34740.HMEL011658-PA	3.34e-120	349.0	GO:0005575,GO:0005623,⌢	(Protein of unknown function (DUF1676)
_ptg001529l_000008.1	34740.HMEL015729-PA	1.3e-41	143.0	GO:0005575,GO:0005623,⌢	-
_ptg002494l_000005.1	13037.EHJ73900	9.09e-240	667.0	GO:0005575,GO:0005623,⌢	Immunoglobulin V-set domain
_ptg000002l_000023.1	7070.TC010860-PA	2.21e-116	358.0	GO:0005575,GO:0005623,⌢	Immunoglobulin
_ptg000809l_000037.1	13037.EHJ77291	4.62e-237	658.0	GO:0005575,GO:0005623,⌢	Immunoglobulin domain
_ptg000012l_000002.1	34740.HMEL015735-PA	1.48e-69	218.0	GO:0005575,GO:0005622,⌢	-
_ptg000012l_000018.1	7460.GB54393-PA	3.31e-16	78.6	GO:0005575,GO:0005622,⌢	-
_ptg001219l_000021.1	34740.HMEL007207-PA	4.92e-81	242.0	GO:0005575,GO:0005622,⌢	-
_ptg000075l_000001.1	34740.HMEL012294-PA	5.63e-71	216.0	GO:0005575,GO:0005622,⌢	-
_ptg003327l_000002.1	13037.EHJ72991	5.59e-19	88.6	GO:0005575,GO:0005622,⌢	Hyccin
_ptg000254l_000002.1	7070.TC015126-PA		146 49.3	GO:0005575,GO:0005622,⌢	DNA- binding
_ptg001766l_000037.1	34740.HMEL009151-PA	1.13e-51	191.0	GO:0005575,GO:0005576,⌢	Epidermal growth factor-like domain.
_ptg000118l_000023.1	7091.BGIBMGA011574-TA	1.32e-11	74.7	GO:0005575,GO:0005576,⌢	Kazal type serine protease inhibitors
_ptg009032l_000002.1	7091.BGIBMGA011574-TA	2.18e-12	77.0	GO:0005575,GO:0005576,⌢	Kazal type serine protease inhibitors
_ptg000541l_000004.1	13037.EHJ74656	1.03e-79	238.0	GO:0005575,GO:0005576,⌢	Single domain von Willebrand factor type C
_ptg000595l_000064.1	7091.BGIBMGA003408-TA	2.83e-90	274.0	GO:0005575,GO:0005576,⌢	Haemolymph juvenile hormone binding protein (JHBP)
_ptg001365l_000008.1	34740.HMEL003114-PA	3.76e-35	124.0	GO:0005575,GO:0005576,⌢	Insect pheromone-binding family, A10/OS-D
_ptg001365l_000009.1	13037.EHJ73330	2.77e-61	191.0	GO:0005575,GO:0005576,⌢	Insect pheromone-binding family, A10/OS-D
_ptg001365l_000061.1	12957.ACEP17181-PA	4.47e-12	65.5	GO:0005575,GO:0005576,⌢	chemosensory protein
_ptg002165l_000010.1	13037.EHJ64856	2.08e-81	247.0	GO:0005575,GO:0005576,⌢	Lipocalin-like domain
_ptg000901l_000018.1	34740.HMEL012357-PA	1.15e-76	236.0	GO:0005575,GO:0005576,⌢	Lipocalin / cytosolic fatty-acid binding protein family
_ptg000110l_000014.1	13037.EHJ72312	0.0	950.0	GO:0005575,GO:0005576,⌢	Trypsin-like serine protease
_ptg000002l_000028.1	34740.HMEL012261-PA	6.82e-170	482.0	GO:0005575,GO:0005576,⌢	Immunoglobulin
_ptg000126l_000042.1	13037.EHJ75254	4.38e-155	451.0	GO:0005575,GO:0005576,⌢	Immunoglobulin C-2 Type
_ptg000282l_000026.1	13037.EHJ75254	1.26e-99	308.0	GO:0005575,GO:0005576,⌢	Immunoglobulin C-2 Type
_ptg002667l_000005.1	34740.HMEL011374-PA	1.17e-144	434.0	GO:0005575,GO:0005576	Histidine phosphatase superfamily (branch 2)
_ptg002080l_000015.1	13037.EHJ76224	4.03e-150	431.0	GO:0005575,GO:0005576	SCP / Tpx-1 / Ag5 / PR-1 / Sc7 family of extracellular domains.

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg000888l_000009.1	13037.EHJ66495	1.27e-43	155.0	GO:0005575,GO:0005576	It is likely that the major role of L-chain is to prevent the retention
_ptg004729l_000001.1	13037.EHJ78463	1.19e-10	67.8	GO:0005575,GO:0005576	Attacin, N-terminal region
_ptg0004675l_000040.1	7091.BGIBMGA011549-TA		421 48.9	GO:0005575,GO:0005576	Haemolymph juvenile hormone binding protein (JHBP)
_ptg002637l_000014.1	13037.EHJ76079		169 50.1	GO:0005575,GO:0005576	Haemolymph juvenile hormone binding protein (JHBP)
_ptg002637l_000005.1	7091.BGIBMGA011549-TA		494 48.5	GO:0005575,GO:0005576	Haemolymph juvenile hormone binding protein (JHBP)
_ptg002637l_000008.1	13037.EHJ76079	5.91e-07	57.0	GO:0005575,GO:0005576	Haemolymph juvenile hormone binding protein (JHBP)
_ptg002637l_000006.1	13037.EHJ76079	3.6e-08	60.5	GO:0005575,GO:0005576	Haemolymph juvenile hormone binding protein (JHBP)
_ptg000370l_000028.1	13037.EHJ66285	4.23e-07	57.0	GO:0005575,GO:0005576	Fibroin P25
_ptg001448l_000006.1	13037.EHJ66285	1.93e-73	228.0	GO:0005575,GO:0005576	Fibroin P25
_ptg002080l_000009.1	7091.BGIBMGA012451-TA	3.14e-15	79.0	GO:0005575,GO:0005576	SCP / Tpx-1 / Ag5 / PR-1 / Sc7 family of extracellular domains.
_ptg002637l_000009.1	13037.EHJ76079	6.02e-05	50.8	GO:0005575,GO:0005576	Haemolymph juvenile hormone binding protein (JHBP)
_ptg002637l_000007.1	13037.EHJ76079	7.84e-05	50.4	GO:0005575,GO:0005576	Haemolymph juvenile hormone binding protein (JHBP)
_ptg002637l_000010.1	13037.EHJ76079	2.47e-31	121.0	GO:0005575,GO:0005576	Haemolymph juvenile hormone binding protein (JHBP)
_ptg002637l_000004.1	13037.EHJ76079		841 47.4	GO:0005575,GO:0005576	Haemolymph juvenile hormone binding protein (JHBP)
_ptg004675l_000039.1	7091.BGIBMGA011549-TA		35 47.8	GO:0005575,GO:0005576	Haemolymph juvenile hormone binding protein (JHBP)
_ptg002637l_000016.1	13037.EHJ76079		798 46.6	GO:0005575,GO:0005576	Haemolymph juvenile hormone binding protein (JHBP)
_ptg001365l_000017.1	13037.EHJ76401	9.65e-48	159.0	GO:0005575,GO:0005576	Insect pheromone-binding family, A10/OS-D
_ptg004675l_000041.1	7091.BGIBMGA011549-TA	6.05e-06	51.6	GO:0005575,GO:0005576	Haemolymph juvenile hormone binding protein (JHBP)
_ptg005169l_000002.1	34740.HMEL012615-PA	1.49e-07	53.5	GO:0005575,GO:0005576	Hormone activity
_ptg002422l_000019.1	13037.EHJ66193	5.37e-13	67.4	GO:0005575,GO:0005576	Brain peptide responsible for activation of prothoracic glands to
_ptg002422l_000007.1	34740.HMEL010265-PA	7.53e-13	66.6	GO:0005575,GO:0005576	Brain peptide responsible for activation of prothoracic glands to
_ptg002080l_000003.1	7091.BGIBMGA012451-TA	3.38e-06	51.2	GO:0005575,GO:0005576	SCP / Tpx-1 / Ag5 / PR-1 / Sc7 family of extracellular domains.
_ptg002667l_000031.1	13037.EHJ65750	1.76e-160	449.0	GO:0003674,GO:0005488, C-type lectin (CTL) or carbohydrate-recognition domain (CRD)	
_ptg000960l_000080.1	13037.EHJ70690	2.18e-158	446.0	GO:0003674,GO:0005488, C-type lectin (CTL) or carbohydrate-recognition domain (CRD)	
_ptg003975l_000011.1	34740.HMEL003322-PA	3.31e-157	440.0	GO:0003674,GO:0005488, C-type lectin (CTL) or carbohydrate-recognition domain (CRD)	
_ptg003706l_000001.1	34740.HMEL003322-PA	3.31e-157	440.0	GO:0003674,GO:0005488, C-type lectin (CTL) or carbohydrate-recognition domain (CRD)	
_ptg001205l_000016.1	34740.HMEL003322-PA	3.31e-157	440.0	GO:0003674,GO:0005488, C-type lectin (CTL) or carbohydrate-recognition domain (CRD)	
_ptg001456l_000019.1	13037.EHJ72410	2.52e-152	430.0	GO:0003674,GO:0005488, Chitin-binding domain type 2	
_ptg001456l_000004.1	34740.HMEL010346-PA	4.32e-181	507.0	GO:0003674,GO:0005488, Chitin-binding domain type 2	

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg001456l_000003.1	7091.BGIBMGA007677-TA	7.76e-190	526.0	GO:0003674,GO:0005488,⌢	Chitin-binding domain type 2
_ptg001456l_000017.1	7091.BGIBMGA007899-TA	3.16e-170	475.0	GO:0003674,GO:0005488,⌢	Chitin-binding domain type 2
_ptg001951l_000014.1	13037.EHJ71710	4.7e-65	199.0	GO:0003674,GO:0005488,⌢	DAN domain
_ptg001432l_000020.1	13037.EHJ72909	9.64e-58	194.0	GO:0003674,GO:0005488,⌢	Immunoglobulin domain
_ptg000936l_000007.1	34740.HMEL014145-PB	5.58e-52	177.0	GO:0003674,GO:0005488,⌢	Immunoglobulin C-2 Type
_ptg000398l_000005.1	121225.PHUM249000-PA	1.3e-69	226.0	GO:0003674,GO:0005488,⌢	EF-hand domain pair
_ptg009024l_000001.1	43151.ADAC005769-PA	3.19e-10	63.9	GO:0003674,GO:0005488,⌢	ML domain
_ptg002363l_000003.1	34740.HMEL015186-PA	2.36e-80	265.0	GO:0003674,GO:0005215,⌢	MFS_1 like family
_ptg002483l_000023.1	34740.HMEL002657-PA	1.5e-93	290.0	GO:0003674,GO:0005215,⌢	Neurotransmitter-gated ion-channel transmembrane region
_ptg000184l_000008.1	34740.HMEL004830-PA	1.46e-148	433.0	GO:0003674,GO:0005198,⌢	-
_ptg000471l_000023.1	13037.EHJ72988	1.22e-63	202.0	GO:0003674,GO:0005198,⌢	Domain of unknown function, currently peculiar to Drosophila.
_ptg004318l_000006.1	34740.HMEL002722-PA	1.45e-68	223.0	GO:0003674,GO:0005198,⌢	Domain of unknown function, currently peculiar to Drosophila.
_ptg001048l_000010.1	13037.EHJ76738	4.53e-75	240.0	GO:0003674,GO:0005198,⌢	Insect cuticle protein
_ptg000065l_000010.1	7091.BGIBMGA010913-TA	3.91e-102	311.0	GO:0003674,GO:0005198,⌢	Structural constituent of cuticle
_ptg001048l_000009.1	34740.HMEL009296-PA	4.97e-74	235.0	GO:0003674,GO:0005198,⌢	Insect cuticle protein
_ptg000445l_000012.1	7091.BGIBMGA010231-TA	2.52e-39	146.0	GO:0003674,GO:0005198,⌢	Insect cuticle protein
_ptg001324l_000009.1	34740.HMEL003074-PA	1.55e-102	306.0	GO:0003674,GO:0005198,⌢	Insect cuticle protein
_ptg000065l_000036.1	7091.BGIBMGA010899-TA	2.4e-53	179.0	GO:0003674,GO:0005198,⌢	Insect cuticle protein
_ptg000743l_000002.1	34740.HMEL005418-PA	9.06e-86	272.0	GO:0003674,GO:0005198,⌢	Insect cuticle protein
_ptg001345l_000006.1	13037.EHJ73497	1.09e-45	158.0	GO:0003674,GO:0005198,⌢	Insect cuticle protein
_ptg000743l_000001.1	34740.HMEL005419-PA	1.01e-50	177.0	GO:0003674,GO:0005198,⌢	Insect cuticle protein
_ptg004061l_000011.1	7091.BGIBMGA012861-TA	3.31e-80	245.0	GO:0003674,GO:0005198,⌢	Structural constituent of cuticle
_ptg003057l_000042.1	7370.XP_005181331.1	3.12e-21	94.0	GO:0003674,GO:0005198,⌢	Structural constituent of cuticle
_ptg000656l_000012.1	34740.HMEL000058-PA	6.68e-40	140.0	GO:0003674,GO:0005198,⌢	Insect cuticle protein
_ptg000936l_000008.1	7176.CPIJ017925-PA	6.93e-55	178.0	GO:0003674,GO:0005198,⌢	Insect cuticle protein
_ptg000268l_000009.1	13037.EHJ69818	7.88e-42	145.0	GO:0003674,GO:0005198,⌢	cuticle protein
_ptg000845l_000006.1	7091.BGIBMGA012657-TA	5.84e-54	176.0	GO:0003674,GO:0005198,⌢	Insect cuticle protein
_ptg000705l_000006.1	13037.EHJ66136	6.49e-29	117.0	GO:0003674,GO:0005198,⌢	Insect cuticle protein
_ptg000445l_000041.1	7091.BGIBMGA010140-TA	1.08e-49	164.0	GO:0003674,GO:0005198,⌢	Insect cuticle protein

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg003990l_000014.1	7091.BGIBMGA000332-TA	7.84e-38	134.0	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg000445l_000043.1	7091.BGIBMGA010231-TA	2.46e-37	137.0	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg001952l_000003.1	13037.EHJ69818	4.13e-41	143.0	GO:0003674,GO:0005198,␣	cuticle protein
_ptg003057l_000005.1	13037.EHJ67164	9.45e-43	149.0	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg001025l_000008.1	7091.BGIBMGA013163-TA	2.31e-56	181.0	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg000445l_000042.1	7217.FBpp0121649	1.93e-22	96.7	GO:0003674,GO:0005198,␣	Structural constituent of cuticle
_ptg000743l_000003.1	13037.EHJ74700	4,00E-61	192.0	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg003990l_000009.1	34740.HMEL007003-PA	8.25e-67	206.0	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg000445l_000013.1	34740.HMEL009480-PA	5.16e-53	171.0	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg000705l_000005.1	34740.HMEL005738-PA	2.1e-51	166.0	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg003990l_000015.1	13037.EHJ74695	6.69e-62	192.0	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg000705l_000007.1	13037.EHJ66136	3.1e-53	179.0	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg000743l_000005.1	7091.BGIBMGA000340-TA	1.14e-39	137.0	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg001648l_000003.1	7091.BGIBMGA0002548-TA	9.37e-06	48.9	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg002467l_000005.1	7159.AAEL012883-PA	6.67e-06	49.3	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg000705l_000010.1	7091.BGIBMGA000250-TA	3.05e-44	148.0	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg003057l_000001.1	13037.EHJ73498	9.43e-63	194.0	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg000743l_000006.1	34740.HMEL006014-PA	9.32e-46	160.0	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg000743l_000004.1	13037.EHJ67549	4.88e-20	90.5	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg002467l_000006.1	7091.BGIBMGA0002548-TA	2.46e-38	131.0	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg002467l_000025.1	7091.BGIBMGA0002548-TA	3.49e-38	130.0	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg001503l_000002.1	7091.BGIBMGA0002548-TA	2.11e-39	134.0	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg001648l_000005.1	7091.BGIBMGA0002548-TA	2.46e-38	131.0	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg001648l_000001.1	7091.BGIBMGA0002548-TA	7.03e-38	130.0	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg001648l_000019.1	7091.BGIBMGA0002548-TA	6.04e-39	132.0	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg001648l_000018.1	7091.BGIBMGA0002548-TA	7.03e-38	130.0	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg002467l_000004.1	7091.BGIBMGA0002548-TA	2.11e-39	134.0	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg001503l_000057.1	7091.BGIBMGA0002548-TA	2.46e-38	131.0	GO:0003674,GO:0005198,␣	Insect cuticle protein
_ptg001503l_000054.1	7091.BGIBMGA0002548-TA	3.49e-38	130.0	GO:0003674,GO:0005198,␣	Insect cuticle protein

Gene Ontology annotations of the predicted *Leucoptera coffeella* secretome using eggNOG-mapper.

#query	seed_ortholog	evalue	score	GOs	Description
_ptg001503l_000003.1	7091.BGIBMGA002548-TA	7.03e-38	130.0	GO:0003674,GO:0005198,⚡	Insect cuticle protein
_ptg002368l_000003.1	7091.BGIBMGA000346-TA	7.34e-55	172.0	GO:0003674,GO:0005198,⚡	Insect cuticle protein
_ptg001503l_000056.1	7091.BGIBMGA002548-TA	1.23e-32	116.0	GO:0003674,GO:0005198,⚡	Insect cuticle protein
_ptg001503l_000055.1	7091.BGIBMGA002548-TA	3.51e-32	115.0	GO:0003674,GO:0005198,⚡	Insect cuticle protein
_ptg001648l_000004.1	7091.BGIBMGA002548-TA	2.48e-32	115.0	GO:0003674,GO:0005198,⚡	Insect cuticle protein
_ptg002368l_000004.1	34740.HMEL006020-PA	3.21e-87	280.0	GO:0003674,GO:0005198,⚡	Structural constituent of cuticle
_ptg000436l_000019.1	7091.BGIBMGA010320-TA	3.19e-27	123.0	GO:0003674,GO:0005198,⚡	Insect cuticle protein
_ptg001508l_000047.1	13037.EHJ77275	1.33e-104	315.0	GO:0003674,GO:0005102,⚡	positive regulation of brown fat cell differentiation
_ptg000686l_000001.1	7091.BGIBMGA002280-TA	2.51e-16	76.6	GO:0003674,GO:0005102,⚡	Pro-corazonin
_ptg000751l_000004.1	7091.BGIBMGA002280-TA	4.04e-26	100.0	GO:0003674,GO:0005102,⚡	Pro-corazonin
_ptg001110l_000014.1	43151.ADAC005816-PA	1.27e-07	55.5	GO:0003674,GO:0005102,⚡	-
_ptg003260l_000001.1	7460.GB40536-PA	3.13e-08	56.2	GO:0003674,GO:0005102,⚡	-
_ptg000292l_000034.1	34740.HMEL014249-PA	1.13e-63	197.0	GO:0003674,GO:0005102,⚡	Crustacean CHH/MIH/GIH neurohormone family
_ptg000390l_000029.1	34740.HMEL017221-PA	2.01e-216	601.0	GO:0003674,GO:0005102,⚡	DnaJ C terminal domain
_ptg002373l_000019.1	13037.EHJ65295	4.19e-53	176.0	GO:0003674,GO:0005102,⚡	-
_ptg000792l_000018.1	13037.EHJ69265	2.57e-163	467.0	GO:0003674,GO:0004857,⚡	EF-hand, calcium binding motif
_ptg002559l_000019.1	13037.EHJ57277	4.78e-73	240.0	GO:0003674,GO:0004857,⚡	SERine Proteinase INhibitors
_ptg000774l_000005.1	7091.BGIBMGA006456-TA	1.68e-272	769.0	GO:0003674,GO:0003824,⚡	Carboxylesterase family
_ptg001354l_000010.1	34740.HMEL017260-PA	1.39e-159	454.0	GO:0003674,GO:0003824,⚡	Sulfotransferase family
_ptg000706l_000006.1	7091.BGIBMGA014053-TA	2.69e-140	409.0	GO:0003674,GO:0003824,⚡	Lipase
_ptg001327l_000028.1	7091.BGIBMGA003664-TA	1.4e-146	420.0	GO:0003674,GO:0003824,⚡	Lipase
_ptg002330l_000003.1	13037.EHJ77429	1.12e-44	159.0	GO:0003674,GO:0003824,⚡	Sulfotransferase domain
_ptg001714l_000003.1	7091.BGIBMGA010291-TA	7.57e-255	716.0	GO:0003674,GO:0003824,⚡	Calceurin-like phosphoesterase
_ptg000582l_000007.1	13037.EHJ79090	9.45e-269	749.0	GO:0003674,GO:0003824,⚡	5'-nucleotidase, C-terminal domain
_ptg000320l_000008.1	34740.HMEL004856-PA	1.54e-132	387.0	GO:0003674,GO:0003824,⚡	DUF1907
_ptg000149l_000010.1	13037.EHJ65291	3.08e-38	132.0	GO:0003674,GO:0003824,⚡	HIUase/Transthyretin family
_ptg002373l_000017.1	34740.HMEL005870-PA	1.09e-20	87.8	GO:0003674,GO:0003824,⚡	HIUase/Transthyretin family
_ptg002165l_000001.1	34740.HMEL009079-PA	8.29e-106	344.0	GO:0003674,GO:0003824,⚡	Partial alpha/beta-hydrolase lipase region
_ptg000549l_000038.1	34740.HMEL009079-PA	3.46e-111	358.0	GO:0003674,GO:0003824,⚡	Partial alpha/beta-hydrolase lipase region

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg0003373l_000001.1	34740.HMEL009079-PA	3.27e-112	360.0	GO:0003674,GO:0003824,⚡	Partial alpha/beta-hydrolase lipase region
_ptg000101l_000029.1	34740.HMEL009079-PA	2.77e-111	357.0	GO:0003674,GO:0003824,⚡	Partial alpha/beta-hydrolase lipase region
_ptg000002l_000058.1	7091.BGIBMGA007547-TA	1.08e-138	421.0	GO:0003674,GO:0003824,⚡	Carboxylesterase family
_ptg002230l_000017.1	34740.HMEL010712-PA	1.23e-216	642.0	GO:0003674,GO:0003824,⚡	Carboxylesterase family
_ptg001017l_000017.1	7091.BGIBMGA007547-TA	7.9e-144	433.0	GO:0003674,GO:0003824,⚡	Carboxylesterase family
_ptg001017l_000012.1	7091.BGIBMGA007547-TA	1.15e-145	437.0	GO:0003674,GO:0003824,⚡	Carboxylesterase family
_ptg000308l_000031.1	13037.EHJ79051	6.03e-63	200.0	GO:0003674,GO:0003824,⚡	Phospholipase A2
_ptg000419l_000018.1	13037.EHJ72539	1.05e-237	657.0	GO:0003674,GO:0003824,⚡	It is involved in the biological process described with peptide me
_ptg000058l_000016.1	7091.BGIBMGA010240-TA	2.73e-309	853.0	GO:0003674,GO:0003824,⚡	Glyco_18
_ptg002669l_000004.1	13037.EHJ75621	2.03e-161	462.0	GO:0003674,GO:0003824,⚡	Glyco_18
_ptg001365l_000043.1	13037.EHJ74264	1.62e-182	523.0	GO:0003674,GO:0003824,⚡	Alpha galactosidase A
_ptg008942l_000004.1	34740.HMEL011894-PA	8.24e-277	767.0	GO:0003674,GO:0003824,⚡	Aamy_C
_ptg000595l_000035.1	34740.HMEL011894-PA	9.26e-301	828.0	GO:0003674,GO:0003824,⚡	Aamy_C
_ptg008942l_000002.1	7091.BGIBMGA005240-TA	9.95e-101	306.0	GO:0003674,GO:0003824,⚡	Aamy_C
_ptg002727l_000050.1	34740.HMEL003649-PA	2.49e-65	212.0	GO:0003674,GO:0003824,⚡	Ribonuclease T2 family
_ptg000047l_000001.1	13037.EHJ77421	1.9e-31	125.0	GO:0003674,GO:0003824,⚡	isocitrate dehydrogenase (NAD+) activity
_ptg000047l_000002.1	13037.EHJ77421	1.52e-48	168.0	GO:0003674,GO:0003824,⚡	isocitrate dehydrogenase (NAD+) activity
_ptg002804l_000002.1	13037.EHJ77421	7.98e-42	150.0	GO:0003674,GO:0003824,⚡	isocitrate dehydrogenase (NAD+) activity
_ptg001025l_000027.1	34740.HMEL013952-PA	3.02e-144	437.0	GO:0003674,GO:0003824,⚡	Carboxypeptidase activation peptide
_ptg001240l_000004.1	7091.BGIBMGA009487-TA	1.18e-165	479.0	GO:0003674,GO:0003824,⚡	Carboxypeptidase activation peptide
_ptg009017l_000003.1	13037.EHJ75108	5.37e-20	90.9	GO:0003674,GO:0003824,⚡	Carboxypeptidase activation peptide
_ptg001385l_000025.1	13037.EHJ72811	5.22e-147	434.0	GO:0003674,GO:0003824,⚡	Carboxypeptidase activation peptide
_ptg000521l_000003.1	7091.BGIBMGA006715-TA	3.97e-135	400.0	GO:0003674,GO:0003824,⚡	Zn_pept
_ptg000521l_000057.1	7091.BGIBMGA006715-TA	2.15e-157	456.0	GO:0003674,GO:0003824,⚡	Zn_pept
_ptg000521l_000004.1	34740.HMEL012576-PA	1.21e-93	293.0	GO:0003674,GO:0003824,⚡	Zn_pept
_ptg000549l_000054.1	34740.HMEL011930-PA	3.12e-44	170.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg003818l_000004.1	7091.BGIBMGA008668-TA	6.43e-139	420.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg001376l_000015.1	13037.EHJ73832	4.7e-141	412.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg000253l_000037.1	13037.EHJ71324	4.74e-73	234.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg0000055l_000022.1	13037.EHJ72039	2.15e-48	171.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg002261l_000002.1	7091.BGIBMGA008514-TA	4.73e-68	221.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg001324l_000014.1	34740.HMEL012021-PA	3.33e-61	209.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg000499l_000007.1	13037.EHJ70525	1.34e-89	276.0	GO:0003674,GO:0003824,⚡	serine-type endopeptidase activity. It is involved in the biological
_ptg001324l_000010.1	7091.BGIBMGA008514-TA	2.19e-69	224.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg000499l_000008.1	13037.EHJ70525	5.2e-89	274.0	GO:0003674,GO:0003824,⚡	serine-type endopeptidase activity. It is involved in the biological
_ptg001324l_000022.1	7091.BGIBMGA008514-TA	9.12e-78	245.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg001324l_000018.1	7091.BGIBMGA008514-TA	2.14e-75	239.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg001324l_000015.1	7091.BGIBMGA008514-TA	4.23e-64	210.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg001324l_000021.1	7091.BGIBMGA008514-TA	1.03e-64	212.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg002137l_000002.1	7091.BGIBMGA008514-TA	2.57e-65	213.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg002261l_000001.1	7091.BGIBMGA008514-TA	2.41e-73	234.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg002137l_000001.1	7091.BGIBMGA008514-TA	1.99e-102	308.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg001324l_000013.1	7091.BGIBMGA008514-TA	7.00E-103	309.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg001324l_000019.1	7091.BGIBMGA008514-TA	6.35e-96	291.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg000499l_000029.1	34740.HMEL005074-PA	6.09e-104	309.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg000517l_000005.1	13037.EHJ72380	2.94e-130	377.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg003238l_000001.1	34740.HMEL014233-PA	1.05e-107	333.0	GO:0003674,GO:0003824,⚡	serine-type endopeptidase activity. It is involved in the biological
_ptg001621l_000008.1	34740.HMEL014233-PA	2.08e-111	342.0	GO:0003674,GO:0003824,⚡	serine-type endopeptidase activity. It is involved in the biological
_ptg002704l_000002.1	34740.HMEL014233-PA	2.19e-114	349.0	GO:0003674,GO:0003824,⚡	serine-type endopeptidase activity. It is involved in the biological
_ptg002152l_000013.1	34740.HMEL014233-PA	4.37e-111	341.0	GO:0003674,GO:0003824,⚡	serine-type endopeptidase activity. It is involved in the biological
_ptg006521l_000007.1	34740.HMEL014233-PA	1.32e-115	352.0	GO:0003674,GO:0003824,⚡	serine-type endopeptidase activity. It is involved in the biological
_ptg002152l_000017.1	34740.HMEL007800-PA	9.87e-91	287.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg006521l_000005.1	34740.HMEL007800-PA	8.00E-85	272.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg008285l_000003.1	7091.BGIBMGA009677-TA	3.97e-58	185.0	GO:0003674,GO:0003824,⚡	Belongs to the peptidase S1 family
_ptg002253l_000017.1	34740.HMEL007719-PA	2.12e-110	330.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg000375l_000006.1	34740.HMEL004900-PA	6.18e-61	201.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg000375l_000007.1	7091.BGIBMGA003566-TA	1.25e-60	199.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg000375l_000071.1	7091.BGIBMGA003567-TA	1.67e-81	253.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evalue	score	GOs	Description
_ptg001245l_000009.1	7091.BGIBMGA010590-TA	7.51e-78	243.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg000375l_000005.1	7091.BGIBMGA010276-TA	3.18e-65	209.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg001245l_000007.1	7091.BGIBMGA010590-TA	7.35e-93	281.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg001245l_000003.1	7091.BGIBMGA010590-TA	1.82e-93	283.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg001245l_000004.1	7091.BGIBMGA010590-TA	1.98e-97	293.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg001245l_000006.1	7091.BGIBMGA010590-TA	5.76e-92	279.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg001245l_000010.1	7091.BGIBMGA010590-TA	1.42e-92	280.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg001245l_000005.1	7091.BGIBMGA010590-TA	1.05e-99	298.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg001245l_000011.1	7091.BGIBMGA010590-TA	1.07e-94	286.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg000611l_000010.1	7091.BGIBMGA000367-TA	2.45e-103	307.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg000549l_000051.1	13037.EHJ69199	1.09e-130	381.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg000976l_000004.1	13037.EHJ76740	3.92e-118	346.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg000868l_000024.1	7091.BGIBMGA013383-TA	2.6e-83	259.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg000053l_000021.1	13037.EHJ69199	2.14e-63	206.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg000253l_000038.1	7091.BGIBMGA008281-TA	1.7e-80	252.0	GO:0003674,GO:0003824,⚡	Trypsin-like serine protease
_ptg001464l_000010.1	13037.EHJ77404	5.56e-17	83.2	GO:0003674,GO:0003824,⚡	Homologues of snake disintegrins
_ptg000960l_000024.1	34740.HMEL006811-PA	0.0	1093.0	GO:0003674,GO:0003824,⚡	Chitin-binding domain type 2
_ptg000960l_000023.1	7091.BGIBMGA006213-TA	0.0	1082.0	GO:0003674,GO:0003824,⚡	Polysaccharide deacetylase
_ptg000271l_000014.1	7091.BGIBMGA006518-TA	0.0	1097.0	GO:0003674,GO:0003824,⚡	Animal haem peroxidase
_ptg004295l_000020.1	7091.BGIBMGA008072-TA	4.3e-147	423.0	GO:0003674,GO:0003824,⚡	Eukaryotic-type carbonic anhydrase
_ptg000126l_000034.1	13037.EHJ70026	4.57e-175	496.0	GO:0003674,GO:0003824,⚡	Eukaryotic-type carbonic anhydrase
_ptg001398l_000025.1	7719.XP_002119752.2	1.8e-82	266.0	GO:0003674,GO:0003824,⚡	Aminoacylase 1
_ptg001398l_000026.1	7091.BGIBMGA010352-TA	2.69e-99	310.0	GO:0003674,GO:0003824,⚡	Peptidase family M20/M25/M40
_ptg001398l_000023.1	34740.HMEL002276-PA	1.65e-29	118.0	GO:0003674,GO:0003824,⚡	Peptidase family M20/M25/M40
_ptg002457l_000019.1	34740.HMEL007977-PA	6.06e-73	230.0	GO:0003674,GO:0003824,⚡	4Fe-4S dicluster domain
_ptg005169l_000001.1	7091.BGIBMGA007458-TA	1.49e-72	221.0	GO:0003674,GO:0003796,⚡	Destabilase
_ptg000652l_000015.1	7091.BGIBMGA007458-TA	1.22e-71	219.0	GO:0003674,GO:0003796,⚡	Destabilase
_ptg000897l_000012.1	7091.BGIBMGA007648-TA	1.36e-142	417.0	GO:0003197,GO:0003205,⚡	TLR4 regulator and MIR-interacting MSAP
_ptg001844l_000001.1	13037.EHJ71470	3.1e-174	489.0	GO:0003008,GO:0007275,⚡	Immunoglobulin I-set domain

Gene Ontology annotations of the predicted *Leucoptera coffeella* secretome using eggNOG-mapper.

#query	seed_ortholog	evalue	score	GOs	Description
_ptg000521l_000002.1	13037.EHJ73586	6.02e-146	429.0	GO:0003008,GO:0005575,⚡	Immunoglobulin
_ptg000055l_000035.1	13037.EHJ76423	9.59e-141	414.0	GO:0003008,GO:0005575,⚡	Immunoglobulin V-set domain
_ptg002938l_000018.1	34740.HMEL017455-PA	4.92e-117	345.0	GO:0003008,GO:0005575,⚡	Immunoglobulin V-set domain
_ptg002938l_000007.1	34740.HMEL017455-PA	1.97e-125	365.0	GO:0003008,GO:0005575,⚡	Immunoglobulin V-set domain
_ptg000436l_000016.1	13037.EHJ71102	3.79e-147	421.0	GO:0003008,GO:0005575,⚡	Immunoglobulin V-set domain
_ptg000436l_000015.1	34740.HMEL013417-PA	1.23e-20	96.7	GO:0003008,GO:0005575,⚡	Immunoglobulin V-set domain
_ptg001203l_000011.1	13037.EHJ75804	4.84e-38	130.0	GO:0003008,GO:0005575,⚡	Sep15/SeIM redox domain
_ptg002483l_000030.1	34740.HMEL022540-PA	3.3e-45	159.0	GO:0003008,GO:0003674,⚡	odorant binding
_ptg000486l_000014.1	34740.HMEL009897-PA	3.59e-115	331.0	GO:0003008,GO:0003674,⚡	odorant binding
_ptg000403l_000017.1	13037.EHJ66992	9.07e-45	150.0	GO:0003008,GO:0003674,⚡	Insect pheromone/odorant binding protein domains.
_ptg000403l_000018.1	13037.EHJ66992	7.11e-14	71.2	GO:0003008,GO:0003674,⚡	Insect pheromone/odorant binding protein domains.
_ptg000175l_000012.1	34740.HMEL007613-PA	3.74e-75	226.0	GO:0003008,GO:0003674,⚡	Insect pheromone/odorant binding protein domains.
_ptg000175l_000003.1	13037.EHJ69392	1.37e-17	80.1	GO:0003008,GO:0003674,⚡	Insect pheromone/odorant binding protein domains.
_ptg002943l_000031.1	34740.HMEL008322-PA	3.69e-27	107.0	GO:0003008,GO:0003674,⚡	PBP/GOBP family
_ptg003069l_000001.1	13037.EHJ72198	2.97e-09	65.5	GO:0003008,GO:0003674,⚡	ionotropic glutamate receptor activity
_ptg001368l_000016.1	34740.HMEL014100-PA	4.98e-80	265.0	GO:0003008,GO:0003674,⚡	Cache domain
_ptg001368l_000003.1	34740.HMEL014118-PA	1.16e-224	685.0	GO:0003008,GO:0003674,⚡	Neuronal voltage-dependent calcium channel alpha 2acd
_ptg000682l_000024.1	7091.BGIBMGA007915-TA	1.05e-143	412.0	GO:0003008,GO:0003674,⚡	Zinc-dependent metalloprotease
_ptg001294l_000012.1	7091.BGIBMGA005233-TA	1.59e-81	249.0	GO:0003002,GO:0003674,⚡	C-terminal cystine knot-like domain (CTCK)
_ptg001638l_000005.1	13037.EHJ70546	2.05e-104	320.0	GO:0003002,GO:0003674,⚡	Secreted protein acidic and rich in cysteine Ca binding region
_ptg000126l_000039.1	13037.EHJ70546	9.89e-105	321.0	GO:0003002,GO:0003674,⚡	Secreted protein acidic and rich in cysteine Ca binding region
_ptg005319l_000001.1	13037.EHJ67325	6.57e-188	540.0	GO:0002682,GO:0002683,⚡	nucleoside triphosphate catabolic process
_ptg001997l_000003.1	13037.EHJ67325	1.47e-182	525.0	GO:0002682,GO:0002683,⚡	nucleoside triphosphate catabolic process
_ptg000004l_000014.1	13037.EHJ67325	2.21e-239	668.0	GO:0002682,GO:0002683,⚡	nucleoside triphosphate catabolic process
_ptg001967l_000030.1	13037.EHJ70705	8.52e-101	330.0	GO:0002376,GO:0003674,⚡	Low-density lipoprotein receptor domain class A
_ptg001090l_000011.1	34740.HMEL010958-PA	1.47e-41	166.0	GO:0002376,GO:0003674,⚡	Low-density lipoprotein receptor domain class A
_ptg001962l_000013.1	7091.BGIBMGA010546-TA	3.52e-154	447.0	GO:0002376,GO:0002682,⚡	Clip or disulphide knot domain
_ptg001962l_000012.1	7091.BGIBMGA010546-TA	3.18e-178	507.0	GO:0002376,GO:0002682,⚡	Clip or disulphide knot domain
_ptg000910l_000005.1	34740.HMEL011595-PA	1.45e-26	110.0	GO:0002252,GO:0002376,⚡	Integrin_b_cyt

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg007615l_000001.1	34740.HMEL011595-PA	3.74e-26	109.0	GO:0002252,GO:0002376,(Integrin_b_cyt	
_ptg001376l_000014.1	13037.EHJ73834	2.65e-160	464.0	GO:0002225,GO:0002376,(Trypsin-like serine protease	
_ptg002869l_000031.1	13037.EHJ78263	3.62e-84	266.0	GO:0002225,GO:0002376,(Belongs to the peptidase S1 family	
_ptg001287l_000019.1	34740.HMEL004369-PA	1.6e-180	518.0	GO:0002225,GO:0002376,(Trypsin-like serine protease	
_ptg004675l_000012.1	7091.BGIBMGA003390-TA	1.89e-111	330.0	GO:0002218,GO:0002221,(TLR4 regulator and MIR-interacting MSAP	
_ptg002292l_000008.1	7091.BGIBMGA003390-TA	1.89e-111	330.0	GO:0002218,GO:0002221,(TLR4 regulator and MIR-interacting MSAP	
_ptg001849l_000045.1	7091.BGIBMGA003390-TA	3.81e-111	329.0	GO:0002218,GO:0002221,(TLR4 regulator and MIR-interacting MSAP	
_ptg000778l_000028.1	7091.BGIBMGA003390-TA	1.89e-111	330.0	GO:0002218,GO:0002221,(TLR4 regulator and MIR-interacting MSAP	
_ptg004392l_000034.1	7091.BGIBMGA010212-TA	6.22e-175	505.0	GO:0002213,GO:0002252,(SERine Proteinase INhibitors	
_ptg005244l_000016.1	34740.HMEL007637-PA	8.09e-66	205.0	GO:0002165,GO:0003674,(Domain involved in innate immunity and lipid metabolism.	
_ptg009024l_000003.1	34740.HMEL007637-PA	1.64e-35	126.0	GO:0002165,GO:0003674,(Domain involved in innate immunity and lipid metabolism.	
_ptg001025l_000016.1	7091.BGIBMGA013007-TA	0.0	959.0	GO:0002165,GO:0003674,(GMC oxidoreductase	
_ptg000384l_000001.1	13037.EHJ79168	0.0	934.0	GO:0002165,GO:0003674,(GMC oxidoreductase	
_ptg001993l_000011.1	13037.EHJ77393	1.42e-32	119.0	GO:0002164,GO:0002165,(Structural constituent of cuticle	
_ptg001993l_000012.1	13037.EHJ77393	2.94e-41	141.0	GO:0002164,GO:0002165,(Structural constituent of cuticle	
_ptg002383l_000006.1	13037.EHJ77393	1.26e-31	116.0	GO:0002164,GO:0002165,(Structural constituent of cuticle	
_ptg002383l_000007.1	13037.EHJ77393	1.71e-28	108.0	GO:0002164,GO:0002165,(Structural constituent of cuticle	
_ptg002383l_000009.1	13037.EHJ77393	9.38e-32	116.0	GO:0002164,GO:0002165,(Structural constituent of cuticle	
_ptg002498l_000057.1	13037.EHJ75419	3.25e-135	386.0	GO:0002084,GO:0003674,(Phospholipase/Carboxylesterase	
_ptg001605l_000009.1	34740.HMEL008543-PA	4.39e-171	485.0	GO:0002009,GO:0002165,(C-type lectin (CTL) or carbohydrate-recognition domain (CRD)	
_ptg001359l_000007.1	7091.BGIBMGA006908-TA	2.61e-182	538.0	GO:0002009,GO:0002165,(Low-density lipoprotein receptor domain class A	
_ptg003912l_000008.1	7091.BGIBMGA012766-TA	1.59e-06	53.5	GO:0002009,GO:0002165,(-	
_ptg000152l_000025.1	7091.BGIBMGA013034-TA	2.17e-100	293.0	GO:0002009,GO:0002165,(Calponin homology domain	
_ptg002014l_000008.1	7091.BGIBMGA007729-TA	7.41e-177	506.0	GO:0002009,GO:0002165,(SERine Proteinase INhibitors	
_ptg000271l_000021.1	7091.BGIBMGA007729-TA	1.17e-214	602.0	GO:0002009,GO:0002165,(SERine Proteinase INhibitors	
_ptg001324l_000030.1	7091.BGIBMGA007729-TA	4.74e-214	600.0	GO:0002009,GO:0002165,(SERine Proteinase INhibitors	
_ptg001471l_000046.1	7091.BGIBMGA007729-TA	3.34e-214	601.0	GO:0002009,GO:0002165,(SERine Proteinase INhibitors	
_ptg000298l_000005.1	7091.BGIBMGA002587-TA	8.53e-146	419.0	GO:0002009,GO:0002165,(Copper type II ascorbate-dependent monooxygenase, N-termin	
_ptg000656l_000035.1	7091.BGIBMGA005559-TA	7.91e-99	289.0	GO:0001963,GO:0001976,(Degradation arginine-rich protein for mis-folding	

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg000666i_000056.1	13037.EHJ72826	1.32e-178	517.0	GO:0001817,GO:0001819,GO:0001819,GO:0001819	Glyco_18
_ptg006457i_000003.1	13037.EHJ75645	2.85e-59	222.0	GO:0001786,GO:0002165,GO:0002165,GO:0002165	Laminin-type epidermal growth factor-like domain
_ptg000101i_000017.1	7091.BGIBMGA002569-TA	2.19e-240	668.0	GO:0001775,GO:0003674,GO:0003674,GO:0003674	Thioredoxin
_ptg002260i_000007.1	7091.BGIBMGA002569-TA	3.32e-210	589.0	GO:0001775,GO:0003674,GO:0003674,GO:0003674	Thioredoxin
_ptg000016i_000013.1	7091.BGIBMGA002955-TA	4.16e-107	317.0	GO:0001775,GO:0002252,GO:0002252,GO:0002252	Crisp
_ptg004031i_000026.1	13037.EHJ63731	6.62e-138	402.0	GO:0001775,GO:0002252,GO:0002252,GO:0002252	Nicastrin
_ptg000340i_000024.1	7091.BGIBMGA008038-TA	4.99e-73	226.0	GO:0001775,GO:0001817,GO:0001817,GO:0001817	Ami_2
_ptg002217i_000014.1	7091.BGIBMGA012878-TA	5.9e-14	82.4	GO:0001736,GO:0001738,GO:0001738,GO:0001738	Src homology 3 domains
_ptg000286i_000009.1	7091.BGIBMGA012194-TA	7.65e-137	404.0	GO:0001704,GO:0001707,GO:0001707,GO:0001707	GDP-fucose protein O-fucosyltransferase
_ptg001965i_000030.1	13037.EHJ73485	5.29e-203	582.0	GO:0001666,GO:0003674,GO:0003674,GO:0003674	Alkaline phosphatase homologues
_ptg001965i_000031.1	7091.BGIBMGA008818-TA	1.96e-223	635.0	GO:0001666,GO:0003674,GO:0003674,GO:0003674	Alkaline phosphatase homologues
_ptg000356i_000007.1	34740.HMEL005833-PA	8.17e-277	765.0	GO:0001666,GO:0003674,GO:0003674,GO:0003674	Endoplasmic Reticulum Oxidoreductin 1 (ERO1)
_ptg000978i_000004.1	34740.HMEL005789-PA	3.44e-66	204.0	GO:0001664,GO:0003674,GO:0003674,GO:0003674	Final heterodimeric neurohormone released at the end of the molt
_ptg001520i_000006.1	13037.EHJ76389	2.33e-76	238.0	GO:0001664,GO:0003674,GO:0003674,GO:0003674	corticotropin-releasing factor
_ptg000105i_000005.1	13037.EHJ64789	4.29e-13	74.3	GO:0001664,GO:0002118,GO:0002118,GO:0002118	positive regulation of digestive system process
_ptg002704i_000001.1	13037.EHJ70812	2.69e-27	105.0	GO:0001664,GO:0002027,GO:0002027,GO:0002027	Arthropod cardioacceleratory peptide 2a
_ptg006521i_000006.1	13037.EHJ70812	1.32e-27	105.0	GO:0001664,GO:0002027,GO:0002027,GO:0002027	Arthropod cardioacceleratory peptide 2a
_ptg000780i_000008.1	34740.HMEL016788-PA	7.04e-49	161.0	GO:0001664,GO:0001932,GO:0001932,GO:0001932	regulation of response to extracellular stimulus
_ptg0002252i_0000061.1	34740.HMEL015139-PA	1.41e-207	585.0	GO:0001654,GO:0001745,GO:0001745,GO:0001745	Putative lipopolysaccharide-modifying enzyme.
_ptg000403i_000015.1	13037.EHJ73951	8.83e-78	263.0	GO:0001568,GO:0001756,GO:0001756,GO:0001756	Mak10 subunit, NatC N(alpha)-terminal acetyltransferase
_ptg000517i_000026.1	136037.KDR06503	1.67e-116	348.0	GO:0001540,GO:0002090,GO:0002090,GO:0002090	Low-density lipoprotein particle receptor binding
_ptg004976i_000002.1	13037.EHJ77352	1.51e-41	142.0	GO:0001530,GO:0002376,GO:0002376,GO:0002376	Domain involved in innate immunity and lipid metabolism.
_ptg008216i_000002.1	13037.EHJ77352	4.31e-41	141.0	GO:0001530,GO:0002376,GO:0002376,GO:0002376	Domain involved in innate immunity and lipid metabolism.
_ptg000419i_000021.1	7091.BGIBMGA001906-TA	7.6e-71	233.0	GO:0001527,GO:0002020,GO:0002020,GO:0002020	ADAM-TS Spacer 1
_ptg002710i_000014.1	13037.EHJ68043	1.91e-99	312.0	GO:0001525,GO:0001568,GO:0001568,GO:0001568	Coagulation Factor Xa inhibitory site
_ptg000075i_000003.1	13037.EHJ76075	0.0	971.0	GO:0001525,GO:0001568,GO:0001568,GO:0001568	C8
_ptg002076i_000003.1	34740.HMEL001017-PA	8.38e-09	60.8	GO:0001525,GO:0001568,GO:0001568,GO:0001568	Leucine rich repeat C-terminal domain
_ptg002492i_000012.1	34740.HMEL006051-PA	2.27e-26	114.0	GO:0001523,GO:0003008,GO:0003008,GO:0003008	Serine carboxypeptidase
_ptg001287i_000002.1	34740.HMEL006561-PA	1.25e-97	303.0	GO:0001517,GO:0002376,GO:0002376,GO:0002376	Sulfotransferase family

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg001287l_000003.1	34740.HMEL006561-PA	2.96e-90	283.0	GO:0001517,GO:0002376,⚡	Sulfotransferase family
_ptg002869l_000029.1	69319.XP_008550588.1	0.0	978.0	GO:0001505,GO:0001956,⚡	Protein convertase P-domain
_ptg000145l_000005.1	13037.EHJ78228	1.63e-113	348.0	GO:0001503,GO:0003674,⚡	Histidine phosphatase superfamily (branch 2)
_ptg001898l_000016.1	34740.HMEL008862-PA	9.36e-122	379.0	GO:0001501,GO:0001503,⚡	Protein tyrosine kinase
_ptg002864l_000012.1	13037.EHJ67808	1.03e-86	264.0	GO:0001101,GO:0003008,⚡	DM4/DM12 family
_ptg002710l_000002.1	13037.EHJ71762	3.85e-208	608.0	GO:0001101,GO:0002237,⚡	Subtilase family
_ptg002775l_000003.1	13037.EHJ70301	5.65e-75	233.0	GO:0001101,GO:0001932,⚡	Metalloendopeptidase inhibitor activity
_ptg003226l_000001.1	34740.HMEL011436-PA	9.14e-208	581.0	GO:0001101,GO:0001654,⚡	Ligand for members of the frizzled family of seven transmembrane proteins
_ptg006830l_000002.1	34740.HMEL009544-PA	3.77e-142	410.0	GO:0001101,GO:0001501,⚡	Follistatin/Osteonectin-like EGF domain
_ptg000380l_000059.1	34740.HMEL009544-PA	5.34e-142	410.0	GO:0001101,GO:0001501,⚡	Follistatin/Osteonectin-like EGF domain
_ptg002073l_000002.1	13037.EHJ68804	6.55e-110	338.0	GO:0001085,GO:0001558,⚡	Interferon-related protein conserved region
_ptg000018l_000002.1	7091.BGIBMGA005673-TA	5.51e-102	318.0	GO:0000902,GO:0005575,⚡	Partial alpha/beta-hydrolase lipase region
_ptg001207l_000017.1	7091.BGIBMGA005673-TA	2.03e-105	325.0	GO:0000902,GO:0005575,⚡	Partial alpha/beta-hydrolase lipase region
_ptg001207l_000018.1	7091.BGIBMGA005673-TA	3.05e-109	335.0	GO:0000902,GO:0005575,⚡	Partial alpha/beta-hydrolase lipase region
_ptg001207l_000011.1	7091.BGIBMGA005673-TA	7.84e-144	423.0	GO:0000902,GO:0005575,⚡	Partial alpha/beta-hydrolase lipase region
_ptg000302l_000007.1	7091.BGIBMGA005673-TA	4.11e-137	405.0	GO:0000902,GO:0005575,⚡	Partial alpha/beta-hydrolase lipase region
_ptg001207l_000007.1	7091.BGIBMGA005673-TA	1.58e-111	340.0	GO:0000902,GO:0005575,⚡	Partial alpha/beta-hydrolase lipase region
_ptg001207l_000006.1	7091.BGIBMGA005673-TA	3.16e-111	339.0	GO:0000902,GO:0005575,⚡	Partial alpha/beta-hydrolase lipase region
_ptg001207l_000005.1	7091.BGIBMGA005673-TA	3.83e-104	321.0	GO:0000902,GO:0005575,⚡	Partial alpha/beta-hydrolase lipase region
_ptg001207l_000008.1	7091.BGIBMGA005673-TA	2.62e-117	355.0	GO:0000902,GO:0005575,⚡	Partial alpha/beta-hydrolase lipase region
_ptg000436l_000004.1	7091.BGIBMGA010346-TA	8.78e-133	385.0	GO:0000902,GO:0000904,⚡	CD80-like C2-set immunoglobulin domain
_ptg002252l_000024.1	13037.EHJ77141	0.0	926.0	GO:0000902,GO:0000904,⚡	Hemocyanin, all-alpha domain
_ptg001064l_000010.1	13037.EHJ77141	0.0	929.0	GO:0000902,GO:0000904,⚡	Hemocyanin, all-alpha domain
_ptg001882l_000007.1	13037.EHJ63258	1.88e-250	706.0	GO:0000902,GO:0000904,⚡	Reeler domain
_ptg000445l_000028.1	13037.EHJ73826	4.31e-164	482.0	GO:0000902,GO:0000904,⚡	Reeler domain
_ptg001673l_000014.1	34740.HMEL005609-PA	2.14e-244	695.0	GO:0000902,GO:0000904,⚡	Olfactomedin-like domains
_ptg004440l_000013.1	13037.EHJ66554	3.56e-240	668.0	GO:0000902,GO:0000904,⚡	Pectinacetyltransferase
_ptg002188l_000016.1	136037.KDR18083	8.02e-169	493.0	GO:0000902,GO:0000904,⚡	PAN domain
_ptg000893l_000006.1	7091.BGIBMGA004618-TA	7.04e-208	581.0	GO:0000902,GO:0000904,⚡	Growth factor activity. It is involved in the biological process des

Gene Ontology annotations of the predicted *Leucoptera coffeella* secretome using eggNOG-mapper.

#query	seed_ortholog	evalue	score	GOs	Description
_ptg001440l_000013.1	132113.XP_003485486.1	2.49e-292	816.0	GO:0000902,GO:0000904,␣	Laminin-type epidermal growth factor-like domai
_ptg001440l_000043.1	132113.XP_003485486.1	2.76e-277	778.0	GO:0000902,GO:0000904,␣	Laminin-type epidermal growth factor-like domai
_ptg002283l_000009.1	34740.HMEL013840-PA	2.08e-166	473.0	GO:0000902,GO:0000904,␣	Laminin N-terminal domain (domain VI)
_ptg001446l_000008.1	34740.HMEL016195-PA	3.00E-198	561.0	GO:0000902,GO:0000904,␣	Spondin_N
_ptg003762l_000003.1	34740.HMEL008488-PA	2.39e-147	419.0	GO:0000902,GO:0000904,␣	Ephrin
_ptg006898l_000003.1	13037.EHJ72179	2.56e-54	174.0	GO:0000902,GO:0000904,␣	Laminin G domain
_ptg000419l_000039.1	34740.HMEL006002-PA	8.3e-101	299.0	GO:0000902,GO:0000904,␣	GDNF/GAS1 domain
_ptg001967l_000005.1	13037.EHJ63979	2.51e-119	360.0	GO:0000737,GO:0006139,␣	DNA/RNA non-specific endonuclease
_ptg000529l_000023.1	7091.BGIBMGA001945-TA	1.98e-119	348.0	GO:0000578,GO:0001503,␣	Twisted gastrulation (Tsg) protein conserved region
_ptg001150l_000002.1	7091.BGIBMGA001945-TA	1.93e-128	369.0	GO:0000578,GO:0001503,␣	Twisted gastrulation (Tsg) protein conserved region
_ptg000567l_000018.1	13037.EHJ71905	1.2e-48	179.0	GO:0000428,GO:0000439,␣	Helicase conserved C-terminal domain
_ptg002053l_000008.1	34740.HMEL011648-PA	9.58e-87	265.0	GO:0000413,GO:0003674,␣	PPases accelerate the folding of proteins. It catalyzes the cis-tr
_ptg000783l_000005.1	34740.HMEL002584-PA	2.03e-146	421.0	GO:0000323,GO:0003674,␣	Palmitoyl protein thioesterase
_ptg002039l_000008.1	13037.EHJ77132	1.14e-131	387.0	GO:0000323,GO:0003674,␣	Papain family cysteine protease
_ptg002178l_000004.1	13037.EHJ77132	2.95e-138	404.0	GO:0000323,GO:0003674,␣	Papain family cysteine protease
_ptg001904l_000009.1	13037.EHJ77132	2.53e-144	419.0	GO:0000323,GO:0003674,␣	Papain family cysteine protease
_ptg002018l_000009.1	13037.EHJ77132	3.91e-144	418.0	GO:0000323,GO:0003674,␣	Papain family cysteine protease
_ptg002178l_000002.1	13037.EHJ77132	2.08e-207	578.0	GO:0000323,GO:0003674,␣	Papain family cysteine protease
_ptg002178l_000006.1	13037.EHJ77132	2.85e-138	402.0	GO:0000323,GO:0003674,␣	Papain family cysteine protease
_ptg002018l_000013.1	13037.EHJ77132	5.73e-138	402.0	GO:0000323,GO:0003674,␣	Papain family cysteine protease
_ptg002018l_000006.1	13037.EHJ77132	1.11e-137	401.0	GO:0000323,GO:0003674,␣	Papain family cysteine protease
_ptg001904l_000007.1	13037.EHJ77132	1.82e-136	398.0	GO:0000323,GO:0003674,␣	Papain family cysteine protease
_ptg000209l_000016.1	13037.EHJ77132	1.35e-133	390.0	GO:0000323,GO:0003674,␣	Papain family cysteine protease
_ptg002018l_000003.1	13037.EHJ77132	3.24e-139	405.0	GO:0000323,GO:0003674,␣	Papain family cysteine protease
_ptg002039l_000010.1	13037.EHJ77132	3.32e-134	392.0	GO:0000323,GO:0003674,␣	Papain family cysteine protease
_ptg002039l_000005.1	13037.EHJ77132	3.75e-138	402.0	GO:0000323,GO:0003674,␣	Papain family cysteine protease
_ptg002018l_000005.1	13037.EHJ77132	1.6e-108	325.0	GO:0000323,GO:0003674,␣	Papain family cysteine protease
_ptg000809l_000026.1	7091.BGIBMGA003741-TA	6.56e-19	93.6	GO:0000323,GO:0002376,␣	Gamma interferon inducible lysosomal thiol reductase (GILT)
_ptg000734l_000034.1	13037.EHJ71169	5.04e-103	338.0	GO:0000323,GO:0001817,␣	Glycosyl hydrolase family 30 TIM-barrel domain

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg000837l_000018.1	34740.HMEL012361-PA	4.43e-172	493.0	GO:0000323,GO:0001775,(	Essential subunit of the N-oligosaccharyl transferase (OST) com
_ptg002498l_000070.1	7091.BGIBMGA011712-TA	1.28e-160	459.0	GO:0000323,GO:0001775,(	Peptidase C26
_ptg002292l_000013.1	13037.EHJ64658	2.3e-141	412.0	GO:0000323,GO:0001775,(	Asparaginase
_ptg000022l_000014.1	13037.EHJ64658	2.3e-141	412.0	GO:0000323,GO:0001775,(	Asparaginase
_ptg001002l_000009.1	13037.EHJ64658	3.71e-151	435.0	GO:0000323,GO:0001775,(	Asparaginase
_ptg000517l_000021.1	34740.HMEL007079-PA	2.65e-10	65.1	GO:0000323,GO:0001775,(	Thioredoxin
_ptg001385l_000002.1	13037.EHJ65928	9.5e-66	203.0	GO:0000323,GO:0001530,(	ML domain
_ptg002385l_000008.1	13037.EHJ65928	9.5e-66	203.0	GO:0000323,GO:0001530,(	ML domain
_ptg001194l_000047.1	13037.EHJ65099	1.65e-263	730.0	GO:0000323,GO:0001525,(	Serine carboxypeptidase S28
_ptg002852l_000051.1	13037.EHJ65099	2.34e-263	730.0	GO:0000323,GO:0001525,(	Serine carboxypeptidase S28
_ptg005196l_000002.1	13037.EHJ68272	3.42e-114	329.0	GO:0000323,GO:0001501,(	Lectin C-type domain
_ptg001449l_000014.1	34740.HMEL004246-PA	8.08e-128	386.0	GO:0000293,GO:0003674,(	Possible catecholamine-binding domain present in a variety of e
_ptg000380l_000007.1	7176.CPIJ008111-PA	1.16e-118	384.0	GO:0000185,GO:0000186,(	Nine Cysteines Domain of family 3 GPCR
_ptg000499l_000023.1	34740.HMEL010690-PA	5.24e-56	197.0	GO:0000139,GO:0003674,(	Fucosyltransferase, N-terminal
_ptg002009l_000004.1	13037.EHJ72129	1.19e-161	461.0	GO:0000122,GO:0001525,(	Trypsin-like serine protease
_ptg002009l_000003.1	13037.EHJ72130	7.67e-192	538.0	GO:0000122,GO:0001525,(	Trypsin-like serine protease
_ptg002009l_000005.1	13037.EHJ72128	2.63e-125	379.0	GO:0000122,GO:0001525,(	Trypsin-like serine protease
_ptg002009l_000006.1	13037.EHJ72128	3.92e-137	408.0	GO:0000122,GO:0001525,(	Trypsin-like serine protease
_ptg000660l_000021.1	34740.HMEL025027-PA	1.47e-88	268.0	GO:0000122,GO:0000323,(	Pyridoxamine 5'-phosphate oxidase
_ptg003226l_000022.1	34740.HMEL011434-PA	7.01e-168	479.0	GO:0000086,GO:0000122,(	Ligand for members of the frizzled family of seven transmembra
_ptg003353l_000018.1	9940.ENS0ARP00000022743	2.27e-10	61.6	GO:0000082,GO:0000122,(	MYC associated factor X
_ptg000941l_000002.1	13037.EHJ78668	2.42e-316	883.0	GO:0000041,GO:0003674,(	Transferrins are iron binding transport proteins which bind Fe(3)
_ptg002943l_000002.1	34740.HMEL013442-PA	3.64e-102	301.0	GO:0000041,GO:0003674,(	Stores iron in a soluble, non-toxic, readily available form. Import
_ptg002943l_000058.1	34740.HMEL013441-PA	6.19e-98	291.0	GO:0000041,GO:0002376,(	Stores iron in a soluble, non-toxic, readily available form. Import
_ptg000851l_000001.1	34740.HMEL003436-PA	1.03e-238	684.0	GO:0000041,GO:0001501,(	Transferrin
_ptg004675l_000028.1	7091.BGIBMGA003367-TA	3.45e-114	332.0	GO:0000030,GO:0003674,(	Stromal cell-derived factor
_ptg000778l_000014.1	34740.HMEL015276-PA	1.17e-81	248.0	GO:0000030,GO:0003674,(	MIR domain
_ptg001354l_000025.1	34740.HMEL013861-PA	0.0	901.0	GO:0000023,GO:0003333,(	Alpha-amylase domain
_ptg000302l_000015.1	34740.HMEL014472-PA	1.06e-178	525.0	GO:0000016,GO:0001666,(	Glycosyl hydrolase family 1

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg006124l_000005.1	7091.BGIBMGA014178-TA	3.41e-230	649.0	GO:0000016,GO:0001666,␣	Glycosyl hydrolase family 1
_ptg000964l_000017.1	7091.BGIBMGA010812-TA	6.54e-215	609.0	GO:0000016,GO:0001666,␣	Glycosyl hydrolase family 1
_ptg0005701l_000008.1	13037.EHJ67069	1.45e-228	640.0	GO:0000016,GO:0001666,␣	Glycosyl hydrolase family 1
_ptg002283l_000023.1	34740.HMEL016981-PA	3.78e-119	373.0	GO:0000016,GO:0001666,␣	Glycosyl hydrolase family 1
_ptg001365l_000060.1	7091.BGIBMGA004068-TA	6.36e-65	201.0	GO:0000003,GO:0005575,␣	Insect pheromone-binding family, A10/OS-D
_ptg001365l_000010.1	7176.CPIJ002622-PA	4.58e-13	68.2	GO:0000003,GO:0005575,␣	Chemosensory protein 1
_ptg001840l_000001.1	34740.HMEL002615-PA	1.97e-126	396.0	GO:0000003,GO:0005575,␣	Protein of unknown function (DUF229)
_ptg001021l_000013.1	13037.EHJ74703	3.02e-195	558.0	GO:0000003,GO:0005575,␣	-
_ptg000936l_000005.1	7091.BGIBMGA008177-TA	1.73e-47	171.0	GO:0000003,GO:0005575,␣	Protein of unknown function (DUF229)
_ptg001962l_000009.1	7091.BGIBMGA010410-TA	8.51e-139	397.0	GO:0000003,GO:0005575,␣	Juvenile hormone binding protein domains in insects.
_ptg000809l_000020.1	34740.HMEL006959-PA	7.72e-93	280.0	GO:0000003,GO:0005575,␣	Haemolymph juvenile hormone binding protein (JHBP)
_ptg0003912l_000011.1	13037.EHJ78987	9.2e-132	379.0	GO:0000003,GO:0005575,␣	Haemolymph juvenile hormone binding protein (JHBP)
_ptg000595l_000046.1	7091.BGIBMGA003345-TA	5.67e-127	367.0	GO:0000003,GO:0005575,␣	Haemolymph juvenile hormone binding protein (JHBP)
_ptg000595l_000047.1	13037.EHJ71765	4.00E-115	337.0	GO:0000003,GO:0005575,␣	Haemolymph juvenile hormone binding protein (JHBP)
_ptg000595l_000061.1	34740.HMEL015231-PA	4.37e-125	359.0	GO:0000003,GO:0005575,␣	Juvenile hormone binding protein domains in insects.
_ptg0003874l_000006.1	34740.HMEL011520-PA	1.81e-53	178.0	GO:0000003,GO:0003674,␣	EF-hand domain pair
_ptg000426l_000003.1	34740.HMEL010231-PA	5.62e-54	175.0	GO:0000003,GO:0003008,␣	Insect pheromone/odorant binding protein domains.
_ptg000426l_000001.1	34740.HMEL010231-PA	1.58e-67	207.0	GO:0000003,GO:0003008,␣	Insect pheromone/odorant binding protein domains.
_ptg000426l_000004.1	13037.EHJ65653	1.00E-49	162.0	GO:0000003,GO:0003008,␣	Insect pheromone/odorant binding protein domains.
_ptg001518l_000005.1	34740.HMEL005243-PA	6.31e-93	274.0	GO:0000003,GO:0003006,␣	Sep15/SelM redox domain
_ptg000184l_000007.1	13037.EHJ77100	1.4e-160	454.0	GO:0000003,GO:0001654,␣	Antagonist of EGFR signalling, Argos
_ptg002510l_000002.1	7091.BGIBMGA013640-TA	6.77e-294	829.0	GO:0000003,GO:0001516,␣	heme binding. It is involved in the biological process described v
_ptg0004641l_000002.1	7091.BGIBMGA013640-TA	5.77e-227	652.0	GO:0000003,GO:0001516,␣	heme binding. It is involved in the biological process described v
_ptg001020l_000012.1	7091.BGIBMGA010133-TA	3.15e-123	363.0	GO:0000003,GO:0001505,␣	SMP-30/Gluconolactonase/LRE-like region
_ptg001163l_000010.1	7370.XP_005177967.1		202 51.6	GO:0000003,GO:0000902,␣	serine-type endopeptidase activity. It is involved in the biological
_ptg000762l_000029.1	69319.XP_008552888.1	0.0	934.0	GO:0000003,GO:0000902,␣	semaphorin domain
_ptg0000001l_000023.1	13037.EHJ64021	3.94e-52	185.0	GO:0000003,GO:0000902,␣	Fibronectin type 3 domain
_ptg000726l_000006.1	13037.EHJ72232	1.22e-154	469.0	GO:0000003,GO:0000902,␣	FG-GAP repeat
_ptg001026l_000004.1	7091.BGIBMGA002397-TA	2.41e-45	163.0	GO:0000003,GO:0000578,␣	Spaetzle

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg000285l_000015.1	7091.BGIBMGA009542-TA	5.92e-93	289.0	GO:0000003,GO:0000578,(-	
_ptg003226l_000021.1	13037.EHJ69660	2.65e-261	718.0	GO:0000003,GO:0000578,(Ligand for members of the frizzled family of seven transmembra	
_ptg000751l_000012.1	13037.EHJ78566	1.22e-28	120.0	GO:0000003,GO:0000375,(5-formyltetrahydrofolate cyclo-ligase family	
_ptg000686l_000002.1	13037.EHJ78566	6.56e-30	122.0	GO:0000003,GO:0000375,(5-formyltetrahydrofolate cyclo-ligase family	
_ptg002806l_000003.1	13037.EHJ78566	6.56e-30	122.0	GO:0000003,GO:0000375,(5-formyltetrahydrofolate cyclo-ligase family	
_ptg002080l_000026.1	13037.EHJ76383	3.42e-120	352.0	GO:0000003,GO:0000323,(Corticotropin-releasing factor binding protein (CRF-BP)	
_ptg000236l_000007.1	7091.BGIBMGA007061-TA	3.47e-179	506.0	GO:0000003,GO:0000323,(Peptidase family C1 propeptide	
_ptg000236l_000006.1	7091.BGIBMGA007061-TA	1.71e-186	524.0	GO:0000003,GO:0000323,(Peptidase family C1 propeptide	
_ptg000236l_000005.1	7091.BGIBMGA007061-TA	1.04e-180	509.0	GO:0000003,GO:0000323,(Peptidase family C1 propeptide	
_ptg000236l_000001.1	7091.BGIBMGA007061-TA	7.9e-199	555.0	GO:0000003,GO:0000323,(Peptidase family C1 propeptide	
_ptg000236l_000003.1	7091.BGIBMGA007061-TA	8.53e-180	507.0	GO:0000003,GO:0000323,(Peptidase family C1 propeptide	
_ptg000236l_000004.1	7091.BGIBMGA007061-TA	1.48e-180	509.0	GO:0000003,GO:0000323,(Peptidase family C1 propeptide	
_ptg000567l_000011.1	13037.EHJ77525	5.03e-151	430.0	GO:0000003,GO:0000323,(Palmitoyl protein thioesterase	
_ptg000870l_000018.1	7091.BGIBMGA001504-TA	4.81e-24	104.0	GO:0000003,GO:0000278,(Chitin-binding domain type 2	
_ptg000870l_000017.1	34740.HMEL012138-PA	1.04e-32	130.0	GO:0000003,GO:0000278,(Chitin-binding domain type 2	
_ptg001287l_000004.1	13037.EHJ72055	1.37e-113	338.0	GO:0000003,GO:0000278,(Chitin-binding domain type 2	
_ptg001287l_000030.1	13037.EHJ72054	1.55e-70	222.0	GO:0000003,GO:0000278,(chitin binding. It is involved in the biological process described w	
_ptg002891l_000007.1	13037.EHJ72054	2.04e-81	249.0	GO:0000003,GO:0000278,(chitin binding. It is involved in the biological process described w	
_ptg003103l_000012.1	34740.HMEL009359-PA	7.46e-20	100.0	GO:0000003,GO:0000278,(Chitin-binding domain type 2	
_ptg000870l_000003.1	34740.HMEL009359-PA	3.89e-27	116.0	GO:0000003,GO:0000278,(Chitin-binding domain type 2	
_ptg000870l_000004.1	34740.HMEL009359-PA	8.66e-29	120.0	GO:0000003,GO:0000278,(Chitin-binding domain type 2	
_ptg000870l_000019.1	34740.HMEL009359-PA	8.66e-29	120.0	GO:0000003,GO:0000278,(Chitin-binding domain type 2	
_ptg000002l_000035.1	34740.HMEL007862-PA	1.57e-158	483.0	GO:0000003,GO:0000245,(Domain of unknown function (DUF3449)	
_ptg000308l_000001.1	7091.BGIBMGA012931-TA	1.51e-55	187.0	GO:0000003,GO:0000187,(Endoplasmic reticulum protein ERp29, C-terminal domain	
_ptg000508l_000014.1	34740.HMEL010149-PA	1.98e-116	380.0	GO:0000003,GO:0000165,(Spectrin repeat	
_ptg003091l_000002.1	7029.ACYP1009808-PA	1.66e-27	113.0	GO:0000003,GO:0000165,(Integrin alpha	
_ptg0000613l_000002.1	7091.BGIBMGA004515-TA	3.57e-74	229.0	GO:0000003,GO:0000165,(Belongs to the small heat shock protein (HSP20) family	
_ptg000543l_000002.1	7091.BGIBMGA003841-TA	3.51e-140	432.0	GO:0000003,GO:0000151,(E3 ubiquitin-protein ligase that specifically mediates the formati	
_ptg003647l_000008.1	34740.HMEL006854-PA	7.26e-76	233.0	GO:0000003,GO:0000139,(emp24/gp25L/p24 family/GOLD	

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evalue	score	GOs	Description
_ptg000419 _000001.1	13037.EHJ76851	1.46e-172	490.0	GO:0000003,GO:0000122,(	Kazal type serine protease inhibitors
_ptg000960 _000069.1	13037.EHJ67962	9.11e-211	591.0	GO:0000003,GO:0000122,(	TGF-beta propeptide
_ptg000987 _000023.1	13037.EHJ78539	2.23e-173	496.0	GO:0000003,GO:0000122,(	TGF-beta propeptide
_ptg008285 _000002.1	34740.HMEL008503-PA	4.92e-11	68.2	GO:0000003,GO:0000082,(	Cullin
_ptg002612 _000006.1	34740.HMEL008503-PA	4.3e-11	67.8	GO:0000003,GO:0000082,(	Cullin
_ptg003226 _000002.1	34740.HMEL011441-PA	8.88e-150	431.0	GO:0000003,GO:0000075,(	Ligand for members of the frizzled family of seven transmembrane proteins
_ptg000542 _000006.1	136037.KDR23365	4.43e-171	490.0	GO:0000003,GO:0000045,(	aspartic-type endopeptidase activity. It is involved in the biological process of protein catabolic process
_ptg000580 _000008.1	136037.KDR23365	8.39e-149	433.0	GO:0000003,GO:0000045,(	aspartic-type endopeptidase activity. It is involved in the biological process of protein catabolic process
_ptg000542 _000005.1	7460.GB43825-PA	2.54e-157	454.0	GO:0000003,GO:0000045,(	Eukaryotic aspartyl protease
_ptg000580 _000007.1	136037.KDR23365	3.65e-149	433.0	GO:0000003,GO:0000045,(	aspartic-type endopeptidase activity. It is involved in the biological process of protein catabolic process
_ptg001576 _000013.1	136037.KDR23365	1.48e-148	432.0	GO:0000003,GO:0000045,(	aspartic-type endopeptidase activity. It is involved in the biological process of protein catabolic process
_ptg000978 _000007.1	13037.EHJ67351	2.98e-59	204.0	GO:0000003,GO:0000018,(	SWIRM domain
_ptg000809 _000073.1	13037.EHJ74640	1.61e-127	408.0	-	N-acetylmuramoyl-L-alanine amidase activity. It is involved in the biological process of cell wall biogenesis
_ptg001657 _000009.1	13037.EHJ64341	1.05e-40	169.0	-	ERAP1-like C-terminal domain
_ptg001110 _000011.1	13037.EHJ75729	0.0	963.0	-	Animal haem peroxidase
_ptg000065 _000021.1	7091.BGIBMGA010948-TA	3.34e-111	362.0	-	Domain of unknown function (DUF4774)
_ptg000809 _000052.1	13037.EHJ77986	0.0	1005.0	-	Metallo-peptidase family M12B Reprolysin-like
_ptg001063 _000001.1	13037.EHJ65304	3.43e-76	267.0	-	serine-type endopeptidase activity
_ptg000426 _000031.1	34740.HMEL002782-PA	7.07e-130	409.0	-	-
_ptg000666 _000059.1	13037.EHJ63200	7.79e-16	90.5	-	Reverse transcriptase (RNA-dependent DNA polymerase)
_ptg002351 _000005.1	13037.EHJ67805	3.71e-252	717.0	-	Animal haem peroxidase
_ptg007095 _000001.1	13037.EHJ65280	4.92e-255	726.0	-	Domain first found in C1r, C1s, uEGF, and bone morphogenetic protein-1
_ptg001766 _000016.1	13037.EHJ64317	1.52e-170	509.0	-	Converts sphingomyelin to ceramide
_ptg002735 _000011.1	7091.BGIBMGA006853-TA	1.37e-185	546.0	-	-
_ptg001432 _000028.1	34740.HMEL004336-PA	3.99e-175	525.0	-	Immunoglobulin
_ptg002072 _000028.1	13037.EHJ73423	2.1e-154	466.0	-	-
_ptg001048 _000020.1	7091.BGIBMGA010501-TA	1.79e-207	603.0	-	Insect cuticle protein
_ptg000521 _000039.1	7091.BGIBMGA006756-TA	1.15e-10	73.6	-	-
_ptg001180 _000012.1	34740.HMEL012337-PA	1.56e-161	484.0	-	-

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg002253i_000023.1	13037.EHJ72216	6.36e-214	614.0	-	Multicopper oxidase
_ptg000531i_000002.1	7176.CPIJ016737-PA	5.72e-73	248.0	-	Cysteine-rich venom protein
_ptg003956i_000007.1	34740.HMEL004143-PA	1.5e-193	563.0	-	Trypsin-like serine protease
_ptg001192i_000020.1	13037.EHJ75432	1.58e-218	624.0	-	Chitin-binding domain type 2
_ptg000426i_000028.1	34740.HMEL002785-PA	9.42e-31	133.0	-	-
_ptg000471i_000044.1	13037.EHJ65737	5.17e-140	433.0	-	cell differentiation
_ptg002693i_000010.1	7091.BGIBMGA008287-TA	1.29e-18	97.4	-	-
_ptg003341i_000013.1	7091.BGIBMGA000875-TA	3.34e-187	541.0	-	Carboxylesterase family
_ptg000804i_000019.1	7165.AGAP010469-PA	2.61e-06	58.9	-	Chitin-binding domain type 2
_ptg000803i_000014.1	13037.EHJ65965	5.37e-216	624.0	-	DnaJ molecular chaperone homology domain
_ptg000069i_000005.1	13037.EHJ72249	1.42e-260	726.0	-	Catalase
_ptg001785i_000041.1	13037.EHJ68620	5.07e-159	466.0	-	chitin binding. It is involved in the biological process described w
_ptg004031i_000028.1	7091.BGIBMGA005695-TA	4.83e-166	485.0	-	alpha/beta hydrolase fold
_ptg000297i_000026.1	7091.BGIBMGA013655-TA	4.18e-297	820.0	-	Kazal type serine protease inhibitors
_ptg001163i_000001.1	7091.BGIBMGA008293-TA	1.91e-167	512.0	-	Iron/zinc purple acid phosphatase-like protein C
_ptg000375i_000011.1	7091.BGIBMGA010281-TA	1.27e-62	218.0	-	Chitin-binding domain type 2
_ptg002351i_000004.1	7091.BGIBMGA008592-TA	8.11e-80	264.0	-	Leucine-rich repeats, typical (most populated) subfamily
_ptg004392i_000038.1	7091.BGIBMGA010216-TA	1.96e-71	242.0	-	SERine Proteinase INhibitors
_ptg001539i_000001.1	34740.HMEL005534-PA	6.27e-82	269.0	-	Pacifastin inhibitor (LCMII)
_ptg000048i_000008.1	13037.EHJ77950	2.59e-154	454.0	-	-
_ptg002943i_000039.1	13037.EHJ77680	1.72e-263	731.0	-	Cobalamin binding. It is involved in the biological process descri
_ptg000908i_000002.1	34740.HMEL014298-PA	6.7e-211	596.0	-	Iron/zinc purple acid phosphatase-like protein C
_ptg001026i_000019.1	7091.BGIBMGA002513-TA	1.14e-70	231.0	-	-
_ptg002191i_000010.1	7091.BGIBMGA012184-TA	9.47e-35	144.0	-	-
_ptg003529i_000002.1	34740.HMEL005611-PA	1.73e-203	579.0	-	Glycosyl hydrolases family 32
_ptg000022i_000001.1	13037.EHJ64655	3.75e-193	560.0	-	Peptidase family M28
_ptg000582i_000017.1	7091.BGIBMGA012968-TA	3.27e-281	774.0	-	Epidermal growth factor-like domain.
_ptg002221i_000004.1	7091.BGIBMGA008598-TA	8.16e-118	358.0	-	-
_ptg000789i_000020.1	13037.EHJ72452	1.2e-05	56.6	-	-

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg000058l_000011.1	7091.BGIBMGA010257-TA	1.1e-141	417.0	-	Trypsin-like serine protease
_ptg000148l_000001.1	34740.HMEL014506-PA	6.74e-146	426.0	-	Lipase
_ptg001385l_000019.1	34740.HMEL011251-PA	2.03e-135	402.0	-	Thyroglobulin type I repeats.
_ptg001677l_000025.1	13037.EHJ69512	5.73e-62	214.0	-	Thrombospondin N-terminal -like domains.
_ptg002888l_000003.1	7091.BGIBMGA014469-TA	5.89e-263	727.0	-	-
_ptg000508l_000001.1	7091.BGIBMGA012184-TA	1.36e-22	108.0	-	-
_ptg000426l_000030.1	34740.HMEL002783-PA	4.28e-99	310.0	-	-
_ptg000908l_000010.1	7091.BGIBMGA008293-TA	5.11e-178	536.0	-	Iron/zinc purple acid phosphatase-like protein C
_ptg004160l_000002.1	13037.EHJ74345	6.56e-216	607.0	-	scavenger receptor activity
_ptg000082l_000026.1	7091.BGIBMGA006595-TA	2.17e-17	92.8	-	-
_ptg001020l_000004.1	7091.BGIBMGA008607-TA	3.46e-52	190.0	-	Domain of unknown function (DUF4779)
_ptg009089l_000003.1	13037.EHJ68583	9.12e-122	365.0	-	PDGF/VEGF domain
_ptg001446l_000020.1	7091.BGIBMGA011072-TA	5.83e-134	398.0	-	alpha/beta hydrolase fold
_ptg001705l_000018.1	34740.HMEL009808-PA		334 51.6	-	-
_ptg001779l_000004.1	34740.HMEL015052-PA	6.26e-81	269.0	-	Hemocyanin, copper containing domain
_ptg007191l_000003.1	34740.HMEL005399-PA	1.89e-81	265.0	-	Insect cuticle protein
_ptg003057l_000012.1	34740.HMEL005399-PA	2.41e-82	267.0	-	Insect cuticle protein
_ptg000102l_000003.1	13037.EHJ69512	5.55e-204	575.0	-	Thrombospondin N-terminal -like domains.
_ptg000580l_000014.1	13037.EHJ63200	6.23e-17	91.7	-	Reverse transcriptase (RNA-dependent DNA polymerase)
_ptg001859l_000002.1	7091.BGIBMGA013725-TA	4.28e-51	184.0	-	Domain of unknown function (DUF4779)
_ptg004440l_000002.1	7091.BGIBMGA011531-TA	2.11e-196	557.0	-	Phosphoric diester hydrolase activity. It is involved in the biologic
_ptg001808l_000006.1	13037.EHJ69512	3.12e-224	627.0	-	Thrombospondin N-terminal -like domains.
_ptg001766l_000005.1	13037.EHJ71704	4.04e-23	108.0	-	Chromosome 6 open reading frame 10
_ptg003057l_000032.1	102232.GLO73106DRAFT_00C	7.55e-11	72.0	-	Belongs to the serpin family
_ptg001450l_000007.1	13037.EHJ70643	8.14e-160	464.0	-	-
_ptg001456l_000021.1	13037.EHJ72114	2.56e-121	365.0	-	Partial alpha/beta-hydrolase lipase region
_ptg001207l_000014.1	34740.HMEL016399-PA	4.44e-83	267.0	-	Partial alpha/beta-hydrolase lipase region
_ptg001744l_000009.1	34740.HMEL005310-PA	1.18e-126	379.0	-	-
_ptg000348l_000016.1	7091.BGIBMGA014469-TA	1.06e-271	748.0	-	-

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evalue	score	GOs	Description
_ptg003701l_000008.1	13037.EHJ69321	4.96e-187	528.0	-	Domain first found in C1r, C1s, uEGF, and bone morphogenetic
_ptg001156l_000007.1	34740.HMEL012628-PA	7.14e-40	154.0	-	-
_ptg001175l_000002.1	13037.EHJ67360	5.95e-155	448.0	-	Domain of unknown function (DUF4789)
_ptg003975l_000019.1	13037.EHJ75148	1.32e-139	431.0	-	Vault protein inter-alpha-trypsin domain
_ptg003603l_000009.1	13037.EHJ68024	1.86e-35	143.0	-	serine-type endopeptidase activity
_ptg001118l_000006.1	7165.AGAP008065-PA	2.78e-05	55.1	-	-
_ptg000262l_000011.1	7091.BGIBMGA000966-TA	1.86e-93	295.0	-	Leucine rich repeat N-terminal domain
_ptg002625l_000007.1	7091.BGIBMGA013848-TA	1.74e-75	246.0	-	SERine Proteinase INhibitors
_ptg002505l_000001.1	7091.BGIBMGA009551-TA	4.24e-176	503.0	-	Trypsin
_ptg001500l_000002.1	13037.EHJ75768	3.06e-105	322.0	-	Vacuolar ATP synthase subunit S1 (ATP6S1)
_ptg000602l_000002.1	13037.EHJ63373	1.41e-144	424.0	-	Trypsin-like serine protease
_ptg002061l_000012.1	13037.EHJ67841	1.91e-34	143.0	-	Domain of unknown function (DUF243)
_ptg000109l_000015.1	34740.HMEL011251-PA	1.74e-118	357.0	-	Thyroglobulin type I repeats.
_ptg000045l_000031.1	13037.EHJ74824	3.41e-115	347.0	-	Lipase
_ptg002483l_000024.1	13037.EHJ75016	6.19e-135	398.0	-	Partial alpha/beta-hydrolase lipase region
_ptg000069l_000035.1	7091.BGIBMGA013932-TA	6.72e-35	140.0	-	SERine Proteinase INhibitors
_ptg001766l_000001.1	13037.EHJ68383	5.64e-29	127.0	-	EGF domain, unclassified subfamily
_ptg000375l_000035.1	34740.HMEL002479-PA	2.73e-214	598.0	-	Lipase
_ptg000393l_000005.1	13037.EHJ67841	4.96e-37	150.0	-	Domain of unknown function (DUF243)
_ptg001092l_000008.1	34740.HMEL017370-PA	4.55e-27	119.0	-	-
_ptg000455l_000001.1	13037.EHJ67742	2.67e-118	352.0	-	-
_ptg000370l_000002.1	13037.EHJ66315	1.2e-193	560.0	-	Eukaryotic-type carbonic anhydrase
_ptg000867l_000002.1	7091.BGIBMGA013932-TA	2.77e-37	146.0	-	SERine Proteinase INhibitors
_ptg006941l_000002.1	7070.TC007017-PA	1.04e-21	100.0	-	serine-type endopeptidase activity. It is involved in the biological
_ptg002427l_000001.1	7091.BGIBMGA001444-TA	2.99e-46	167.0	-	Insect cuticle protein
_ptg003647l_000001.1	7091.BGIBMGA008978-TA	5.4e-152	440.0	-	-
_ptg002529l_000009.1	7091.BGIBMGA005179-TA	6.97e-65	216.0	-	Lipase
_ptg000105l_000002.1	7029.ACYP144081-PA	2.34e-95	305.0	-	DDE superfamily endonuclease
_ptg000426l_000038.1	13037.EHJ65620	3.46e-198	556.0	-	Trypsin-like serine protease

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg001453l_000001.1	34740.HMEL014506-PA	2.36e-164	469.0	-	Lipase
_ptg000302l_000018.1	34740.HMEL014492-PA	2.99e-122	362.0	-	Lipase
_ptg002058l_000002.1	34740.HMEL014506-PA	3.36e-164	469.0	-	Lipase
_ptg002029l_000002.1	34740.HMEL002899-PA	4.38e-31	128.0	-	-
_ptg000637l_000016.1	7091.BGIBMGA011141-TA	1.41e-205	573.0	-	Lytic polysaccharide mono-oxygenase, cellulose-degrading
_ptg002302l_000008.1	13037.EHJ76326		619 50.4	-	-
_ptg004411l_000014.1	13037.EHJ76326		619 50.4	-	-
_ptg002347l_000005.1	13037.EHJ76326		619 50.4	-	-
_ptg000076l_000027.1	7091.BGIBMGA008126-TA	7.72e-39	151.0	-	Structural constituent of cuticle
_ptg000699l_000023.1	13037.EHJ64281	1.31e-88	278.0	-	Lipase
_ptg008500l_000001.1	13037.EHJ76599	2.4e-133	390.0	-	Lipase
_ptg003341l_000015.1	13037.EHJ76599	2.4e-133	390.0	-	Lipase
_ptg000426l_000034.1	34740.HMEL004391-PA	9.27e-11	71.6	-	-
_ptg000845l_000003.1	13037.EHJ78899	7.9e-56	192.0	-	Insect cuticle protein
_ptg001456l_000002.1	34740.HMEL010338-PA	3.03e-22	101.0	-	Domain of unknown function (DUF4735)
_ptg000700l_000023.1	13037.EHJ75201	6.11e-104	317.0	-	-
_ptg000294l_000008.1	13037.EHJ64533	1.49e-143	417.0	-	-
_ptg000494l_000008.1	13037.EHJ64281	1.81e-106	323.0	-	Lipase
_ptg001398l_000015.1	13037.EHJ64281	6.32e-91	284.0	-	Lipase
_ptg003848l_000004.1	7176.CPIJ015361-PA	1.82e-99	306.0	-	EGF-like domain
_ptg001398l_000016.1	13037.EHJ64281	7.89e-92	286.0	-	Lipase
_ptg006706l_000006.1	13037.EHJ63486	1.19e-104	318.0	-	-
_ptg002637l_000020.1	7091.BGIBMGA011550-TA	9.93e-61	202.0	-	-
_ptg003990l_000012.1	7091.BGIBMGA000329-TA	4.23e-31	127.0	-	Larval cuticle protein
_ptg004419l_000001.1	7091.BGIBMGA010014-TA	6.41e-29	122.0	-	-
_ptg000323l_000013.1	34740.HMEL016498-PA	1.09e-122	363.0	-	Lipase
_ptg001344l_000006.1	7091.BGIBMGA002670-TA	1.12e-126	373.0	-	Lipase
_ptg001108l_000010.1	13037.EHJ64896	3.73e-131	385.0	-	Lipase
_ptg002368l_000005.1	13037.EHJ67537	6.79e-155	445.0	-	Structural constituent of cuticle

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evalue	score	GOs	Description
_ptg000112l_000021.1	7091.BGIBMGA011895-TA	2.37e-97	299.0	-	Lipase
_ptg001829l_000021.1	13037.EHJ78693	2.27e-11	72.0	-	-
_ptg001420l_000008.1	13037.EHJ71622	2.23e-105	318.0	-	Inosine-uridine preferring nucleoside hydrolase
_ptg001398l_000017.1	13037.EHJ64281	1.17e-74	242.0	-	Lipase
_ptg001766l_000004.1	7091.BGIBMGA002385-TA	4.29e-28	119.0	-	-
_ptg000837l_000003.1	7091.BGIBMGA011141-TA	5.56e-210	583.0	-	Lytic polysaccharide mono-oxygenase, cellulose-degrading
_ptg000076l_000006.1	13037.EHJ76309	2.39e-30	129.0	-	-
_ptg000901l_000004.1	7091.BGIBMGA011141-TA	5.56e-210	583.0	-	Lytic polysaccharide mono-oxygenase, cellulose-degrading
_ptg001324l_000016.1	34740.HMEL014440-PA	4.74e-38	144.0	-	Trypsin-like serine protease
_ptg000110l_000004.1	7091.BGIBMGA008731-TA	1.42e-77	247.0	-	Lipase
_ptg001108l_000008.1	13037.EHJ64895	2.18e-75	242.0	-	Lipase
_ptg002810l_000005.1	34740.HMEL002000-PA	3.04e-52	192.0	-	Animal haem peroxidase
_ptg002418l_000011.1	34740.HMEL014236-PA	2.96e-45	165.0	-	Trypsin-like serine protease
_ptg001344l_000003.1	7091.BGIBMGA002670-TA	6.97e-124	365.0	-	Lipase
_ptg001344l_000005.1	7091.BGIBMGA002670-TA	1.12e-127	375.0	-	Lipase
_ptg001344l_000004.1	7091.BGIBMGA002670-TA	7.69e-140	406.0	-	Lipase
_ptg000038l_000024.1	7091.BGIBMGA011211-TA	5.47e-115	340.0	-	Trypsin-like serine protease
_ptg000112l_000024.1	7091.BGIBMGA011895-TA	4.89e-85	267.0	-	Lipase
_ptg001092l_000012.1	34740.HMEL017377-PA	3.88e-126	369.0	-	Trypsin-like serine protease
_ptg002915l_000003.1	34740.HMEL014236-PA	1.00E-44	163.0	-	Trypsin-like serine protease
_ptg002502l_000007.1	13037.EHJ64988	2.31e-133	389.0	-	Thyroglobulin type-1 repeat
_ptg000145l_000018.1	34740.HMEL012266-PA	8.3e-136	395.0	-	carbohydrate binding
_ptg000375l_000026.1	13037.EHJ65511	9.24e-115	341.0	-	Chitin binding Peritrophin-A domain
_ptg001345l_000004.1	34740.HMEL008644-PA	4.9e-32	134.0	-	cuticle protein
_ptg005051l_000003.1	13037.EHJ70527	1.31e-97	297.0	-	chitin binding. It is involved in the biological process described w
_ptg001432l_000041.1	34740.HMEL010245-PA	1.08e-144	420.0	-	DM4/DM12 family
_ptg006456l_000001.1	34740.HMEL010245-PA	1.08e-144	420.0	-	DM4/DM12 family
_ptg000403l_000013.1	34740.HMEL015931-PA	3.51e-109	350.0	-	Domain of unknown function (DUF4773)
_ptg000682l_000028.1	13037.EHJ72680	9.52e-97	293.0	-	Trypsin-like serine protease

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg0000088i_000015.1	13037.EHJ63162	1.54e-149	429.0	-	EB module
_ptg001951i_000063.1	34740.HMEL002469-PA	1.8e-85	268.0	-	Lipase
_ptg001883i_000031.1	13037.EHJ74832	1.22e-56	192.0	-	Trypsin-like serine protease
_ptg000118i_000018.1	13037.EHJ69362	5.15e-120	353.0	-	-
_ptg001020i_000006.1	7091.BGIBMGA008610-TA	2.63e-43	159.0	-	Domain of unknown function (DUF4779)
_ptg002529i_000025.1	34740.HMEL009305-PA	5.57e-106	323.0	-	Glucosidase II beta subunit-like protein
_ptg004590i_000001.1	13037.EHJ73050	4.9e-74	237.0	-	Eukaryotic-type carbonic anhydrase
_ptg002601i_000004.1	7091.BGIBMGA008135-TA	1.93e-08	63.9	-	-
_ptg002810i_000003.1	13037.EHJ70527	3.45e-97	296.0	-	chitin binding. It is involved in the biological process described w
_ptg000426i_000029.1	7091.BGIBMGA008463-TA	6.63e-28	118.0	-	-
_ptg000292i_000064.1	7091.BGIBMGA013405-TA	1.97e-55	187.0	-	CD80-like C2-set immunoglobulin domain
_ptg001988i_000023.1	7091.BGIBMGA008179-TA	4.55e-20	95.5	-	-
_ptg000053i_000011.1	13037.EHJ65597	1.25e-19	94.4	-	-
_ptg002943i_000035.1	13037.EHJ78967	1.69e-111	329.0	-	Astacin (Peptidase family M12A)
_ptg001020i_000005.1	7091.BGIBMGA008609-TA	3.77e-23	105.0	-	Domain of unknown function (DUF4779)
_ptg000286i_000003.1	7091.BGIBMGA012146-TA	3.96e-78	247.0	-	Insect cuticle protein
_ptg008565i_000005.1	13037.EHJ70865	3.07e-107	330.0	-	Reverse transcriptase (RNA-dependent DNA polymerase)
_ptg000459i_000010.1	7091.BGIBMGA007094-TA	1.28e-106	319.0	-	Domain of unknown function (DUF4786)
_ptg002259i_000006.1	13037.EHJ69644	6.13e-17	85.9	-	-
_ptg000652i_000038.1	7091.BGIBMGA013960-TA	2.4e-21	100.0	-	-
_ptg001551i_000013.1	13037.EHJ68229	3.77e-134	392.0	-	Glycerophosphoryl diester phosphodiesterase family
_ptg001951i_000017.1	13037.EHJ71714	1.82e-51	177.0	-	-
_ptg000347i_000008.1	7091.BGIBMGA000070-TA	1.69e-21	99.0	-	-
_ptg001324i_000017.1	34740.HMEL022519-PA	2.96e-44	159.0	-	Trypsin-like serine protease
_ptg002032i_000001.1	34740.HMEL010723-PA	1.23e-59	196.0	-	-
_ptg002283i_000010.1	13037.EHJ72799	1.81e-138	399.0	-	Immunoglobulin
_ptg000340i_000002.1	34740.HMEL002924-PA	7.87e-21	98.6	-	-
_ptg000642i_000010.1	13037.EHJ64302	1.06e-38	152.0	-	-
_ptg000053i_000009.1	34740.HMEL003399-PA	2.13e-52	181.0	-	-

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg001988l_000021.1	34740.HMEL003399-PA	3.84e-53	183.0	-	-
_ptg002009l_000007.1	7070.TC000548-PA	3.6e-53	182.0	-	Trypsin-like serine protease
_ptg001882l_000004.1	13037.EHJ63568	2.08e-108	322.0	-	-
_ptg001840l_000005.1	13037.EHJ65597	7.41e-68	219.0	-	-
_ptg000726l_000021.1	7091.BGIBMGA010591-TA	2.43e-106	318.0	-	-
_ptg000263l_000041.1	34740.HMEL007356-PA	5.87e-84	258.0	-	-
_ptg001324l_000020.1	7091.BGIBMGA009526-TA	3.51e-73	232.0	-	Trypsin-like serine protease
_ptg002869l_000001.1	13037.EHJ73760	1.83e-51	178.0	-	-
_ptg002869l_000004.1	13037.EHJ73760	7.23e-51	177.0	-	-
_ptg002869l_000002.1	13037.EHJ73760	1.83e-51	178.0	-	-
_ptg002869l_000003.1	13037.EHJ73760	1.83e-51	178.0	-	-
_ptg000009l_000012.1	13037.EHJ73760	7.81e-53	182.0	-	-
_ptg001287l_000036.1	13037.EHJ76045	4.95e-21	98.2	-	-
_ptg000303l_000011.1	13037.EHJ77331	3.36e-45	166.0	-	-
_ptg002869l_000005.1	13037.EHJ73760	2.68e-50	175.0	-	-
_ptg000009l_000001.1	13037.EHJ73760	1.64e-48	171.0	-	-
_ptg001432l_000031.1	13037.EHJ77331	3.36e-45	166.0	-	-
_ptg000076l_000003.1	13037.EHJ76308	6.87e-118	347.0	-	-
_ptg002072l_000023.1	34740.HMEL013431-PA	1.64e-25	108.0	-	Haemolymph juvenile hormone binding protein (JHBP)
_ptg002437l_000022.1	34740.HMEL012948-PA	3.52e-62	204.0	-	Trypsin
_ptg001883l_000035.1	1068978.AMETH_1449	5.76e-08	60.8	-	Secreted trypsin-like serine protease
_ptg001327l_000036.1	7091.BGIBMGA003530-TA	9.5e-39	144.0	-	-
_ptg005364l_000003.1	7159.AAEL018036-PC	1.59e-79	249.0	-	Thrombospondin type 1 repeats
_ptg002891l_000010.1	7091.BGIBMGA011455-TA	1.1e-09	66.2	-	-
_ptg001287l_000010.1	13037.EHJ72799	2.17e-135	390.0	-	Immunoglobulin
_ptg003956l_000005.1	7159.AAEL018036-PC	1.34e-80	252.0	-	Thrombospondin type 1 repeats
_ptg001951l_000008.1	7091.BGIBMGA010618-TA	4.38e-13	75.5	-	Domain of unknown function (DUF4779)
_ptg001588l_000017.1	13037.EHJ65594	3.84e-68	219.0	-	-
_ptg000123l_000002.1	7091.BGIBMGA009066-TA	4.06e-115	337.0	-	Lytic polysaccharide mono-oxygenase, cellulose-degrading

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg000292l_000053.1	34740.HMEL015127-PA	1.56e-12	72.4	-	-
_ptg000128l_000001.1	13037.EHJ70244	2.29e-39	149.0	-	-
_ptg000775l_000014.1	7091.BGIBMGA012418-TA	1.97e-57	191.0	-	DM4/DM12 family
_ptg001020l_000035.1	34740.HMEL008871-PA	4.21e-98	293.0	-	guanylate cyclase activity
_ptg002891l_000006.1	7091.BGIBMGA011455-TA	4.78e-09	64.3	-	-
_ptg002727l_000012.1	13037.EHJ74768	4.19e-56	188.0	-	Insect pheromone-binding family, A10/OS-D
_ptg000868l_000013.1	34740.HMEL004870-PA	2.38e-83	258.0	-	Lectin C-type domain
_ptg000065l_000022.1	34740.HMEL003998-PA	9.48e-07	55.1	-	-
_ptg001007l_000011.1	13037.EHJ64946	6.08e-05	52.0	-	-
_ptg000443l_000017.1	13037.EHJ79274	2.9e-89	273.0	-	Trypsin-like serine protease
_ptg000774l_000028.1	13037.EHJ71560	1.84e-55	187.0	-	Trypsin-like serine protease
_ptg002637l_000001.1	7091.BGIBMGA001164-TA	4.17e-30	120.0	-	Haemolymph juvenile hormone binding protein (JHBP)
_ptg001021l_000025.1	13037.EHJ69920	1.56e-49	169.0	-	-
_ptg000002l_000046.1	34740.HMEL011674-PA	2.22e-46	162.0	-	-
_ptg001365l_000074.1	13037.EHJ75008	5.56e-33	127.0	-	-
_ptg002363l_000018.1	13037.EHJ75009	1.66e-29	117.0	-	-
_ptg001365l_000023.1	34740.HMEL004661-PA	2.5e-08	60.8	-	-
_ptg001653l_000005.1	34740.HMEL006867-PA	4.21e-68	218.0	-	-
_ptg002221l_000011.1	34740.HMEL009391-PA	3.12e-41	150.0	-	-
_ptg002157l_000001.1	13037.EHJ77558	2.08e-55	186.0	-	-
_ptg000775l_000013.1	13037.EHJ67457	5.31e-43	153.0	-	DM4/DM12 family
_ptg001432l_000040.1	13037.EHJ65670	4.65e-54	181.0	-	-
_ptg001385l_000001.1	13037.EHJ64954	1.54e-34	127.0	-	-
_ptg003990l_000008.1	7091.BGIBMGA014199-TA	6.03e-46	161.0	-	Insect cuticle protein
_ptg002589l_000010.1	7091.BGIBMGA011458-TA	7.86e-36	135.0	-	Haemolymph juvenile hormone binding protein (JHBP)
_ptg000845l_000005.1	7091.BGIBMGA012606-TA	8.4e-13	75.1	-	-
_ptg002385l_000007.1	13037.EHJ64954	1.09e-34	127.0	-	-
_ptg001551l_000009.1	13037.EHJ68222	1.84e-77	248.0	-	-
_ptg000829l_000008.1	34740.HMEL005328-PA	7.59e-121	352.0	-	Transcriptional regulator, Out at first

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evalue	score	GOs	Description
_ptg000775l_000012.1	7091.BGIBMGA012418-TA	2.93e-82	254.0	-	DM4/DM12 family
_ptg000403l_000014.1	7091.BGIBMGA002624-TA	8.21e-85	280.0	-	Domain of unknown function (DUF4773)
_ptg002864l_000013.1	34740.HMEL006327-PA	1.44e-56	187.0	-	Lipocalin / cytosolic fatty-acid binding protein family
_ptg000403l_000006.1	13037.EHJ73947	2.58e-107	317.0	-	Domain of unknown function (DUF4773)
_ptg000595l_000063.1	13037.EHJ64921	3.4e-93	287.0	-	Haemolymph juvenile hormone binding protein (JHBP)
_ptg000682l_000029.1	34740.HMEL015087-PA	4.72e-157	442.0	-	Chitin-binding domain type 2
_ptg002852l_000019.1	7091.BGIBMGA002600-TA	8.2e-32	124.0	-	-
_ptg002072l_000018.1	6669.EFX81446	5.86e-31	122.0	-	Juvenile hormone binding protein domains in insects.
_ptg000965l_000001.1	7091.BGIBMGA013405-TA	2.16e-36	136.0	-	CD80-like C2-set immunoglobulin domain
_ptg000461l_000044.1	13037.EHJ77558	2.06e-105	313.0	-	-
_ptg003057l_000011.1	7091.BGIBMGA000275-TA	3.06e-20	92.4	-	Insect cuticle protein
_ptg002230l_000008.1	7091.BGIBMGA012654-TA	1.39e-61	201.0	-	Insect cuticle protein
_ptg000595l_000043.1	7091.BGIBMGA003342-TA	5.77e-137	391.0	-	Haemolymph juvenile hormone binding protein (JHBP)
_ptg002259l_000005.1	34740.HMEL017403-PA	4.76e-40	146.0	-	-
_ptg001255l_000024.1	13037.EHJ69611	4.11e-100	301.0	-	-
_ptg007658l_000001.1	34740.HMEL008871-PA	1.44e-53	179.0	-	guanylate cyclase activity
_ptg000862l_000012.1	13037.EHJ75405	2.5e-73	229.0	-	Fibroblast growth factor
_ptg002021l_000001.1	13037.EHJ75405	3.54e-73	229.0	-	Fibroblast growth factor
_ptg001920l_000014.1	13037.EHJ74790	3.25e-88	269.0	-	Putative cyclase
_ptg000059l_000004.1	13037.EHJ67079	1.29e-13	72.8	-	-
_ptg002529l_000003.1	34740.HMEL003262-PA	2.1e-15	83.2	-	Domain of unknown function (DUF4779)
_ptg000595l_000060.1	34740.HMEL015233-PA	4.13e-87	265.0	-	Haemolymph juvenile hormone binding protein (JHBP)
_ptg004034l_000028.1	13037.EHJ73683	6.45e-119	346.0	-	Copper/zinc superoxide dismutase (SODC)
_ptg002589l_000006.1	7091.BGIBMGA011555-TA	3.28e-142	405.0	-	Juvenile hormone binding protein domains in insects.
_ptg005208l_000013.1	13037.EHJ74969	4.54e-93	280.0	-	Chitin binding Peritrophin-A domain
_ptg001604l_000005.1	13037.EHJ74969	4.54e-93	280.0	-	Chitin binding Peritrophin-A domain
_ptg005840l_000003.1	34740.HMEL015539-PA	2.26e-09	64.3	-	-
_ptg001327l_000014.1	34740.HMEL010483-PA	4.97e-54	181.0	-	Hsp20/alpha crystallin family
_ptg001632l_000002.1	7091.BGIBMGA001164-TA	9.81e-89	270.0	-	Haemolymph juvenile hormone binding protein (JHBP)

Gene Ontology annotations of the predicted *Leucoptera coffeella* secretome using eggNOG-mapper.

#query	seed_ortholog	evalue	score	GOs	Description
_ptg002363l_000019.1	13037.EHJ75010	4.51e-94	283.0	-	-
_ptg002589l_000007.1	13037.EHJ78024	5.21e-134	388.0	-	Juvenile hormone binding protein domains in insects.
_ptg001021l_000003.1	34740.HMEL010676-PA	1.66e-40	147.0	-	Protein of unknown function (DUF1676)
_ptg002368l_000029.1	34740.HMEL017996-PA	4.9e-72	225.0	-	Protein of unknown function (DUF1397)
_ptg002072l_000024.1	34740.HMEL003029-PA	8.51e-49	168.0	-	Haemolymph juvenile hormone binding protein (JHBP)
_ptg006425l_000003.1	7091.BGIBMGA011077-TA	1.82e-43	160.0	-	Juvenile hormone binding protein domains in insects.
_ptg001951l_000007.1	34740.HMEL016422-PA	7.6e-09	63.9	-	Domain of unknown function (DUF4779)
_ptg002529l_000002.1	7091.BGIBMGA010629-TA	5.6e-25	106.0	-	Domain of unknown function (DUF4779)
_ptg002244l_000011.1	7091.BGIBMGA008207-TA		656 48.9	-	-
_ptg000347l_000018.1	7091.BGIBMGA011077-TA	1.82e-43	160.0	-	Juvenile hormone binding protein domains in insects.
_ptg006425l_000004.1	7091.BGIBMGA011077-TA	1.92e-48	173.0	-	Juvenile hormone binding protein domains in insects.
_ptg002589l_000011.1	7091.BGIBMGA011460-TA	7.14e-101	300.0	-	Juvenile hormone binding protein domains in insects.
_ptg001735l_000002.1	34740.HMEL016136-PA	2.28e-107	317.0	-	TLR4 regulator and MIR-interacting MSAP
_ptg000340l_000001.1	7091.BGIBMGA008090-TA	5.61e-17	85.5	-	-
_ptg000347l_000016.1	13037.EHJ70926	1.85e-45	157.0	-	Haemolymph juvenile hormone binding protein (JHBP)
_ptg002529l_000049.1	34740.HMEL003261-PA	2.62e-12	73.9	-	Domain of unknown function (DUF4779)
_ptg000845l_000004.1	7091.BGIBMGA012605-TA	4.21e-74	230.0	-	Insect cuticle protein
_ptg001456l_000018.1	7091.BGIBMGA007900-TA	1.3e-154	435.0	-	Chitin-binding domain type 2
_ptg001785l_000033.1	34740.HMEL014782-PA	8.79e-70	220.0	-	Juvenile hormone binding protein domains in insects.
_ptg006425l_000001.1	13037.EHJ70926	3.82e-47	161.0	-	Haemolymph juvenile hormone binding protein (JHBP)
_ptg002589l_000002.1	7091.BGIBMGA011553-TA	1.53e-73	229.0	-	Juvenile hormone binding protein domains in insects.
_ptg000419l_000041.1	13037.EHJ73481	3.25e-37	137.0	-	-
_ptg006511l_000001.1	13037.EHJ70894	2.09e-18	90.1	-	Protein of unknown function (DUF1397)
_ptg001785l_000013.1	7091.BGIBMGA001308-TA	2.24e-97	290.0	-	Haemolymph juvenile hormone binding protein (JHBP)
_ptg002529l_000048.1	13037.EHJ65838	3.1e-11	68.9	-	Domain of unknown function (DUF4779)
_ptg001021l_000029.1	7091.BGIBMGA000009-TA	7.15e-107	315.0	-	Protein of unknown function (DUF1676)
_ptg000845l_000026.1	7091.BGIBMGA012595-TA	6.21e-38	139.0	-	Insect cuticle protein
_ptg000347l_000020.1	7091.BGIBMGA011077-TA	1.39e-58	199.0	-	Juvenile hormone binding protein domains in insects.
_ptg000347l_000019.1	7091.BGIBMGA011077-TA	2.8e-53	185.0	-	Juvenile hormone binding protein domains in insects.

Gene Ontology annotations of the predicted *Leucoptera coffeella* secretome using eggNOG-mapper.

#query	seed_ortholog	evalue	score	GOs	Description
_ptg000933l_000010.1	7091.BGIBMGAA002565-TA	5.5e-51	173.0	-	-
_ptg002456l_000011.1	13037.EHJ66410	1.1e-115	351.0	-	biological adhesion
_ptg000347l_000017.1	7091.BGIBMGAA011077-TA	1.28e-27	117.0	-	Juvenile hormone binding protein domains in insects.
_ptg003990l_000013.1	7091.BGIBMGAA000331-TA	4.91e-42	149.0	-	Insect cuticle protein
_ptg002755l_000006.1	34740.HMEL011567-PA	1.46e-43	152.0	-	Trypsin Inhibitor like cysteine rich domain
_ptg000123l_000010.1	34740.HMEL011567-PA	7.29e-44	153.0	-	Trypsin Inhibitor like cysteine rich domain
_ptg000121l_000007.1	34740.HMEL011567-PA	2.06e-43	152.0	-	Trypsin Inhibitor like cysteine rich domain
_ptg000665l_000002.1	13037.EHJ70728	3.04e-110	321.0	-	-
_ptg006425l_000002.1	7091.BGIBMGAA011077-TA	4.14e-22	101.0	-	Juvenile hormone binding protein domains in insects.
_ptg003848l_000005.1	34740.HMEL011803-PA		158 50.4	-	-
_ptg001084l_000014.1	34740.HMEL016127-PA	2.24e-49	169.0	-	Chitin binding Peritrophin-A domain
_ptg007191l_000002.1	7091.BGIBMGAA000275-TA	1.56e-20	92.4	-	Insect cuticle protein
_ptg000705l_000015.1	7091.BGIBMGAA000438-TA	1.9e-34	129.0	-	Insect cuticle protein
_ptg001432l_000022.1	13037.EHJ65596	2.59e-50	166.0	-	Insect cuticle protein
_ptg003790l_000018.1	34740.HMEL014850-PA	5.06e-60	194.0	-	-
_ptg000775l_000017.1	13037.EHJ67459	1.34e-91	273.0	-	DM4/DM12 family
_ptg000058l_000009.1	7091.BGIBMGAA010255-TA	1.23e-53	177.0	-	-
_ptg002825l_000002.1	7091.BGIBMGAA012447-TA	2.45e-73	227.0	-	DM4/DM12 family
_ptg000123l_000006.1	7091.BGIBMGAA009096-TA	4.93e-43	150.0	-	Trypsin Inhibitor like cysteine rich domain
_ptg000927l_000015.1	7091.BGIBMGAA002598-TA	3.49e-39	142.0	-	-
_ptg000294l_000035.1	7091.BGIBMGAA000331-TA	5.56e-44	153.0	-	Insect cuticle protein
_ptg004177l_000006.1	34740.HMEL005621-PA	2.34e-23	99.4	-	Insect pheromone/odorant binding protein domains.
_ptg004533l_000001.1	13037.EHJ73602	2.42e-90	274.0	-	Ribonuclease H protein
_ptg001131l_000010.1	13037.EHJ69259	1.39e-22	99.8	-	-
_ptg002053l_000017.1	7091.BGIBMGAA013570-TA	6.15e-32	122.0	-	Insect allergen related repeat, nitrile-specifier detoxification
_ptg000065l_000002.1	13037.EHJ70407	9.84e-94	279.0	-	-
_ptg000047l_000009.1	132113.XP_003485767.1	2.05e-35	131.0	-	DM4/DM12 family
_ptg005208l_000010.1	13037.EHJ74967	6.97e-57	186.0	-	Chitin-binding domain type 2
_ptg001604l_000007.1	13037.EHJ74967	2.45e-57	187.0	-	Chitin-binding domain type 2

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg002804l_000007.1	132113.XP_003485767.1	3.66e-36	133.0	-	DM4/DM12 family
_ptg001952l_000005.1	13037.EHJ70962	3.34e-37	134.0	-	Insect cuticle protein
_ptg004635l_000012.1	7091.BGIBMGA003250-TA	645	47.4	-	-
_ptg001615l_000002.1	7091.BGIBMGA005149-TA	1.71e-63	202.0	-	Domain of unknown function (DUF4789)
_ptg002230l_000009.1	7091.BGIBMGA012655-TA	3.5e-64	204.0	-	Insect cuticle protein
_ptg004180l_000003.1	13037.EHJ70057	5.85e-31	119.0	-	-
_ptg000080l_000005.1	34740.HMEL010491-PA	2.18e-55	182.0	-	-
_ptg000705l_000013.1	13037.EHJ70911	5.09e-44	153.0	-	cuticle protein
_ptg003238l_000002.1	7091.BGIBMGA009610-TA	9.05e-30	124.0	-	serine-type endopeptidase activity
_ptg000927l_000010.1	34740.HMEL015980-PA	8.68e-06	53.1	-	-
_ptg003662l_000001.1	7091.BGIBMGA009614-TA	6.59e-93	278.0	-	Gamma interferon inducible lysosomal thiol reductase (GILT)
_ptg001859l_000004.1	7091.BGIBMGA013727-TA	1.51e-54	179.0	-	-
_ptg003478l_000004.1	7091.BGIBMGA009614-TA	6.59e-93	278.0	-	Gamma interferon inducible lysosomal thiol reductase (GILT)
_ptg002152l_000023.1	13037.EHJ75862	5.51e-62	199.0	-	-
_ptg008237l_000001.1	13037.EHJ69611	1.33e-106	316.0	-	-
_ptg000591l_000007.1	34740.HMEL002732-PA	7.32e-14	77.4	-	Vacuolar ATP synthase subunit S1 (ATP6S1)
_ptg000933l_000006.1	13037.EHJ71388	9.05e-09	62.0	-	-
_ptg002864l_000015.1	7091.BGIBMGA004866-TA	2.87e-87	263.0	-	negative regulation of lipoprotein oxidation
_ptg000480l_000001.1	7091.BGIBMGA000166-TA	7.01e-13	74.7	-	Insect cuticle protein
_ptg000426l_000011.1	7091.BGIBMGA008360-TA	5.47e-34	127.0	-	Gamma interferon inducible lysosomal thiol reductase (GILT)
_ptg001446l_000022.1	7091.BGIBMGA011074-TA	7.95e-69	216.0	-	Gamma interferon inducible lysosomal thiol reductase (GILT)
_ptg002498l_000085.1	7091.BGIBMGA011731-TA	3.1e-38	139.0	-	-
_ptg003790l_000013.1	7091.BGIBMGA011731-TA	1.23e-37	137.0	-	-
_ptg001300l_000015.1	7091.BGIBMGA011731-TA	1.23e-37	137.0	-	-
_ptg003608l_000003.1	7091.BGIBMGA004755-TA	9.24e-67	211.0	-	-
_ptg002387l_000013.1	34740.HMEL007254-PA	1.84e-68	215.0	-	-
_ptg000775l_000015.1	132113.XP_003485765.1	1.78e-23	100.0	-	DM4/DM12 family
_ptg001962l_000019.1	7091.BGIBMGA005025-TA	4.19e-70	219.0	-	Insect allergen related repeat, nitrile-specifier detoxification
_ptg000997l_000007.1	13037.EHJ65767	5.52e-64	203.0	-	-

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg001952l_000004.1	34740.HMEL015804-PA	3.84e-43	151.0	-	Insect cuticle protein
_ptg000521l_000033.1	7091.BGIBMGA006587-TA	2.16e-15	79.3	-	-
_ptg002230l_000010.1	34740.HMEL013407-PA	2.98e-40	143.0	-	Insect cuticle protein
_ptg000403l_000002.1	7091.BGIBMGA002664-TA	2.87e-71	221.0	-	Insect cuticle protein
_ptg000971l_000005.1	7091.BGIBMGA002664-TA	6.67e-70	218.0	-	Insect cuticle protein
_ptg000776l_000019.1	13037.EHJ76714	5.14e-31	117.0	-	-
_ptg000838l_000025.1	13037.EHJ70096	2.42e-24	102.0	-	-
_ptg001882l_000029.1	34740.HMEL002629-PA	8.96e-97	286.0	-	Lipase
_ptg000263l_000027.1	34740.HMEL009118-PA	1.56e-95	283.0	-	Domain of unknown function (DUF4786)
_ptg001785l_000007.1	13037.EHJ69470	1.02e-45	166.0	-	-
_ptg000845l_000007.1	13037.EHJ78552	1.14e-23	101.0	-	A disintegrin and metalloproteinase with thrombospondin motifs
_ptg000197l_000032.1	7091.BGIBMGA012454-TA	6.22e-77	234.0	-	Reeler domain
_ptg002498l_000078.1	34740.HMEL003666-PA	1.34e-08	62.0	-	-
_ptg003790l_000006.1	34740.HMEL003666-PA	3.98e-09	63.5	-	-
_ptg000380l_000041.1	13037.EHJ72139	2.48e-65	208.0	-	Insect cuticle protein
_ptg001937l_000002.1	7091.BGIBMGA008810-TA	2.07e-39	137.0	-	-
_ptg002498l_000081.1	7091.BGIBMGA011725-TA	4.33e-07	56.6	-	-
_ptg003790l_000009.1	7091.BGIBMGA011725-TA	4.33e-07	56.6	-	-
_ptg001345l_000009.1	13037.EHJ70911	9.54e-47	159.0	-	cuticle protein
_ptg001300l_000011.1	7091.BGIBMGA011725-TA	4.33e-07	56.6	-	-
_ptg003964l_000009.1	34740.HMEL002629-PA	6.07e-98	288.0	-	Lipase
_ptg001785l_000044.1	7091.BGIBMGA010977-TA	2.8e-51	170.0	-	Domain of unknown function (DUF4794)
_ptg005840l_000001.1	7091.BGIBMGA013260-TA	5.22e-55	179.0	-	Phosphatidylethanolamine-binding protein
_ptg000700l_000020.1	13037.EHJ72574	5.22e-123	352.0	-	Low-density lipoprotein receptor domain class A
_ptg003692l_000003.1	13037.EHJ63938	1.39e-26	106.0	-	-
_ptg001920l_000003.1	13037.EHJ74792	1.42e-85	258.0	-	Chitin binding Peritrophin-A domain
_ptg002170l_000003.1	13037.EHJ71158	1.83e-19	93.2	-	-
_ptg001951l_000023.1	69319.XP_008544437.1	1.23e-08	62.0	-	Aminopeptidase N-like
_ptg000047l_000004.1	7091.BGIBMGA012447-TA	7.14e-81	244.0	-	DM4/DM12 family

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg000375l_000047.1	7091.BGIBMGA010341-TA	3.81e-32	120.0	-	Insect cuticle protein
_ptg001365l_000073.1	13037.EHJ77922	4.51e-18	84.3	-	-
_ptg001604l_000003.1	7176.CPIJ003202-PA	4.32e-09	62.8	-	Chitin-binding domain type 2
_ptg005208l_000011.1	7176.CPIJ003202-PA	4.32e-09	62.8	-	Chitin-binding domain type 2
_ptg001300l_000008.1	34740.HMEL003666-PA	6.19e-09	62.8	-	-
_ptg002667l_000033.1	7091.BGIBMGA005981-TA	2.73e-61	194.0	-	Reeler domain
_ptg002498l_000004.1	7091.BGIBMGA011759-TA	1.13e-31	119.0	-	-
_ptg003790l_000019.1	7091.BGIBMGA011759-TA	1.13e-31	119.0	-	-
_ptg003681l_000005.1	13037.EHJ70800	1.27e-37	135.0	-	-
_ptg000286l_000012.1	13037.EHJ70800	7.19e-37	133.0	-	-
_ptg005840l_000020.1	7091.BGIBMGA013260-TA	1.07e-37	135.0	-	Phosphatidylethanolamine-binding protein
_ptg000648l_000025.1	13037.EHJ79010	1.04e-25	104.0	-	Apolipoprotein III precursor (apoLp-III)
_ptg000885l_000004.1	13037.EHJ71542	2.34e-41	144.0	-	-
_ptg001300l_000071.1	7091.BGIBMGA011759-TA	1.64e-30	116.0	-	-
_ptg002529l_000034.1	7091.BGIBMGA010648-TA	2.67e-26	105.0	-	-
_ptg001345l_000008.1	7091.BGIBMGA000268-TA	4.11e-40	140.0	-	cuticle protein
_ptg001345l_000007.1	7091.BGIBMGA000268-TA	1.02e-40	142.0	-	cuticle protein
_ptg001573l_000005.1	7091.BGIBMGA008593-TA	2.97e-12	69.3	-	-
_ptg001252l_000014.1	34740.HMEL016458-PA	3.07e-64	202.0	-	-
_ptg003848l_000016.1	34740.HMEL008070-PA	1.73e-05	51.6	-	-
_ptg000706l_000031.1	13037.EHJ77882	6.44e-65	204.0	-	-
_ptg000426l_000002.1	34740.HMEL010230-PA	3.69e-40	139.0	-	PBP/GOBP family
_ptg000809l_000079.1	13037.EHJ74653	1.41e-15	77.0	-	Insect pheromone/odorant binding protein domains.
_ptg000323l_000003.1	7091.BGIBMGA004737-TA	7.41e-54	180.0	-	-
_ptg000959l_000003.1	7091.BGIBMGA009271-TA	1.58e-21	93.2	-	-
_ptg000845l_000027.1	13037.EHJ78894	1.53e-47	159.0	-	Insect cuticle protein
_ptg001205l_000020.1	34740.HMEL003316-PA	1.66e-63	200.0	-	Yippee zinc-binding/DNA-binding /Mis18, centromere assembly
_ptg003975l_000018.1	34740.HMEL003316-PA	4.74e-63	199.0	-	Yippee zinc-binding/DNA-binding /Mis18, centromere assembly
_ptg003706l_000008.1	34740.HMEL003316-PA	4.74e-63	199.0	-	Yippee zinc-binding/DNA-binding /Mis18, centromere assembly

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evalue	score	GOs	Description
_ptg001300l_000072.1	13037.EHJ63507	1.24e-11	68.6	-	-
_ptg003790l_000020.1	13037.EHJ71925	1.69e-12	70.9	-	-
_ptg002498l_000005.1	13037.EHJ63507	1.24e-11	68.6	-	-
_ptg000941l_000011.1	34740.HMEL022553-PA	1.02e-37	134.0	-	-
_ptg000862l_000019.1	7091.BGIBMGA010255-TA	2.24e-63	199.0	-	-
_ptg000380l_000043.1	7091.BGIBMGA007015-TA	1.44e-42	146.0	-	Conserved hypothetical protein
_ptg000235l_000004.1	13037.EHJ63735	3.35e-42	146.0	-	-
_ptg003057l_000006.1	13037.EHJ69403	1.00E-56	182.0	-	Insect cuticle protein
_ptg003692l_000004.1	34740.HMEL009856-PA	3.61e-16	78.6	-	Trypsin Inhibitor like cysteine rich domain
_ptg000323l_000002.1	13037.EHJ72766	3.69e-28	109.0	-	SCP-2 sterol transfer family
_ptg000705l_000004.1	7091.BGIBMGA000245-TA	1.9e-86	258.0	-	Insect cuticle protein
_ptg001993l_000003.1	7159.AAEL001511-PA	3.25e-13	69.7	-	-
_ptg000663l_000017.1	13037.EHJ76124	9.59e-34	123.0	-	-
_ptg001110l_000007.1	6412.HelroP169389		137 49.3	-	-
_ptg000531l_000004.1	7176.CPIJ016737-PA	4.22e-13	73.9	-	Cysteine-rich venom protein
_ptg000426l_000005.1	13037.EHJ67766	4.93e-10	62.4	-	Insect pheromone/odorant binding protein domains.
_ptg003109l_000006.1	34740.HMEL003316-PA	2.42e-72	222.0	-	Yippee zinc-binding/DNA-binding /Mis18, centromere assembly
_ptg002457l_000003.1	34740.HMEL007929-PA	2.23e-42	146.0	-	-
_ptg001345l_000005.1	7091.BGIBMGA000277-TA	2.39e-41	143.0	-	Insect cuticle protein
_ptg000380l_000025.1	7091.BGIBMGA007015-TA	1.27e-28	110.0	-	Conserved hypothetical protein
_ptg002164l_000003.1	13037.EHJ71309	3.41e-62	195.0	-	Insect pheromone/odorant binding protein domains.
_ptg000128l_000049.1	13037.EHJ70182	1.55e-05	51.6	-	Chorion protein
_ptg001112l_000021.1	7091.BGIBMGA012454-TA	6.92e-84	251.0	-	Reeler domain
_ptg002363l_000023.1	7091.BGIBMGA007529-TA	7.08e-85	253.0	-	-
_ptg000894l_000007.1	13037.EHJ69657	1.11e-20	89.0	-	-
_ptg001952l_000001.1	7091.BGIBMGA003060-TA	9.59e-30	113.0	-	Insect cuticle protein
_ptg000700l_000010.1	13037.EHJ75200	6.93e-45	160.0	-	-
_ptg000268l_000007.1	7091.BGIBMGA003060-TA	9.59e-30	113.0	-	Insect cuticle protein
_ptg000809l_000007.1	7091.BGIBMGA003728-TA	2.08e-53	173.0	-	-

Gene Ontology annotations of the predicted *Leucoptera coffeella* secretome using eggNOG-mapper.

#query	seed_ortholog	evaluate	score	GOs	Description
_ptg002164l_000007.1	34740.HMEL004625-PA	5.78e-75	228.0	-	Insect pheromone/odorant binding protein domains.
_ptg001194l_000018.1	7091.BGIBMGA013542-TA	3.19e-24	98.2	-	-
_ptg000870l_000009.1	34740.HMEL012126-PA	6.37e-33	129.0	-	Insect cuticle protein
_ptg002164l_000013.1	34740.HMEL022500-PA	2.63e-82	246.0	-	Insect pheromone/odorant binding protein domains.
_ptg000235l_000008.1	34740.HMEL002024-PA	5.6e-47	157.0	-	-
_ptg001219l_000023.1	34740.HMEL007210-PA	2.56e-38	134.0	-	-
_ptg001219l_000007.1	13037.EHJ73374	7.35e-53	171.0	-	-
_ptg000862l_000042.1	34740.HMEL017002-PA	5.71e-21	91.3	-	-
_ptg000128l_000052.1	13037.EHJ71400	1.72e-05	51.2	-	Chorion protein
_ptg000809l_000078.1	13037.EHJ74653	1.22e-63	198.0	-	Insect pheromone/odorant binding protein domains.
_ptg000964l_000014.1	34740.HMEL005816-PA	7.33e-14	71.2	-	-
_ptg002152l_000002.1	34740.HMEL002559-PA	2.32e-51	167.0	-	Pupal cuticle protein C1
_ptg000123l_000009.1	7091.BGIBMGA009088-TA	2.01e-48	159.0	-	-
_ptg003790l_000010.1	7091.BGIBMGA011726-TA	9.42e-40	139.0	-	-
_ptg002755l_000005.1	7091.BGIBMGA009088-TA	1.42e-48	160.0	-	-
_ptg001300l_000012.1	7091.BGIBMGA011726-TA	9.42e-40	139.0	-	-
_ptg002330l_000002.1	34740.HMEL012548-PA	1.75e-32	120.0	-	-
_ptg002498l_000082.1	7091.BGIBMGA011726-TA	3.31e-40	140.0	-	-
_ptg003057l_000003.1	13037.EHJ73499	7.28e-41	150.0	-	Insect cuticle protein
_ptg000652l_000017.1	13037.EHJ63150	3.21e-71	218.0	-	Destabilase
_ptg000870l_000013.1	34740.HMEL012126-PA	3.46e-33	130.0	-	Insect cuticle protein
_ptg004229l_000001.1	34740.HMEL009698-PA	7.11e-37	130.0	-	-
_ptg000941l_000010.1	13037.EHJ67714	9.76e-51	166.0	-	-
_ptg000128l_000103.1	13037.EHJ70182	3.09e-05	50.4	-	Chorion protein
_ptg001952l_000013.1	7091.BGIBMGA003074-TA	1.32e-18	84.7	-	BPTI/Kunitz family of serine protease inhibitors.
_ptg001962l_000001.1	7159.AAEL009449-PA	4.51e-23	95.5	-	Odorant binding protein
_ptg000426l_000040.1	34740.HMEL010226-PA	1.63e-48	159.0	-	Insect pheromone/odorant binding protein domains.
_ptg000128l_000028.1	13037.EHJ67327	5.31e-15	74.3	-	-
_ptg004229l_000002.1	13037.EHJ70459	7.42e-40	138.0	-	-

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg000065l_000024.1	7091.BGIBMGA010914-TA	5.3e-09	58.9	-	-
_ptg001365l_000015.1	7091.BGIBMGA004046-TA	1.74e-47	156.0	-	Insect pheromone-binding family, A10/OS-D
_ptg003320l_000006.1	34740.HMEL005694-PA	2.56e-30	114.0	-	-
_ptg003790l_000012.1	7091.BGIBMGA011730-TA	6.63e-28	107.0	-	-
_ptg001139l_000019.1	7091.BGIBMGA004780-TA	3.12e-25	100.0	-	-
_ptg001300l_000014.1	7091.BGIBMGA011730-TA	6.63e-28	107.0	-	-
_ptg002498l_000084.1	7091.BGIBMGA011730-TA	6.63e-28	107.0	-	-
_ptg002265l_000005.1	34740.HMEL016145-PA	3.79e-13	68.9	-	-
_ptg003183l_000009.1	34740.HMEL016145-PA	5.28e-16	76.3	-	-
_ptg000666l_000032.1	34740.HMEL002880-PA	3.15e-55	177.0	-	Alpha-lactalbumin / lysozyme C
_ptg002498l_000003.1	7091.BGIBMGA011757-TA	1.47e-09	60.8	-	-
_ptg000375l_000063.1	7091.BGIBMGA010101-TA	9.84e-08	53.9	-	-
_ptg001714l_000004.1	7091.BGIBMGA010101-TA	9.84e-08	53.9	-	-
_ptg001300l_000070.1	7091.BGIBMGA011757-TA	1.47e-09	60.8	-	-
_ptg008118l_000003.1	13037.EHJ78783	1.96e-37	136.0	-	-
_ptg002498l_000077.1	7370.XP_005184609.1	1.66e-06	52.0	-	Cuticle protein 16.5, isoform
_ptg001300l_000007.1	7370.XP_005184609.1	5.76e-08	55.8	-	Cuticle protein 16.5, isoform
_ptg001131l_000012.1	13037.EHJ65054	1.81e-24	99.0	-	-
_ptg003790l_000005.1	7370.XP_005184609.1	6.08e-07	53.1	-	Cuticle protein 16.5, isoform
_ptg004148l_000004.1	13037.EHJ69657	6.83e-30	111.0	-	-
_ptg004229l_000012.1	136037.KDR18175	7.38e-36	127.0	-	-
_ptg000426l_000006.1	13037.EHJ67764	5.44e-09	58.9	-	PBP/GOBP family
_ptg001997l_000005.1	13037.EHJ67447	7.52e-17	80.5	-	-
_ptg002363l_000013.1	34740.HMEL015179-PA	6.91e-38	132.0	-	-
_ptg001365l_000056.1	34740.HMEL010987-PA	9.84e-24	97.1	-	Insect pheromone-binding family, A10/OS-D
_ptg004635l_000017.1	34740.HMEL013746-PA	6.23e-06	50.4	-	Chorion protein
_ptg000347l_000002.1	7091.BGIBMGA011998-TA	1.54e-43	147.0	-	Insect cuticle protein
_ptg000065l_000032.1	7091.BGIBMGA000663-TA	3.71e-11	63.9	-	-
_ptg001967l_000008.1	34740.HMEL013247-PA	1.74e-47	156.0	-	Insect cuticle protein

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evaluate	score	GOs	Description
_ptg003990l_000010.1	13037.EHJ70616	3.87e-55	176.0	-	Insect cuticle protein
_ptg000102l_000023.1	7091.BGIBMGA011598-TA	7.73e-18	81.6	-	-
_ptg001785l_000034.1	7091.BGIBMGA001325-TA	3.5e-19	87.0	-	Juvenile hormone binding protein domains in insects.
_ptg000804l_000018.1	34740.HMEL017659-PA	2.57e-25	103.0	-	-
_ptg000811l_000012.1	7091.BGIBMGA008847-TA	1.62e-05	49.7	-	-
_ptg001952l_000002.1	34740.HMEL015803-PA	3.69e-33	120.0	-	Insect cuticle protein
_ptg001084l_000016.1	34740.HMEL016124-PA	4.97e-68	210.0	-	Chitin-binding domain type 2
_ptg000268l_000008.1	34740.HMEL015803-PA	3.69e-33	120.0	-	Insect cuticle protein
_ptg000128l_000105.1	13037.EHJ68429		722 46.2	-	Chorion protein
_ptg005169l_000003.1	34740.HMEL008220-PA	1.11e-31	116.0	-	Destabilase
_ptg004295l_000008.1	34740.HMEL007193-PA	5.99e-50	163.0	-	Four-disulfide core domains
_ptg001365l_000059.1	34740.HMEL022509-PA	1.42e-48	158.0	-	protein serine threonine kinase
_ptg002498l_000062.1	7091.BGIBMGA011778-TA	6.34e-41	139.0	-	-
_ptg000055l_000047.1	7091.BGIBMGA007156-TA	2.8e-66	203.0	-	-
_ptg002175l_000011.1	13037.EHJ69918	2.75e-14	72.4	-	-
_ptg002299l_000004.1	34740.HMEL013247-PA	4.86e-50	162.0	-	Insect cuticle protein
_ptg001806l_000017.1	34740.HMEL013247-PA	5.65e-49	159.0	-	Insect cuticle protein
_ptg001754l_000008.1	13037.EHJ74863	2.28e-31	114.0	-	-
_ptg000065l_000023.1	34740.HMEL003999-PA	6.6e-26	101.0	-	-
_ptg001365l_000014.1	7091.BGIBMGA004045-TA	8.84e-60	187.0	-	Insect pheromone-binding family, A10/OS-D
_ptg000128l_000100.1	13037.EHJ68429	3.72e-05	49.7	-	Chorion protein
_ptg003990l_000007.1	13037.EHJ63303	6.56e-21	88.2	-	Insect cuticle protein
_ptg001365l_000016.1	34740.HMEL010990-PA	9.24e-57	179.0	-	Insect pheromone-binding family, A10/OS-D
_ptg001754l_000034.1	34740.HMEL012685-PA	1.35e-22	92.8	-	-
_ptg001365l_000058.1	7091.BGIBMGA004065-TA	4.6e-59	185.0	-	Insect pheromone-binding family, A10/OS-D
_ptg002383l_000008.1	34740.HMEL014428-PA	1.19e-23	95.9	-	Insect cuticle protein
_ptg003990l_000011.1	7091.BGIBMGA000327-TA	1.62e-39	135.0	-	Insect cuticle protein
_ptg005528l_000001.1	7159.AAEL007493-PA	1.69e-07	54.7	-	-
_ptg002009l_000012.1	43151.ADAC009742-PA	8.47e-06	50.1	-	-

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	value	score	GOs	Description
_ptg001365l_000007.1	7091.BGIBMGA004040-TA	3.21e-54	172.0	-	Insect pheromone-binding family, A10/OS-D
_ptg001365l_000011.1	13037.EHJ73333	3.82e-61	190.0	-	Insect pheromone-binding family, A10/OS-D
_ptg000280l_000012.1	7091.BGIBMGA013782-TA	4.02e-42	142.0	-	Transcription activator MBF2
_ptg000340l_000003.1	13037.EHJ75702	2.19e-29	116.0	-	-
_ptg001365l_000057.1	13037.EHJ76402	2.29e-45	150.0	-	Insect pheromone-binding family, A10/OS-D
_ptg000065l_000035.1	7091.BGIBMGA010898-TA	8.00E-15	71.2	-	-
_ptg001673l_000001.1	13037.EHJ78408	3.34e-44	147.0	-	protein serine threonine kinase
_ptg002475l_000001.1	7091.BGIBMGA009210-TA	2.94e-17	77.0	-	-
_ptg002498l_000006.1	13037.EHJ76564	4.05e-06	51.2	-	-
_ptg001300l_000073.1	7091.BGIBMGA011761-TA	4.63e-06	50.8	-	-
_ptg000590l_000002.1	7091.BGIBMGA009210-TA	2.94e-17	77.0	-	-
_ptg001365l_000013.1	13037.EHJ73337	1.14e-46	153.0	-	Insect pheromone-binding family, A10/OS-D
_ptg000280l_000029.1	7091.BGIBMGA013991-TA	339	46.6	-	Transcription activator MBF2
_ptg005706l_000003.1	13037.EHJ67925	5.72e-35	133.0	-	Sulfatase
_ptg002368l_000073.1	34740.HMEL006017-PA	6.69e-40	139.0	-	Insect cuticle protein
_ptg000665l_000011.1	13037.EHJ70817	9.67e-27	106.0	-	-
_ptg000088l_000054.1	7091.BGIBMGA004294-TA	7.91e-38	130.0	-	Transcription activator MBF2
_ptg002852l_000021.1	7091.BGIBMGA002602-TA	201	46.6	-	-
_ptg001365l_000012.1	13037.EHJ70185	1.48e-26	102.0	-	Insect pheromone-binding family, A10/OS-D
_ptg000932l_000012.1	34740.HMEL009323-PA	8.83e-05	45.4	-	-
_ptg001962l_000005.1	13037.EHJ78571	4.5e-32	115.0	-	-
_ptg000280l_000011.1	13037.EHJ72619	4.19e-08	57.8	-	Transcription activator MBF2
_ptg000280l_000009.1	7091.BGIBMGA013760-TA	3.76e-55	174.0	-	Transcription activator MBF2
_ptg008731l_000001.1	13037.EHJ69657	4.86e-38	131.0	-	-
_ptg003537l_000033.1	34740.HMEL022550-PA	5.16e-08	54.3	-	Insect pheromone-binding family, A10/OS-D
_ptg001795l_000007.1	34740.HMEL016546-PA	1.91e-55	175.0	-	Domain of unknown function (DUF4787)
_ptg002368l_000002.1	7091.BGIBMGA000345-TA	6.71e-31	112.0	-	Insect cuticle protein
_ptg000341l_000001.1	13037.EHJ73675	1.79e-24	96.7	-	Single domain von Willebrand factor type C
_ptg004392l_000011.1	7091.BGIBMGA010201-TA	4.09e-50	161.0	-	-

Gene Ontology annotations of the predicted <i>Leucoptera coffeella</i> secretome using eggNOG-mapper.					
#query	seed_ortholog	evalue	score	GOs	Description
_ptg000323l_000022.1	7091.BGIBMGA005148-TA	1.41e-31	114.0	-	Insect cuticle protein
_ptg000280l_000008.1	13037.EHJ68400	4.88e-45	148.0	-	Transcription activator MBF2
_ptg000280l_000030.1	7091.BGIBMGA013760-TA	3.64e-12	65.5	-	Transcription activator MBF2
_ptg000652l_000016.1	13037.EHJ70146	1.16e-08	55.8	-	Insulin / insulin-like growth factor / relaxin family.
_ptg0002368l_000001.1	13037.EHJ67543	7.74e-38	131.0	-	Insect cuticle protein
_ptg000776l_000048.1	13037.EHJ78590	2.52e-14	72.4	-	Cathepsin propeptide inhibitor domain (I29)
_ptg0002852l_000024.1	34740.HMEL015975-PA	5.21e-28	107.0	-	-
_ptg0002529l_000004.1	13037.EHJ64376	4.24e-52	166.0	-	Transcription activator MBF2
_ptg000776l_000049.1	13037.EHJ78590	1.02e-16	78.6	-	Cathepsin propeptide inhibitor domain (I29)
_ptg0003990l_000006.1	34740.HMEL005032-PA	2.88e-25	104.0	-	Insect cuticle protein
_ptg0002335l_000009.1	34740.HMEL015357-PA	7.66e-28	105.0	-	Insect cuticle protein
_ptg0001163l_000023.1	7091.BGIBMGA008293-TA	5.79e-32	125.0	-	Iron/zinc purple acid phosphatase-like protein C
_ptg0001909l_000014.1	34740.HMEL008008-PA	4.27e-10	63.2	-	Ankyrin repeat
_ptg0000088l_000010.1	7091.BGIBMGA004340-TA	1.21e-43	144.0	-	Four-disulfide core domains
_ptg0000941l_000022.1	7091.BGIBMGA011588-TA	4.62e-38	130.0	-	diuretic hormone activity
_ptg000303l_000004.1	13037.EHJ77745	1.79e-49	163.0	-	-
_ptg0001906l_000041.1	13037.EHJ77621	3.49e-15	73.9	-	-
_ptg000595l_000029.1	7091.BGIBMGA005397-TA	8.65e-48	155.0	-	Insect cuticle protein
_ptg0001287l_000025.1	34740.HMEL003281-PA	2.64e-37	128.0	-	-
_ptg0000059l_000002.1	13037.EHJ66778	2.19e-34	121.0	-	-
_ptg0000075l_000017.1	13037.EHJ66396	5.5e-48	155.0	-	Fungal protease inhibitor
_ptg0001503l_000001.1	7370.XP_005174951.1	5.29e-41	137.0	-	Structural constituent of cuticle
_ptg0001648l_000017.1	7370.XP_005190117.1	2.7e-41	138.0	-	Structural constituent of cuticle
_ptg0003537l_000034.1	7091.BGIBMGA001469-TA	2.15e-52	166.0	-	Insect pheromone-binding family, A10/OS-D
_ptg0002467l_000024.1	7370.XP_005190117.1	1.9e-41	139.0	-	Structural constituent of cuticle
_ptg0003103l_000005.1	34740.HMEL009352-PA	1.88e-29	108.0	-	Pancreatic hormone peptide
_ptg0001863l_000016.1	13037.EHJ68915	6.41e-36	124.0	-	Single domain von Willebrand factor type C
_ptg0003082l_000003.1	34740.HMEL010628-PA	5.24e-27	101.0	-	-
_ptg000866l_000001.1	13037.EHJ73893	1.7e-27	103.0	-	-