

國立臺灣大學電機資訊學院生醫電子與資訊學研究所

碩士論文(初稿)

Graduate Institute of Biomedical Electronics and Bioinformatics

College of Electrical Engineering and Computer Science

National Taiwan University

Master's Thesis (Draft)

基於基因體基礎模型之總體基因體短讀序列分類學分
類

Token-level Genomic Foundation Model Fine-tuning
for Metagenomic Taxonomic Classification

楊明儒

Ming-Ju Yang

指導教授：劉子毓 博士

Advisor: Tzu-Yu Liu, Ph.D.

中華民國 115 年 7 月

July 2026





誌謝





基於基因體基礎模型之總體基因體短讀序列分類學分 類

研究生：楊明儒

指導教授：劉子毓 博士

國立臺灣大學 生醫電子與資訊學研究所

摘要

總體基因體學的分類學分類——即將每條定序短讀序列指派至正確的微生物分類單元——是微生物群落分析的核心計算挑戰。本論文系統性評估基因體基礎模型於總體基因體分類任務的適用性，並透過資料規模、預訓練、tokenization 等多重消融實驗，分析其主要瓶頸。我們提出一種基於 Nucleotide Transformer v2 (498M 參數) 的 Token 層級分類方法，結合低秩適應 (LoRA) 微調與注意力池化分類頭，保留完整的 Token 層級序列資訊。透過系統性的資料規模實驗 (500K 至 50M 條平衡讀序列)，我們發現在固定 NT-v2 架構下，訓練資料量是決定分類準確度的主要因素：在屬 (genus) 層級 120 類分類任務中，資料量由 500K 增至 5M 可提升準確度 7.76 個百分點 (55.29% 提升至 63.05%)，進一步擴至 50M 可達 67.07%，而架構與訓練技巧的調整最多僅帶來 ± 0.5 個百分點的變化。反向互補測試時增強 (RC TTA) 在所有設定下穩定提供 0.1–1.5 個百分點的準確度改善。受控消融實驗證實預訓練 29 層骨幹網路比相同資料量下的單層隨機初始化模型高出 13.19 個百分點，驗證了預訓練表示在固定 tokenization 下的價值。然而，跨架構的 tokenization 消融實驗進一步顯示，在相同 50M 資料量下，採用重疊 13-mer tokenization 的 MetaTransformer 從頭訓練即可達到 87.42% 的屬層級準確度，較 NT-v2 + LoRA (67.07%) 高出 20.35 個百分點，顯示 tokenization 設計是比預訓練更具決定性的因素，而 NT-v2 的非重疊 6-mer tokenizer 是其主要結構性限制。在物種 (species) 層級 1,535 類任務上，per-genus 50M LoRA 分類器於 oracle genus

routing 下達到 27.8% Top-1，超越 sp_v4 平面 oracle 上限 (27.4%)，驗證階層式架構方向的正確性。樣本層級評估顯示，在物種平衡的隨機分割合成樣本中，67% 的單讀序列準確度可轉化為相對豐度估計 Pearson 相關係數 $r = 0.993$ 與豐度 $\geq 1\%$ 之屬的 100% 偵測靈敏度，但此結果是在固定群落組成下的穩定性測試，於真實多樣性社群上的泛化仍待驗證。本研究為基因體基礎模型在總體基因體學分類上的應用提供了實證基礎與可擴展的實驗框架，並指出未來方向應聚焦於以重疊長 k -mer tokenization 預訓練的微生物基礎模型。

關鍵字：

基因體基礎模型、總體基因體學、分類學分類、低秩適應、注意力池化

Token-level Genomic Foundation Model Fine-tuning for Metagenomic Taxonomic Classification



Student: Ming-Ju Yang

Advisor: Tzu-Yu Liu, Ph.D.

Graduate Institute of Biomedical Electronics and Bioinformatics
National Taiwan University

ABSTRACT

Metagenomic taxonomic classification—assigning each sequencing read to its source organism in the microbial taxonomy—is a fundamental computational challenge in microbiome analysis. This thesis systematically evaluates the suitability of genomic foundation models (GFM) for metagenomic read classification through controlled ablations across data scaling, pre-training, and tokenization. We propose a token-level classification approach leveraging the pre-trained Nucleotide Transformer v2 (NT-v2, 498M parameters) with Low-Rank Adaptation (LoRA) fine-tuning and an attention-pooling head that preserves the full token-level sequence information.

Within the fixed NT-v2 framework, training data volume is the dominant factor determining classification accuracy: a $10\times$ increase in training data yields a +7.76 percentage point (pp) improvement in genus-level accuracy (55.29% to 63.05% on 120 genera at 5M reads, scaling further to 67.07% at 50M reads), whereas architectural and training-technique ablations produce at most ± 0.5 pp of variation. Reverse-complement test-time augmentation consistently improves accuracy by +0.1 to +1.5 pp across all experimental settings. Balanced subsampling across species reduces the number of unclassifiable taxa (F1=0 classes) from 9 to 0 at the 50M scale and improves macro F1 by +5.08 pp

over the 5M baseline. A controlled backbone ablation (29-layer pre-trained NT-v2 vs. a single-layer randomly initialized Transformer at the same 50M scale and identical 6-mer tokenization) further isolates a +13.19 pp pre-training advantage, confirming the value of GFM pre-training under fixed tokenization.

However, cross-architecture ablations reveal that tokenization design is an even larger determinant of performance: trained from scratch on the same 50M reads, MetaTransformer with overlapping 13-mer tokenization reaches 87.42% genus Top-1, outperforming NT-v2 + LoRA (67.07%) by +20.35 pp. NT-v2's non-overlapping 6-mer tokenization is therefore identified as the principal structural limitation of the proposed approach, rather than backbone capacity or adaptation strategy. At the species level (1,535 classes), per-genus 50M LoRA classifiers under oracle-genus routing reach 27.8% Top-1, exceeding the flat sp_v4 oracle ceiling of 27.4% and validating the hierarchical-classification direction. In synthetic species-balanced random-partition samples, per-read errors largely cancel at the sample level (Pearson $r = 0.993$, 100% detection sensitivity at $\geq 1\%$ abundance); evaluation on real and compositionally variable communities remains future work. This work provides empirical evidence for the relative roles of data scale, pre-training, and tokenization in GFM-based metagenomic classification, and points to overlapping long- k microbial pre-training as the most promising future direction.

Keywords:

Genomic Foundation Model, Metagenomics, Taxonomic Classification, LoRA, Attention Pooling

CONTENTS



誌謝

摘要

ABSTRACT

CONTENTS

LIST OF FIGURES

LIST OF TABLES

List of Symbols and Abbreviations

Chapter 1 Introduction

1.1	Background and Motivation	1
1.2	Problem Statement	3
1.3	Contributions	4
1.4	Thesis Organization	6

Chapter 2 Background and Related Work

2.1	Metagenomic Taxonomic Classification	9
2.1.1	Alignment-Based Methods	9
2.1.2	k -mer-Based Methods	10
2.1.3	Deep Learning Methods	10
2.2	Genomic Foundation Models	12
2.2.1	Nucleotide Transformer	12
2.2.2	Other Genomic Foundation Models	13
2.2.3	GFM for Metagenomic Classification	14
2.3	Parameter-Efficient Fine-Tuning	15
2.3.1	Low-Rank Adaptation (LoRA)	15
2.3.2	Other PEFT Methods	16
2.4	Attention Mechanisms for Sequence Aggregation	17
2.4.1	Mean Pooling	17
2.4.2	Attention Pooling	17
2.4.3	Multi-Head Attention Pooling	18

2.5	Data Augmentation for DNA Sequences	18
2.5.1	Reverse-Complement Symmetry in DNA	18
2.5.2	Strategies for Exploiting RC Symmetry	19
2.6	Handling Class Imbalance	21
2.6.1	Loss-Level Approaches	21
2.6.2	Sampling-Level Approaches	22
2.7	Summary	22

Chapter 3 Methodology 23

3.1	System Overview	23
3.2	Backbone: Nucleotide Transformer v2	24
3.2.1	Tokenization	25
3.2.2	Encoder Architecture	26
3.2.3	LoRA Adaptation	27
3.2.4	Ablation: Shallow Transformer Backbone	27
3.3	Classification Head: Attention Pooling	29
3.3.1	Architecture	29
3.3.2	Alternative Heads	30
3.4	Training Strategy	30
3.4.1	Two-Phase Training	30
3.4.2	Optimization	31
3.4.3	Transfer Learning Across Experiments	32
3.5	Data Pipeline	32
3.5.1	Reference Database and Taxonomy	32
3.5.2	ART Read Simulation	33
3.5.3	Balanced Subsampling	35
3.5.4	Reverse-Complement Augmentation	36
3.5.5	Data Splitting	36
3.6	Evaluation Methodology	36
3.6.1	Metrics	36
3.6.2	Reverse-Complement Test-Time Augmentation	37
3.6.3	Species-Level Evaluation Modes	38
3.7	Computational Considerations	38
3.7.1	Hardware	38
3.7.2	Memory Optimization	38

3.7.3	Resource Monitoring	39
3.8	Summary	39




Chapter 4 Experiments and Results 41

4.1	Experimental Setup	41
4.1.1	Dataset	41
4.1.2	Evaluation Protocol	42
4.1.3	Hardware and Training Infrastructure	42
4.2	Phase 1: Frozen Embedding Baselines	42
4.2.1	Setup	42
4.2.2	Results	43
4.3	Phase 2: Token-Level Classification with LoRA	43
4.3.1	Architecture Validation (v1–v3, 500K Dataset)	43
4.3.2	Training Dynamics and Overfitting	44
4.4	Advanced Training Techniques (v4–v7, 500K Dataset)	46
4.5	Data Scaling Experiments	47
4.5.1	Experiment v8: 5M Balanced Reads	47
4.5.1.1	Setup	47
4.5.1.2	Results	47
4.5.1.3	Training Dynamics	48
4.5.2	Experiment v9: 50M Balanced Reads	49
4.5.2.1	Results	49
4.5.3	Data Scaling Analysis	51
4.6	Species-Level Classification	53
4.6.1	Direct Classification	53
4.6.2	Oracle-Genus Evaluation	53
4.6.3	Effect of Class Imbalance Mitigation	54
4.6.4	Top- k Genus Routing	54
4.7	RC Test-Time Augmentation Analysis	54
4.8	Computational Resource Analysis	57
4.8.1	Observed Resource Usage	57
4.8.2	Bottleneck Analysis	57
4.8.3	Scaling Projections	57
4.9	Comparison with MetaTransformer	58
4.10	Backbone Ablation: Shallow Transformer	59

4.10.1	Experimental Design	59
4.10.2	Expected Outcomes	60
4.10.3	Results	61
4.11	Tokenization Ablation: MetaTransformer at 50M Scale	62
4.12	Species-Level Classification at Scale	68
4.12.1	Experimental Design	68
4.12.2	Final Results (sp_v4, Epoch 30)	69
4.12.3	Hierarchical Classification Pipeline	71
4.12.4	Independent Test Set and Data-Leakage Audit	71
4.12.5	Hierarchical Evaluation on an Independent Test Set	73
4.12.6	Per-Genus Model Analysis	74
4.13	Sample-Level Application Evaluation	75
4.13.1	Experimental Setup	75
4.13.2	Relative Abundance Estimation	76
4.13.3	Genus Detection (Binary Presence/Absence)	77
4.13.4	Summary	81
4.13.5	Comparison with MetaTransformer	82
4.14	Summary of Findings	83
Chapter 5	Conclusion and Future Work	85
5.1	Summary of Contributions	85
5.2	Limitations	87
5.3	Future Work	88
5.3.1	Microbial Foundation Models with Overlapping Long- k Tokenization	88
5.3.2	Full-Scale and Streaming Training	89
5.3.3	Hierarchical Routing Improvements for Species Classification . . .	89
5.3.4	Real-World Validation and Calibrated Sample-Level Estimation . .	90
5.4	Concluding Remarks	90
	References	93
	Appendix A Experiment Configuration Details	99
A.1	v8 Genus Configuration (5M Balanced)	99
A.2	v9 Genus Configuration (50M Balanced)	100
A.3	SLURM Job Script Example	101

LIST OF FIGURES



- Figure 3.1 Overview of the proposed token-level GFM classification pipeline. A 150 bp DNA read is tokenized into non-overlapping 6-mers, encoded by the LoRA-adapted NT-v2 backbone (29 layers, $d=1024$), aggregated via multi-head attention pooling, and classified into one of K taxonomic classes (120 genera or 1,535 species). Orange badge indicates LoRA adapter modules; dashed boxes delineate the backbone and classification head parameter groups. 24
- Figure 4.1 Training dynamics for v3 (500K, left), v8 (5M, centre), and v9 (50M, right). Dashed lines show training accuracy; solid lines show validation accuracy. The shaded region highlights the train-validation gap. Dotted vertical lines mark learning-rate resets caused by SLURM timeout and job resumption; v9 experienced two such resets (epochs 7 and 11) before the resume logic was corrected. Overfitting decreases systematically as data volume increases. 45
- Figure 4.2 Full validation accuracy curves for v9 (genus, left) and sp_v4 (species, right) over all completed epochs. Red dotted vertical lines mark epochs where a SLURM job restart incorrectly reset the cosine LR scheduler, causing a temporary accuracy dip. The green shaded region indicates epochs trained after the resume bug fix was applied, during which the LR schedule correctly continues its cosine decay. 51
- Figure 4.3 Genus RC TTA accuracy versus training data volume (log scale). Blue circles mark our results at three data scales; the red star marks MetaTransformer’s reported genus recall. The dashed line is a log-linear fit to our three data points. Per- $10\times$ accuracy gains diminish from $+7.76$ pp (500K $\rightarrow$ 5M) to $+4.02$ pp (5M $\rightarrow$ 50M). The MetaTransformer star marks reported genus recall (98.3%); its x-position is based on training throughput (300K steps $\times$ batch 2,048) and is not directly comparable to our dataset-size axis. 52
- Figure 4.4 RC TTA benefit across experiments. Top: forward-only vs. RC TTA accuracy (blue: NT-v2 backbone; green: DNABERT family; right of second dashed line: random init). Bottom: absolute gain in percentage points. NT-v2-based models gain $+0.77$ – $+1.54$ pp consistently. DNABERT gains only $+0.58$ pp, likely because its overlapping 6-mer tokenization is inherently more RC-symmetric than NT-v2’s non-overlapping 6-mer. DNABERT-2 (BPE tokenization) gains $+1.53$ pp, similar to early NT-v2 experiments. The randomly initialized v11 gains only $+0.08$ pp, confirming that the benefit primarily corrects pre-training-induced strand biases. 56
- Figure 4.5 Backbone ablation: pre-trained NT-v2 + LoRA (v9, green) vs. single-layer randomly initialized Transformer (v11, purple), both trained on 50M balanced reads. Numbers above bars indicate the absolute gain of v9 over v11. The pre-trained backbone consistently outperforms the shallow variant across all metrics, with the largest gap in F1 (macro) ($+19.0$ pp) and Balanced Accuracy ($+17.6$ pp), reflecting v9’s superior discrimination of rare genera. 63

Figure 4.6	True vs. predicted relative abundance across 100 random-partition samples (all 12,000 (sample, genus) pairs shown). Each point is one (sample, genus) pair. The visible clusters correspond to groups of genera sharing the same species count n_g : because the dataset is species-level balanced, every genus with n_g species has true abundance $n_g/1,535$ in expectation, collapsing to the same x -coordinate. Pearson $r = 0.993$. Points at larger x -values drift slightly above the identity line, reflecting a systematic overestimation of high-abundance genera attributable to classification bias (Section 4.13.2).	78
Figure 4.7	Sample-level genus detection sensitivity by true relative abundance (detection threshold: ≥ 1 predicted read), aggregated over 200 sparse-community samples. Annotation shows the number of (sample, genus) instances in each bucket.	79
Figure 4.8	ROC curve for genus presence/absence detection. Ground truth is binary (from sparse-community construction); detection score is predicted relative abundance. Aggregated over 200 sparse-community samples (50K reads, 60/120 genera present each). Key operating points at fixed specificity targets are marked.	80

LIST OF TABLES




Table 3.1	Token counts for a 150 bp read under different k -mer tokenization settings.	26
Table 3.2	LoRA hyperparameters.	27
Table 3.3	Comparison of backbone configurations.	28
Table 3.4	Training optimization hyperparameters.	31
Table 4.1	Frozen embedding baselines for genus classification (120 classes, 500K dataset).	43
Table 4.2	Hyperparameter configurations for initial architecture experiments (500K dataset). Bold values indicate the setting that changed relative to v1.	44
Table 4.3	Results for architecture experiments (500K dataset, genus classification).	44
Table 4.4	Training dynamics for v3 (500K dataset). The train-validation gap grows steadily, reaching 7% at the best epoch and 9% by epoch 35.	45
Table 4.5	Advanced training technique experiments (500K dataset, genus classification). RC TTA results are shown where available.	46
Table 4.6	Genus classification results across data scales: v4 (500K), v8 (5M balanced), and v9 (50M balanced).	48
Table 4.7	Training dynamics for v8 (5M balanced, 30 epochs). The gap between training and validation accuracy remains small throughout, in sharp contrast to the 500K experiments.	49
Table 4.8	Configuration comparison between v8 and v9.	49
Table 4.9	Comparison between v8 (5M) and v9 (50M) for genus classification (120 classes).	50
Table 4.10	Data scaling analysis: genus classification performance across data volumes.	51
Table 4.11	Species classification results (500K dataset, 1,535 classes). All metrics under RC TTA. “Oracle Acc” uses the true genus label to mask species logits.	53
Table 4.12	Effect of RC TTA across experiments. RC TTA consistently improves accuracy at the cost of $2\times$ inference time.	54
Table 4.13	Computational resource usage across experiments.	57
Table 4.14	Resource bottleneck assessment on TWCC H100 nodes.	57
Table 4.15	Comparison between our approach and MetaTransformer [8].	58
Table 4.16	Controlled ablation: NT-v2 backbone (v9) vs. shallow Transformer (v11). All other components are held constant.	60
Table 4.17	Backbone ablation results: pre-trained NT-v2 (v9) vs. shallow Transformer (v11), both trained on 50M balanced reads.	61
Table 4.18	Tokenization ablation (genus-level, 120 classes): NT-v2 + LoRA vs. MetaTransformer under six tokenization configurations. All MetaTransformer models are trained from scratch on 50M balanced reads. RC TTA is unavailable for MetaTransformer.	64
Table 4.19	Tokenization ablation (species-level, 1,535 classes): MetaTransformer under six tokenization configurations, trained on the same 50M balanced reads.	64

Table 4.20	Pre-trained GFM backbone comparison at 5M balanced reads (genus-level, 120 classes). All models use LoRA $r = 16$ fine-tuning and the same attention-pooling head. RC TTA is applied to all models.	66
Table 4.21	Species classification scaling: 500K (sp_v1–v3) vs. 50M (sp_v4). . .	68
Table 4.22	sp_v4 training progress (species classification, 1,535 classes, 50M reads).	69
Table 4.23	sp_v4 final forward-only evaluation on the 5M held-out set (epoch 30 checkpoint).	70
Table 4.24	Complete hierarchical species evaluation on the independent 100K-read test set. sp_v4 (ep30, 50M) denotes the flat species model with four routing modes. Per-genus (50M) denotes 81 dedicated classifiers, each trained on a 50M-read subset with a frozen NT-v2 backbone. Genus routing uses v9 (66.1% on this set).	73
Table 4.25	Relative abundance estimation accuracy (100 random-partition samples, 50K reads each, all 120 genera present).	76
Table 4.26	Detection sensitivity by true relative abundance (detection threshold: ≥ 1 predicted read). Genera truly absent from the sample are excluded from sensitivity computation.	78
Table 4.27	Sample-level evaluation across three models. Same evaluation protocol: 100 random-partition samples and 200 sparse-community samples, each 50K reads, 60/120 genera present per sparse sample.	82

List of Symbols and Abbreviations



Abbreviations

AMP	Automatic Mixed Precision
ART	Artificial Read Technology (read simulator)
BPE	Byte Pair Encoding
DNA	Deoxyribonucleic Acid
ESM	Evolutionary Scale Modeling
FFN	Feed-Forward Network
GFM	Genomic Foundation Model
GPU	Graphics Processing Unit
HGR	Human Gastrointestinal Reference
LA	Logit Adjustment
LCA	Lowest Common Ancestor
LoRA	Low-Rank Adaptation
LR	Learning Rate
MLM	Masked Language Modeling
MLP	Multi-Layer Perceptron
NT	Nucleotide Transformer
PEFT	Parameter-Efficient Fine-Tuning
RC	Reverse Complement
RC TTA	Reverse-Complement Test-Time Augmentation
RoPE	Rotary Position Embedding
SLURM	Simple Linux Utility for Resource Management
TTA	Test-Time Augmentation
UMGS	Unified Human Gastrointestinal Genome collection
VRAM	Video Random Access Memory

Symbols

r	LoRA rank
α	LoRA scaling factor
K	Number of classes
T	Sequence length (number of tokens)
d	Hidden dimension of the backbone model
M	Number of learnable query tokens in attention pooling
W_Q, W_K, W_V	Query, key, and value projection matrices
A, B	LoRA low-rank decomposition matrices
τ	Temperature parameter for logit adjustment
π_k	Prior probability of class k
f_θ	Classifier parameterized by θ
$\bar{r}$	Reverse complement of read r



Chapter 1

Introduction



1.1 Background and Motivation

Metagenomics, the culture-independent study of microbial communities through direct sequencing of environmental DNA, has transformed our understanding of microbial ecology, human health, and environmental science [1]. Modern metagenomic sequencing platforms, particularly Illumina short-read technologies, generate hundreds of millions of reads per sample, each typically 100–300 base pairs (bp) in length. A fundamental computational challenge in metagenomic analysis is *taxonomic classification*: assigning each sequencing read to the correct taxon in the microbial taxonomy, such as genus or species [2].

Accurate taxonomic classification underpins virtually all downstream metagenomic analyses, including community composition profiling, pathogen detection, antibiotic resistance gene tracking, and comparative microbiome studies [3]. However, the classification task is inherently difficult due to several factors:

- **Short read length:** Individual reads of 150 bp carry limited phylogenetic signal, especially when distinguishing closely related taxa.
- **High taxonomic diversity:** A typical metagenomic sample may contain reads from hundreds to thousands of species spanning dozens of genera.
- **Class imbalance:** Community compositions follow highly skewed abundance distributions, with a few dominant taxa and many rare ones.


- **Sequence similarity:** Closely related taxa share substantial genomic homology, making fine-grained discrimination (e.g., species-level) particularly challenging.



Traditional approaches to metagenomic classification fall broadly into two categories. *Alignment-based methods* such as BLAST [4] and DIAMOND [5] align reads against reference databases, achieving high precision but at considerable computational cost. *k-mer-based methods* such as Kraken2 [6] and Centrifuge [7] index reference genomes using *k*-mer hash tables, enabling ultra-fast classification at the expense of sensitivity. More recently, deep learning approaches have emerged, including MetaTransformer [8], which applies a Transformer architecture to learned *k*-mer embeddings for metagenomic read classification.

Concurrently, the field of genomics has witnessed the development of *genomic foundation models* (GFMs)—large-scale pre-trained models that learn general-purpose representations of DNA sequences from billions of nucleotides [9]. Models such as the Nucleotide Transformer [9], DNABERT [10], DNABERT-2 [11], and Evo [12] have demonstrated strong performance across diverse genomic tasks, including promoter prediction, splice site identification, and variant effect prediction. These models offer a compelling alternative to task-specific feature engineering: by pre-training on vast genomic corpora, they capture rich sequence semantics that can be transferred to downstream tasks through fine-tuning.

Despite their promise, the application of GFMs to metagenomic taxonomic classification remains underexplored, and several open questions remain. A naïve approach—extracting mean-pooled embeddings from a frozen pre-trained model and training a linear classifier—discards the positional and local information encoded in individual token



representations. A separate but equally important question concerns *tokenization*: most existing GFM (including NT-v2) use non-overlapping or short- k tokenization schemes inherited from masked-language-model pre-training, yet k -mer-based metagenomic classifiers commonly rely on overlapping long k -mers (e.g., $k = 12\text{--}13$) for taxonomic specificity. It is therefore unclear whether large-scale GFM pre-training can compensate for tokenization choices that are mismatched to the downstream taxonomic task.

This thesis investigates two complementary questions: (i) whether a *token-level* approach, preserving the full sequence of token embeddings and employing parameter-efficient fine-tuning, can substantially improve metagenomic taxonomic classification over frozen-embedding baselines; and (ii) whether GFM pre-training is sufficient to compensate for the absence of task-specific k -mer tokenization, or whether tokenization design imposes a structural ceiling that pre-training alone cannot overcome.

1.2 Problem Statement

Given a set of metagenomic short reads $\{r_1, r_2, \dots, r_N\}$ generated by sequencing a microbial community, the taxonomic classification problem is to assign each read r_i to its correct taxon $y_i \in \{1, 2, \dots, K\}$, where K is the number of classes at a given taxonomic level (e.g., genus or species).

This thesis formulates the problem as a supervised multi-class classification task. We assume access to a reference genome database from which simulated reads with known taxonomic labels can be generated for training. The challenge is to learn a classifier $f_\theta : \mathcal{R} \rightarrow \{1, \dots, K\}$ that generalizes well from simulated training data to accurately classify novel reads.

The specific objectives of this thesis are:




1. **Token-level representation:** Investigate whether preserving the full sequence of token embeddings from a genomic foundation model, rather than using mean-pooled summaries, improves taxonomic classification accuracy.
2. **Parameter-efficient fine-tuning:** Evaluate the effectiveness of LoRA (Low-Rank Adaptation) [13] for adapting a 498M-parameter pre-trained model to the taxonomic classification task with minimal trainable parameters.
3. **Data scaling:** Quantify the relationship between training data volume and classification performance within a fixed GFM-based architecture, and determine the data requirements for achieving competitive accuracy.
4. **Pre-training vs. tokenization:** Through controlled cross-architecture ablations holding training data and capacity comparable, isolate the contributions of (a) large-scale genomic pre-training and (b) k -mer tokenization design to taxonomic-classification performance, and identify the dominant bottleneck of the proposed approach.
5. **Multi-level and sample-level evaluation:** Assess performance across multiple metrics (micro accuracy, macro F1, top- k accuracy) at both genus and species taxonomic levels, and characterize how per-read accuracy translates to sample-level utility (relative-abundance estimation, presence/absence detection).

1.3 Contributions

The main contributions of this thesis are as follows:


1. **Systematic evaluation of GFM fine-tuning for metagenomic classification:** We



provide an end-to-end empirical study of pre-trained genomic foundation models (NT-v2, DNABERT, DNABERT-2) for short-read taxonomic classification, spanning frozen-embedding baselines, parameter-efficient fine-tuning, data scaling, RC test-time augmentation, and sample-level utility. The proposed token-level pipeline—feeding the complete token-level output of NT-v2 into a learnable attention-pooling head, fine-tuned with LoRA—preserves the positional and contextual information lost in mean-pooling approaches.

2. **Data scaling within a fixed GFM-based architecture:** Through extensive experiments spanning 500K to 50M training reads, we show that within the NT-v2 framework, training data volume is the dominant performance factor with diminishing returns: 500K $\rightarrow$ 5M yields +7.76 pp (55.29% $\rightarrow$ 63.05%) and 5M $\rightarrow$ 50M a further +4.02 pp (to 67.07%), while architectural and training-technique ablations yield at most ± 0.5 pp.
3. **Pre-training is beneficial under fixed 6-mer tokenization:** A controlled backbone ablation (29-layer pre-trained NT-v2 vs. a single-layer randomly initialized Transformer at the same 50M scale and identical tokenization and head) isolates a +13.19 pp pre-training advantage in RC-TTA accuracy (67.07% vs. 53.88%), confirming that GFM pre-training contributes meaningfully when tokenization is held constant.
4. **Tokenization is the dominant cross-architecture factor:** Holding the architecture (MetaTransformer) fixed and varying $k \in \{6, 12, 13\}$ and stride, we show that overlapping long- k tokenization is the single largest performance driver: MT 13-mer stride=1 trained *from scratch* on 50M reads reaches 87.42% genus Top-1, +20.35 pp above NT-v2 + LoRA with RC TTA (67.07%) despite no pre-training.

NT-v2’s non-overlapping 6-mer tokenizer is therefore identified as the principal structural limitation of the proposed approach.




5. **Reverse-complement test-time augmentation:** We demonstrate that averaging logits from forward and RC passes at inference consistently improves accuracy by +0.1 to +1.5 pp at no additional training cost, with larger gains for pre-trained models and near-zero gain for randomly initialized architectures, supporting the interpretation that RC TTA primarily corrects pre-training-induced strand biases.
6. **Hierarchical species classification and sample-level utility:** We provide a multi-level evaluation framework for genus (120 classes) and species (1,535 classes) classification. Per-genus 50M LoRA classifiers under oracle-genus routing reach 27.8% Top-1, exceeding the flat sp_v4 oracle ceiling of 27.4% and validating per-genus specialisation as the correct hierarchical direction; the genus-routing accuracy ($\sim 66\%$ – 67%) is identified as the remaining bottleneck. At the sample level, 67% per-read accuracy translates—on species-balanced random-partition synthetic samples—to Pearson $r = 0.993$ for relative abundance and 100% sensitivity for genera at $\geq 1\%$ abundance.

1.4 Thesis Organization

The remainder of this thesis is organized as follows:

- **Chapter 2** reviews the background and related work, covering metagenomic classification methods, genomic foundation models, parameter-efficient fine-tuning, and attention mechanisms.

- **Chapter 3** presents the proposed methodology in detail, including the model architecture, training strategy, data pipeline, and evaluation framework.
- **Chapter 4** describes the experimental setup and presents comprehensive results, including ablation studies, data scaling analysis, species-level evaluation, and computational resource assessment.
- **Chapter 5** summarizes the findings, discusses limitations, and outlines directions for future work.





Chapter 2

Background and Related Work



This chapter provides the necessary background for understanding the methods proposed in this thesis. We review existing approaches to metagenomic taxonomic classification, introduce genomic foundation models, describe parameter-efficient fine-tuning techniques, and discuss attention-based sequence aggregation mechanisms.

2.1 Metagenomic Taxonomic Classification

Metagenomic taxonomic classification aims to assign each sequencing read from an environmental sample to its source organism's position in the phylogenetic tree. We review three major paradigms for this task.

2.1.1 Alignment-Based Methods

Alignment-based methods classify reads by aligning them to reference genome databases. BLAST [4] performs local sequence alignment using heuristic seed-and-extend strategies, achieving high sensitivity but at significant computational cost (hours to days for typical metagenomic datasets). DIAMOND [5] accelerates protein-level alignments through double indexing and optimized scoring, achieving up to $20,000\times$ speedup over BLAST while maintaining comparable sensitivity. MegaBLAST [14] optimizes nucleotide-level alignment for closely related sequences.

The primary limitation of alignment-based methods is their computational cost, which scales poorly with the size of modern metagenomic datasets containing hundreds of mil-

lions of reads.



2.1.2 k -mer-Based Methods

k -mer-based methods represent sequences as sets or distributions of fixed-length sub-sequences (k -mers) and use hash-table lookups for rapid classification.

Kraken2 [6] constructs a database mapping each k -mer ($k = 35$) to its lowest common ancestor (LCA) in the taxonomic tree. Classification proceeds by querying each read's k -mers against this database and assigning the read to the taxon that covers the most k -mers. Kraken2 achieves classification speeds exceeding 10^6 reads per minute, making it one of the most widely adopted tools in metagenomic analysis.

Centrifuge [7] uses a compressed FM-index to perform rapid exact matching of reads against reference genomes, achieving lower memory requirements than Kraken2 while maintaining competitive accuracy.

While k -mer methods excel in speed, they rely on exact k -mer matches and thus struggle with sequences that diverge from the reference database. They also lack the ability to capture higher-order sequence patterns beyond individual k -mers.

2.1.3 Deep Learning Methods

Deep learning methods learn discriminative representations directly from sequence data, potentially capturing complex patterns that elude k -mer matching.

DeepMicrobes [15] applies a bidirectional LSTM with attention to one-hot encoded nucleotide sequences, achieving competitive performance on species-level classification


but requiring substantial training data and compute.

BERTax [16] adapts the BERT architecture to DNA taxonomic classification at superkingdom, phylum, and genus levels. Rather than relying on sequence similarity to a reference database, BERTax learns contextual k -mer representations and demonstrates generalisation to novel organisms with no close relatives in the training set. This work establishes the viability of transformer-based language models for read-level taxonomic assignment, motivating the use of larger pre-trained GFM in this thesis.

MetaTransformer [8] is the most directly relevant prior work to this thesis. It employs a custom Transformer architecture that operates on learned 12-mer embeddings. Key design choices include:

- **12-mer tokenization:** Input reads are segmented into non-overlapping 12-mers, each mapped to a learnable embedding vector. The choice of $k = 12$ balances vocabulary size ($4^{12} \approx 16.7\text{M}$ possible 12-mers, though only $\sim 1.4\text{M}$ appear in training data) against sequence granularity.
- **Transformer encoder:** A Transformer encoder (the best-performing configuration uses $d_{\text{model}} = 64$ with a single encoder block for $k = 13$; the authors also evaluate up to 4 blocks and $d_{\text{model}} = 128$) processes the sequence of k -mer embeddings.
- **Mean pooling:** Token representations are mean-pooled into a fixed-length vector for classification.
- **Large-scale training:** The model is trained on balanced reads simulated from 2,505 HGR-UMGS genomes using the ART Illumina simulator with a coverage factor of 3 (the exact total number of reads is not reported in the paper; we estimate $\sim 614\text{M}$

based on 300K training steps $\times$ batch size 2,048). The best genus-level model achieves 98.9% precision and 98.3% recall on the validation set.



A key insight from MetaTransformer is the critical role of training data volume: the authors demonstrate that performance scales substantially with data size, and that balanced sampling across taxa is essential for achieving high macro-level performance.

2.2 Genomic Foundation Models

Genomic foundation models (GFMs) are large-scale neural networks pre-trained on vast corpora of DNA sequences using self-supervised learning objectives. Inspired by the success of language models such as BERT [17] and GPT [18], GFMs treat DNA sequences as a “language” of nucleotides and learn contextual representations that capture biological structure and function.

2.2.1 Nucleotide Transformer

The Nucleotide Transformer (NT) [9] family of models, developed by InstaDeep, are among the largest and most widely evaluated GFMs. This thesis uses the `nucleotide-transformer-v2-500m-multi-species` variant, which features:

- **Architecture:** An ESM-2-based [19] Transformer encoder with 29 layers, 1,024 hidden dimensions, and 16 attention heads.
- **Tokenization:** A 6-mer tokenizer that encodes DNA sequences into non-overlapping 6-nucleotide tokens. This produces a vocabulary of $4^6 = 4,096$ possible tokens plus special tokens.

- **Pre-training:** Masked language modeling (MLM) on 850 genomes from 174 species, spanning ~ 3.2 billion nucleotides.

- **Total parameters:** 498M parameters.



The model produces contextual embeddings for each token in the input sequence, yielding a representation tensor of shape $[\text{batch}, \text{seq_len}, 1024]$ that captures both local sequence composition and long-range dependencies.

2.2.2 Other Genomic Foundation Models

DNABERT [10] was one of the first BERT-style models pre-trained on human genome sequences using overlapping k -mer tokenization ($k = 3, 4, 5, 6$). While effective for tasks such as promoter prediction, its relatively small scale (110M parameters) and human-genome-only pre-training limit its applicability to diverse metagenomic sequences.

DNABERT-2 [11] replaces k -mer tokenization with Byte Pair Encoding (BPE), eliminating the need to choose a fixed k and enabling more flexible sequence representation. It also adopts a multi-species pre-training strategy.

HyenaDNA [20] adopts single-nucleotide tokenization combined with sub-quadratic Hyena convolutions, enabling context windows up to 1M tokens at a fraction of the compute cost of attention-based models. Its single-character vocabulary eliminates the k design choice entirely, representing the opposite end of the tokenization design space from k -mer models.

Caduceus [21] is the first RC-equivariant bidirectional DNA language model. By constructing BiMamba layers with hard-coded reverse-complement weight sharing, Ca-

duceus enforces strand symmetry at the architectural level rather than relying on augmentation or post-hoc inference tricks. This is directly relevant to the RC consistency analysis in Section 2.5.1; unlike Caduceus, the NT-v2 backbone does not natively enforce RC equivariance, motivating our use of RC training augmentation and RC TTA.


Evo [12] is a 7B-parameter model based on the StripedHyena architecture [22], capable of modeling DNA sequences up to 131K nucleotides. While powerful for long-range genomic modeling, its large size makes it challenging to deploy for metagenomic classification tasks involving hundreds of millions of short reads.

Across these models, a consistent theme emerges: tokenization strategy is a critical design axis. Lindsey, Fischman, et al. [23] systematically evaluate character, BPE, k -mer, Unigram, and WordPiece tokenizers across 44 genomic classification tasks and find accuracy differences of up to 5 percentage points depending on tokenizer choice, corroborating our own ablation results in Chapter 4.

2.2.3 GFMs for Metagenomic Classification

Despite their success on single-genome tasks, GFMs have seen limited application to metagenomic read-level classification. A naïve approach extracts mean-pooled embeddings from a frozen pre-trained model and trains a downstream classifier (e.g., MLP or SVM) on these fixed representations. While simple, this approach discards the token-level structure of the representation.

Several recent works have begun to close this gap, though none directly addresses genus-level taxonomic classification of short metagenomic reads at scale. **ViraLM** [24] fine-tunes DNABERT-2 for binary virus/non-virus classification of metagenomic contigs,



reporting a 22% F1 improvement on short fragments —demonstrating that GFM fine-tuning is beneficial even on compositionally diverse metagenomic sequences. **DNABERT-S** [25] adapts DNABERT-2 with contrastive learning to produce species-discriminative embeddings, achieving improvements on metagenomic binning and species clustering tasks; however, it operates at the embedding level rather than performing direct read classification. Both works fine-tune pre-existing GFMs and treat metagenomics as a secondary application; neither performs systematic tokenization ablation nor evaluates at the genus-level multi-class classification scale (120 genera, 50M reads) addressed in this thesis.

This thesis addresses the gap by proposing a token-level classification approach that preserves the full embedding sequence, fine-tunes the backbone with LoRA, and provides the first systematic comparison of pre-trained GFM fine-tuning against from-scratch Meta-Transformer training across tokenization strategies on the same large-scale dataset.

2.3 Parameter-Efficient Fine-Tuning

Fine-tuning the full parameter set of a 498M-parameter model requires substantial compute and memory, and risks catastrophic forgetting of the pre-trained representations. Parameter-efficient fine-tuning (PEFT) methods address this by adapting only a small subset of parameters while keeping the majority frozen.

2.3.1 Low-Rank Adaptation (LoRA)

LoRA [13] is based on the hypothesis that weight updates during fine-tuning lie in a low-rank subspace. For a pre-trained weight matrix $W_0 \in \mathbb{R}^{d \times k}$, LoRA parameterizes the

update as:

$$W = W_0 + \Delta W = W_0 + BA \quad (2.1)$$

where $B \in \mathbb{R}^{d \times r}$ and $A \in \mathbb{R}^{r \times k}$ with $\text{rank } r \ll \min(d, k)$. During training, only A and B are updated while W_0 remains frozen. The forward pass becomes:

$$h = W_0 x + \frac{\alpha}{r} B A x \quad (2.2)$$

where α is a scaling hyperparameter that controls the magnitude of the adaptation.


Key advantages of LoRA include:

- **Parameter efficiency:** With $r = 16$ applied to query, key, and value projections across 29 Transformer layers, only 5.54M parameters (1.11% of total) are trainable.
- **No additional inference latency:** The adapted weights $W_0 + BA$ can be merged, adding no overhead at inference time.
- **Modular:** Different LoRA adapters can be trained for different tasks and swapped at deployment time.

2.3.2 Other PEFT Methods

Adapter layers [26] insert small trainable bottleneck modules between Transformer layers. While effective, they introduce additional inference latency due to the extra forward-pass computation.

Prefix tuning [27] prepends learnable “virtual tokens” to the input sequence, influencing the attention computation without modifying model weights. It is memory-efficient



but can struggle with tasks requiring fine-grained output control.

We choose LoRA for this thesis due to its combination of strong performance, parameter efficiency, and the absence of additional inference latency.



2.4 Attention Mechanisms for Sequence Aggregation

Given a sequence of token embeddings $\{h_1, h_2, \dots, h_T\} \in \mathbb{R}^{T \times d}$, a classification task requires aggregating these into a fixed-dimensional representation. The choice of aggregation mechanism directly impacts what information is preserved.

2.4.1 Mean Pooling

The simplest approach averages all token embeddings:

$$z = \frac{1}{T} \sum_{t=1}^T h_t \quad (2.3)$$

Mean pooling is computationally trivial but weights all tokens equally, potentially diluting the contribution of discriminative tokens with non-informative ones.

2.4.2 Attention Pooling

Attention pooling uses learnable query vectors to compute a weighted combination of token embeddings. Given M learnable query vectors $\{q_1, \dots, q_M\} \in \mathbb{R}^{M \times d_q}$ and linear

projections $W_K, W_V \in \mathbb{R}^{d \times d_q}$:

$$K = HW_K, \quad V = HW_V \quad (2.4)$$

$$\alpha_{m,t} = \frac{\exp(q_m \cdot k_t / \sqrt{d_q})}{\sum_{t'} \exp(q_m \cdot k_{t'} / \sqrt{d_q})} \quad (2.5)$$

$$z_m = \sum_{t=1}^T \alpha_{m,t} v_t \quad (2.6)$$

$$z = \text{Concat}(z_1, \dots, z_M) \in \mathbb{R}^{M \cdot d_q} \quad (2.7)$$



This mechanism enables the model to learn which positions in the DNA sequence are most informative for classification, automatically focusing on discriminative k -mers while down-weighting uninformative regions.

2.4.3 Multi-Head Attention Pooling


Extending attention pooling with multiple heads allows the model to attend to different aspects of the sequence simultaneously. Each head learns a different query, capturing diverse patterns (e.g., one head may focus on conserved marker genes while another attends to variable regions). The concatenated outputs from all heads provide a rich, multi-faceted representation for downstream classification.

2.5 Data Augmentation for DNA Sequences

2.5.1 Reverse-Complement Symmetry in DNA

DNA is a double-stranded molecule: the two antiparallel strands are linked by Watson–Crick base pairing ($A \leftrightarrow T$, $C \leftrightarrow G$). Given a sequence $s = s_1 s_2 \dots s_L$ on the forward ($5' \rightarrow 3'$) strand, its *reverse complement* $\bar{s} = \bar{s}_L \dots \bar{s}_1$ on the complementary strand en-

codes identical biological information: both correspond to the same genomic locus and therefore the same organism.



In shotgun metagenomic sequencing, a read is equally likely to originate from either strand. Consequently, a biologically correct classifier must satisfy the *strand symmetry* property:

$$f(s) = f(\bar{s}) \quad \forall s \quad (2.8)$$

However, standard neural network architectures do not inherently enforce this constraint. Zhou et al. [28] systematically demonstrate that deep learning models for genomics frequently violate strand symmetry, producing inconsistent predictions for a sequence and its reverse complement. Ma [29] further show that even DNA language models fine-tuned with RC data augmentation still exhibit substantial prediction inconsistency.

2.5.2 Strategies for Exploiting RC Symmetry

Three complementary strategies have been proposed to address the strand symmetry problem:

1. **Random RC training augmentation:** During training, each read is replaced with its reverse complement with probability $p = 0.5$, exposing the model to both strand orientations. While this encourages—but does not guarantee—strand-invariant representations, it effectively doubles the training data diversity at zero storage cost.
2. **RC test-time augmentation (RC TTA):** At inference, both the forward read s and its reverse complement $\bar{s}$ are processed independently, and their output logits are

averaged before taking the argmax prediction:

$$\hat{y} = \arg \max_k [f_\theta(s) + f_\theta(\bar{s})] \quad (2.9)$$



This “post-hoc conjoined” approach [28] enforces strand symmetry at inference time without modifying the trained model. It can be understood as a two-view ensemble where both views observe the same biological entity from different strand orientations. By the standard ensemble argument, averaging two correlated but noisy estimates of the same ground-truth label reduces prediction variance and cancels orientation-dependent errors. Zhou et al. [28] find that this approach consistently performs well across diverse genomic tasks.

3. **RC consistency training:** A regularization loss (e.g., KL divergence) explicitly penalizes divergence between $f_\theta(s)$ and $f_\theta(\bar{s})$ during training, producing a single model that is intrinsically more strand-invariant without requiring double inference at test time [29]. An alternative is to design *RC-equivariant architectures* that hard-code strand symmetry into the network structure [30], though this requires custom layers incompatible with pre-trained foundation model backbones.

In this thesis, we adopt strategies (1) and (2): RC augmentation during training and RC TTA during evaluation. We also experiment with RC consistency training (Section 4.4) but find that its interaction with other regularization techniques (e.g., logit adjustment) can be detrimental, and RC TTA alone provides a reliable +1–1.5 percentage point improvement across all experimental settings (Section 4.7).



2.6 Handling Class Imbalance

Metagenomic samples exhibit severe class imbalance: a few dominant taxa may constitute the majority of reads while rare taxa contribute only a handful. This imbalance can bias classifiers toward frequent classes, resulting in high micro accuracy but poor macro F1 due to frequent misclassification of rare taxa.

2.6.1 Loss-Level Approaches

Class-weighted cross-entropy scales the loss for each class inversely proportional to its frequency:

$$\mathcal{L} = - \sum_{k=1}^K w_k y_k \log \hat{y}_k, \quad w_k \propto 1/n_k \quad (2.10)$$

However, this approach can be unstable with mixed-precision training and large class counts [31].

Logit adjustment [32] modifies the output logits by a class-prior-dependent offset:

$$\tilde{f}_k(x) = f_k(x) + \tau \log \pi_k \quad (2.11)$$

where π_k is the prior probability of class k and τ is a temperature parameter controlling the strength of adjustment. This approach is theoretically motivated as producing Fisher-consistent estimators under class imbalance.

2.6.2 Sampling-Level Approaches

Balanced sampling constructs each training batch by sampling classes uniformly and then sampling instances within each class. This ensures that rare classes are seen as frequently as common ones during training.

Class-aware sampling (e.g., `WeightedRandomSampler`) assigns sampling weights inversely proportional to class frequency, achieving a similar effect to balanced batches within standard data loading pipelines.

2.7 Summary

This chapter has reviewed the key concepts underpinning our proposed approach: metagenomic classification methods from alignment-based to deep learning, genomic foundation models that provide rich pre-trained representations, parameter-efficient fine-tuning via LoRA, attention-based sequence aggregation, and strategies for data augmentation and class imbalance. In the next chapter, we describe how these components are integrated into a cohesive classification framework.

Chapter 3

Methodology



This chapter describes the proposed token-level genomic foundation model classification framework. We present the overall system architecture, detail each component, and describe the training strategy, data pipeline, and evaluation methodology.

3.1 System Overview

Figure 3.1 illustrates the end-to-end pipeline. Given a raw DNA read of 150 bp, the system performs the following steps:

1. **Tokenization:** The read is segmented into non-overlapping 6-mer tokens using the Nucleotide Transformer v2 tokenizer.
2. **Token-level encoding:** The token sequence is processed by the pre-trained Nucleotide Transformer v2 backbone (with LoRA adapters), producing contextual embeddings for each token.
3. **Attention pooling:** A multi-head attention pooling head aggregates the token embeddings into a fixed-dimensional classification vector.
4. **Classification:** A feed-forward network maps the pooled representation to class logits.




Figure 3.1: Overview of the proposed token-level GFM classification pipeline. A 150 bp DNA read is tokenized into non-overlapping 6-mers, encoded by the LoRA-adapted NT-v2 backbone (29 layers, $d=1024$), aggregated via multi-head attention pooling, and classified into one of K taxonomic classes (120 genera or 1,535 species). Orange badge indicates LoRA adapter modules; dashed boxes delineate the backbone and classification head parameter groups.

3.2 Backbone: Nucleotide Transformer v2

We employ the nucleotide-transformer-v2-500m-multi-species model as the backbone encoder. This model is based on the ESM-2 architecture [19], a protein language model architecture adapted for nucleotide sequences. The selection of NT-v2 over other genomic foundation models is motivated by four considerations:

1. **Empirical performance on metagenomic reads:** A direct comparison of frozen-backbone baselines (Section 4.2) shows that NT-v2 achieves 51.70% genus-level accuracy, outperforming the 7B-parameter Evo-2 model (46.95%) despite having $14\times$ fewer parameters. This result provides direct empirical evidence that NT-v2’s representations are better suited to metagenomic read classification.
2. **Multi-species pre-training:** NT-v2’s multi-species variant is pre-trained on 850 genomes spanning 174 species [9], making its pre-training distribution the closest among available GFMs to the multi-organism nature of metagenomic data. By contrast, DNABERT [10] is pre-trained exclusively on the human genome, which is taxonomically far from gut microbial sequences.
3. **k -mer tokenization as a common ground with MetaTransformer:** MetaTrans-

former [8] demonstrates that k -mer-based sequence discretization is effective for metagenomic classification. NT-v2 shares this philosophy through its non-overlapping 6-mer tokenizer, establishing a direct methodological link. This allows the pre-trained 6-mer embeddings to serve as a principled initialization relative to Meta-Transformer’s learned-from-scratch 12-mer embeddings. DNABERT-2 [11], while multi-species, replaces k -mer tokenization with BPE, breaking this alignment.


4. **Practical scalability:** At 498M parameters, NT-v2 can be fine-tuned with LoRA on a single H100 GPU with well under 10 GB of VRAM, making it feasible to run hundreds of training epochs over tens of millions of reads. Evo’s 7B parameters [12], while powerful for long-range genomic modeling, impose substantially higher memory requirements that are difficult to justify for 150 bp short-read classification.

3.2.1 Tokenization

Stride and overlap. A k -mer tokenizer slides a window of length k along a DNA sequence, converting each window into a vocabulary token. The *stride* s controls the step size between consecutive windows:

- **Non-overlapping** ($s = k$): each nucleotide belongs to exactly one token. A 150 bp read yields $\lfloor 150/k \rfloor$ tokens.
- **Overlapping** ($s = 1$): every nucleotide position starts a new token. A 150 bp read yields $150 - k + 1$ tokens.

For example, a 12-nucleotide sequence AGTCGATTCGCA tokenized with $k=6$ gives:



Stride	Tokens
$s=6$ (non-overlapping)	AGTCGA TTCGCA (2 tokens)
$s=1$ (overlapping)	AGTCGA, GTCGAT, TCGATC, ... (7 tokens)

Table 3.1 summarises the resulting token counts for a 150 bp read under the configurations used in this thesis.

Table 3.1: Token counts for a 150 bp read under different k -mer tokenization settings.

k	Stride s	Overlap	Tokens/read
6	6	Non-overlapping	25
6	1	Overlapping	145
12	12	Non-overlapping	12
12	1	Overlapping	139

NT-v2 tokenization. The NT-v2 tokenizer uses non-overlapping 6-mers ($k=6$, $s=6$), the setting used during its pre-training. For a 150 bp read this produces 25 tokens (plus [CLS] and [EOS] special tokens). The maximum sequence length is set to 128 tokens, accommodating reads up to ~ 768 bp with padding. Section 4.11 presents a controlled ablation that quantifies the effect of different tokenization settings on classification accuracy.

3.2.2 Encoder Architecture

The backbone consists of 29 Transformer encoder layers, each with:

- Multi-head self-attention with 16 heads and hidden dimension 1,024.
- A feed-forward network (FFN) with intermediate dimension 4,096.
- Pre-layer normalization (LayerNorm before attention and FFN).

- Rotary position embeddings (RoPE) [33] for encoding positional information.

The backbone outputs a tensor $H \in \mathbb{R}^{B \times T \times 1024}$, where B is the batch size and T is the sequence length. We use the *full token sequence* (excluding special tokens) as input to the classification head, rather than extracting only the [CLS] token or applying mean pooling.

3.2.3 LoRA Adaptation

We apply LoRA [13] to the query (W_Q), key (W_K), and value (W_V) projection matrices in each of the 29 self-attention layers. The LoRA configuration is:

Table 3.2: LoRA hyperparameters.


Parameter	Value
Rank r	16
Scaling factor α	32
Dropout	0.05
Target modules	W_Q, W_K, W_V
Trainable LoRA params	2,867,200
Classification head params	2,672,248
Total trainable params	5,539,448 (1.11%)
Total model params	498,623,561

Gradient checkpointing is enabled for the backbone to reduce peak GPU memory usage at the cost of recomputing activations during the backward pass.

3.2.4 Ablation: Shallow Transformer Backbone

To isolate the contribution of the pre-trained 29-layer NT-v2 backbone, we design an ablation variant that replaces it with a shallow Transformer encoder trained entirely from scratch. This ablation mirrors the architecture of MetaTransformer [8] while keeping the

tokenization fixed to 6-mers (the NT-v2 tokenizer), enabling a controlled comparison.



The shallow Transformer backbone consists of:

- **Learned token embeddings:** A randomly initialized embedding matrix $E \in \mathbb{R}^{V \times d_{\text{model}}}$, where $V = 4,107$ is the NT-v2 6-mer vocabulary size and $d_{\text{model}} = 128$.
- **Learned positional embeddings:** A position embedding matrix $P \in \mathbb{R}^{L_{\text{max}} \times d_{\text{model}}}$, added to the token embeddings.
- **Single-layer Transformer encoder:** One pre-norm Transformer encoder layer with 2 attention heads, feed-forward dimension $d_{\text{ff}} = 512$, GELU activation, and dropout $p = 0.1$.

Table 3.3: Comparison of backbone configurations.

Aspect	NT-v2 + LoRA	Shallow (ablation)
Tokenizer	6-mer (shared)	6-mer (shared)
Encoder layers	29	1
Hidden dimension	1,024	128
Attention heads	16	2
Feed-forward dim	4,096	512
Pre-training	MLM on 850 genomes	None (from scratch)
Backbone params	498M (5.5M trainable)	~200K (all trainable)

The same attention pooling classification head is used for both variants, with the input dimension adjusted to match the backbone output ($d = 1,024$ for NT-v2, $d = 128$ for the shallow variant). This design ensures that any performance difference is attributable solely to the backbone encoder, not the classification head or tokenization.

The shallow variant trains all parameters from scratch, analogous to MetaTransformer’s training paradigm but constrained to the NT-v2 tokenizer. This answers a key question: *does the pre-trained 29-layer backbone provide an advantage over a simple shallow encoder when the tokenization is held constant?*

3.3 Classification Head: Attention Pooling



The classification head aggregates the variable-length token sequence into a fixed-dimensional representation and maps it to class logits. We use a multi-head attention pooling mechanism inspired by Perceiver [34] and Set Transformer [35].

3.3.1 Architecture

The attention pooling head consists of:

1. **Learnable query tokens:** $M = 4$ learnable query vectors $Q \in \mathbb{R}^{M \times d}$, where $d = 1024$.
2. **Cross-attention:** Standard scaled dot-product attention where the queries attend to the backbone's token embeddings:

$$K = HW_K, \quad V = HW_V \quad (3.1)$$

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^\top}{\sqrt{d_k}}\right) V \quad (3.2)$$

where $H \in \mathbb{R}^{T \times d}$ is the backbone output and $W_K, W_V \in \mathbb{R}^{d \times d_k}$ are learnable projections.

3. **Aggregation:** The M attended vectors are concatenated, yielding a representation of dimension $M \times d_k$.
4. **Feed-forward classifier:**

$$\text{LayerNorm} \rightarrow \text{Linear}(M \cdot d_k, 512) \rightarrow \text{GELU} \rightarrow \text{Dropout}(p) \rightarrow \text{Linear}(512, K) \quad (3.3)$$

where K is the number of classes.



The attention pooling mechanism enables the model to selectively focus on the most taxonomically informative tokens in the sequence, analogous to how a biologist might focus on specific conserved marker regions within a read to determine its taxonomic origin.

3.3.2 Alternative Heads

We also implemented two alternative classification heads for comparison:

Mean Pool Head: Averages all token embeddings along the sequence dimension, followed by the same feed-forward classifier. This serves as the baseline aggregation strategy.


Transformer Pool Head: Applies a single Transformer encoder layer on top of the backbone output before mean pooling, adding another level of self-attention. This explores whether an additional attention layer can compensate for simple mean pooling.

3.4 Training Strategy

3.4.1 Two-Phase Training

We employ a two-phase training strategy to stabilize learning:

Phase 1 — Head-only warmup (5 epochs): The backbone is completely frozen, and only the classification head parameters are trained. This phase initializes the head weights to produce meaningful gradients before the backbone is unfrozen, preventing early gradient noise from corrupting pre-trained representations.



Phase 2 — Joint fine-tuning (up to 25–30 epochs): LoRA adapters in the backbone are unfrozen, and both the backbone (via LoRA) and the classification head are trained jointly. Differential learning rates are used: the backbone learning rate (3×10^{-5}) is set lower than the head learning rate (5×10^{-4}) to preserve pre-trained knowledge.

3.4.2 Optimization

The training procedure uses the following optimization configuration:

Table 3.4: Training optimization hyperparameters.

Parameter	Value
Optimizer	AdamW
Backbone learning rate	3×10^{-5}
Head learning rate	5×10^{-4}
Weight decay	0.02
LR scheduler	Cosine with linear warmup
Warmup ratio	10% of total steps
Gradient accumulation steps	1–2
Mixed precision	bfloat16

Mixed precision training: We use bfloat16 automatic mixed precision (AMP) on NVIDIA H100 GPUs. The bfloat16 format provides the dynamic range of float32 with reduced precision, avoiding the gradient underflow issues that arise with float16 and class-weighted losses.

Early stopping: Training is halted when validation accuracy does not improve for 7 consecutive epochs, and the model with the highest validation accuracy is saved as the final checkpoint.



3.4.3 Transfer Learning Across Experiments

To facilitate progressive scaling from smaller to larger datasets, we implement a transfer learning mechanism (`--init_from`) distinct from the training resumption mechanism (`--resume`).

Resume (`--resume`): Loads the full training state (model weights, optimizer state, epoch counter, learning rate scheduler) from a checkpoint, enabling continuation of the *same* experiment after a job interruption (e.g., SLURM time limit).

Transfer learning (`--init_from`): Loads only the model weights from a checkpoint for a *new* experiment, resetting the epoch counter and optimizer state. Supports partial loading, automatically skipping parameters with shape mismatches (e.g., when the classification head dimension changes between genus and species models). Phase 1 warmup is skipped when using transfer learning, as the backbone is already adapted.

3.5 Data Pipeline

3.5.1 Reference Database and Taxonomy

Reference genomes are drawn from the Human Gastrointestinal Reference genome database (HGR-UMGS) [36], comprising two sources merged at the genus level: the Human Gut Reference (HGR; `taxonomy_hgr.tab`) and the Unified Human Gastrointestinal Genome-derived Metagenome-Assembled Genomes Survey (UMGS; `taxonomy_umgs.tab`).

The database covers **1,535 genomes spanning 120 genera**; because the source taxonomy is provided only down to genus, each genome is treated as a distinct “species” and is identified by its genome ID (e.g., 11861_6_55). Read headers therefore encode the full label hierarchy as `>lbl|species_class|genome_id|genus_class|genus_name`, which is

parsed at load time to produce both 120-class genus and 1,535-class species labels. The same database underlies MetaTransformer [8], which simplifies cross-method comparison.



3.5.2 ART Read Simulation


Training data consists of simulated metagenomic short reads generated from these reference genomes using the ART Illumina simulator [37], following the same simulation protocol as MetaTransformer [8]. ART is invoked in paired-end mode with the HiSeq 2500 (HS25) error profile, 150 bp read length, and fragment-length distribution $\mathcal{N}(\mu = 400, \sigma = 50)$ bp.

To prevent dataset composition from being driven by genome-length differences, reads are generated under a *coverage-normalised* schedule rather than a fixed-coverage schedule. The longest reference genome is assigned a coverage factor of $3\times$, and shorter genomes are assigned proportionally higher coverage so that, in expectation, every genome contributes the same number of reads to the merged FASTA. In practice, this yields per-genome read counts within a narrow band (~ 260 – 410 reads per genome) due to discretisation; the relative class composition is therefore determined by the number of genomes per genus rather than by total genus genome length.

Pipeline. The full pipeline executes in five stages:

1. ART generates paired-end reads for each genome FASTA under the coverage-normalised schedule above.
2. Per-genome FASTQ outputs are merged into a single FASTQ stream.

3. The stream is split into 64 chunks for parallel FASTQ→FASTA conversion and label injection.
4. The chunks are concatenated and shuffled with seq-shuf to produce the unified reads.fa (~47 GB, ~258M reads).
5. Balanced subsampling (Section 3.5.3) draws fixed-size subsamples (e.g., 50M, 5M, 500K) from reads.fa.



Reproducibility audit. We conducted an explicit audit of randomness sources across the full pipeline. The findings are summarised below.

Reproducible by construction. The balanced-subsampling stage (Section 3.5.3) seeds Python’s random module with seed=42, so all balanced subsamples (500K, 5M, 50M) used in this thesis are exactly reproducible from a given reads.fa. The train/validation split is computed by sklearn’s train_test_split with random_state=42 (Section 3.5), and is therefore also deterministic for a fixed input subsample.

Not bit-for-bit reproducible. ART is invoked without --rndSeed, so the underlying ~258M-read reads.fa would differ between fresh runs in individual read positions and per-base error realisations, although its aggregate statistical properties (per-genome coverage, label distribution, read-length distribution) are reproducible by construction. The training script likewise does not set torch.manual_seed, numpy.random.seed, or torch.cuda.manual_seed_all; torch.backends.cudnn.deterministic is left at its default (False); and the PyTorch DataLoader is constructed without worker_init_fn, so each worker’s numpy and random states are uncontrolled. Resume from a checkpoint restores model weights, optimiser state, and learning-rate scheduler state, but does not re-

store the PyTorch / CUDA / NumPy / Python RNG states, so a run resumed after a SLURM 48-hour timeout is not bit-for-bit identical to a hypothetical uninterrupted run.

Empirical impact. We did not perform repeated multi-seed runs of the full 50M-scale experiments due to compute constraints, but the residual non-determinism above is expected to produce run-to-run variation on the order of $\pm 0.1\text{--}0.3$ pp in genus Top-1 accuracy, which is small relative to the effects discussed in this thesis (+13.19 pp pre-training, +20.35 pp tokenization). We acknowledge this as a methodological limitation and a candidate target for tightening in any follow-up study.

3.5.3 Balanced Subsampling

The full training dataset contains 258M reads with a highly skewed distribution across species. To mitigate class imbalance and enable controlled data scaling experiments, we implement a balanced subsampling strategy:

1. **Scan:** The full FASTA file is scanned to extract all read headers and their species labels.
2. **Allocate:** A target number of reads per species is computed as $n_{\text{target}} = N_{\text{total}} / K_{\text{species}}$, where N_{total} is the desired subsample size and K_{species} is the number of species.
3. **Cap and redistribute:** For species with fewer reads than n_{target} , all available reads are included. The deficit is redistributed proportionally among species with surplus reads.
4. **Sample:** Reads are randomly selected within each species to meet the per-species allocation.

This procedure produces near-perfectly balanced subsamples. For a 50M subsample from 1,535 species, each species contributes $32,573 \pm 445$ reads.



3.5.4 Reverse-Complement Augmentation

During training, each read is replaced with its reverse complement with probability $p = 0.5$. This augmentation is applied on-the-fly during data loading, doubling the effective diversity of the training set without requiring additional storage.

3.5.5 Data Splitting


The balanced subsamples are split into training (90%) and validation (10%) sets at the *read* level—i.e., individual reads from the same genome may appear in both the training and validation splits. The split is stratified by species label so that every one of the 1,535 species is represented in both partitions and class proportions are preserved within each. For the hierarchical evaluation of Section 4.12.5, an additional, fully disjoint test set is drawn from the MetaTransformer validation reads (`val_reads.fa`); see Section 4.12.4 for the data-leakage audit motivating this choice and for empirical evidence that read-level (rather than genome-level) splitting does not lead to detectable memorisation in this study.

3.6 Evaluation Methodology

3.6.1 Metrics

We evaluate classification performance using the following metrics:

Micro accuracy (overall accuracy): The fraction of correctly classified reads. This metric is dominated by abundant classes and reflects real-world performance on typical samples.



Macro F1: The unweighted average of per-class F1 scores. This metric weights all classes equally, providing a measure of performance across the full taxonomic diversity including rare taxa.

Balanced accuracy: The average of per-class recall, equivalent to macro recall.

Top- k accuracy: The fraction of reads for which the correct class appears in the top k predictions. We report top-3, top-5, and top-10 accuracy.

F1=0 class count: The number of classes with zero F1 score (i.e., classes for which the model makes no correct predictions). This directly measures the “dead class” problem.


Train-validation gap: The difference between training accuracy and validation accuracy, serving as a proxy for overfitting.

3.6.2 Reverse-Complement Test-Time Augmentation

At inference, we employ RC TTA: each read is classified twice (forward and reverse complement), and the logits are averaged before applying softmax:

$$\hat{y} = \arg \max_k [f_{\theta}(r) + f_{\theta}(\bar{r})] \quad (3.4)$$

where $f_{\theta}(r)$ and $f_{\theta}(\bar{r})$ are the logit vectors for the forward and reverse-complement reads, respectively. This ensembling exploits the biological strand symmetry of DNA and consistently improves accuracy.



3.6.3 Species-Level Evaluation Modes

For species-level classification (1,535 classes), we introduce two additional evaluation modes to decouple the contributions of genus-level and intra-genus discrimination:

Oracle-genus evaluation: Given the *true* genus label, the species logits are masked to only allow species belonging to that genus. This answers: “Given perfect genus identification, how well can the model discriminate species within each genus?”

Top- k genus routing: The genus classifier produces the top- k genus predictions. The candidate species set is the union of all species belonging to these k genera. Species logits are then masked to this candidate set. This simulates a realistic two-stage hierarchical classification pipeline.

3.7 Computational Considerations

3.7.1 Hardware

All experiments are conducted on the TWCC (Taiwan Computing Cloud) SLURM cluster equipped with NVIDIA H100 80 GB HBM3 GPUs. The SLURM partition enforces a 48-hour maximum wall time per job, necessitating checkpoint-resume support for long training runs.

3.7.2 Memory Optimization

Several techniques are employed to manage GPU memory:

- **Gradient checkpointing:** Recomputes intermediate activations during the backward pass rather than storing them, trading $\sim 30\%$ additional compute for $\sim 60\%$

memory reduction.

- **Mixed precision (bfloat16):** Reduces memory requirements for activations and gradients by approximately 50% compared to float32.
- **LoRA:** Keeps the majority of backbone parameters frozen, reducing the optimizer state memory from $\sim 4\text{GB}$ (full fine-tuning with AdamW) to $\sim 44\text{MB}$.



3.7.3 Resource Monitoring

To assess computational resource adequacy and identify bottlenecks, we implement a dedicated resource monitoring module that tracks:


- GPU VRAM usage (PyTorch allocated, nvidia-smi total, and peak values).
- GPU compute utilization (sampled every 30 seconds via nvidia-smi).
- System RAM usage (process RSS and peak).
- Per-epoch wall-clock time and throughput (reads per second).

These metrics are logged to `training_history.csv` and a comprehensive `resource_report.json` at the end of training.

3.8 Summary

This chapter has described the complete methodology for token-level GFM classification of metagenomic reads. The framework combines a pre-trained Nucleotide Transformer v2 backbone with LoRA adaptation, an attention-pooling classification head, two-phase training with transfer learning support, balanced subsampling, and RC augmenta-

tion. The evaluation methodology encompasses multiple metrics at both genus and species levels, with specialized evaluation modes for dissecting hierarchical classification performance.



Chapter 4

Experiments and Results



This chapter presents the experimental setup and comprehensive results. We begin with frozen-embedding baselines, proceed through architecture and training ablations on a small dataset, and culminate in data scaling experiments that reveal data volume as the dominant factor in classification performance.

4.1 Experimental Setup

4.1.1 Dataset

Training data is generated by simulating Illumina short reads (150 bp, HiSeq 2500 error profile) from the HGR-UMGS reference genome database [36] using the ART read simulator [37], following the same protocol as MetaTransformer [8]. The dataset covers:

- **120 genera** and **1,535 species** of human gut microorganisms.
- **258M total reads** across all species.
- Highly skewed distribution: the most abundant genus (*Collinsella*) accounts for 22.8% of reads, while the rarest genera contribute $<0.06\%$.

We conduct experiments at three data scales by subsampling from the full dataset:

- **500K** (imbalanced): The initial small-scale dataset preserving the natural class distribution. Train: 450K, validation: 50K.
- **5M** (balanced): Species-balanced subsample. Each of 1,535 species contributes

~3,257 reads. Train: 4.5M, validation: 500K.

- **50M (balanced)**: Species-balanced subsample. Each species contributes ~32,573 reads. Train: 45M, validation: 5M.



4.1.2 Evaluation Protocol

All models are evaluated on a held-out validation set using the metrics described in Section 3.6. Unless otherwise noted, results are reported with RC TTA (Eq. 3.4).

4.1.3 Hardware and Training Infrastructure

All experiments are run on NVIDIA H100 80 GB HBM3 GPUs on the TWCC SLURM cluster. The 48-hour SLURM time limit requires checkpoint-resume support for training runs exceeding this duration.

4.2 Phase 1: Frozen Embedding Baselines

Before developing the token-level approach, we establish baseline performance using precomputed, mean-pooled embeddings from frozen GFMs.

4.2.1 Setup

Embeddings are extracted once from each of several pre-trained GFMs. A two-layer MLP classifier is trained on the resulting fixed-dimensional vectors. We evaluate models from two families:

- **Evo-2 (7B params)**: A large-scale model based on the StripedHyena architecture.

We extract embeddings from layer 2.

- **Nucleotide Transformer v2 (500M params):** ESM-2-based model. We extract embeddings from the last hidden layer.



4.2.2 Results

Table 4.1: Frozen embedding baselines for genus classification (120 classes, 500K dataset).

Method	Genus Accuracy	Notes
Uniform random ($1/K$)	0.83%	Lower bound
Frequency baseline ($\sum p_k^2$)	8.11%	Predicting proportionally
Majority class (always <i>Collinsella</i>)	22.84%	Naïve baseline
Evo-2 L2 mean-pool + MLP	45.52%	
Evo-2 L2 + Focal Loss	46.95%	
NT-v2 mean-pool + MLP	51.70%	Best frozen baseline
NT-v2 mean-pool + MLP (RC-avg)	51.70%	With RC averaging

The NT-v2 backbone consistently outperforms Evo-2 despite having $14\times$ fewer parameters, suggesting that NT-v2’s multi-species pre-training provides more suitable representations for metagenomic classification. NT-v2 achieves 51.70% genus accuracy, which serves as our primary baseline.

4.3 Phase 2: Token-Level Classification with LoRA

We now present the token-level approach, progressing from initial architecture validation through systematic ablation studies.

4.3.1 Architecture Validation (v1–v3, 500K Dataset)

Key findings from v1–v3:

Table 4.2: Hyperparameter configurations for initial architecture experiments (500K dataset). Bold values indicate the setting that changed relative to v1.

Hyperparameter	v1	v2	v3 (best)
Backbone LR	5×10^{-5}	2×10^{-5}	3×10^{-5}
Head LR	5×10^{-4}	3×10^{-4}	5×10^{-4}
RC augmentation	No	Yes	Yes
Class weights	No	Yes (capped@10)	No
Label smoothing	0.0	0.1	0.0
Weight decay	0.01	0.05	0.02
Head dropout	0.1	0.2	0.15
LoRA dropout	0.05	0.1	0.05

Table 4.3: Results for architecture experiments (500K dataset, genus classification).

Version	Val Accuracy	F1 (weighted)	Best Epoch	Key Change
v1	51.70%	0.4865	10/15	Baseline
v2	27.87%	0.3210	18/26	Class weights (harmful)
v3	53.92%	0.5128	28/35	RC augmentation

1. The token-level approach with LoRA (v1) matches the frozen mean-pool baseline (51.70%), validating the architecture but showing that token-level representations alone do not guarantee improvement when the backbone is partially frozen via LoRA.
2. Class-weighted cross-entropy with label smoothing (v2) catastrophically degrades performance to 27.87%, a -23.8 pp drop. This is caused by the interaction between class weights and label smoothing on a highly imbalanced 120-class problem.
3. RC augmentation (v3) provides a solid $+2.2$ pp improvement (51.70% $\rightarrow$ 53.92%), confirming the value of exploiting DNA strand symmetry.

4.3.2 Training Dynamics and Overfitting

The training dynamics reveal severe overfitting: while training accuracy continues to increase to 62.7%, validation accuracy saturates at $\sim 54\%$. The growing train-validation

Table 4.4: Training dynamics for v3 (500K dataset). The train-validation gap grows steadily, reaching 7% at the best epoch and 9% by epoch 35.

Epoch	Train Acc	Val Acc	Train-Val Gap	Val Loss
1	45.25%	46.29%	−1.0%	2.044
5	51.34%	51.27%	+0.1%	1.809
10	54.25%	52.39%	+1.9%	1.755
15	56.25%	53.26%	+3.0%	1.735
20	58.08%	53.88%	+4.2%	1.721
28*	60.88%	53.92%	+7.0%	1.748
35	62.69%	53.71%	+9.0%	1.762

Best validation accuracy epoch.

gap (0% $\rightarrow$ 9%) indicates that the model has sufficient capacity to memorize the training data but fails to generalize, suggesting that 500K reads is insufficient to train a 498M-parameter model, even with only 1.1% of parameters unfrozen.

Figure 4.1 visualises the training trajectories across all three data scales, illustrating this transition from severe overfitting (v3, 500K) to well-generalised training (v9, 50M).




Figure 4.1: Training dynamics for v3 (500K, left), v8 (5M, centre), and v9 (50M, right). Dashed lines show training accuracy; solid lines show validation accuracy. The shaded region highlights the train-validation gap. Dotted vertical lines mark learning-rate resets caused by SLURM timeout and job resumption; v9 experienced two such resets (epochs 7 and 11) before the resume logic was corrected. Overfitting decreases systematically as data volume increases.

4.4 Advanced Training Techniques (v4–v7, 500K Dataset)

We explore several techniques to improve performance on the 500K dataset. Table 4.5 summarizes all experiments.

Table 4.5: Advanced training technique experiments (500K dataset, genus classification). RC TTA results are shown where available.

Ver.	Description	Fwd Acc	RC TTA	F1-macro	F1=0	Gap
v3	RC aug, maxlen=128	53.92%	55.36%	25.82%	11	6.96%
v4	maxlen=32	53.75%	55.29%	25.70%	9	6.25%
v5	LA $\tau=1.0$	35.17%	—	—	—	—
v5b	LA $\tau=0.3$	52.29%	53.58%	26.53%	5	—
v6	RC consist.+LA	35.87%	38.19%	22.88%	—	—
v7	RC consist. only	54.10%	55.18%	25.10%	11	—

Logit Adjustment (v5, v5b): Logit adjustment (Eq. 2.11) with $\tau = 1.0$ is too aggressive, dropping accuracy to 35.17%. A milder $\tau = 0.3$ preserves micro accuracy (52.29%) while reducing F1=0 classes from 9 to 5, showing a favorable trade-off between overall and per-class performance.

Reduced sequence length (v4): Reducing `max_length` from 128 to 32 tokens slightly reduces accuracy (-0.07 pp) but also reduces the overfitting gap (6.96% $\rightarrow$ 6.25%) and decreases training time.

RC Consistency Training (v6, v7): Adding a KL divergence loss between forward and reverse-complement predictions (v7) achieves 55.18% RC TTA, comparable to v3. However, combining RC consistency with logit adjustment (v6) degrades performance significantly, indicating that these regularization techniques interfere with each other.

Conclusion: All training techniques on the 500K dataset yield at most ± 0.5 pp improvement in RC TTA accuracy (range: 53.58%–55.36%). This plateau strongly suggests that *data volume*, not model architecture or training tricks, is the primary bottleneck.



4.5 Data Scaling Experiments

Motivated by the accuracy plateau on 500K data and the comparison with MetaTrans-former [8] (which trained on a large-scale balanced dataset trained on the full HGR-UMGS dataset of 2,505 species with coverage factor 4), we systematically scale training data.

4.5.1 Experiment v8: 5M Balanced Reads

4.5.1.1 Setup

A 5M species-balanced subsample is drawn from the full 258M dataset. Each of 1,535 species contributes $\sim 3,257$ reads, yielding near-perfect class balance. The v3 architecture and training configuration are retained (batch size 32, gradient accumulation 2, effective batch size 64), and training proceeds for 30 epochs.

Due to the 48-hour SLURM time limit, training required two jobs: the initial run completed 14 of 20 epochs before timeout, and a resumed run completed 16 additional epochs (epochs 15–30) using the `--resume` mechanism. A third job performed final evaluation.

4.5.1.2 Results

The results reveal clear log-linear scaling behaviour:

1. **Accuracy:** Each $10\times$ data increase yields a substantial but diminishing gain in RC TTA accuracy: $+7.76$ pp (500K $\rightarrow$ 5M) and $+4.02$ pp (5M $\rightarrow$ 50M). The sub-linear trend is consistent with logarithmic scaling laws.

Table 4.6: Genus classification results across data scales: v4 (500K), v8 (5M balanced), and v9 (50M balanced).

Metric	v4 (500K)	v8 (5M)	$\Delta_{v4 \rightarrow v8}$	v9 (50M) [†]	$\Delta_{v8 \rightarrow v9}$
Micro Accuracy (fwd)	53.75%	62.02%	+8.27 pp	66.29%	+4.27 pp
Micro Accuracy (RC TTA)	55.29%	63.05%	+7.76 pp	67.07%	+4.02 pp
Balanced Accuracy	25.23%	33.35%	+8.12 pp	39.91%	+6.56 pp
F1 (weighted)	52.51%	61.06%	+8.55 pp	65.61%	+4.55 pp
F1 (macro)	25.70%	37.97%	+12.27 pp	44.82%	+6.85 pp
Top-3 Accuracy	—	81.70%	—	84.40%	+2.70 pp
Top-5 Accuracy	82.91%	88.08%	+5.17 pp	90.03%	+1.95 pp
Top-10 Accuracy	91.29%	94.23%	+2.94 pp	95.25%	+1.02 pp
F1=0 classes	9	2	−7	0	−2
Train-Val Gap	6.25%	1.30%	−4.95 pp	<1%	—

[†] v9 final metrics (epoch 30, converged).

2. **Macro F1:** Data scaling disproportionately benefits rare classes: +12.27 pp at the first step and +6.85 pp at the second. At 50M reads, all 120 genera have non-zero F1 for the first time.
3. **F1=0 classes:** The number of unclassifiable genera drops from 9 to 2 (v8) and finally to 0 (v9), meaning every genus in the dataset is correctly predicted for at least some reads.
4. **Overfitting:** The train-validation gap shrinks dramatically from 6.25% (v4) to 1.30% (v8) to <1% (v9), confirming that the model transitions from data starvation to well-generalised training as data volume increases.

4.5.1.3 Training Dynamics

The temporary accuracy drop at epoch 15 is caused by the learning rate scheduler resetting to its warmup phase after resumption. The model recovers within 3–4 epochs and eventually surpasses the pre-interruption performance.

Table 4.7: Training dynamics for v8 (5M balanced, 30 epochs). The gap between training and validation accuracy remains small throughout, in sharp contrast to the 500K experiments.

Epoch	Train Acc	Val Acc	Train-Val Gap	Notes
1	49.96%	51.80%	-1.8%	
5	55.97%	57.04%	-1.1%	
10	58.93%	59.42%	-0.5%	
14	60.60%	60.56%	+0.04%	48h limit
15	58.80%	59.18%	-0.4%	Resumed (LR reset)
20	61.82%	60.59%	+1.2%	
25	62.89%	61.77%	+1.1%	
29*	63.32%	62.02%	+1.3%	Best epoch

4.5.2 Experiment v9: 50M Balanced Reads

Building on v8, we scale training data by another $10\times$ to 50M balanced reads. The batch size is increased from 32 to 256 (with gradient accumulation reduced from 2 to 1, yielding an effective batch size of 256) to improve GPU utilization. The model is initialized from v8’s best checkpoint using `--init_from` (transfer learning mode).

Table 4.8: Configuration comparison between v8 and v9.

Parameter	v8 (5M)	v9 (50M)
Training reads	4.5M	45M
Reads per species	$\sim 3,257$	$\sim 32,573$
Batch size	32	256
Gradient accumulation	2	1
Effective batch size	64	256
Epochs	30	30 (converged)
Weight initialization	Random	v8 best.pt
Est. time per epoch	$\sim 3h$	$\sim 5-6h$

4.5.2.1 Results

Scaling from 5M to 50M balanced reads yields a further +4.02 pp improvement in RC TTA accuracy (63.05% $\rightarrow$ 67.07%). Critically, the number of F1=0 classes drops to **zero**, indicating that all 120 genera are now correctly classified in at least some reads.

Table 4.9: Comparison between v8 (5M) and v9 (50M) for genus classification (120 classes).

Metric	v8 (5M)	v9 (50M)	Δ
Micro Accuracy (fwd)	62.02%	66.29%	+4.27 pp
Micro Accuracy (RC TTA)	63.05%	67.07%	+4.02 pp
Balanced Accuracy	33.35%	39.91%	+6.56 pp
F1 (weighted)	61.06%	65.61%	+4.55 pp
F1 (macro)	37.97%	44.82%	+6.85 pp
Top-3 Accuracy	81.70%	84.40%	+2.70 pp
Top-5 Accuracy	88.08%	90.03%	+1.95 pp
Top-10 Accuracy	94.23%	95.25%	+1.02 pp
F1=0 classes	2	0	−2
Best epoch	29	30 (converged)	—

The marginal return diminishes relative to the previous $10\times$ scaling step: $500K \rightarrow 5M$ yielded +7.76 pp while $5M \rightarrow 50M$ yields +4.02 pp for the same multiplicative data increase, consistent with a logarithmic scaling relationship. This sub-linear trend is expected under log-linear scaling laws and suggests that continued data scaling alone will not close the remaining gap with MetaTransformer.

Training progress and LR restart incidents. v9 training required multiple SLURM jobs due to the 48-hour time limit. Before a bug fix was applied to the checkpoint-resume logic, two job restarts inadvertently reset the cosine learning-rate scheduler to its initial warmup phase, causing temporary accuracy dips: −0.54 pp at epoch 7 and −1.39 pp at epoch 11. In both cases the model recovered within 3–5 epochs and surpassed the pre-dip performance level. The underlying issue—`EarlyStopping.best` being silently set to `None` from an incomplete checkpoint key—was corrected in the resume logic; from epoch 17 onward the scheduler state is correctly restored and the learning rate continues its cosine decay without interruption.

Training completed at epoch 30 (April 2026), reaching a forward validation accuracy

of **66.29%** and RC TTA accuracy of **67.07%** (Figure 4.2). The learning curve plateaued between epochs 26 and 30 as the cosine schedule reached its minimum, indicating convergence.




Figure 4.2: Full validation accuracy curves for v9 (genus, left) and sp_v4 (species, right) over all completed epochs. Red dotted vertical lines mark epochs where a SLURM job restart incorrectly reset the cosine LR scheduler, causing a temporary accuracy dip. The green shaded region indicates epochs trained after the resume bug fix was applied, during which the LR schedule correctly continues its cosine decay.

4.5.3 Data Scaling Analysis

Table 4.10: Data scaling analysis: genus classification performance across data volumes.

Data Volume	RC TTA Acc	F1-macro	F1=0	Gap
500K (imbalanced)	55.29%	25.70%	9	6.25%
5M (balanced)	63.05%	37.97%	2	1.30%
50M (balanced)	67.07%	44.82%	0	~0.7%
MetaTransformer (HGR-UMGS full)	~98%	—	—	—

The data scaling analysis reveals a clear relationship between training data volume and classification performance. The transition from 500K to 5M reads ($10\times$ increase) yields +7.76 pp in accuracy and +12.27 pp in macro F1. Meanwhile, all training technique ablations on the 500K dataset (v3–v7) produced at most ± 0.5 pp variation. This strongly supports the conclusion that **data volume, not model architecture or training**

techniques, is the primary determinant of classification accuracy in this setting.

The comparison with MetaTransformer further reinforces this finding: despite using a much larger backbone (498M vs. ~ 5 M parameters), our model at 5M training reads achieves only 63% accuracy, while MetaTransformer, trained on the full HGR-UMGS dataset with coverage factor 4, achieves 98.3% genus recall (98.9% precision) on its validation set. The gap is attributable primarily to the substantial difference in training data volume.

Figure 4.3 plots genus RC TTA accuracy against training data volume on a logarithmic scale, with a log-linear fit to our three data points. The fitted curve projects that closing the gap with MetaTransformer would require training data well beyond our 50M-read scale, consistent with diminishing returns under logarithmic scaling.




Figure 4.3: Genus RC TTA accuracy versus training data volume (log scale). Blue circles mark our results at three data scales; the red star marks MetaTransformer’s reported genus recall. The dashed line is a log-linear fit to our three data points. Per-10 $\times$ accuracy gains diminish from +7.76 pp (500K $\rightarrow$ 5M) to +4.02 pp (5M $\rightarrow$ 50M). The MetaTransformer star marks reported genus recall (98.3%); its x-position is based on training throughput (300K steps $\times$ batch 2,048) and is not directly comparable to our dataset-size axis.



4.6 Species-Level Classification

We evaluate species-level classification (1,535 classes) using the 500K dataset to establish baselines and understand the difficulty of fine-grained taxonomic discrimination.

4.6.1 Direct Classification


Table 4.11: Species classification results (500K dataset, 1,535 classes). All metrics under RC TTA. “Oracle Acc” uses the true genus label to mask species logits.

Version	Description	RC TTA Acc	Oracle Acc	F1-macro	F1=0
sp_v1	Baseline	8.32%	20.88%	6.77%	628
sp_v2	LA $\tau=0.3$	8.37%	20.85%	7.20%	552
sp_v3	Weighted sampler	8.01%	20.48%	7.09%	539

Direct species classification achieves only $\sim 8\%$ accuracy, which, while far above the random baseline (0.065% for 1,535 classes), indicates that 500K reads is wholly insufficient for fine-grained species discrimination.

4.6.2 Oracle-Genus Evaluation

Oracle-genus evaluation reveals that even with perfect genus knowledge, species-level accuracy reaches only $\sim 21\%$ at the 500K scale. This preliminary ceiling indicates that the model struggles with *intra-genus* discrimination—distinguishing species within the same genus—which is expected given the high sequence similarity among congeners at the 150 bp read length. Section 4.12.5 revisits this ceiling at the 50M scale, where it lifts to 27.4% (sp_v4) and 27.8% (per-genus 50M).



4.6.3 Effect of Class Imbalance Mitigation

Logit adjustment ($\tau = 0.3$, sp_v2) and weighted sampling (sp_v3) both reduce the number of F1=0 classes under direct RC-TTA evaluation (from 628 in sp_v1 to 552 and 539, respectively) with minimal impact on overall accuracy (< 0.4 pp). The same trend appears under oracle-genus evaluation, where F1=0 drops from 433 (sp_v1) to 406 (sp_v2) and 392 (sp_v3). This demonstrates that class imbalance mitigation is valuable for improving the breadth of species covered, even when it does not improve aggregate accuracy.

4.6.4 Top- k Genus Routing

Using top-10 genus routing, species accuracy reaches 8.06%, slightly below the direct classification result (8.32%). This modest result reflects the genus model’s limited accuracy at 500K scale (55%): when the correct genus is not in the top-10, the species classifier is working from an incorrect candidate set.

4.7 RC Test-Time Augmentation Analysis

Table 4.12: Effect of RC TTA across experiments. RC TTA consistently improves accuracy at the cost of $2\times$ inference time.

Experiment	Fwd Only	RC TTA	Δ
v3 (500K genus)	53.92%	55.36%	+1.44 pp
v4 (500K genus)	53.75%	55.29%	+1.54 pp
v5b (500K, LA $\tau=0.3$)	52.29%	53.58%	+1.29 pp
v7 (500K, RC consist.)	54.10%	55.18%	+1.08 pp
v8 (5M genus)	62.02%	63.05%	+1.03 pp
v9 (50M genus, NT-v2)	66.29%	67.07%	+0.78 pp
v11 (50M genus, shallow)	53.80%	53.88%	+0.08 pp

RC TTA provides a consistent +1.0 to +1.5 pp accuracy improvement across all experiments, regardless of the training configuration or data scale. Several observations

merit discussion:



1. **Biological basis:** As discussed in Section 2.5.1, a metagenomic read and its reverse complement encode identical biological information. RC TTA exploits this strand symmetry by treating the two orientations as a two-view ensemble of the same underlying genomic entity [28].
2. **Variance reduction:** The consistent improvement across all settings is explained by standard ensemble theory: averaging two correlated but independently noisy estimates of the same ground-truth label reduces prediction variance, even when both estimates come from the same model.
3. **Diminishing returns with RC consistency training:** v7 (RC consistency, +1.08 pp) shows less benefit than vanilla models, because RC consistency training already encourages $f(s) \approx f(\bar{s})$ during training, leaving less residual strand asymmetry for RC TTA to correct.
4. **Scale-dependent diminishing returns:** The RC TTA benefit decreases slightly with data scale: +1.44 pp at 500K, +1.03 pp at 5M, and +0.78 pp at 50M (v9). Larger training sets expose the model to both strands of each locus more often, gradually reducing systematic strand-directional errors—though a non-trivial asymmetry persists even at 50M reads.
5. **Near-zero benefit for randomly initialized models:** v11 (shallow Transformer, random initialization) shows only +0.08 pp from RC TTA. Without pre-training on a large genomic corpus, the model does not develop systematic strand-direction preferences, leaving little strand asymmetry for RC TTA to correct. This further

supports the view that RC TTA primarily corrects pre-training-induced strand biases rather than stochastic inference noise.



The $2\times$ inference cost is the primary trade-off. For offline evaluation this is acceptable; for latency-sensitive deployment, RC-equivariant architectures [30] or RC consistency regularization [29] may be preferred alternatives.

Figure 4.4 summarises RC TTA gains across all experiments, highlighting the near-zero benefit for the randomly initialized v11 model.




Figure 4.4: RC TTA benefit across experiments. Top: forward-only vs. RC TTA accuracy (blue: NT-v2 backbone; green: DNABERT family; right of second dashed line: random init). Bottom: absolute gain in percentage points. NT-v2-based models gain $+0.77$ – $+1.54$ pp consistently. DNABERT gains only $+0.58$ pp, likely because its overlapping 6-mer tokenization is inherently more RC-symmetric than NT-v2’s non-overlapping 6-mer. DNABERT-2 (BPE tokenization) gains $+1.53$ pp, similar to early NT-v2 experiments. The randomly initialized v11 gains only $+0.08$ pp, confirming that the benefit primarily corrects pre-training-induced strand biases.

Table 4.13: Computational resource usage across experiments.



Metric	v3 (500K)	v8 (5M)	v9 (50M)
GPU	V100 32GB	H100 80GB	H100 80GB
Batch size	32	32	256
VRAM peak (training)	10.4 GB	~4.7 GB	~5 GB
VRAM utilization	32.5%	5.5%	<7%
Train throughput	1,128 r/s	~1,800 r/s	~1,825 r/s
Inference throughput	—	~5,100 r/s	~5,170 r/s
Epoch time	~6.5 min	~6.8h	~6.9h
Total training	11.5h	~90h	~207h (30 ep.)
SLURM jobs needed	1	3	4+

4.8 Computational Resource Analysis

4.8.1 Observed Resource Usage

4.8.2 Bottleneck Analysis

Table 4.14: Resource bottleneck assessment on TWCC H100 nodes.

Resource	Status	Assessment
GPU VRAM (80 GB)	<50% utilized	No upgrade needed
GPU compute (H100)	Adequate	No upgrade needed
System RAM (128 GB)	<50% utilized	No upgrade needed
Storage	<10 GB per experiment	No upgrade needed
SLURM time (48h)	Primary bottleneck	Requires resume or longer limits

The hardware is substantially over-provisioned for this workload: the H100 80 GB GPU runs at <50% VRAM utilization even with batch size 256, and system RAM usage is well within limits. The primary operational bottleneck is the 48-hour SLURM wall time limit, which necessitates multiple job submissions with checkpoint resumption for large-scale experiments.

4.8.3 Scaling Projections

For the full 258M dataset training:

- **Memory:** 258M reads require ~ 52 GB RAM when loaded in-memory, which fits within the 128 GB system memory. Alternatively, a streaming data loader can reduce memory requirements to $O(\text{batch size})$.
- **Training time:** At the v8 throughput of ~ 417 reads/sec (batch size 32), one epoch over 232M training reads would take ~ 155 hours. With batch size 256 and improved GPU utilization, this could potentially be reduced to ~ 20 – 30 hours per epoch, requiring 2–3 SLURM jobs for 10 epochs.

4.9 Comparison with MetaTransformer


Table 4.15: Comparison between our approach and MetaTransformer [8].

Aspect	Ours (v9)	MetaTransformer
Backbone	NT-v2 (498M)	Custom Transformer (~ 5 M)
Tokenization	6-mer (pre-trained)	12-mer (learned)
Pre-training	Yes (850 genomes, MLM)	No (trained from scratch)
Trainable params	5.54M (LoRA)	~ 5 M (all)
Training data	50M balanced	HGR-UMGS full (2,505 sp., coverage 4)
Genus accuracy	67.07% (RC TTA)	98.3% recall (val)
Data source	HGR-UMGS + ART	HGR-UMGS + ART (same)

Despite using a foundation model $100\times$ larger than MetaTransformer, our model (at 50M training reads) substantially underperforms MetaTransformer (trained on the full HGR-UMGS dataset). The key differences are:

1. **Training data volume:** MetaTransformer uses the full HGR-UMGS dataset with coverage 4 vs. our 50M balanced reads. Given our data scaling results (each $10\times$ data increase yields $+3$ – 8 pp with diminishing returns), this is likely the dominant factor.
2. **Training paradigm:** MetaTransformer trains all parameters from scratch (~ 5 M), while we fine-tune only 5.54M LoRA parameters of a 498M-parameter model. The

foundation model’s pre-trained representations, while beneficial as a starting point, may not be optimally suited for metagenomic classification without sufficient fine-tuning data.



3. **Tokenization:** MetaTransformer uses 12-mer tokenization (capturing longer sequence patterns per token), while NT-v2 uses 6-mers. The coarser 12-mer tokenization may be advantageous for species discrimination, as it directly captures longer characteristic motifs.

This comparison is confounded by three simultaneous differences: backbone depth (29 vs. 1 layer), pre-training (yes vs. no), and tokenization (6-mer vs. 12-mer overlapping). Sections 4.10 and 4.11 disentangle these factors through controlled ablations. The key finding is that tokenization—specifically, overlapping 12-mer—accounts for the larger share of the performance gap, with pre-training providing a secondary but still substantial benefit under matched tokenization.

4.10 Backbone Ablation: Shallow Transformer

To isolate the contribution of the pre-trained 29-layer NT-v2 backbone from the effect of tokenization, we replace the backbone with a single-layer Transformer trained from scratch while keeping the 6-mer tokenizer and attention pooling head identical (see Section 3.2.4).

4.10.1 Experimental Design

This controlled comparison isolates two factors:

Table 4.16: Controlled ablation: NT-v2 backbone (v9) vs. shallow Transformer (v11). All other components are held constant.

Component	v9 (NT-v2 + LoRA)	v11 (Shallow)
Tokenizer	6-mer (NT-v2)	6-mer (NT-v2)
Encoder	29-layer, $d=1024$	1-layer, $d=128$
Pre-training	MLM on 850 genomes	None
Trainable params	5.54M (LoRA)	$\sim 200K$ (all)
Classification head	Attention pool (4 heads)	Attention pool (4 heads)
Training data	50M balanced	50M balanced
Batch size	256	512

1. **Pre-trained representations:** Does pre-training on 850 genomes via masked language modeling provide an advantage for metagenomic classification?
2. **Model capacity:** Does a 29-layer encoder with 1,024 hidden dimensions capture more discriminative features than a single-layer encoder with 128 dimensions?

If the shallow variant substantially underperforms, it validates the value of the large pre-trained backbone. If performance is comparable, it suggests that the pre-trained representations provide limited benefit for this task under the 6-mer tokenization constraint, and that a lightweight task-specific model may be sufficient.

4.10.2 Expected Outcomes

Based on MetaTransformer’s success with a similarly shallow architecture (albeit with 12-mer tokenization and a much larger training set), we hypothesize:

- The shallow variant will underperform v9 at the same data scale (50M), because the 6-mer tokenizer produces shorter token sequences than 12-mers, requiring more encoder capacity to capture equivalent patterns.
- The performance gap will quantify the “value of pre-training” under fixed tokeniza-

tion, informing whether future work should invest in larger backbones or better tokenizers.



4.10.3 Results

Table 4.17: Backbone ablation results: pre-trained NT-v2 (v9) vs. shallow Transformer (v11), both trained on 50M balanced reads.


Metric	v9 (NT-v2 + LoRA)	v11 (Shallow)	Δ
Micro Accuracy (fwd)	66.29%	53.80%	−12.49 pp
Micro Accuracy (RC TTA)	67.07%	53.88%	−13.19 pp
Balanced Accuracy	39.91%	22.28%	−17.63 pp
F1 (macro)	44.82%	25.78%	−19.04 pp
F1=0 classes	0	3	+3
RC TTA gain	+0.78 pp	+0.08 pp	—
Best epoch	30 / 30	15 / 15	—
Inference throughput	~5,170 r/s	~750,000 r/s	≈145×
VRAM (training)	~5 GB	~0.07 GB	—

The pre-trained 29-layer NT-v2 backbone outperforms the single-layer randomly initialized Transformer by **13.19 pp** in RC TTA accuracy (67.07% vs. 53.88%). This gap confirms that the pre-trained representations, despite being fine-tuned via only 5.54M LoRA parameters, provide substantial discriminative value that a shallow randomly initialized model cannot replicate even with 50M training reads.

Several additional observations are noteworthy:

1. **F1 gap is larger than accuracy gap:** The macro F1 gap (−19.04 pp) substantially exceeds the accuracy gap (−13.19 pp), indicating that v11 disproportionately fails on rare genera. This is consistent with v11’s lower capacity for learning subtle sequence features distinguishing rare taxa.
2. **RC TTA nearly ineffective for v11:** The shallow, randomly initialized model shows only +0.08 pp from RC TTA (vs. +0.77 pp for v9), supporting the inter-

pretation that RC TTA primarily corrects systematic strand biases acquired during pre-training rather than stochastic inference noise.



3. **Efficiency trade-off:** v11 is $\sim 145\times$ faster at inference (750K vs. 5,170 reads/sec) and uses $\sim 70\times$ less VRAM during training. For latency-sensitive applications where 54% accuracy is acceptable, v11 represents a viable lightweight alternative.
4. **Pre-training vs. tokenization:** This experiment isolates pre-training while holding tokenization constant (6-mer), yielding a +13.19 pp pre-training advantage. Section 4.11 further shows that switching to overlapping 12-mer tokenization within the MetaTransformer architecture yields +31.83 pp—nearly $2.5\times$ larger than the pre-training effect. The remaining gap between v11 (54%) and MetaTransformer on the full dataset is therefore attributable primarily to tokenization design, with training data volume as a secondary factor.

Figure 4.5 presents a direct visual comparison of v9 and v11 across five evaluation metrics, quantifying the benefit of the pre-trained backbone across all dimensions.

4.11 Tokenization Ablation: MetaTransformer at 50M Scale

The backbone ablation (Section 4.10) isolates the contribution of pre-training while holding tokenization fixed at 6-mer. To separately quantify the contribution of *tokenization*—the other major design difference between our approach and MetaTransformer—we train the MetaTransformer architecture [8] directly on the same 50M balanced dataset under six tokenization configurations ($k \in \{6, 12, 13\}$, $\text{stride} \in \{1, k\}$), using the original MetaTransformer codebase on the Taiwania-2 cluster (V100 32 GB GPU). All configurations are evaluated on the same stratified 90/10 val split (5M reads). The 13-mer model




Figure 4.5: Backbone ablation: pre-trained NT-v2 + LoRA (v9, green) vs. single-layer randomly initialized Transformer (v11, purple), both trained on 50M balanced reads. Numbers above bars indicate the absolute gain of v9 over v11. The pre-trained backbone consistently outperforms the shallow variant across all metrics, with the largest gap in F1 (macro) (+19.0 pp) and Balanced Accuracy (+17.6 pp), reflecting v9’s superior discrimination of rare genera.

uses $embed_dim = 64$ to fit within V100 memory, consistent with the original MetaTransformer paper’s 13-mer configuration [8].

Three independent effects can be read from Tables 4.18–4.19:

Effect of pre-training (6-mer tokenization held constant). NT-v2 + LoRA (66.29% forward) outperforms MetaTransformer with the same non-overlapping 6-mer tokenization (47.00%) by **+19.29 pp**. Holding architecture and tokenization fixed, this isolates the contribution of large-scale genomic pre-training: the NT-v2 backbone, adapted via only 5.54M LoRA parameters, provides substantially more discriminative representations than a 5M-parameter model trained from scratch on identical data.

Effect of tokenization (MetaTransformer architecture held constant). Tokenization design has a far larger effect than pre-training. Two sub-effects compound:




Table 4.18: Tokenization ablation (genus-level, 120 classes): NT-v2 + LoRA vs. MetaTransformer under six tokenization configurations. All MetaTransformer models are trained from scratch on 50M balanced reads. RC TTA is unavailable for MetaTransformer.

Model	Tokenization	Tokens/read	Top-1 Acc	Macro F1
MetaTransformer	13-mer, stride=1	138	87.42%	0.7936
MetaTransformer	12-mer, stride=1	139	78.83%	0.6531
NT-v2 + LoRA (v9)	6-mer, stride=6	25	67.07% [†]	—
NT-v2 + LoRA (v9)	6-mer, stride=6	25	66.29%	0.4384
MetaTransformer	6-mer, stride=1	145	48.87%	0.1981
MetaTransformer	6-mer, stride=6	25	47.00%	0.1682
MetaTransformer	12-mer, stride=12	12	40.66%	0.0663
MetaTransformer	13-mer, stride=13	11	27.30%	0.0182

[†] RC TTA result (+0.78 pp over forward-only 66.29%); MetaTransformer results are forward-only.

Table 4.19: Tokenization ablation (species-level, 1,535 classes): MetaTransformer under six tokenization configurations, trained on the same 50M balanced reads.

Model	Tokenization	Tokens/read	Top-1 Acc	Macro F1
MetaTransformer	13-mer, stride=1	138	49.62%	0.4950
MetaTransformer	12-mer, stride=1	139	16.79%	0.1439
MetaTransformer	6-mer, stride=1	145	9.13%	0.0719
MetaTransformer	6-mer, stride=6	25	6.44%	0.0470
MetaTransformer	12-mer, stride=12	12	0.64%	0.0023
MetaTransformer	13-mer, stride=13	11	0.51%	0.0026

- 
1. **Stride (overlapping vs. non-overlapping):** Across all k values, overlapping stride=1 dominates non-overlapping stride= k . The gap widens dramatically with k : +1.87 pp for $k = 6$, +38.17 pp for $k = 12$, and +60.12 pp for $k = 13$. Non-overlapping tokenization with large k reduces each 150 bp read to as few as 11 tokens, discarding most sequence context.
 2. **k-mer length (overlapping only):** Among stride=1 configurations, longer k yields monotonically higher accuracy: 6-mer (48.87%) < 12-mer (78.83%) < 13-mer (87.42%) at genus level, and 9.13% < 16.79% < 49.62% at species level. Longer tokens are taxonomically more specific—hexamers are shared across distant taxa, while 12-mers and 13-mers increasingly identify individual lineages.

Tokenization surpasses pre-training: MetaTransformer 13-mer vs. NT-v2. MetaTransformer with overlapping 13-mer tokenization, trained *from scratch* on 45M reads, achieves **87.42%** genus Top-1 accuracy—**+20.35 pp** above NT-v2 + LoRA with RC TTA (67.07%), despite having $\sim 100\times$ fewer parameters and no pre-training. At species level, MT 13-mer stride=1 reaches **49.62%** (1,535 classes) without any hierarchical routing. This result demonstrates that task-specific tokenization design is a more decisive factor than pre-trained prior knowledge for metagenomic read classification.

Convergence and capacity ceiling (12-mer). To determine whether 78.83% is the true ceiling for the 12-mer model, training was extended into a second epoch. Train loss dropped sharply from 0.764 to 0.119, while validation loss *worsened* from 1.203 to 2.288—immediate overfitting. The 50M-read dataset saturates the 5M-parameter single-encoder MetaTransformer within one epoch.

Overlapping tokenization within pre-trained GFM (5M scale). The MetaTransformer ablation above is conducted entirely from scratch at 50M scale. To isolate the effect of overlapping tokenization *within the pre-trained GFM family*, we additionally fine-tune two other pre-trained DNA language models on the same 5M balanced dataset using identical training settings (LoRA $r = 16$, attention-pooling head):

- **DNABERT** [10]: BERT-base (86M params) pre-trained on the human reference genome with overlapping 6-mer tokenization (stride=1, 145 tokens per 150 bp read).
- **DNABERT-2** [11]: BERT-base (117M params) pre-trained on a multi-species genome collection using learned BPE tokenization (~ 34 tokens per read).

Table 4.20: Pre-trained GFM backbone comparison at 5M balanced reads (genus-level, 120 classes). All models use LoRA $r = 16$ fine-tuning and the same attention-pooling head. RC TTA is applied to all models.

Model	Tokenization	Tokens/read	Params	RC TTA Acc	Macro
NT-v2 + LoRA (v8)	6-mer, stride=6 (non-overlap)	25	499M	63.05%	0.4
DNABERT + LoRA	6-mer, stride=1 (overlap)	145	86M	61.78%	0.3
DNABERT-2 + LoRA	BPE (~ 34 tokens)	~ 34	117M	58.88%	0.3

Three observations follow from Table 4.20.


First, NT-v2 with *non-overlapping* 6-mer tokenization outperforms DNABERT with *overlapping* 6-mer tokenization by +1.27 pp. At 5M training reads, the pre-training advantage from NT-v2’s larger backbone (499M vs. 86M parameters) and more diverse pre-training corpus (850 microbial genomes vs. human genome only) outweighs the tokenization benefit of overlapping stride. This contrasts with the MetaTransformer results: when starting from scratch on the same data, overlapping tokenization provides a large benefit (+1.87 pp at $k = 6$, +60.12 pp at $k = 13$); but when starting from a strong pre-trained rep-

resentation, the non-overlapping NT-v2 backbone already captures sufficient local context through its positional encodings.

Second, DNABERT with overlapping 6-mer tokenization (pre-trained, 86M, 5M data, 61.78%) outperforms MetaTransformer with the same overlapping 6-mer tokenization (from scratch, 5M params, 50M data, 48.87%), despite ten times less training data. This confirms that pre-training on genomic sequences provides a substantial data-efficiency advantage—even a smaller pre-trained model is more data-efficient than a larger randomly initialised model.

Third, DNABERT-2’s BPE tokenization (58.88%) performs worse than either 6-mer model despite having a similar parameter count to DNABERT. BPE segments DNA by frequency-based byte pairs rather than fixed-length k-mers, which may fragment taxonomically informative motifs; the learned vocabulary may not align well with the k-mer statistics that distinguish metagenomic reads.

Methodological note on training equivalence. The three models use the same learning rate (5×10^{-4} head/LoRA, 3×10^{-5} backbone), warmup ratio (5%), cosine decay schedule, and epoch count (30), but differ in batch size (NT-v2: 32, DNABERT: 128, DNABERT-2: 256) due to GPU memory constraints imposed by sequence length differences (25, 145, and ~ 34 tokens per read respectively). Consequently, the total number of gradient updates differs: approximately 453K for NT-v2, 117K for DNABERT, and 59K for DNABERT-2. All three learning curves were still improving at epoch 30 (gain < 0.1 pp per epoch), with the cosine schedule decaying the learning rate to near zero by the final epoch. The comparison is therefore epoch-based—each model has seen the training data 30 times—rather than step-based or compute-matched. This is standard practice in fine-tuning



comparisons, and the observed ranking (NT-v2 > DNABERT > DNABERT-2) is unlikely to be reversed by additional training: DNABERT, despite receiving $3.9\times$ fewer gradient updates than NT-v2, lags by only 1.27 pp, while DNABERT-2’s gap of 4.17 pp is consistent across all training stages and attributable primarily to its BPE tokenization.

Implication for NT-v2. NT-v2 is constrained to 6-mer tokenization by its pre-training design. The ablation results show that this constraint is the primary limitation of our approach: switching to overlapping 13-mer tokenization on the same architecture and data yields a +20.35 pp improvement without any pre-training. A genomic foundation model pre-trained with overlapping large- k tokenization on diverse microbial genomes would combine the discriminative power of longer k-mers with the representational quality of large-scale pre-training. No such model currently exists publicly.

4.12 Species-Level Classification at Scale

Following the data scaling analysis for genus classification, we extend the 50M balanced training to species-level classification (1,535 classes).

4.12.1 Experimental Design

Table 4.21: Species classification scaling: 500K (sp_v1–v3) vs. 50M (sp_v4).

Parameter	sp_v1–v3 (500K)	sp_v4 (50M)
Training reads	450K	45M
Reads per species	~ 293	$\sim 29,316$
Classes	1,535	1,535
Batch size	32	256
Weight initialization	Random	v9 genus best.pt

The species model is initialized from the v9 genus model’s backbone weights via

transfer learning (`--init_from`), which automatically loads matching LoRA parameters while skipping the genus-specific classification head layers (120-class $\rightarrow$ 1,535-class dimension mismatch). This allows the species model to benefit from the genus-tuned backbone representations.

4.12.2 Final Results (sp_v4, Epoch 30)

sp_v4 training converged at epoch 30 (April 2026), reaching a forward validation accuracy of **17.55%** on the full 5M held-out set (1,535 classes). Table 4.22 shows the progression across epochs; Table 4.23 presents the complete metric profile at convergence.

Table 4.22: sp_v4 training progress (species classification, 1,535 classes, 50M reads).

Epoch	Val Acc (fwd)	Val F1 (macro)	Note
1	14.23%	12.43%	Warm-up
6	15.91%	14.05%	End of 1 st job
7	15.12%	13.36%	LR reset (-0.79 pp)
12	15.51%	13.65%	End of 2 nd job
13	15.85%	13.97%	Resume fix applied
18	16.37%	14.46%	
26	17.31%	15.28%	
30	17.55%	15.70%	Converged

The same LR restart issue that affected v9 also appeared at epoch 7 of sp_v4 (dip of -0.79 pp), and was resolved by the same resume-logic fix from epoch 13 onward. The learning curve plateaued between epochs 26 and 30 with the cosine schedule reaching its minimum, indicating convergence (Figure 4.2, right panel).

The species task is substantially more difficult than genus classification: 1,535 classes versus 120, with each species receiving only $\sim 29,316$ balanced reads instead of $\sim 375,000$. The final 17.55% accuracy, while modest in absolute terms, represents meaningful discrimination given the large class count (random baseline: 0.065%, a relative lift of $\sim 270\times$).


Table 4.23: sp_v4 final forward-only evaluation on the 5M held-out set (epoch 30 checkpoint).

Metric	Value
Top-1 accuracy	17.55%
Top-3 accuracy	31.26%
Top-5 accuracy	38.19%
Top-10 accuracy	47.65%
Balanced accuracy	17.56%
F1 (macro)	0.157
F1 (weighted)	0.157
Classes with F1 = 0	191 / 1,535 (12.4%)
Inference throughput	5,171 reads/sec



Encouragingly, only 191 of 1,535 species have F1=0 under forward-only evaluation on the full 5M set, indicating that the long-tail problem is substantially less severe at full-scale evaluation than small-subset analysis suggests.

Extended evaluation modes. Full-scale evaluation of RC TTA, oracle-genus, and top- k genus routing on the 5M validation set was attempted but exceeded the 200 GB memory ceiling on the TWCC normal partition: the current `evaluate.py` retains all $5M \times 1,535$ logit and probability arrays (~ 60 GB of `float32` per pass) simultaneously when combining modes, which a streaming implementation could avoid. Because the genus-level RC TTA benefit has already been quantified (+0.78 pp, Section 4.5.2) and the hierarchical routing analysis on the 100K subset (Section 4.12.5) already captures the key qualitative findings—oracle-genus gain of +11.5 pp, negligible improvement from top- k routing at current genus accuracy, and per-genus reduction of F1=0 species—we retain those preliminary numbers as the thesis’s final hierarchical comparison.



4.12.3 Hierarchical Classification Pipeline

With `sp_v4` converged, the top- k genus routing evaluation mode (Section 3.6.3) is combined with the `v9` genus model (67.07% RC TTA accuracy). At this genus accuracy level, top-5 routing covers the correct genus in approximately 90.0% of reads (from `v9`'s Top-5 accuracy), providing a substantially smaller candidate set for species discrimination.


The hierarchical classification pipeline operates as follows:

1. The genus classifier produces top- k genus predictions (e.g., $k = 5$).
2. The candidate species set is computed as the union of species belonging to these k genera.
3. The species classifier's logits are masked to this candidate set.
4. The final species prediction is the argmax over the masked logits.

This two-stage approach reduces the effective number of candidate species from 1,535 to approximately $k \times \bar{s}$ (where $\bar{s} \approx 12.8$ is the mean number of species per genus), substantially simplifying the discrimination task.

4.12.4 Independent Test Set and Data-Leakage Audit

Hierarchical evaluation is sensitive to even small amounts of train-test contamination, because oracle and per-genus modes evaluate the model under restricted candidate sets where memorisation effects can be amplified. We therefore performed an explicit data-leakage audit prior to reporting hierarchical results.



Discovery. The 100K-read subset originally used as a held-out evaluation set was constructed by random sampling from the same FASTA file used for training, prior to applying the train/validation split. Re-checking read identifiers showed that this subset shared more than 99% of its reads with the 45M training set, rendering it effectively a training-set probe rather than an independent test set.

Resolution. To obtain a genuinely independent test set under the same data-generation pipeline, we sampled 100K reads from the MetaTransformer validation reads (`val_reads.fa`), generated by the same ART simulation protocol on the same 2,505 HGR-UMGS genomes but disjoint from our training stream. This set has 0% overlap with our 45M training pool and is used for all hierarchical-evaluation results below.

Empirical impact. Re-evaluating the v9 genus model on both sets yielded 66.6% (overlapping 100K) vs. 66.1% (independent 100K), a difference of 0.5 pp; the sp_v4 flat baseline differs by less than 0.4 pp between the two sets. We interpret this as evidence that the model has not memorised individual training reads—which would imply a much larger collapse on the disjoint set—but rather generalises at the read-content level. Nevertheless, all hierarchical numbers reported below use the independent test set, and earlier preliminary numbers from the contaminated 100K subset are not reused.

Scope of affected results. Genus-only training-set evaluation (Section 4.5.2) uses the standard 5M validation split and is not affected. The data-leakage issue is specific to the 100K subset that had been re-used for hierarchical and oracle-routing evaluation; all hierarchical numbers in this section are computed on the independent test set.

4.12.5 Hierarchical Evaluation on an Independent Test Set

All hierarchical evaluation modes are assessed on the independent 100K-read test set described in Section 4.12.4. All sp_v4 results use the epoch 30 final checkpoint; the v9 genus model achieves 66.1% accuracy on this set.

Table 4.24: Complete hierarchical species evaluation on the independent 100K-read test set. sp_v4 (ep30, 50M) denotes the flat species model with four routing modes. Per-genus (50M) denotes 81 dedicated classifiers, each trained on a 50M-read subset with a frozen NT-v2 backbone. Genus routing uses v9 (66.1% on this set).

Model	Mode	Top-1	Top-5	Top-10	F1 (macro)
sp_v4 (ep30)	Flat (baseline)	15.9%	36.4%	46.6%	0.135
	Top-5 genus routing	15.9%	36.2%	46.0%	0.136
	Soft genus routing	15.8%	36.3%	46.1%	0.135
	Oracle (true genus)	27.4%	55.5%	65.2%	0.252
Per-genus (50M)	Predicted genus (v9)	14.7%	30.5%	36.2%	0.142
	Oracle genus (true)	27.8%	55.6%	65.2%	0.265

Hierarchical architecture validated: per-genus 50M oracle exceeds sp_v4 oracle.

Under perfect genus assignment, the per-genus 50M pipeline achieves 27.8% Top-1 and macro F1 of 0.265—*above* the sp_v4 oracle (27.4%, F1 0.252). This confirms that dedicated per-genus classifiers, each trained on genus-scoped data, provide more discriminative representations for intra-genus species discrimination than the single flat classifier trained across all 1,535 classes simultaneously. The improvement is meaningful despite the per-genus models using a *frozen* backbone (no LoRA), highlighting the benefit of reduced class confusion when the problem is decomposed by genus.

Genus routing is the primary bottleneck. With predicted genus routing (v9, 66.1% accuracy), the per-genus pipeline falls to 14.7% Top-1—1.2 pp *below* the flat sp_v4 baseline. The 33.9% genus error rate is particularly damaging in the per-genus architecture:

when the wrong genus model is selected, all species predictions are drawn from the incorrect candidate set, producing near-zero accuracy for those reads. By contrast, the flat sp_v4 routing modes (± 0.1 pp over baseline) are far less sensitive to genus errors, because incorrect genus routing merely reweights logits rather than restricting them to a wrong candidate set. Meaningful improvement from routing therefore requires genus accuracy substantially above the current 66.1%.

Oracle ceiling quantifies the potential. Masking sp_v4 logits to the true genus raises Top-1 by +11.5 pp (15.9% $\rightarrow$ 27.4%), and the per-genus oracle reaches a matching Top-1 of 27.8% (+12.9 pp over its predicted-routing result). Both oracle results establish the same practical ceiling (~ 27 –28% Top-1), confirming that genus accuracy gains will translate directly into species-level improvements under either architecture.

4.12.6 Per-Genus Model Analysis

The 81 per-genus classifiers were trained on the full 50M balanced dataset (approximately 32,600 reads per species within each genus), with the NT-v2 backbone frozen and only the attention-pooling head trained. 39 single-species genera require no classifier and are assigned deterministically. Per-genus model accuracy depends strongly on genus size: genera with ≤ 5 species average $> 80\%$ accuracy, while those with > 50 species average $< 20\%$. The overall mean validation accuracy is 48.3% (median 44.2%).

Performance is dominated by four large genera that collectively concentrate the majority of the species: *Collinsella* (349 species, 1.3% val acc), *Clostridium* (191 species, 19.9%), *Prevotella* (91 species, 26.6%), and *Bacteroides* (79 species, 15.9%). These genera alone account for a disproportionate share of the per-genus oracle gap relative to the

full-scale sp_v4 model.

A natural next step is a three-level hierarchy—genus model → *subgenus router* → per-subgenus classifier—for the five most problematic genera (Collinsella, Clostridium, Prevotella, Bacteroides, Blautia), partitioning each into groups of ~25–30 species. This would reduce each classifier’s effective class count to a tractable level and is expected to close the remaining gap between predicted-routing and oracle-routing performance. Implementation of this subgenus tier is left as future work.


4.13 Sample-Level Application Evaluation

Per-read classification accuracy captures only one dimension of practical utility. In metagenomics, classifiers are applied to entire sequenced specimens—collections of reads whose aggregate predicted composition is used to answer ecological and clinical questions: which organisms are present, and at what relative abundance? This section evaluates the v9 genus model (67.07% RC TTA per-read accuracy) under two sample-level metrics: relative abundance estimation and binary genus detection.

4.13.1 Experimental Setup

Evaluations are conducted on the 5M-read validation set (120 genera, balanced). Two types of synthetic metagenomic samples are constructed from the already-computed RC TTA predictions (Section 4.5.2); no GPU inference is required.

Random-partition samples (abundance estimation): 100 non-overlapping samples of 50,000 reads each are formed by random permutation of the validation set. All 120 genera are present in each sample. Because the training data are balanced at the species level



(each of the 1,535 species contributes an equal number of reads), the expected abundance of genus g across all samples is $n_g/1,535$, where n_g is its species count in the reference database; genera with more member species are proportionally more abundant. Relative abundance estimation is evaluated by comparing the true fraction $p_g = (\text{true reads of genus } g)/50\,000$ against the predicted fraction $\hat{p}_g = (\text{predicted reads of genus } g)/50\,000$.

Sparse-community samples (binary detection): 200 samples of 50,000 reads are constructed such that each sample contains reads from exactly 60 of the 120 genera (selected uniformly at random per sample). The 60 absent genera serve as true negatives, enabling rigorous specificity measurement.

4.13.2 Relative Abundance Estimation


Table 4.25 summarises the abundance estimation accuracy across the 100 random-partition samples.

Table 4.25: Relative abundance estimation accuracy (100 random-partition samples, 50K reads each, all 120 genera present).

Metric	Mean	Std
Pearson r (predicted vs. true abundance)	0.9932	0.0004
Spearman ρ	0.9312	0.0080
Bray-Curtis dissimilarity	0.0937	0.0017

Despite a 33% per-read error rate, the predicted community composition correlates with the true composition at Pearson $r = 0.993$. The low Bray-Curtis dissimilarity of 0.094 indicates that the aggregate abundance profile is well-preserved: misclassified reads are distributed broadly across genera, so the errors largely cancel at the sample level.

Inspection of Figure 4.6 reveals a subtle directional tendency: high-abundance genera show slight overestimation, visible as points drifting above the identity line at larger



x -values. This is consistent with a classification-bias mechanism: reads misclassified away from rare genera disproportionately fall into the decision regions of common genera, which have broader learned representations owing to their larger species membership. Although ART was run under a coverage-normalised schedule (Section 3.5) so that each genome contributes a comparable number of reads (within ~ 260 – 410), species-level balanced subsampling further equalises read counts per species prior to evaluation; the resulting true abundance profile depends only on the number of species per genus, not on individual genome lengths. The overestimation is therefore attributable to classifier bias rather than a data-generation artefact.

A structural property of this evaluation warrants noting. Because all 100 random-partition samples are drawn from the same species-level balanced validation set, every sample shares the same *expected* genus abundance profile (genus g always contributes $n_g/1,535$ reads on average). The Pearson $r = 0.993$ therefore measures how well the classifier tracks this fixed profile under binomial sampling noise, not how well it would generalise to communities with genuinely varying compositions. The sparse-community analysis below, in which each sample is constructed from a different random subset of 60 genera, imposes genuine presence/absence variation across samples and provides a more realistic evaluation of binary detection performance.

4.13.3 Genus Detection (Binary Presence/Absence)

A genus is “detected” in a sample if at least one read is predicted to belong to that genus. Table 4.26 reports detection sensitivity at each true-abundance level, computed over all 200 sparse-community samples.




Figure 4.6: True vs. predicted relative abundance across 100 random-partition samples (all 12,000 (sample, genus) pairs shown). Each point is one (sample, genus) pair. The visible clusters correspond to groups of genera sharing the same species count n_g : because the dataset is species-level balanced, every genus with n_g species has true abundance $n_g/1,535$ in expectation, collapsing to the same x -coordinate. Pearson $r = 0.993$. Points at larger x -values drift slightly above the identity line, reflecting a systematic overestimation of high-abundance genera attributable to classification bias (Section 4.13.2).

Table 4.26: Detection sensitivity by true relative abundance (detection threshold: ≥ 1 predicted read). Genera truly absent from the sample are excluded from sensitivity computation.

True abundance	Sensitivity	Genus-instances
0.01%–0.1%	93.9%	651
0.1%–1%	97.6%	7,654
1%–5%	100.0%	2,975
>5%	100.0%	720

Genera present at $\geq 1\%$ relative abundance are detected with 100% sensitivity. This is expected: a genus at 1% of a 50,000-read sample contributes 500 reads, and at 67% per-read recall the expected number of correct predictions is 335, making false-negative detection essentially impossible. Even at 0.01%–0.1% abundance (5–50 reads per genus per sample), sensitivity remains 93.9%.




Figure 4.7: Sample-level genus detection sensitivity by true relative abundance (detection threshold: ≥ 1 predicted read), aggregated over 200 sparse-community samples. Annotation shows the number of (sample, genus) instances in each bucket.

To provide a threshold-invariant summary of binary detection performance, we perform a ROC analysis with *fixed* binary ground truth and a *swept* detection threshold. The ground truth is determined by the sparse-community construction: a genus is “truly present” in sample i if and only if it was explicitly included in that sample’s present set; the 60 absent genera are true negatives. The detection score is the predicted relative abundance of the genus in that sample (predicted count divided by 50,000 reads). Sweeping this score threshold from high to low yields the ROC curve shown in Figure 4.8.

The area under the ROC curve (AUC) is 0.705. At a fixed specificity of 95%, sensitivity is 17.2%; at 90% specificity, sensitivity is 30.9%; at 80% specificity, sensitivity is 46.2%.

The modest AUC reflects a fundamental noise-floor problem introduced by per-read




Figure 4.8: ROC curve for genus presence/absence detection. Ground truth is binary (from sparse-community construction); detection score is predicted relative abundance. Aggregated over 200 sparse-community samples (50K reads, 60/120 genera present each). Key operating points at fixed specificity targets are marked.

misclassification. At 33% error rate, a truly absent genus in a 50,000-read sample is expected to receive approximately $50,000 \times 0.33/120 \approx 138$ misclassified reads from other genera, corresponding to a spurious predicted abundance of $\sim 0.28\%$. This constitutes a per-sample noise floor: to achieve 95% specificity, the detection threshold must exceed 1.49% predicted abundance, which simultaneously suppresses the detection of genuinely low-abundance genera.

The ROC analysis highlights an important asymmetry between the two sample-level tasks evaluated here. Relative abundance estimation (Section 4.13.2) achieves excellent performance (Pearson $r = 0.993$) because misclassification errors are broadly symmetric—reads misclassified *out of* genus g are largely cancelled by reads misclassified *into* g —so that predicted abundances aggregate close to true values, despite a modest systematic tendency for high-abundance genera to be slightly overestimated owing to classification bias. Binary detection, by contrast, requires distinguishing a truly absent genus (receiving ~ 138 predicted reads) from a truly present but low-abundance genus (receiving only

slightly more); at 67% per-read accuracy this distinction is difficult. Improving binary detection performance would require either higher per-read accuracy (reducing the noise floor) or a calibrated statistical test for the presence signal above background, which is left for future work.

4.13.4 Summary

At 67% per-read accuracy, the genus classifier provides:

- Near-perfect relative abundance estimation: Pearson $r = 0.993$, Bray-Curtis 0.094.
- Complete detection sensitivity (100%) for genera at $\geq 1\%$ relative abundance (detection threshold: ≥ 1 predicted read).
- 93.9% detection sensitivity even at 0.01%–0.1% abundance.
- Binary detection AUC = 0.705; sensitivity at 95% specificity = 17.2%.

These results demonstrate that per-read accuracy substantially understates the practical utility of the model for relative abundance profiling. The binary presence/absence detection task is more challenging: 33% per-read misclassification introduces a $\sim 0.28\%$ noise floor for absent genera, limiting specificity at low detection thresholds. Improving this metric requires either higher per-read accuracy (reducing the noise floor) or a statistical test for presence above background noise.

4.13.5 Comparison with MetaTransformer


To contextualise the NT-v2 sample-level results, we apply identical evaluation to two MetaTransformer models: the 13-mer stride=1 model (87.43% genus Top-1) and the 6-mer stride=1 model (48.82%), using predictions extracted from the same 50M validation set.

Table 4.27: Sample-level evaluation across three models. Same evaluation protocol: 100 random-partition samples and 200 sparse-community samples, each 50K reads, 60/120 genera present per sparse sample.

Metric	NT-v2 v9 (67.07%)	MT 6-mer s=1 (48.82%)	MT 13-mer s=1 (87.43%)
Pearson r (abundance)	0.993	0.984	0.999
Bray-Curtis dissimilarity	0.094	0.167	0.028
Sensitivity $\geq 1\%$	100%	99.9%	100%
Sensitivity 0.1–1%	97.6%	86.8%	100%
ROC AUC (binary detection)	0.705	0.569	0.900
Sensitivity @ 95% spec	17.2%	9.4%	47.7%

The MT 13-mer model outperforms NT-v2 v9 on all metrics. The improvement in relative abundance estimation is modest (Pearson r : 0.993 $\rightarrow$ 0.999; Bray-Curtis: 0.094 $\rightarrow$ 0.028), consistent with the finding that abundance estimation is robust to per-read error through cancellation. The improvement in binary detection is substantially larger: ROC AUC increases from 0.705 to 0.900, and sensitivity at 95% specificity increases from 17.2% to 47.7%.

This asymmetry arises from the noise-floor mechanism described in Section 4.13.3. At 87% per-read accuracy, the expected spurious predicted abundance for an absent genus is $50,000 \times 0.13/120 \approx 54$ reads ($\sim 0.11\%$), compared to ~ 138 reads ($\sim 0.28\%$) at 67% accuracy. This reduction in the noise floor is the direct cause of the large gain in binary detection AUC.




The MT 6-mer stride=1 model (48.82%) demonstrates the complementary effect: lower per-read accuracy degrades all metrics, with the most severe penalty on binary detection (AUC 0.569, near random). Together, these three data points confirm that higher per-read accuracy benefits sample-level tasks disproportionately for binary detection relative to abundance estimation.

4.14 Summary of Findings

The experimental results lead to several key conclusions:

1. **Data volume dominates:** Training data volume is the single most important factor for metagenomic classification accuracy. A $10\times$ data increase yields +7.76 pp, while training technique optimizations yield at most ± 0.5 pp.
2. **RC TTA is universally beneficial:** Reverse-complement test-time augmentation consistently improves accuracy by +1–1.5 pp across all settings, exploiting the biological strand symmetry of DNA.
3. **Class balance matters:** Balanced sampling across species eliminates the “dead class” problem ($F1=0$ classes: $9 \rightarrow 2$) and dramatically improves macro F1 (+12.27 pp).
4. **Overfitting signals data starvation:** The transition from 6.25% to 1.30% train-validation gap when scaling from 500K to 5M reads confirms that the model was severely data-limited at the smaller scale.
5. **Pre-trained backbone provides a substantial advantage:** The controlled ablation (v9 vs. v11) shows a 13.19 pp accuracy gap in favor of the 29-layer pre-trained NT-v2 backbone over a single-layer randomly initialized Transformer at the same

50M data scale, confirming that pre-training on 850 reference genomes provides representations that meaningfully improve read discrimination.



6. **Hardware is sufficient:** Current NVIDIA H100 hardware is adequately provisioned; the operational bottleneck is the SLURM time limit rather than computational resources.
7. **Per-genus classifiers at 50M scale exceed the flat oracle:** Dedicated per-genus NT-v2 classifiers, each trained on the full 50M dataset with a frozen backbone, achieve 27.8% Top-1 under oracle genus routing—surpassing the flat sp_v4 oracle (27.4%), confirming that genus-scoped decomposition provides more discriminative representations for intra-genus species discrimination. However, with predicted genus routing (66.1%), the per-genus pipeline falls below the flat baseline (14.7% vs. 15.9%), so improving genus accuracy is the prerequisite for realising this hierarchical advantage in practice.
8. **Per-read accuracy understates sample-level utility for abundance profiling:** At 67% per-read accuracy, the v9 model achieves Pearson $r = 0.993$ for relative abundance estimation and 100% genus detection sensitivity for taxa at $\geq 1\%$ relative abundance (Section 4.13). However, binary presence/absence detection is limited by a $\sim 0.28\%$ noise floor from per-read misclassification; the ROC AUC is 0.705, with sensitivity of 17.2% at 95% specificity.

Chapter 5

Conclusion and Future Work



5.1 Summary of Contributions

This thesis systematically evaluates the suitability of pre-trained genomic foundation models (GFM) for metagenomic short-read taxonomic classification. Through controlled ablations across data scaling, pre-training, and tokenization, we identify which design factors are decisive and which are not. Our main findings are:

Data volume is the dominant factor within a fixed GFM-based architecture.

Through systematic data scaling experiments spanning 500K to 50M training reads, we demonstrate that within the NT-v2 framework, increasing training data volume by $10\times$ (500K $\rightarrow$ 5M) yields +7.76 pp in accuracy and +12.27 pp in macro F1; a further $10\times$ (5M $\rightarrow$ 50M) adds +4.02 pp, exhibiting clear diminishing returns. By contrast, extensive architectural and training-technique ablations yield at most ± 0.5 pp. The token-level pipeline—attention-pooling head fine-tuned with LoRA on the NT-v2 backbone—reaches 67.07% genus Top-1 RC TTA at 50M reads, compared to 51.70% for the frozen mean-pool baseline.

GFM pre-training is beneficial under fixed tokenization. A controlled backbone ablation (29-layer pre-trained NT-v2 vs. a single-layer randomly initialized Transformer at the same 50M scale and identical 6-mer tokenization and head) isolates a +13.19 pp pre-training advantage in RC-TTA accuracy. Within the family of pre-trained GFMs at 5M reads, NT-v2 (non-overlapping 6-mer) further outperforms DNABERT (overlapping 6-mer, 86M params) by +1.27 pp and DNABERT-2 (BPE, 117M params) by +4.17 pp,

indicating that pre-training corpus diversity and backbone scale matter alongside tokenization within the pre-trained family.




Tokenization is the dominant cross-architecture design factor. Holding the architecture (MetaTransformer) fixed and varying $k \in \{6, 12, 13\}$ and stride, we show two compounding effects: overlapping stride=1 is critical (up to +60 pp over non-overlapping at $k = 13$), and longer k yields monotonically higher accuracy among overlapping configurations. MetaTransformer with overlapping 13-mer tokenization, trained *from scratch* on the same 50M reads, achieves **87.42%** genus Top-1—**+20.35 pp** above NT-v2 + LoRA with RC TTA (67.07%)—and **49.62%** species Top-1 (1,535 classes). The principal structural limitation of our GFM-based approach is therefore NT-v2’s non-overlapping 6-mer tokenization constraint, not backbone capacity or adaptation strategy.

RC TTA is a robust, free improvement. Reverse-complement test-time augmentation consistently improves accuracy by +0.1 to +1.5 pp across all experimental conditions, requiring no additional training cost. The benefit is largest for pre-trained backbones (+0.78 to +1.54 pp) and near-zero for randomly initialized models (+0.08 pp), supporting the interpretation that RC TTA primarily corrects pre-training-induced strand biases rather than stochastic inference noise.

Class balance is critical for rare taxa. Balanced subsampling across species reduces the number of F1=0 classes from 9 to 2 and improves macro F1 by +12.27 pp, demonstrating that class imbalance—not model capacity—is the primary cause of poor performance on rare taxa.

Per-genus specialisation validates the hierarchical architecture. Evaluation on a 100K independent test set demonstrates that per-genus 50M LoRA classifiers under



oracle-genus routing reach 27.8% species Top-1, exceeding the flat sp_v4 oracle ceiling of 27.4%. This confirms that per-genus specialisation captures intra-genus species variation more accurately than a single joint classifier. The remaining bottleneck is precisely quantified: predicted routing through the 66.1%–67.07% genus model lowers Top-1 to 14.7%, below the flat baseline (15.9%), because per-genus specialists do not recognise reads from genera they were not trained on.


Per-read accuracy translates to sample-level utility under controlled conditions.

On synthetic species-balanced random-partition samples, 67% per-read accuracy yields Pearson $r = 0.993$ for relative abundance and Bray-Curtis dissimilarity 0.094; 100% detection sensitivity is achieved for taxa at $\geq 1\%$ relative abundance. We note explicitly, however, that all 100 random-partition samples share the same expected per-genus abundance profile (determined by species count), so this result measures stability under binomial sampling noise rather than generalisation to genuinely variable communities. Evaluation on real and compositionally diverse microbiome samples remains an open question.

5.2 Limitations

This work has several limitations that should be acknowledged:

1. **Simulated data only:** All experiments use reads simulated by ART from reference genomes. Real metagenomic reads contain additional noise (host contamination, chimeric reads, strain-level variation) that may degrade classifier performance.
2. **Limited taxonomic scope:** The reference database covers 120 genera and 1,535 species of human gut microorganisms. Performance on environmental samples with broader taxonomic diversity is unknown.


- 
3. **Single read length:** All experiments use 150 bp reads. Performance at other read lengths (e.g., 250 bp for Illumina MiSeq, or long reads from Oxford Nanopore / PacBio) has not been evaluated.
 4. **Incomplete data scaling:** Training on the full 258M dataset was not completed at the time of writing, leaving the upper bound of the scaling trajectory unconfirmed. The v9 (50M) experiment is complete, achieving 67.07% RC TTA accuracy.
 5. **No streaming data loader:** Current implementation loads all training reads into memory, limiting scalability beyond ~ 50 M reads without substantial RAM (> 50 GB).
 6. **Architectural capacity ceiling:** MetaTransformer’s 5M-parameter, single-encoder design saturates within one training epoch on 50M reads; a second epoch produces overfitting rather than further generalisation. A larger model would likely improve beyond 78.83% but was not evaluated due to infrastructure constraints.

5.3 Future Work

The findings above point to four primary future directions:

5.3.1 Microbial Foundation Models with Overlapping Long- k Tokenization

The tokenization ablation (Section 4.11) identifies overlapping long- k tokenization as the dominant performance driver, yet no publicly available genomic foundation model currently combines this property with large-scale pre-training on diverse microbial genomes. The most promising direction is therefore to pre-train a transformer on the GTDB database [38] ($> 400,000$ microbial genomes) with overlapping 12-mer or 13-mer tokenization, which




would combine the discriminative power of long k -mers established here with the representational quality of pre-training. Open empirical questions include (i) whether RC TTA provides an equivalent benefit ($\sim +1$ pp) at $k = 12/13$, (ii) whether $k > 13$ continues to improve accuracy, and (iii) whether learned (e.g., BPE) variable-length tokenization can match or exceed fixed long- k schemes. A complementary, lower-cost direction is to fine-tune NT-v2 with a learned 12-mer projection layer; this is bounded above by the model’s pre-trained 6-mer positional encodings and is therefore expected to be a partial mitigation rather than a full solution.

5.3.2 Full-Scale and Streaming Training

Our data scaling analysis predicts that completing training on the full 258M-read HGR-UMGS dataset could lift NT-v2 + LoRA genus accuracy into the 82–90% range. Realising this requires (a) a streaming data loader that reads from disk to remove the current in-memory ceiling, and (b) a multi-job training orchestration system or extended SLURM time allocations to cover the longer training horizon. The same infrastructure would enable per-species 50M and full-scale species-level training, which is currently bottlenecked by the same memory constraint.

5.3.3 Hierarchical Routing Improvements for Species Classification

Per-genus 50M classifiers under oracle-genus routing reach 27.8% species Top-1 (Section 4.12.5), exceeding the flat sp_v4 oracle (27.4%) and validating per-genus specialisation. Predicted routing through the 66%–67% genus model, however, lowers Top-1 to 14.7%—below the flat baseline—because per-genus specialists do not recognise reads



from genera they were not trained on. The most direct path to closing this gap is a three-layer routing architecture: partitioning the five largest genera (*Collinsella*, *Clostridium*, *Prevotella*, *Bacteroides*, *Blautia*) into subgroups of 25–30 species, training a per-subgenus router, and only descending to a per-genus specialist after subgenus disambiguation. Improving genus-routing accuracy itself is bounded by NT-v2’s 6-mer tokenization and is therefore best addressed indirectly through the long- k pre-training direction above.


5.3.4 Real-World Validation and Calibrated Sample-Level Estimation

Validation on real metagenomic data from public repositories (e.g., the Human Microbiome Project [39]) is essential for assessing practical applicability. This includes (i) robustness to sequencing errors and platform-specific quality profiles, (ii) handling host DNA contamination, and (iii) out-of-distribution detection for taxa absent from the training database. In parallel, the random-partition abundance evaluation in Section 4.13 measures stability under fixed expected composition rather than generalisation across compositionally variable communities; future evaluation should therefore use sparse, asymmetric, and real microbiome-derived sample compositions, paired with (iv) calibrated statistical tests for presence/absence above the per-sample noise floor and (v) learned abundance correction that compensates for the observed systematic overestimation of high-abundance genera (Section 4.13.2).

5.4 Concluding Remarks

This thesis demonstrates both the promise and the current limitations of applying genomic foundation models to metagenomic taxonomic classification. The controlled ab-

lation experiments yield two concrete findings that extend beyond the specific system studied here.



First, pre-training on large genomic corpora provides a substantial and measurable advantage over training from scratch when tokenization is held constant: NT-v2 + LoRA outperforms a MetaTransformer of comparable trainable parameter count by +19.29 pp at 50M reads under identical 6-mer tokenization. This validates the GFM pre-training paradigm for this task. The advantage holds even when comparing against other pre-trained GFMs: at 5M training reads, NT-v2 (non-overlapping 6-mer) outperforms DNABERT (overlapping 6-mer, 86M params) by +1.27 pp and DNABERT-2 (BPE, 117M params) by +4.17 pp, demonstrating that pre-training corpus diversity and backbone scale matter more than tokenization strategy alone within the pre-trained model family.


Second, and more significantly, tokenization design dominates architectural choice. Among overlapping stride=1 configurations, genus Top-1 accuracy improves monotonically with k -mer length: 6-mer (48.87%) < 12-mer (78.83%) < 13-mer (87.42%). MetaTransformer with overlapping 13-mer tokenization, trained *from scratch* on the same 50M reads, achieves 87.42% genus Top-1 and 49.62% species Top-1 (1,535 classes)—surpassing NT-v2 + LoRA with RC TTA (67.07%) by **+20.35 pp** despite having no pre-training. The principal limitation of NT-v2-based approaches is therefore the 6-mer tokenization constraint inherited from pre-training, rather than the backbone’s capacity or the LoRA adaptation strategy.

Together, these findings point to a clear direction: a foundation model pre-trained with overlapping 13-mer (or longer) tokenization on diverse microbial genomes would combine the tokenization advantage demonstrated here with the representational quality of


large-scale pre-training. Realising this direction, along with completing the species-level scaling experiments and hierarchical classification pipeline, represents the most promising path toward a competitive, generalisable GFM-based metagenomic classifier.





References




- [1] C. Quince, A. W. Walker, J. T. Simpson, N. J. Loman, and N. Segata, “Shotgun metagenomics, from sampling to analysis,” *Nature Biotechnology*, vol. 35, no. 9, pp. 833–844, 2017. DOI: [10.1038/nbt.3935](https://doi.org/10.1038/nbt.3935)
- [2] S. H. Ye, K. J. Siddle, D. J. Park, and P. C. Sabeti, “Benchmarking metagenomics tools for taxonomic classification,” *Cell*, vol. 178, no. 4, pp. 779–794, 2019. DOI: [10.1016/j.cell.2019.07.010](https://doi.org/10.1016/j.cell.2019.07.010)
- [3] F. P. Breitwieser, J. Lu, and S. L. Salzberg, “A review of methods and databases for metagenomic classification and assembly,” *Briefings in Bioinformatics*, vol. 20, no. 4, pp. 1125–1136, 2019. DOI: [10.1093/bib/bbx120](https://doi.org/10.1093/bib/bbx120)
- [4] S. F. Altschul, W. Gish, W. Miller, E. W. Myers, and D. J. Lipman, “Basic local alignment search tool,” *Journal of Molecular Biology*, vol. 215, no. 3, pp. 403–410, 1990. DOI: [10.1016/S0022-2836\(05\)80360-2](https://doi.org/10.1016/S0022-2836(05)80360-2)
- [5] B. Buchfink, C. Xie, and D. H. Huson, “Fast and sensitive protein alignment using DIAMOND,” *Nature Methods*, vol. 12, no. 1, pp. 59–60, 2015. DOI: [10.1038/nmeth.3176](https://doi.org/10.1038/nmeth.3176)
- [6] D. E. Wood, J. Lu, and B. Langmead, “Improved metagenomic analysis with Kraken 2,” *Genome Biology*, vol. 20, p. 257, 2019. DOI: [10.1186/s13059-019-1891-0](https://doi.org/10.1186/s13059-019-1891-0)
- [7] D. Kim, L. Song, F. P. Breitwieser, and S. L. Salzberg, “Centrifuge: Rapid and sensitive classification of metagenomic sequences,” *Genome Research*, vol. 26, no. 12, pp. 1721–1729, 2016. DOI: [10.1101/gr.210641.116](https://doi.org/10.1101/gr.210641.116)
- [8] A. Wichmann, E. Buschong, A. Mueller, S. Juenemann, and J. Stoye, “MetaTransformer: Deep metagenomic sequencing read classification using self-attention models,” *NAR Genomics and Bioinformatics*, vol. 5, no. 3, lqad082, 2023. DOI: [10.1093/nargab/lqad082](https://doi.org/10.1093/nargab/lqad082)
- [9] H. Dalla-Torre, L. Gonzalez, J. Mendoza-Revilla, N. L. Carranza, A. H. Grzywaczewski, F. Ober, C. Dallago, E. Hassan, A. Grber, M. Trop, et al., “The Nucleotide Transformer: Building and evaluating robust foundation models for human genomics,”

- 
- Nature Methods*, 2024, Preprint on bioRxiv, 2023. DOI: [10.1038/s41592-024-02523-z](https://doi.org/10.1038/s41592-024-02523-z)
- [10] Y. Ji, Z. Zhou, H. Liu, and R. V. Davuluri, “DNABERT: Pre-trained bidirectional encoder representations from transformers model for DNA-language in genome,” *Bioinformatics*, vol. 37, no. 15, pp. 2112–2120, 2021. DOI: [10.1093/bioinformatics/btab083](https://doi.org/10.1093/bioinformatics/btab083)
 - [11] Z. Zhou, Y. Ji, W. Li, P. Dutta, R. V. Davuluri, and H. Liu, “DNABERT-2: Efficient foundation model and benchmark for multi-species genome,” *arXiv preprint arXiv:2306.15006*, 2024.
 - [12] E. Nguyen, M. Poli, M. G. Durrant, A. W. Thomas, B. Kang, J. Sullivan, M. Y. Ng, A. Lewis, A. Patel, A. Lou, et al., “Sequence modeling and design from molecular to genome scale with Evo,” *Science*, vol. 386, no. 6723, 2024. DOI: [10.1126/science.ado9336](https://doi.org/10.1126/science.ado9336)
 - [13] E. J. Hu, Y. Shen, P. Wallis, Z. Allen-Zhu, Y. Li, S. Wang, L. Wang, and W. Chen, “LoRA: Low-rank adaptation of large language models,” in *International Conference on Learning Representations (ICLR)*, 2022.
 - [14] Z. Zhang, S. Schwartz, L. Wagner, and W. Miller, “A greedy algorithm for aligning DNA sequences,” *Journal of Computational Biology*, vol. 7, no. 1–2, pp. 203–214, 2000. DOI: [10.1089/10665270050081478](https://doi.org/10.1089/10665270050081478)
 - [15] Q. Liang, P. W. Bible, Y. Liu, B. Zou, and L. Wei, “DeepMicrobes: Taxonomic classification for metagenomics with deep learning,” *NAR Genomics and Bioinformatics*, vol. 2, no. 1, 2020. DOI: [10.1093/nargab/lqaa009](https://doi.org/10.1093/nargab/lqaa009)
 - [16] F. Mock, F. Kretschmer, A. Kriesche, S. Böcker, and M. Marz, “Taxonomic classification of DNA sequences beyond sequence similarity using deep neural networks,” *Proceedings of the National Academy of Sciences*, vol. 119, no. 35, e2122636119, 2022. DOI: [10.1073/pnas.2122636119](https://doi.org/10.1073/pnas.2122636119)
 - [17] J. Devlin, M.-W. Chang, K. Lee, and K. Toutanova, “BERT: Pre-training of deep bidirectional transformers for language understanding,” in *Proceedings of NAACL-HLT*, 2019, pp. 4171–4186.

- 
- [18] T. B. Brown, B. Mann, N. Ryder, M. Subbiah, J. Kaplan, P. Dhariwal, A. Nee-lakantan, P. Shyam, G. Sastry, A. Askell, et al., “Language models are few-shot learners,” *Advances in Neural Information Processing Systems*, vol. 33, pp. 1877–1901, 2020.
 - [19] Z. Lin, H. Akin, R. Rao, B. Hie, Z. Zhu, W. Lu, N. Smestad, A. Costa, M. Fazel-Zarandi, T. Sercu, S. Candela, and A. Rives, “Evolutionary-scale prediction of atomic-level protein structure with a language model,” *Science*, vol. 379, no. 6637, pp. 1123–1130, 2023. DOI: [10.1126/science.adc2574](https://doi.org/10.1126/science.adc2574)
 - [20] E. Nguyen, M. Poli, M. Faizi, A. Thomas, M. Wornow, C. Birch-Sykes, S. Massaroli, A. Patel, C. Rabideau, Y. Bengio, S. Ermon, C. Ré, and S. Baccus, “HyenaDNA: Long-range genomic sequence modeling at single nucleotide resolution,” in *Advances in Neural Information Processing Systems (NeurIPS)*, vol. 36, 2023.
 - [21] Y. Schiff, C.-H. Kao, A. Gokaslan, T. Dao, A. Gu, and V. Kuleshov, “Caduceus: Bi-directional equivariant long-range DNA sequence modeling,” in *Proceedings of the 41st International Conference on Machine Learning (ICML)*, 2024.
 - [22] M. Poli, J. Wang, S. Massaroli, J. Quesnelle, R. Carlow, E. Nguyen, and C. Ré, “Hyena Hierarchy: Towards larger convolutional language models,” *arXiv preprint arXiv:2302.10866*, 2023.
 - [23] J. Lindsey, M. Fischman, et al., “The impact of tokenizer selection in genomic language models,” *Bioinformatics*, vol. 41, no. 9, btaf456, 2025. DOI: [10.1093/bioinformatics/btaf456](https://doi.org/10.1093/bioinformatics/btaf456)
 - [24] C. Peng, P. Zhong, and Y. Sun, “ViraLM: Empowering virus discovery through the genome foundation model,” *Bioinformatics*, vol. 40, no. 12, btae704, 2024. DOI: [10.1093/bioinformatics/btae704](https://doi.org/10.1093/bioinformatics/btae704)
 - [25] Z. Zhou, W. Wu, H. Ho, J. Wang, C. Shi, B. Davidson, R. V. Davuluri, and H. Liu, “DNABERT-S: Pioneering species differentiation with species-aware DNA embeddings,” *Bioinformatics*, vol. 41, no. Supplement_1, pp. i255–i264, 2025. DOI: [10.1093/bioinformatics/btaf189](https://doi.org/10.1093/bioinformatics/btaf189)

- 
- [26] N. Houlsby, A. Giurghi, S. Jastrzebski, B. Morrone, Q. de Laroussilhe, A. Gesmundo, M. Attariyan, and S. Gelly, “Parameter-efficient transfer learning for NLP,” in *International Conference on Machine Learning (ICML)*, 2019, pp. 2790–2799.
 - [27] X. L. Li and P. Liang, “Prefix-tuning: Optimizing continuous prompts for generation,” *arXiv preprint arXiv:2101.00190*, 2021.
 - [28] Z. Zhou, Y. Ji, W. Li, P. Dutta, R. V. Davuluri, and H. Liu, “Towards a better understanding of reverse-complement equivariance for deep learning models in genomics,” in *Proceedings of the Machine Learning in Computational Biology (MLCB) Workshop, PMLR*, vol. 165, 2022. [Online]. Available: <https://proceedings.mlr.press/v165/zhou22a.html>
 - [29] M. Ma, “Reverse-complement consistency for DNA language models,” *arXiv preprint arXiv:2509.18529*, 2025.
 - [30] A. Brown and T. Bepler, “Reverse-complement equivariant networks for DNA sequences,” *bioRxiv*, 2021. DOI: [10.1101/2021.06.03.446953](https://doi.org/10.1101/2021.06.03.446953)
 - [31] Y. Cui, M. Jia, T.-Y. Lin, Y. Song, and S. Belongie, “Class-balanced loss based on effective number of samples,” in *IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, 2019, pp. 9268–9277.
 - [32] A. K. Menon, S. Jayasumana, A. S. Rawat, H. Jain, A. Veit, and S. Kumar, “Long-tail learning via logit adjustment,” in *International Conference on Learning Representations (ICLR)*, 2021.
 - [33] J. Su, M. Ahmed, Y. Lu, S. Pan, W. Bo, and Y. Liu, “RoFormer: Enhanced transformer with rotary position embedding,” *Neurocomputing*, vol. 568, p. 127 063, 2024. DOI: [10.1016/j.neucom.2023.127063](https://doi.org/10.1016/j.neucom.2023.127063)
 - [34] A. Jaegle, F. Gimeno, A. Brock, O. Vinyals, A. Zisserman, and J. Carreira, “Perceiver: General perception with iterative attention,” in *International Conference on Machine Learning (ICML)*, 2021, pp. 4651–4664.
 - [35] J. Lee, Y. Lee, J. Kim, A. R. Kosiorek, S. Choi, and Y. W. Teh, “Set transformer: A framework for attention-based permutation-invariant input,” in *International Conference on Machine Learning (ICML)*, 2019, pp. 3744–3753.

- 
- [36] A. Almeida, S. Nayfach, M. Boland, F. Strozzi, M. Beracochea, Z. J. Shi, K. S. Pollard, E. Sakharova, D. H. Parks, P. Hugenholtz, et al., “A unified catalog of 204,938 reference genomes from the human gut microbiome,” *Nature Biotechnology*, vol. 39, no. 1, pp. 105–114, 2021. DOI: [10.1038/s41587-020-0603-3](https://doi.org/10.1038/s41587-020-0603-3)
- [37] W. Huang, L. Li, J. R. Myers, and G. T. Marth, “ART: A next-generation sequencing read simulator,” *Bioinformatics*, vol. 28, no. 4, pp. 593–594, 2012. DOI: [10.1093/bioinformatics/btr708](https://doi.org/10.1093/bioinformatics/btr708)
- [38] D. H. Parks, M. Chuvochina, C. Rinke, A. J. Mussig, P.-A. Chaumeil, and P. Hugenholtz, “GTDB: An ongoing census of bacterial and archaeal diversity through a phylogenetically consistent, rank normalized and complete genome-based taxonomy,” *Nucleic Acids Research*, vol. 50, no. D1, pp. D199–D207, 2022. DOI: [10.1093/nar/gkab776](https://doi.org/10.1093/nar/gkab776)
- [39] Human Microbiome Project Consortium, “Structure, function and diversity of the healthy human microbiome,” *Nature*, vol. 486, no. 7402, pp. 207–214, 2012. DOI: [10.1038/nature11234](https://doi.org/10.1038/nature11234)



Appendix A

Experiment Configuration Details



This appendix provides the full configuration files used for the key experiments described in Chapter 4.

A.1 v8 Genus Configuration (5M Balanced)

```
1 model:
2   backbone: InstaDeepAI/nucleotide-transformer-v2-500m-multi-
3     species
4   head_type: attention_pool
5   num_query_tokens: 4
6   hidden_dim: 512
7   dropout: 0.15
8
9 lora:
10   r: 16
11   alpha: 32
12   dropout: 0.05
13   target_modules: [query, key, value]
14
15 data:
16   fasta_path: /path/to/balanced_5M/reads.fa
17   labels_path: /path/to/balanced_5M/labels.tsv
18   classification_level: genus
19   max_length: 32
20   val_ratio: 0.1
21
22 training:
23   batch_size: 32
```



```
23 gradient_accumulation_steps: 2
24 num_epochs: 20
25 phase1_epochs: 5
26 backbone_lr: 3.0e-5
27 head_lr: 5.0e-4
28 weight_decay: 0.02
29 warmup_ratio: 0.1
30 early_stopping_patience: 7
31 rc_augmentation: true
```

Listing A.1: YAML configuration for v8 genus experiment.

A.2 v9 Genus Configuration (50M Balanced)

```
1 model:
2   backbone: InstaDeepAI/nucleotide-transformer-v2-500m-multi-
   species
3   head_type: attention_pool
4   num_query_tokens: 4
5   hidden_dim: 512
6   dropout: 0.15
7
8   lora:
9     r: 16
10    alpha: 32
11    dropout: 0.05
12    target_modules: [query, key, value]
13
14 data:
15   fasta_path: /path/to/balanced_50M/reads.fa
16   labels_path: /path/to/balanced_50M/labels.tsv
17   classification_level: genus
18   max_length: 32
```



```
19   val_ratio: 0.1
20
21 training:
22   batch_size: 256
23   gradient_accumulation_steps: 1
24   num_epochs: 30
25   phase1_epochs: 0
26   backbone_lr: 3.0e-5
27   head_lr: 5.0e-4
28   weight_decay: 0.02
29   warmup_ratio: 0.1
30   early_stopping_patience: 7
31   rc_augmentation: true
```

Listing A.2: YAML configuration for v9 genus experiment.

A.3 SLURM Job Script Example

```
1 #!/bin/bash
2 #SBATCH --job-name=gfm-genus-v9
3 #SBATCH --partition=gpu
4 #SBATCH --gres=gpu:1
5 #SBATCH --cpus-per-task=4
6 #SBATCH --mem=128G
7 #SBATCH --time=48:00:00
8 #SBATCH --output=slurm-%j.out
9
10 module load cuda/12.1
11 source activate gfm
12
13 python scripts/train.py \
14   --config configs/nt_token_genus_v9_50M.yaml \
15   --init_from results/nt_token_genus_lora_v8_5M/best.pt
```



```
16
17 python scripts/evaluate.py \
18     --config configs/nt_token_genus_v9_50M.yaml \
19     --checkpoint results/nt_token_genus_lora_v9_50M/best.pt
20
21 python scripts/evaluate.py \
22     --config configs/nt_token_genus_v9_50M.yaml \
23     --checkpoint results/nt_token_genus_lora_v9_50M/best.pt \
24     --rc_tta
```

Listing A.3: SLURM script for training on TWCC cluster.