4N	I is the disinfection method or sterilization meeting the log 4
0	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?
#N	Details of Continuous online emission monitoring systems installed
4N	Pollution from the incinerator? How many times in last year could not met the standards?
AN	(iv) Any Fatality occurred, details. 9. Are you meeting the standards of eight
AN	(iii) Remedial Action taken (Please attach details if any)
Q	(ii) Number of the persons affected
0	(i) Number of Accidents occurred
salead a maria	during the year
Through leaking a prefer.	(vi) any other information) 8 Details of the accident
40K	(v) whether standard manual for training is available?
Q	undergone any training so far
Łh	the time of induction
£h	(ii) number of personnel trained te banist legislation (iii)
3	(i) Number of trainings conducted on BMW Management.
	WM8 no Details trainings conducted on BMW
*oK	management committee? If yes, attach minutes of the meetings held during the reporting period
AN	(vii) List of member HCF not handed over bio-medical waste.
AIN	(vi) Name of the Common Bio- : Medical Waste Treatment Facility Operator through which wastes are disposed of
Incineration Ash ETP Sludge	during the treatment of wastes in Kg per annum

Medical Officer I/C C.H.C.Dhamnagar Dist-Bhadrak