Script

```sql
CREATE TABLE Users (
    ID int,
     Name varchar(255),
    Gender varchar(255),
    Email varchar(255),
    PhoneNumber varchar(255),
     age int,
     Password varchar(255),
     PRIMARY KEY (ID)
);
create table NewReservation(
clientID int,
datetime date,
primary key(ClientID , date),
FOREIGN KEY (clientID) REFERENCES clients(clientID));


CREATE TABLE Photographers(
    UserID int,
     shift varchar(255),
     salary int,
    PRIMARY KEY (UserID),
     FOREIGN KEY (UserID) REFERENCES USERS(ID)
);


CREATE TABLE Clients(
```

```sql
    UserID int,

    ClientID int,

    CreditCardNumber varchar(256),

     PRIMARY KEY (ClientID),

     FOREIGN KEY (UserID) REFERENCES USERS(ID)

);
CREATE TABLE Reservation(

    ID int,

    DateTime date,

    cost int,

    PaymentStatus varchar(255),

    photographerID int,

    clientID int,

     PRIMARY KEY (ID),

     FOREIGN KEY (photographerID) REFERENCES USERS(ID),

     FOREIGN KEY (clientID) REFERENCES clients(clientID)

);
insert into users

values (1 , 'etoo' , 'male', 'youssefashrafeissa@gmail.com' , '01097732607' , 20 ,'12345678');


insert into users

values (2, 'omar' , 'male', 'youssefomarhussien@gmail.com' , '01097732608' , 20 ,'12345678');


insert into users

values (3 , 'khaled' , 'male', 'youssefkhaledfaoruk@gmail.com' , '01097732607' , 20 ,'12345678');
```

```sql
insert into users
values (4 , 'khaled abudullah' , 'male', 'youssefkhaledabdullah@gmail.com' , '01097732609' ,
20 ,'12345678');


insert into users
values (5 , 'Eid' , 'male', 'youssefeid@gmail.com' , '01097732601' , 20 ,'12345678');
insert into users
values (6 , 'maged' , 'male', 'youssefmaged@gmail.com' , '01097732601' , 20 ,'12345678');
insert into users
values (7 , 'shreif' , 'male', 'youssefshreif@gmail.com' , '01097732800' , 20 ,'12345678');



insert into clients
values(1 , 1 , '1020304050607080');
insert into clients
values(2 , 2 , '1020304050607080');
insert into clients
values(3 , 3 , '1020304050607080');
insert into clients
values(4 , 4 , '1020304050607080');

insert into photographers
values(5 , 'night' , 3500);
insert into photographers
values(6 , 'night' , 3500);
insert into photographers
values(7 ,'morning' , 3500);
```

```
insert into reservation

values(1 , '21-NOV-21' , 200,'PAID', 5 , 1);



insert into reservation

values(2 , '30-JUNE-21' , 200,'PAID', 5 , 1);

insert into reservation

values(3 , '4-NOV-21' , 200,'PAID', 7 , 2);

insert into reservation

values(4 , '4-SEP-21' , 200,'PAID', 7 , 3);

commit;
```