

Script

```
CREATE TABLE Users (  
    ID int,  
    Name varchar(255),  
    Gender varchar(255),  
    Email varchar(255),  
    PhoneNumber varchar(255),  
    age int,  
    Password varchar(255),  
    PRIMARY KEY (ID)  
);
```

```
CREATE TABLE Photographers(  
    UserID int,  
    shift varchar(255),  
    salary int,  
    PRIMARY KEY (UserID),  
    FOREIGN KEY (UserID) REFERENCES USERS(ID)  
);
```

```
CREATE TABLE Clients(  
    UserID int,  
    ClientID int,  
    CreditCardNumber varchar(256),  
    PRIMARY KEY (ClientID),  
    FOREIGN KEY (UserID) REFERENCES USERS(ID)
```

);

CREATE TABLE Reservation(

 ID int,

 DateTime date,

 cost int,

 PaymentStatus varchar(255),

 photographerID int,

 clientID int,

 PRIMARY KEY (ID),

 FOREIGN KEY (photographerID) REFERENCES USERS(ID),

 FOREIGN KEY (clientID) REFERENCES clients(clientID)

);

insert into users

values (1 , 'etoo' , 'male', 'youssefashrafeissa@gmail.com' , '01097732607' , 20 , '12345678');

insert into users

values (2 , 'omar' , 'male', 'youssefomarhussien@gmail.com' , '01097732608' , 20 , '12345678');

insert into users

values (3 , 'khaled' , 'male', 'youssefkhaledfaoruk@gmail.com' , '01097732607' , 20 , '12345678');

insert into users

values (4 , 'khaled abudullah' , 'male', 'youssefkhaledabdullah@gmail.com' , '01097732609' , 20 , '12345678');

insert into users

values (5 , 'Eid' , 'male', 'youssefeid@gmail.com' , '01097732601' , 20 , '12345678');

insert into users

values (6 , 'maged' , 'male' , 'youssefmaged@gmail.com' , '01097732601' , 20 , '12345678');

insert into users

values (7 , 'shreif' , 'male' , 'youssefshreif@gmail.com' , '01097732800' , 20 , '12345678');

insert into clients

values(1 , 1 , '1020304050607080');

insert into clients

values(2 , 2 , '1020304050607080');

insert into clients

values(3 , 3 , '1020304050607080');

insert into clients

values(4 , 4 , '1020304050607080');

insert into photographers

values(5 , 'night' , 3500);

insert into photographers

values(6 , 'night' , 3500);

insert into photographers

values(7 , 'morning' , 3500);

insert into reservation

values(1 , '21-NOV-21' , 200 , 'PAID' , 5 , 1);

insert into reservation

values(2 , '30-JUNE-21' , 200,'PAID', 5 , 1);

insert into reservation

values(3 , '4-NOV-21' , 200,'PAID', 7 , 2);

insert into reservation

values(4 , '4-SEP-21' , 200,'PAID', 7 , 3);

commit;