1

by no no

UNDERGRADUATE PROJECT PROPOSAL

Project Title:	**Forest Fire Detection and Severity Assessment Using Improved YOLOv5 on Satellite Imagery**
Surname:	**Li**
First Name:	**Qinglian (Jane)**
Student Number:	**202118010402**
Supervisor Name:	**IRFAN ULLAH**
Module Code:	**CHC 6096**
Module Name:	**Project**
Date Submitted:	**November 11th 2024**

Table of Contents

1   Introduction

1.1   Background

Forests as a crucial component for maintaining the ecological balance of the Earth [1], [2], encompass abundant natural resources [3], [4] and offer the environment requisite for human survival [5]. Nevertheless, unforeseeable human factors and natural disasters have triggered the rapid and uncontrollable spread of forest fires [1], [3], [6], posing a significant threat to ecosystems and human society, including direct losses of life and property, as well as long-term resource pollution issues [7], [8], [9]. As indicated by statistics from the Global Wildfire Information System, the average burned area of each wildfire amounts to as high as 20 hectares, and over 25,000 hectares of forest are devastated by wildfires annually [10]. Hence, detecting the location and severity of forest fires rapidly and precisely is an essential measure to alleviate their detrimental effects.

Although traditional monitoring methods, such as ground sensors [11] and drone patrols [12], [13], have reduced the incidence of forest fires to some extent, they are still limited by factors such as response speed and coverage [2], [6], [12]. With the rapid development of remote sensing technology, such as high-coverage datasets provided by Moderate Resolution Imaging Spectroradiometer (MODIS) satellites offer a unique perspective for fire monitoring, solving the dilemma of quickly covering large areas and providing valuable data resources for early detection and dynamic tracking of fires [13], [14]. However, due to the relatively low spatial resolution of imagery and the diverse manifestations of areas affected by fires, it is challenging to directly determine the exact location and severity of fires based on satellite imagery data alone. The application of machine learning techniques, in particular Convolutional Neural Networks (CNN), has yielded significant outcomes in the domains of image classification and target detection [15], which has brought new opportunities for remote sensing fire detection [16], [17].

In this project, an improved YOLOv5-based deep learning framework is proposed to be trained to analyze satellite data to automatically identify areas where forest fires are occurring, estimate burned areas and assess fire severity. This approach achieves a faster and more accurate detection of forest fires, which enables rescuers to quickly understand the size of the fire and its potential impacts and formulates a more effective emergency response strategy. The rest of the proposal is structured as follows: In section 2, review the literature and provide a comparative analysis of existing approaches. Section 3 introduces the techniques required for the project research and

the processing of data sets. The project management plan is presented in section 4 and the reference paper for the proposal is demonstrated in section 5.

1.2 Aim

The aim of this proposed project is to develop a deep learning framework based on YOLOv5 to quickly identify the location of active fires, estimate the burned area, and classify the severity of fires by analyzing satellite imagery.

1.3 Objectives

There are nine objectives proposed of the project.

➢ Review the relevant literature and evaluate existing forest fire monitoring models.

➢ Select and collect appropriate data

➢ Preprocess the image data by re-sizing, cropping, and normalization.

➢ Split the data into training, validation, and test sets.

➢ Design an improved YOLOv5 model suitable for forest fire identification.

➢ Use the training set to train the constructed model.

➢ Use verification sets to evaluate the performance of the trained model on new data.

➢ Use test sets to test the accuracy of the model on the forest fire detection.

➢ Presenting the results of the research to the audience.

1.4 Project Overview

1.4.1 Scope

The purpose of this proposed project is to develop a deep learning framework based on YOLOv5 and assessment of satellite image data captured via MODIS, which aims to facilitate rapid detection, estimate burn areas and assessment of the severity of forest fires. Through the application of deep learning techniques, it is possible to enhance the accuracy and responsiveness of the forest fire monitoring system, thereby facilitating the implementation of timely emergency management measures during the initial stages of a fire, which can mitigate the impact of ecological damage and economic losses. Furthermore, this research contributes to more efficient wildfire monitoring and response strategies and provides referable cases for advancing academic research in the field of remote sensing image processing.

1.4.2 Audience

This proposed project will prove beneficial to forest managers, emergency rescue teams and the general public. Primarily, forest managers can utilize the automated systems deployed for the monitoring and management of forest resources, particularly during periods of elevated fire risk, thereby enabling the provision of early warnings and the

implementation of preventive measures. The swift and precise dissemination of information regarding the location and extent of fires can facilitate the prompt response of rescue teams, thereby reducing the loss of life and property. Through the real-time issuance of fire warning notifications, the public can access timely information on the risks associated with forest fires, enabling them to safeguard their lives and property, while also fostering awareness of forest fire prevention measures.

2 Background Review

This proposed project investigates and compares from the state of the art techniques for forest fire detection using deep learning methods. In [3], Khan et al. put forward a transfer learning approach based on VGG19 for the detection of forest fires. The experiment utilized 80% of the data in the DeepFire dataset for training and attained an accuracy of 95.72% in the 20% test set, where there were 950 images each for the fire class and the non-fire class. Seydi et al. [1] employed a Landsat-8 image set for forest fire detection and proposed a deep learning framework Fire-Net integrated by YOLOv5 and U-Net network, which improved the accuracy of forest small fire detection under different conditions. Yuan et al. [5] employed the 85% FLAME dataset as a training set to enable the model to acquire global context information by incorporating a multi-head self-attention (MSA) module before each YOLO header. Experimental results have proven that this approach can markedly enhance the efficacy of forest fire detection across different scales while preserving the real-time performance of fire detection. In contrast to the approach taken in [5], [18] considered the diversity of forest fire scenarios and integrated YOLOv5 with EfficientNet, significantly reducing the false alarm rate in forest fire detection by learning global information. The model demonstrated a high level of accuracy in recognizing fire images, achieving 99.6% accuracy on 476 images and 99.7% accuracy on 676 images. Kang et al. [19] proposed a deep learning model based on geostationary satellite Himawari-8 AHI data, which employed temporal and spatial information features to markedly reduce the detection delay of forest fires. [20] proposed a Forest Smoke-Fire Net (FSF-Net) model based on Mask R-CNN, which combining MODIS remote sensing images with regional dynamic brightness temperature thresholds. The study demonstrates that the model can effectively circumvent the issue of erroneous identification and missed detection resulting from interference such as cloud and fog, and significantly improve the precision and dependability of forest smoke detection. Yang et al. [21] introduced a novel Squeeze-

Excitation Spatial Multi-Scale Transformer Learning (SESMTML) algorithm that integrates deep learning with remote sensing imagery to tackle the spatial and temporal challenges in forest fire risk prediction models and the lack of universality due to regional inconsistencies.

Research	Model	DataSet	Performance Index
Khan et al. [3]	VGG19	DeepFire	Accuracy = 98.89% Precision = 95.72%
Seydi et al. [1]	Fire-Net (YOLOv5 + U-Net)	Landsat-8	Overall Accuracy = 97.35% Precision = 93.49%
Yuan et al. [5]	YOLOv5 + Transformer	FLAME, self-built fire dataset	Accuracy = 93.25% Precision = 92.85%
Xu et al. [18]	YOLOv5 + EfficientNet	BowFire, FD-dataset, ForestryImages, VisiFire	Accuracy = 99.6% Average Precision = 85.5%
Kang et al. [19]	CNN + RF	Himawari-8 AHI	Overall Accuracy = 98% Precision = 91%
Ding et al. [20]	FSF-Net (Mask R-CNN)	MODIS_Smoke_ FPT dataset	Accuracy = 89.12%
Yang et al. [21]	SESMTML (CNN + Transformer)	FireRisk	Overall Accuracy = 83.18% Precision = 83.05%

Table 1 Comparison of different research

3 Methodology

3.1 Approach

3.1.1 YOLOv5

The YOLOv5 algorithm is characterized by multi-scale detection and lightweight target localization, and is mainly composed of three parts: Backbone, Neck, and Head [22]. The YOLOv5 structure is shown in Fig. 1. The Backbone network as the core of feature extraction in YOLOv5, comprises BottleneckCSP and Focus modules. It extracts features from the input image through multiple convolutional layers and pooling layers, and fuses

feature maps of different scales via cross-layer connections and channel compression, ultimately outputting feature maps with semantic information.


Fig. 1 YOLOv5 Structure

In the task of forest fire detection, detection speed and accuracy are of vital importance, and the compact model size determines the inference efficiency on resource-scarce edge devices. BottleneckCSP draws on the CSPnet network model and consists of three convolutional layers and multiple Res unit modules Concate, which enhances the learning performance of the entire convolutional neural network while significantly reducing the computational cost [22], [23]. The Focus module conducts slice operations on the image, expands the input channels to four times the original, and acquires a downsampled feature map through a single convolution. This achieves downsampling while reducing the computational cost and improving the training speed of the model.

In the Neck, the FPN and PAN structures are adopted, and the CSP2 structure inspired by CSPNet is introduced to enhance the feature fusion capability of the network [22]. The CSP module first divides the feature map of the base layer into two parts and then combines them through a cross-stage hierarchical structure, reducing the computational cost while guaranteeing the detection accuracy [23]. The FPN structure transmits and fuses the high-level semantic features through upsampling in a top-down manner; while the PAN structure transmits the location features of the lower layers through downsampling in a bottom-up manner [22]. The combination of the conventional FPN layer and the PAN structure fuses the extracted semantic features and location features, and simultaneously fuses the features of the main body and the detection layer, enabling the model to obtain more abundant

feature information and significantly enhance its detection ability. Forest fires typically progress from small-scale fires (ground fires) to medium-scale fires (trunk fires) and then to large-scale fires (canopy fires). Multi-scale detection of YOLOv5 ensures that the model can track the size changes during the evolution of the fire. The Spatial Pyramid Pooling (SPP) module applies pooling operations at different scales ($1 \times 1, 5 \times 5, 9 \times 9, 13 \times 13$) for multi-scale fusion, ensuring that the output features are invariant and multi-scale and avoiding the loss of some information [23]. In the Head network structure, as shown in Equation (1), YOLOv5 employs the CIoU Loss as the loss function for the bounding box [22], [23]. By adding an influencing factor to the DIoU Loss, the scale information of the aspect ratio of the bounding box is considered.

$$CIOU\_Loss = 1 - CIOU = 1 - (IOU - \frac{Distance\_2^2}{Distance\_C^2} - \frac{\upsilon^2}{(1 - IOU) + \upsilon}) \quad (1)$$

3.1.2 DataSet

This proposed project intends to use the Wildfire Prediction Dataset (Satellite Images) from Kaggle for the classification problem of forest fires and no-fire images. The dataset is derived from satellite images of areas that have previously experienced wildfires in Canada and is divided into two classes: fire and no-fire. The fire class contains forest and mountain regions or images with invisible black flames or gray smoke clouds. In contrast, the no-fire class contains images of forests and cities from different angles. Some images of both classes in the Wildfire dataset are shown in Fig. 2.


Fig. 2 Images of fire and no-fire classes

There are a total of 42,850 images in the Wildfire dataset, of which 22,710 are fire examples and the remaining 20,140 belong to the no-fire class. All images have an initial resolution of 350 × 350 pixels. This project considers dividing the dataset into three classes as shown in Table 2, with 70% of the data used for training, 15% for testing, and the remaining 15% for validation.

DataSet	Training	Testing	Validation	Total
Fire	15898	3406	3406	22710
No-fire	14098	3021	3021	20140
Total	29996	6427	6427	42850

Table 2 Dataset splitting

3.2 Technology

The techniques used to implement these projects are shown in the following table.

Software	Framework	TensorFlow2.0
	Language	Python 3.x
	Operating System	Windows 11
	System development	IntelliJ IDEA 2023.2.1/ Visual Studio Code
		SpringBoot
		Navicat Premium 16
		CSS3, HTML 5, JavaScript
	Version management plan	Baidu Cloud
		GitHub repository
Hardware	GPU	NVIDIA GeForce MX450/ NVIDIA Tesla T4*2/ NVIDIA Tesla P100
	CPU	The 11th Gen Intel® Core™ i5-11320H / i7-11390H Processors / CPU 4 cores
	Memory	16GB

Table 3 Tools and techniques for development

3.3 Version management plan

As shown in the table below, four versions of the project are expected.

Version	Description
1.0	Implement YOLOv5 models
2.0	Implement the improved YOLOv5 model
3.0	Implement the integration of YOLOv5 with other CNN models
4.0	Optimized the integrated YOLOv5 model

Table 4 Version management

To avoid confusion or accidental loss of project documentation and code, the following resources are used to effectively manage all documentation:

➢ Baidu Cloud, where I sync and store project changes in order to revert back to the correct version in a timely fashion.

URL: https://pan.baidu.com/s/1Q67PsmEjM_C2G1W-kq2p_Q?pwd=o52s.

➢ GitHub repository, where I will upload the code and related work for the confirmed version model as a backup.

URL: https://github.com/YQJane/L6C4-202118010402-Project.

4   Project Management

4.1   Activities

Objective	Activities
1. Review the relevant literature and evaluate existing forest fire monitoring models.	➢ Research and read related papers and codes online to get ideas. ➢ Research and collect deep leaning algorithm for forest fire detection. ➢ Search for similar automatic fire monitoring software and make a comparison table. ➢ Complete the literature review.
2. Select and collect appropriate data	➢ Search and download suitable datasets.
3. Preprocess the image data by re-sizing, cropping, and normalization.	➢ Convert image data to model acceptable formats, and the normalized processing, so that the input to the neural network.

4. Split the data into training, validation, and test sets.	➢ Tools such as LabelImg were used to label the fire area in the image and generate the training data set. ➢ The training set is used to learn the model parameters. ➢ Validation sets are used to adjust the hyperparameters and monitor performance of the models. ➢ The test set is used to evaluate the accuracy of the model.
5. Design an improved YOLOv5 model suitable for forest fire identification.	➢ From the existing CNN models, YOLOv5 model is selected for improvement. ➢ Considering the integration of YOLOv5 with other CNN models to improve the performance of forest fire recognition. ➢ Optimized design of YOLOv5 algorithm.
6. Use the training set to train the constructed model.	➢ the training process, the backpropagation algorithm is used to update the weights and biases in the network, so as to gradually learn the fire characteristics in the image.
7. Use verification sets to evaluate the performance of the trained model on new data.	➢ Evaluate the performance of the model using metrics such as accuracy, precision, recall rate, and adjust and improve it as needed.
8. Use test sets to test the accuracy of the model on the forest fire detection.	➢ Use the trained model test the accuracy of the location identification of active fires. ➢ Use the trained model test the precision of the estimate the burned area ➢ Use the trained model predicts new image, judging the severity of the fire.
9. Presenting the results of the research to the audience.	➢ Show the innovation of CNN model. ➢ Summarize its working process. ➢ Create PPT to present research findings.

Table 5 Activities table

4.2 Schedule

Below is the schedule for this project, which starts on October 21st 2024 and ends on April 1st 2025. The details are as follows:

➢ Literature review - 3 week

➢ Complete project proposal - 2 weeks

➢ Comparison of existing models - 3 weeks

➢ Database selection and download - 2 week

➢ Data preprocessing - 2 week

➢ Data set partition - 2 week

➢ Build the model - 4 weeks

➢ Training model - 3 weeks

➢ Evaluation model - 3 weeks

➢ Test model - 3 weeks

➢ Complete the final report - 3 weeks

➢ Create PPT - 1 week

➢ Total effort - 31 weeks

The schedule is represented by Gantt as below.

Fig. 3 Gantt chart for schedule

4.3 Data management plan

a) Datasets was downloaded from NASA FIRMS (the Fire Information for the Resource Management System), links are as follows: https://firms.modaps.eosdis.nasa.gov/.

b) Relevant literature resources will be downloaded from academic websites such as Google Scholar and Semantic Scholar.

c) Using MyBib to manage references.

d) All documents and work will be stored on the flash drive and will be automatically backed up to the Baidu Cloud drive.

e) Baidu Cloud Link is: https://pan.baidu.com/s/1Q67PsmEjM_C2G1W-kq2p_Q?pwd=o52s. The structure of the file is shown below.

```
v  Project
   v  Code
         Output
         Version1
      Dataset
      Ethics Forms
      Final Project Report
   v  Proposal
         Gnatt Chart for Project Management
         Research Oriented Projects
         Software Development Project
   v  Reference Paper
         Annotated Bibliography
   v  Test
         Code
         Documentation
   v  Week Report
         W1
```

Fig. 4 Document structure

4.4   Project Deliverables

There are a total of 9 deliverables.

➢ Ethics form

➢ Project proposal

➢ Weekly progress project reports

➢ Final project report

➢ Project code

➢ Project PPT

➢ Personal presentation

➢ Project dataset and website link

➢ Test results

5 References

[1] S. T. Seydi, V. Saeidi, B. Kalantar, N. Ueda, and A. A. Halin, "Fire-Net: A Deep Learning Framework for Active Forest Fire Detection," *Journal of Sensors*, vol. 2022, pp. 1–14, Feb. 2022, doi: https://doi.org/10.1155/2022/8044390.

[2] B. Özel, M. S. Alam, and M. U. Khan, "Review of Modern Forest Fire Detection Techniques: Innovations in Image Processing and Deep Learning," *Information*, vol. 15, no. 9, Sep. 2024, doi: https://doi.org/10.3390/info15090538.

[3] A. Khan, B. Hassan, S. Khan, R. Ahmed, and A. Abuassba, "DeepFire: A Novel Dataset and Deep Transfer Learning Benchmark for Forest Fire Detection," *Mobile Information Systems*, vol. 2022, pp. 1–14, Apr. 2022, doi: https://doi.org/10.1155/2022/5358359.

[4] S.-Y. Kim and A. Muminov, "Forest Fire Smoke Detection Based on Deep Learning Approaches and Unmanned Aerial Vehicle Images," *Sensors*, vol. 23, no. 12, p. 5702, Jan. 2023, doi: https://doi.org/10.3390/s23125702.

[5] H. Yuan, Z. Lu, R. Zhang, J. Li, S. Wang, and J. Fan, "An effective graph embedded YOLOv5 model for forest fire detection," *Computational Intelligence*, vol. 40, no. 2, Mar. 2024, doi: https://doi.org/10.1111/coin.12640.

[6] A. Bouguettaya, H. Zarzour, A. M. Taberkit, and A. Kechida, "A review on early wildfire detection from unmanned aerial vehicles using deep learning-based computer vision algorithms," *Signal Processing*, vol. 190, p. 108309, Jan. 2022, doi: https://doi.org/10.1016/j.sigpro.2021.108309.

[7] H. Yar, T. Hussain, Z. A. Khan, D. Koundal, M. Y. Lee, and S. W. Baik, "Vision Sensor-Based Real-Time Fire Detection in Resource-Constrained IoT Environments," *Computational Intelligence and Neuroscience*, vol. 2021, pp. 1–15, Dec. 2021, doi: https://doi.org/10.1155/2021/5195508.

[8] Saydirasulov Norkobil Saydirasulovich, Akmalbek Abdusalomov, Muhammad Kafeel Jamil, Rashid Nasimov, Dinara Kozhamzharova, and Young Im Cho, "A YOLOv6-Based Improved Fire Detection Approach for Smart City Environments," *Sensors*, vol. 23, no. 6, pp. 3161–3161, Mar. 2023, doi: https://doi.org/10.3390/s23063161.

[9] M. Prakash, S. Neelakandan, M. Tamilselvi, S. Velmurugan, S. Baghavathi Priya, and Eric Ofori Martinson, "Deep Learning-Based Wildfire Image Detection and Classification Systems for Controlling Biomass," *International journal of intelligent systems*, vol. 2023, pp. 1–18, Sep. 2023, doi: https://doi.org/10.1155/2023/7939516.

[10] E. A. Kadir, H. Irie, and S. L. Rosa, "Modeling of Wireless Sensor Networks for Detection Land and Forest Fire Hotspot," in *2019 International Conference on Electronics, Information, and Communication (ICEIC)*, Auckland, New Zealand, Jan. 2019, pp. 1–5. doi: https://doi.org/10.23919/ELINFOCOM.2019.8706364.

[11] V. Samborska and H. Ritchie, "Wildfires," *Our World in Data*, Apr. 2024, Accessed: Oct. 25, 2024. [Online]. Available: https://ourworldindata.org/wildfires

[12] B. Laszlo, R. Agoston, and Q. Xu, "Conceptual Approach of Measuring the Professional and Economic Effectiveness of Drone Applications Supporting Forest fire Management," *Procedia Engineering*, vol. 211, pp. 8–17, Aug. 2018, doi: https://doi.org/10.1016/j.proeng.2017.12.132.

[13] T. J. Hawbaker, V. C. Radeloff, A. D. Syphard, Z. Zhu, and S. I. Stewart, "Detection rates of the MODIS active fire product in the United States," *Remote Sensing of Environment*, vol. 112, no. 5, pp. 2656–2664, May 2008, doi: https://doi.org/10.1016/j.rse.2007.12.008.

[14] C. O. Justice *et al.*, "The MODIS fire products," *Remote Sensing of Environment*, vol. 83, no. 1–2, pp. 244–262, Nov. 2002, doi: https://doi.org/10.1016/s0034-4257(02)00076-7.

[15] L. Alzubaidi *et al.*, "Review of deep learning: concepts, CNN architectures, challenges, applications, future directions," *Journal of Big Data*, vol. 8, no. 53, Mar. 2021, doi: https://doi.org/10.1186/s40537-021-00444-8.

[16] S. Geetha, C. S. Abhishek, and C. S. Akshayanat, "Machine Vision Based Fire Detection Techniques: A Survey," *Fire Technology*, vol. 57, no. 2, pp. 591–623, Nov. 2020, doi: https://doi.org/10.1007/s10694-020-01064-z.

[17] R. Alkhatib, W. Sahwan, A. Alkhatieb, and B. Schütt, "A Brief Review of Machine Learning Algorithms in Forest Fires Science," *Applied sciences*, vol. 13, no. 14, pp. 8275–8275, Jul. 2023, doi: https://doi.org/10.3390/app13148275.

[18] R. Xu, H. Lin, K. Lu, L. Cao, and Y. Liu, "A Forest Fire Detection System Based on Ensemble Learning," *Forests*, vol. 12, no. 2, Feb. 2021, doi: https://doi.org/10.3390/f12020217.

[19] Y. Kang, E. Jang, J. Im, and C. Kwon, "A deep learning model using geostationary satellite data for forest fire detection with reduced detection latency," *GIScience & Remote Sensing*, vol. 59, no. 1, pp. 2019–2035, Nov. 2022, doi: https://doi.org/10.1080/15481603.2022.2143872.

[20] Y. Ding, M. Wang, Y. Fu, and Q. Wang, "Forest Smoke-Fire Net (FSF Net): A Wildfire Smoke Detection Model That Combines MODIS Remote Sensing Images with Regional Dynamic Brightness Temperature Thresholds," *Forests*, vol. 15, no. 5, pp. 839–839, May 2024, doi: https://doi.org/10.3390/f15050839.

[21] J. Yang, H. Jiang, S. Wang, and X. Ma, "A Multi-Scale Deep Learning Algorithm for Enhanced Forest Fire Danger Prediction Using Remote Sensing Images," *Forests*, vol. 15, no. 9, pp. 1581–1581, Sep. 2024, doi: https://doi.org/10.3390/f15091581.

[22] R. Khanam and M. Hussain, "What is YOLOv5: A deep look into the internal features of the popular object detector," *arXiv (Cornell University)*, Jul. 2024, doi: https://doi.org/10.48550/arxiv.2407.20892.

[23] S. K. Jaiswal and R. Agrawal, "A Comprehensive Review of YOLOv5: Advances in Real-Time Object Detection," *International Journal of Innovative Research in Computer Science and Technology*, vol. 12, no. 3, pp. 75–80, May 2024, doi: https://doi.org/10.55524/ijircst.2024.12.3.12.

28% SIMILARITY INDEX

13% INTERNET SOURCES

20% PUBLICATIONS

9% STUDENT PAPERS

PRIMARY SOURCES

1	Submitted to Oxford Brookes University Student Paper	3%
2	www.mdpi.com Internet Source	2%
3	"Advances in Natural Computation, Fuzzy Systems and Knowledge Discovery", Springer Science and Business Media LLC, 2023 Publication	1%
4	Yinsheng Chen, Jiahao Li, Kun Sun, Ying Zhang. "A lightweight early forest fire and smoke detection method", The Journal of Supercomputing, 2023 Publication	1%
5	www.bongos.net.au Internet Source	1%
6	Submitted to University of Greenwich Student Paper	1%
7	Submitted to Xi'an Jiaotong-Liverpool University Student Paper	1%

8   Ke Zhang, Dong Yin. "Lightweight Detection Network of Trunk Contents", 2021 IEEE International Conference on Artificial Intelligence and Computer Applications (ICAICA), 2021
Publication

1 %

9   Yingshu Peng, Yi Wang. "Automatic wildfire monitoring system based on deep learning", European Journal of Remote Sensing, 2022
Publication

1 %

10   Tong Hu, Jun Song. "Traffic Sign Recognition Based on YOLOv5 Network Structure", 2022 14th International Conference on Signal Processing Systems (ICSPS), 2022
Publication

1 %

11   Ali Khan, Bilal Hassan, Somaiya Khan, Ramsha Ahmed, Adnan Abuassba. "DeepFire: A Novel Dataset and Deep Transfer Learning Benchmark for Forest Fire Detection", Mobile Information Systems, 2022
Publication

1 %

12   Prasad S. Thenkabail. "Remote Sensing Handbook - Remote Sensing of Water Resources, Disasters, and Urban Studies", CRC Press, 2015
Publication

1 %

13 Arvind Dagur, Karan Singh, Pawan Singh Mehra, Dhirendra Kumar Shukla. "Artificial Intelligence, Blockchain, Computing and Security", CRC Press, 2023
Publication

1 %

14 Han Wu, Xueling Zhao, Jianghe Qiao, Yanqiu Che. "An Improved YOLOv5 Algorithm for Elderly Fall Detection", 2023 International Conference on Innovation, Knowledge, and Management (ICIKM), 2023
Publication

1 %

15 S. M. Siamus Salahin, M. D. Shefat Ullaa, Saif Ahmed, Nabeel Mohammed, Taseef Hasan Farook, James Dudley. "One-Stage Methods of Computer Vision Object Detection to Classify Carious Lesions from Smartphone Imaging", Oral, 2023
Publication

1 %

16 arxiv.org
Internet Source

1 %

17 pdfs.semanticscholar.org
Internet Source

1 %

18 www.hindawi.com
Internet Source

1 %

19 Somaiya Khan, Ali Khan. "FFireNet: Deep Learning Based Forest Fire Classification and Detection in Smart Cities", Symmetry, 2022

<1 %

Publication

20   discovery.researcher.life
     Internet Source   <1%

21   Submitted to Liverpool John Moores
     University   <1%
     Student Paper

22   Renjie Xu, Haifeng Lin, Kangjie Lu, Lin Cao,
     Yunfei Liu. "A Forest Fire Detection System
     Based on Ensemble Learning", Forests, 2021   <1%
     Publication

23   ijai.iaescore.com
     Internet Source   <1%

24   Mengge Mao, Kun Zhao, Meng Li, Hua Xu,
     Weirui Yue, Kun Huang. "Research on
     Substation Diagram Automatic Generation
     Based on Artificial Intelligence Algorithms",   <1%
     2023 4th International Conference on
     Intelligent Computing and Human-Computer
     Interaction (ICHCI), 2023
     Publication

25   Submitted to University of Wales, Lampeter
     Student Paper   <1%

26   ijece.iaescore.com
     Internet Source   <1%

27   www2.mdpi.com
     Internet Source   <1%

28 Ishak Pacal, Ahmet Karaman, Dervis Karaboga, Bahriye Akay, Alper Basturk, Ufuk Nalbantoglu, Seymanur Coskun. "An efficient real-time colonic polyp detection with YOLO algorithms trained by using negative samples and large datasets", Computers in Biology and Medicine, 2021
Publication

<1%

29 Lin Zhang, Yaqi Sun, Wenli Chen, Xiaoman Liang. "Chapter 24 Traffic Sign Recognition System Based on YOLOv5", Springer Science and Business Media LLC, 2022
Publication

<1%

30 Qiang Liu, Jingao Li, Yusheng Li, Mingwang Gao. "Recognition methods for coal and coal gangue based on deep learning", IEEE Access, 2021
Publication

<1%

31 Steward, Charles. "Fire Potential in Arkansas Through the Lens of the Keetch-Byram Drought Index", University of Arkansas, 2024
Publication

<1%

32 www.techscience.com
Internet Source

<1%

33 5dok.net
Internet Source

<1%

34   ElHoffy, Ahmed Ismail. "Federated/Deep Learning in UAV Networks for Wildfire Surveillance", California State University, Long Beach, 2023
Publication

     <1 %

35   Submitted to Midlands State University
Student Paper

     <1 %

36   Muhammad Nadeem, Naqqash Dilshad, Norah Saleh Alghamdi, L. Minh Dang, Hyoung-Kyu Song, Junyoung Nam, Hyeonjoon Moon. "Visual Intelligence in Smart Cities: A Lightweight Deep Learning Model for Fire Detection in an IoT Environment", Smart Cities, 2023
Publication

     <1 %

37   file.techscience.com
Internet Source

     <1 %

38   github.com
Internet Source

     <1 %

39   Ferreira, Ana Raquel Ribeiro. "Implementation of the Fireloc web Application", Universidade de Coimbra (Portugal), 2024
Publication

     <1 %

40   Qing Hu, Runsheng Li, Chaofan Pan, Yintu Bao, Haobo Zhang. "Aircraft Targets Detection in Remote Sensing Images with Feature Optimization", 2021 IEEE 4th Advanced

     <1 %

Information Management, Communicates, Electronic and Automation Control Conference (IMCEC), 2021
Publication

41 S.J. Xavier Savarimuthu, Sivakannan Subramani, Alex Noel Joseph Raj. "Artificial Intelligence for Multimedia Information Processing - Tools and Applications", CRC Press, 2024
Publication

<1 %

42 thesai.org
Internet Source

<1 %

43 www.napier.ac.uk
Internet Source

<1 %

44 www.semanticscholar.org
Internet Source

<1 %

45 Peiquan Jin, Lin Mu, Lizhou Zheng, Jie Zhao, Lihua Yue. "News Feature Extraction for Events on Social Network Platforms", Proceedings of the 26th International Conference on World Wide Web Companion - WWW '17 Companion, 2017
Publication

<1 %

46 Yanlong Chang, Dong Li, Yunlong Gao, Yun Su, Xiaoqiang Jia. "An Improved YOLO Model for UAV Fuzzy Small Target Image Detection", Applied Sciences, 2023
Publication

<1 %

47   Azlan Saleh, Mohd Asyraf Zulkifley, Hazimah Haspi Harun, Francis Gaudreault, Ian Davison, Martin Spraggon. "Forest fire surveillance systems: A review of deep learning methods", Heliyon, 2023
Publication

<1 %

48   Da Zhang, Chunlin Huang, Juan Gu, Jinliang Hou, Ying Zhang, Weixiao Han, Peng Dou, Yaya Feng. "Real-Time Wildfire Detection Algorithm Based on VIIRS Fire Product and Himawari-8 Data", Remote Sensing, 2023
Publication

<1 %

49   Inam Ullah Khan, Salma El Hajjami, Mariya Ouaissa, Salwa Belaqziz, Tarandeep Kaur Bhatia. "Cognitive Machine Intelligence - Applications, Challenges, and Related Technologies", CRC Press, 2024
Publication

<1 %

50   Qingjin Xu, Rui Fu, Fuwei Wu, Biyao Wang. "Roadside Estimation of a Vehicle's Center of Gravity Height Based on an Improved Single-Stage Detection Algorithm and Regression Prediction Technology", IEEE Sensors Journal, 2021
Publication

<1 %