

System Info:

```
Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell https://aka.ms/pscore6

PS C:\WINDOWS\system32> systeminfo

Host Name:                DESKTOP-BQM6A05
OS Name:                  Microsoft Windows 10 Home
OS Version:               10.0.19043 N/A Build 19043
OS Manufacturer:         Microsoft Corporation
OS Configuration:        Standalone Workstation
OS Build Type:             Multiprocessor Free
Registered Owner:         Windows User
Registered Organization:
Product ID:               00325-96262-19217-AAOEM
Original Install Date:    9/28/2020, 10:11:16 AM
System Boot Time:         8/10/2022, 8:57:10 PM
System Manufacturer:      System manufacturer
System Model:              System Product Name
System Type:               x64-based PC
Processor(s):              1 Processor(s) Installed.
                          [01]: Intel(R) Family 6 Model 158 Stepping 9 GenuineIntel ~3601 Mhz
BIOS Version:             American Megatrends Inc. 3402, 7/5/2017
Windows Directory:        C:\WINDOWS
System Directory:          C:\WINDOWS\system32
Boot Device:               \Device\HarddiskVolume1
System Locale:              en-us;English (United States)
Input Locale:              en-us;English (United States)
Time Zone:                (UTC-06:00) Central Time (US & Canada)
Total Physical Memory:     16,327 MB
Available Physical Memory: 10,640 MB
Virtual Memory: Max Size: 18,750 MB
Virtual Memory: Available: 10,686 MB
Virtual Memory: In Use:    8,073 MB
Page File Location(s):    C:\pagefile.sys
Domain:                    WORKGROUP
Logon Server:              \\DESKTOP-BQM6A05
Hotfix(s):                 21 Hotfix(s) Installed.
                          [01]: KB5015730
                          [02]: KB4561600
                          [03]: KB4577266
                          [04]: KB4577586
                          [05]: KB4580325
                          [06]: KB4586864
                          [07]: KB4589212
                          [08]: KB4593175
                          [09]: KB4598481
                          [10]: KB5000736
                          [11]: KB5012170
                          [12]: KB5016616
                          [13]: KB5006753
                          [14]: KB5007273
                          [15]: KB5011352
                          [16]: KB5011651
                          [17]: KB5014032
                          [18]: KB5014035
                          [19]: KB5014671
                          [20]: KB5015895
                          [21]: KB5005699
Network Card(s):          3 NIC(s) Installed.
                          [01]: TAP-Windows Adapter V9
                              Connection Name: Local Area Connection
                              Status: Media disconnected
                          [02]: Realtek PCIe GBE Family Controller
                              Connection Name: Ethernet 2
                              Status: Media disconnected
                          [03]: Realtek RTL8811AU Wireless LAN 802.11ac USB 2.0 Network Adapter
                              Connection Name: Wi-Fi
                              DHCP Enabled: Yes
                              DHCP Server: 192.168.1.254
                              IP address(es)
                              [01]: 192.168.1.128
                              [02]: fe80::901:452e:52f0:bafd
                              [03]: 2600:1700:b0d3:e9d0:4c79:453:24de:433e
                              [04]: 2600:1700:b0d3:e9d0:901:452e:52f0:bafd
                              [05]: 2600:1700:b0d3:e9d0::48
Hyper-V Requirements:     VM Monitor Mode Extensions: Yes
                          Virtualization Enabled In Firmware: Yes
                          Second Level Address Translation: Yes
                          Data Execution Prevention Available: Yes

PS C:\WINDOWS\system32>
```

Computer System

```
PS C:\WINDOWS\system32> Get-WmiObject Win32_ComputerSystem

Domain           : WORKGROUP
Manufacturer     : System manufacturer
Model            : System Product Name
Name             : DESKTOP-BQM6A05
PrimaryOwnerName : Windows User
TotalPhysicalMemory : 17120120832
```

Baseboard

```
PS C:\WINDOWS\system32> Get-WmiObject Win32_BaseBoard

Manufacturer : ASUSTeK COMPUTER INC.
Model        :
Name         : Base Board
SerialNumber : 171012031308702
SKU          :
Product      : H110-PLUS
```

Bios

```
PS C:\WINDOWS\system32> Get-WmiObject Win32_Bios

SMBIOSBIOSVersion : 3402
Manufacturer      : American Megatrends Inc.
Name              : 3402
SerialNumber      : System Serial Number
Version           : ALASKA - 1072009
```

Processor

```
PS C:\WINDOWS\system32> Get-WmiObject Win32_Processor

Caption           : Intel64 Family 6 Model 158 Stepping 9
DeviceID          : CPU0
Manufacturer      : GenuineIntel
MaxClockSpeed     : 3601
Name              : Intel(R) Core(TM) i7-7700 CPU @ 3.60GHz
SocketDesignation : LGA1151
```

Physical Memory

```
PS C:\WINDOWS\system32> Get-WmiObject Win32_PhysicalMemory

GENUS           : 2
CLASS           : Win32_PhysicalMemory
SUPERCLASS      : CIM_PhysicalMemory
DYNASTY         : CIM_ManagedSystemElement
RELPATH         : Win32_PhysicalMemory.Tag="Physical Memory 0"
PROPERTY_COUNT  : 36
DERIVATION      : {CIM_PhysicalMemory, CIM_Chip, CIM_PhysicalComponent, CIM_PhysicalElement...}
SERVER          : DESKTOP-BQM6A05
NAMESPACE       : root\cimv2
PATH            : \\DESKTOP-BQM6A05\root\cimv2:Win32_PhysicalMemory.Tag="Physical Memory 0"
Attributes      : 1
BankLabel       : BANK 0
Capacity        : 8589934592
Caption         : Physical Memory
ConfiguredClockSpeed : 2400
ConfiguredVoltage : 1200
CreationClassName : Win32_PhysicalMemory
DataWidth       : 64
Description     : Physical Memory
DeviceLocator   : DIMM_A1
FormFactor      : 8
HotSwappable    :
InstallDate     :
InterleaveDataDepth : 2
InterleavePosition : 1
Manufacturer    : A-DATA
MaxVoltage      : 0
MemoryType      : 0
MinVoltage      : 0
Model           :
Name            : Physical Memory
OtherIdentifyingInfo :
PartNumber      : DDR4 2400 20Z
PositionInRow   :
PoweredOn      :
Removable       :
Replaceable     :
SerialNumber     : 1F9E0000
SKU             :
SMBIOSMemoryType : 26
Speed           : 2400
Status          :
Tag             : Physical Memory 0
TotalWidth      : 64
TypeDetail      : 128
Version         :
PSComputerName  : DESKTOP-BQM6A05

GENUS           : 2
CLASS           : Win32_PhysicalMemory
SUPERCLASS      : CIM_PhysicalMemory
DYNASTY         : CIM_ManagedSystemElement
RELPATH         : Win32_PhysicalMemory.Tag="Physical Memory 2"
PROPERTY_COUNT  : 36
DERIVATION      : {CIM_PhysicalMemory, CIM_Chip, CIM_PhysicalComponent, CIM_PhysicalElement...}
SERVER          : DESKTOP-BQM6A05
NAMESPACE       : root\cimv2
PATH            : \\DESKTOP-BQM6A05\root\cimv2:Win32_PhysicalMemory.Tag="Physical Memory 2"
Attributes      : 1
BankLabel       : BANK 2
Capacity        : 8589934592
Caption         : Physical Memory
ConfiguredClockSpeed : 2400
ConfiguredVoltage : 1200
```

```
_GENUS           : 2
_CLASS           : Win32_PhysicalMemory
_SUPERCLASS      : CIM_PhysicalMemory
_DYNASTY         : CIM_ManagedSystemElement
_RELPATH         : Win32_PhysicalMemory.Tag="Physical Memory 2"
_PROPERTY_COUNT  : 36
_DERIVATION      : {CIM_PhysicalMemory, CIM_Chip, CIM_PhysicalComponent, CIM_PhysicalElement...}
_SERVER          : DESKTOP-BQM6A05
_NAMESPACE       : root\cimv2
_PATH            : \\DESKTOP-BQM6A05\root\cimv2:Win32_PhysicalMemory.Tag="Physical Memory 2"
Attributes       : 1
BankLabel        : BANK 2
Capacity         : 8589934592
Caption          : Physical Memory
ConfiguredClockSpeed : 2400
ConfiguredVoltage : 1200
CreationClassName : Win32_PhysicalMemory
DataWidth        : 64
Description      : Physical Memory
DeviceLocator    : DIMM_B1
FormFactor       : 8
HotSwappable     : 
InstallDate      : 
InterleaveDataDepth : 2
InterleavePosition : 2
Manufacturer     : A-DATA
MaxVoltage       : 0
MemoryType       : 0
MinVoltage       : 0
Model            : 
Name             : Physical Memory
OtherIdentifyingInfo : 
PartNumber       : DDR4 2400 20Z
PositionInRow    : 
PoweredOn        : 
Removable        : 
Replaceable      : 
SerialNumber     : 529D0000
SKU              : 
SMBIOSMemoryType : 26
Speed            : 2400
Status           : 
Tag              : Physical Memory 2
TotalWidth       : 64
TypeDetail       : 128
Version          : 
PSComputerName   : DESKTOP-BQM6A05
```

```
PS C:\WINDOWS\system32>
```

DiskDrive

```
PS C:\WINDOWS\system32> Get-WmiObject Win32_DiskDrive

Partitions : 1
DeviceID    : \\.\PHYSICALDRIVE1
Model       : WDC WD10EZEX-08WN4A0
Size        : 1000202273280
Caption     : WDC WD10EZEX-08WN4A0

Partitions : 3
DeviceID    : \\.\PHYSICALDRIVE0
Model       : ADATA SU650
Size        : 120031511040
Caption     : ADATA SU650

Partitions : 1
DeviceID    : \\.\PHYSICALDRIVE2
Model       : USB DISK 3.0 USB Device
Size        : 62133765120
Caption     : USB DISK 3.0 USB Device
```

Logical Disk

```
PS C:\WINDOWS\system32> Get-WmiObject Win32_LogicalDisk

DeviceID      : C:
DriveType     : 3
ProviderName  :
FreeSpace     : 18840760320
Size          : 119386664960
VolumeName    : Windows

DeviceID      : D:
DriveType     : 3
ProviderName  :
FreeSpace     : 842176520192
Size          : 1000068870144
VolumeName    : New Volume

DeviceID      : G:
DriveType     : 2
ProviderName  :
FreeSpace     : 15030386688
Size          : 62051483648
VolumeName    : PKBACK# 001

PS C:\WINDOWS\system32>
```

Network Adapter

Administrator: Windows PowerShell

PS C:\WINDOWS\system32> Get-WmiObject Win32_NetworkAdapter

```
ServiceName      : kdnic
MACAddress       :
AdapterType      :
DeviceID         : 0
Name             : Microsoft Kernel Debug Network Adapter
NetworkAddresses :
Speed           :

ServiceName      : tap0901
MACAddress       : 00:FF:F4:63:84:BA
AdapterType      : Ethernet 802.3
DeviceID         : 1
Name             : TAP-Windows Adapter V9
NetworkAddresses :
Speed           : 1000000000

ServiceName      : rt640x64
MACAddress       : 2C:FD:A1:57:8A:E2
AdapterType      : Ethernet 802.3
DeviceID         : 2
Name             : Realtek PCIe GBE Family Controller
NetworkAddresses :
Speed           : 9223372036854775807

ServiceName      : RtlWlanu
MACAddress       : 74:DA:38:E2:53:C9
AdapterType      : Ethernet 802.3
DeviceID         : 3
Name             : Realtek RTL8811AU Wireless LAN 802.11ac USB 2.0 Network Adapter
NetworkAddresses :
Speed           : 433300000

ServiceName      : vwifimp
MACAddress       : 76:DA:38:E2:53:C9
AdapterType      : Ethernet 802.3
DeviceID         : 4
Name             : Microsoft Wi-Fi Direct Virtual Adapter #2
NetworkAddresses :
Speed           : 9223372036854775807

ServiceName      : vwifimp
MACAddress       : 74:DA:38:E2:53:C9
AdapterType      : Ethernet 802.3
DeviceID         : 5
Name             : Microsoft Wi-Fi Direct Virtual Adapter #4
NetworkAddresses :
Speed           : 9223372036854775807

ServiceName      : RasSstp
MACAddress       :
AdapterType      :
DeviceID         : 6
Name             : WAN Miniport (SSTP)
NetworkAddresses :
Speed           :
```

```
ServiceName      : RasAgileVpn
MACAddress       :
AdapterType      :
DeviceID        : 7
Name            : WAN Miniport (IKEv2)
NetworkAddresses :
Speed           :

ServiceName      : Rasl2tp
MACAddress       :
AdapterType      :
DeviceID        : 8
Name            : WAN Miniport (L2TP)
NetworkAddresses :
Speed           :

ServiceName      : PptpMiniport
MACAddress       :
AdapterType      :
DeviceID        : 9
Name            : WAN Miniport (PPTP)
NetworkAddresses :
Speed           :

ServiceName      : RasPppoe
MACAddress       :
AdapterType      :
DeviceID        : 10
Name            : WAN Miniport (PPPOE)
NetworkAddresses :
Speed           :

ServiceName      : NdisWan
MACAddress       : 28:B3:20:52:41:53
AdapterType      : Ethernet 802.3
DeviceID        : 11
Name            : WAN Miniport (IP)
NetworkAddresses :
Speed           :

ServiceName      : NdisWan
MACAddress       : 2A:10:20:52:41:53
AdapterType      : Ethernet 802.3
DeviceID        : 12
Name            : WAN Miniport (IPv6)
NetworkAddresses :
Speed           :

ServiceName      : NdisWan
MACAddress       : 2A:10:20:52:41:53
AdapterType      : Ethernet 802.3
DeviceID        : 13
Name            : WAN Miniport (Network Monitor)
NetworkAddresses :
Speed           :

ServiceName      : AsyncMac
MACAddress       : 20:41:53:59:4E:FF
AdapterType      : Wide Area Network (WAN)
DeviceID        : 14
Name            : RAS Async Adapter
NetworkAddresses :
Speed           :
```

Operating System

```
PS C:\WINDOWS\system32> Get-WmiObject Win32_OperatingSystem

SystemDirectory : C:\WINDOWS\system32
Organization    :
BuildNumber     : 19043
RegisteredUser  : Windows User
SerialNumber    : 00325-96262-19217-AAOEM
Version         : 10.0.19043
```


Video Controller

```
PS C:\WINDOWS\system32> Get-WmiObject Win32_VideoController

GENUS           : 2
CLASS           : Win32_VideoController
SUPERCLASS      : CIM_PCVideoController
INSTANTIATION   : CIM_ManagedSystemElement
RELPATH         : Win32_VideoController.DeviceID="VideoController1"
PROPERTY_COUNT  : 59
DERIVATION      : (CIM_PCVideoController, CIM_VideoController, CIM_Controller, CIM_LogicalDevice...)
SERVER         : DESKTOP-BQM6A05
NAMESPACE       : root\cimv2
PATH            : \\DESKTOP-BQM6A05\root\cimv2:Win32_VideoController.DeviceID="VideoController1"
AcceleratorCapabilities :
AdapterCompatibility    : NVIDIA
AdapterDACType          : Integrated RAMDAC
AdapterRAM              : 221225472
Availability            : 3
CapabilityDescriptions  :
Caption                 : NVIDIA GeForce GTX 1060 3GB
ColorTableEntries       :
ConfigManagerErrorCode  : 0
ConfigManagerUserConfig : False
CreationClassName       : Win32_VideoController
CurrentBitPerPixel       : 32
CurrentHorizontalResolution : 1920
CurrentNumberOfColors     : 4294967296
CurrentNumberOfColumns    : 0
CurrentNumberOfRows       : 0
CurrentRefreshRate        : 144
CurrentScanMode           : 4
CurrentVerticalResolution : 1080
Description              : NVIDIA GeForce GTX 1060 3GB
DeviceID                 : VideoController1
DeviceSpecificPins        :
DitherType               : 0
DriverDate               : 202011080000.000000-000
DriverVersion            : 30.0.15.1215
ErrorCleared             :
ErrorDescription         :
ICMIntent               :
ICMMethod                : gcm79.inf
InfFileName              : Section025
InstallationDate         :
InstalledDisplayDrivers  : C:\WINDOWS\system32\DriverStore\FileRepository\vm_dispig.inf_amd64_dfb0ee9f4cb436e\vmldmx.dll;C:\WINDOWS\system32\DriverStore\FileRepository\vm_dispig.inf_amd64_dfb0ee9f4cb436e\vmldmx.dll;C:\WINDOWS\system32\DriverStore\FileRepository\vm_dispig.inf_amd64_dfb0ee9f4cb436e\vmldmx.dll;C:\WINDOWS\system32\DriverStore\FileRepository\vm_dispig.inf_amd64_dfb0ee9f4cb436e\vmldmx.dll
LastErrorCode            :
MaxMemorySupported       :
MaxNumberControlled      :
MaxRefreshRate           : 144
MinRefreshRate           : 60
Monochrome               : False
Name                    : NVIDIA GeForce GTX 1060 3GB
NumberOfColorPlanes      :
NumberOfVideoPages       :
PNPDeviceID              : PCI\VEN_10DE&DEV_1C08&SUBSYS_85ED1043&REV_A1\4&38A02860&000000
PowerManagementCapabilities :
PowerManagementSupported :
ProtocolsSupported        :
ReservedSystemPaletteEntries :
SpecificationVersion      :
Status                   : OK
```

```
StatusInfo           :
SystemCreationClassName : Win32_ComputerSystem
SystemName            : DESKTOP-BQM6A05
SystemPaletteEntries   :
TimeOfLastReset        :
VideoArchitecture      : 5
VideoMemoryType        : 2
VideoMode              :
VideoModeDescription   : 1920 x 1080 x 4294967296 colors
VideoProcessor         : NVIDIA GeForce GTX 1060 3GB
PSComputerName         : DESKTOP-BQM6A05
```