04/08/2023 (BOOK-25)

In [218]: import numpy as np
 import pandas as pd
 import matplotlib.pyplot as plt
 import seaborn as sns
 from sklearn.linear_model import LogisticRegression
 from sklearn.preprocessing import StandardScaler
 import re
 from sklearn.datasets import load_digits
 from sklearn.model_selection import train_test_split

In [220]: a=pd.read_csv(r"C:\Users\user\Downloads\Book25.csv")
a

Out[220]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
0	1127	WEST UTTAR PRADESH	1901	51.4	25.6	9.5	0.7	5.6	23.8	201.9	374.3	67.7	7.6
1	1128	WEST UTTAR PRADESH	1902	4.6	4.6	0.6	4.8	7.2	54.5	325.9	180.6	143.1	9.6
2	1129	WEST UTTAR PRADESH	1903	13.4	0.4	1.2	0.0	8.2	32.7	145.4	279.1	150.4	177.3
3	1130	WEST UTTAR PRADESH	1904	6.3	2.0	29.7	0.4	24.8	68.5	358.8	311.1	97.1	2.7
4	1131	WEST UTTAR PRADESH	1905	32.3	26.6	14.8	3.6	7.1	18.9	139.8	95.0	92.2	0.2
110	1237	WEST UTTAR PRADESH	2011	2.1	10.4	3.9	2.8	29.6	175.9	215.9	232.3	101.7	0.7
111	1238	WEST UTTAR PRADESH	2012	14.5	0.1	1.4	4.7	0.3	4.0	145.1	149.1	67.8	0.5
112	1239	WEST UTTAR PRADESH	2013	20.4	69.5	3.5	1.6	2.1	190.6	233.9	287.1	52.2	61.2
113	1240	WEST UTTAR PRADESH	2014	48.3	29.4	22.6	5.3	11.0	22.0	151.6	81.0	84.7	14.6
114	1241	WEST UTTAR PRADESH	2015	31.6	7.2	66.8	21.0	8.1	72.0	194.2	143.5	26.5	6.9

115 rows × 20 columns

In [221]: a.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 0 to 114
Data columns (total 20 columns):

#	Column	Non-Null Count	Dtype
0	index	115 non-null	int64
1	SUBDIVISION	115 non-null	object
2	YEAR	115 non-null	int64
3	JAN	115 non-null	float64
4	FEB	115 non-null	float64
5	MAR	115 non-null	float64
6	APR	115 non-null	float64
7	MAY	115 non-null	float64
8	JUN	115 non-null	float64
9	JUL	115 non-null	float64
10	AUG	115 non-null	float64
11	SEP	115 non-null	float64
12	OCT	115 non-null	float64
13	NOV	115 non-null	float64
14	DEC	115 non-null	float64
15	ANNUAL	115 non-null	float64
16	Jan-Feb	115 non-null	float64
17	Mar-May	115 non-null	float64
18	Jun-Sep	115 non-null	float64
19	Oct-Dec	115 non-null	float64
dtyp	es: float64(1	7), int64(2), ob	oject(1)

memory usage: 18.1+ KB

```
In [222]: b=a.fillna(method='ffill')
b
```


Out[222]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
0	1127	WEST UTTAR PRADESH	1901	51.4	25.6	9.5	0.7	5.6	23.8	201.9	374.3	67.7	7.6
1	1128	WEST UTTAR PRADESH	1902	4.6	4.6	0.6	4.8	7.2	54.5	325.9	180.6	143.1	9.6
2	1129	WEST UTTAR PRADESH	1903	13.4	0.4	1.2	0.0	8.2	32.7	145.4	279.1	150.4	177.3
3	1130	WEST UTTAR PRADESH	1904	6.3	2.0	29.7	0.4	24.8	68.5	358.8	311.1	97.1	2.7
4	1131	WEST UTTAR PRADESH	1905	32.3	26.6	14.8	3.6	7.1	18.9	139.8	95.0	92.2	0.2
110	1237	WEST UTTAR PRADESH	2011	2.1	10.4	3.9	2.8	29.6	175.9	215.9	232.3	101.7	0.7
111	1238	WEST UTTAR PRADESH	2012	14.5	0.1	1.4	4.7	0.3	4.0	145.1	149.1	67.8	0.5
112	1239	WEST UTTAR PRADESH	2013	20.4	69.5	3.5	1.6	2.1	190.6	233.9	287.1	52.2	61.2
113	1240	WEST UTTAR PRADESH	2014	48.3	29.4	22.6	5.3	11.0	22.0	151.6	81.0	84.7	14.6
114	1241	WEST UTTAR PRADESH	2015	31.6	7.2	66.8	21.0	8.1	72.0	194.2	143.5	26.5	6.9

115 rows × 20 columns


In [223]: b.plot.bar(legend=None)

Out[223]: <AxesSubplot:>




```
In [224]: b.plot.line(legend=None)
```

Out[224]: <AxesSubplot:>




In [225]: b.plot.area(legend=None)

Out[225]: <AxesSubplot:>




```
In [226]: b.plot.hist(legend=None)
```

Out[226]: <AxesSubplot:ylabel='Frequency'>



In [227]: b.plot.pie(y='YEAR',figsize=(8,8),labels=None,legend=None)

Out[227]: <AxesSubplot:ylabel='YEAR'>



```
In []:
```