

In []:

In [136]:

```
# IMPORT LIBRARIES
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
```

In [137]:

```
a=pd.read_csv(r"C:\Users\user\Downloads\2015 - 2015.csv")
a
```

Out[137]:

	Country	Region	Happiness Rank	Happiness Score	Standard Error	Economy (GDP per Capita)	Family	Health (Life Expectancy)
0	Switzerland	Western Europe	1	7.587	0.03411	1.39651	1.34951	0.94143
1	Iceland	Western Europe	2	7.561	0.04884	1.30232	1.40223	0.94784
2	Denmark	Western Europe	3	7.527	0.03328	1.32548	1.36058	0.87464
3	Norway	Western Europe	4	7.522	0.03880	1.45900	1.33095	0.88521
4	Canada	North America	5	7.427	0.03553	1.32629	1.32261	0.90563
...
153	Rwanda	Sub-Saharan Africa	154	3.465	0.03464	0.22208	0.77370	0.42864
154	Benin	Sub-Saharan Africa	155	3.340	0.03656	0.28665	0.35386	0.31910
155	Syria	Middle East and Northern Africa	156	3.006	0.05015	0.66320	0.47489	0.72193
156	Burundi	Sub-Saharan Africa	157	2.905	0.08658	0.01530	0.41587	0.22396
157	Togo	Sub-Saharan Africa	158	2.839	0.06727	0.20868	0.13995	0.28443

158 rows × 12 columns



In [138]:

```
a=a.head(10)
a
```

Out[138]:

	Country	Region	Happiness Rank	Happiness Score	Standard Error	Economy (GDP per Capita)	Family	Health (Life Expectancy)	Fi
0	Switzerland	Western Europe	1	7.587	0.03411	1.39651	1.34951	0.94143	(
1	Iceland	Western Europe	2	7.561	0.04884	1.30232	1.40223	0.94784	(
2	Denmark	Western Europe	3	7.527	0.03328	1.32548	1.36058	0.87464	(
3	Norway	Western Europe	4	7.522	0.03880	1.45900	1.33095	0.88521	(
4	Canada	North America	5	7.427	0.03553	1.32629	1.32261	0.90563	(
5	Finland	Western Europe	6	7.406	0.03140	1.29025	1.31826	0.88911	(
6	Netherlands	Western Europe	7	7.378	0.02799	1.32944	1.28017	0.89284	(
7	Sweden	Western Europe	8	7.364	0.03157	1.33171	1.28907	0.91087	(
8	New Zealand	Australia and New Zealand	9	7.286	0.03371	1.25018	1.31967	0.90837	(
9	Australia	Australia and New Zealand	10	7.284	0.04083	1.33358	1.30923	0.93156	(



In [139]:

```
# to find
a.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 10 entries, 0 to 9
Data columns (total 12 columns):
#   Column                                Non-Null Count  Dtype
---  -
0   Country                               10 non-null     object
1   Region                                10 non-null     object
2   Happiness Rank                         10 non-null     int64
3   Happiness Score                       10 non-null     float64
4   Standard Error                       10 non-null     float64
5   Economy (GDP per Capita)             10 non-null     float64
6   Family                               10 non-null     float64
7   Health (Life Expectancy)             10 non-null     float64
8   Freedom                              10 non-null     float64
9   Trust (Government Corruption)        10 non-null     float64
10  Generosity                           10 non-null     float64
11  Dystopia Residual                     10 non-null     float64
dtypes: float64(9), int64(1), object(2)
memory usage: 1.1+ KB
```

In [140]:

```
# to display summary of statistic
a.describe()
```

Out[140]:

	Happiness Rank	Happiness Score	Standard Error	Economy (GDP per Capita)	Family	Health (Life Expectancy)	Freedom	(Govt Corruption)
count	10.00000	10.000000	10.000000	10.000000	10.000000	10.000000	10.000000	10.000000
mean	5.50000	7.434200	0.035606	1.334476	1.328228	0.908750	0.645429	0.645429
std	3.02765	0.110153	0.005924	0.057380	0.035577	0.024692	0.017048	0.017048
min	1.00000	7.284000	0.027990	1.250180	1.280170	0.874640	0.615760	0.615760
25%	3.25000	7.367500	0.031997	1.308110	1.311487	0.890042	0.634572	0.634572
50%	5.50000	7.416500	0.033910	1.327865	1.321140	0.907000	0.645535	0.645535
75%	7.75000	7.525750	0.037983	1.333112	1.344870	0.926388	0.657660	0.657660
max	10.00000	7.587000	0.048840	1.459000	1.402230	0.947840	0.669730	0.669730

In [141]:

```
# to display colum heading
a.columns
```

Out[141]:


```
Index(['Country', 'Region', 'Happiness Rank', 'Happiness Score',
      'Standard Error', 'Economy (GDP per Capita)', 'Family',
      'Health (Life Expectancy)', 'Freedom', 'Trust (Government Corruptio
n)',
      'Generosity', 'Dystopia Residual'],
      dtype='object')
```

In [142]:

```
sns.pairplot(a)
```

Out[142]:

<seaborn.axisgrid.PairGrid at 0x20b0ade9a00>




In [143]:

```
sns.displot(a["Happiness Score"])
```

Out[143]:

<seaborn.axisgrid.FacetGrid at 0x20b10036f70>



In [144]:

```
b=a[['Happiness Rank', 'Happiness Score',  
      'Standard Error']]  
b
```

Out[144]:


	Happiness Rank	Happiness Score	Standard Error
0	1	7.587	0.03411
1	2	7.561	0.04884
2	3	7.527	0.03328
3	4	7.522	0.03880
4	5	7.427	0.03553
5	6	7.406	0.03140
6	7	7.378	0.02799
7	8	7.364	0.03157
8	9	7.286	0.03371
9	10	7.284	0.04083

In [145]:

```
sns.heatmap(b.corr())
```

Out[145]:

<AxesSubplot:>



In [147]:

```
x=a[['Happiness Rank', 'Happiness Score',  
      'Standard Error']]  
y=a['Happiness Score']
```

In [148]:

```
from sklearn.model_selection import train_test_split  
x_train,x_test,y_train,y_test = train_test_split(x,y,test_size=0.3)
```

In [149]:

```
from sklearn.linear_model import LinearRegression  
lr=LinearRegression()  
lr.fit(x_train,y_train)
```

Out[149]:

LinearRegression()

In [150]:

```
lr.intercept_
```

Out[150]:

9.769962616701378e-15

In [151]:

```
coeff=pd.DataFrame(lr.coef_,x.columns,columns=['Co-efficient'])  
coeff
```

Out[151]:


	Co-efficient
Happiness Rank	-1.490555e-15
Happiness Score	1.000000e+00
Standard Error	1.967982e-15

In [152]:

```
prediction = lr.predict(x_test)  
plt.scatter(y_test,prediction)
```

Out[152]:

<matplotlib.collections.PathCollection at 0x20b10eaf730>



In [153]:

```
lr.score(x_test,y_test)
```

Out[153]:

1.0

In [154]:

```
lr.score(x_train,y_train)
```

Out[154]:

1.0

In [155]:

```
from sklearn.linear_model import Ridge,Lasso
```

In [156]:

```
rr=Ridge(alpha=10)
rr.fit(x_test,y_test)
```

Out[156]:

Ridge(alpha=10)

In [157]:

```
rr.score(x_test,y_test)
```

Out[157]:

0.8241822825640408

In [158]:

```
la=Lasso(alpha=10)
la.fit(x_test,y_test)
```

Out[158]:

Lasso(alpha=10)

In [159]:

```
la.score(x_test,y_test)
```

Out[159]:

0.0

In []: