

## High Level Design

### Concrete Compressive strength Prediction

Written by	Yash Dawande
Document version	1.0
Last revised date	04-12-2022

### Contents

Abstract	3
1) Introduction	4
1.1 Why this High-Level Design Document?	4
1.2 Scope	4
1.3 Definitions	4
2) General Description	5
2.1 Product perspective	5
2.2 Problem statement	5
2.3 Proposed solution	5
2.4 Technical requirements	5
2.5 Data requirements	6
2.6 Tools and technologies used	7
2.7 Constraints	7
3) Design Details	8
3.1 Process flow	8
3.2 Deployment process	9
3.3 Event log	9
3.4 Error handling	9
3.5 Performance	9
3.6 Reusability	10
3.7 Application compatibility	10
3.8 Resource utilization	10
3.9 Deployment	10
3.10 User interface	10
4) Conclusion	11

### Abstract

Being one of the most frequently used building materials, the quality of concrete is determined by its compressive strength, which is measured by crushing a concrete cube or a cylinder until it starts cracking and crushed. The pressure at which the concrete cube or a cylinder starts cracking and eventually crushes is called the Concrete compressive strength and is measured in megapascals (MPa). It takes a long period of 28 days to test like this. With the help of Data science and the Machine learning technology, I developed an application, which allows an engineer to determine the strength of a concrete in just a few seconds of time.

## High Level Design (HLD)

### 1) Introduction

#### 1.1 Why this High-Level Design Document?

The purpose of this High-level document (HLD) is to describe the design of the project in detail which can be used as a reference manual.

The HLD will:

- Present all the design aspects and define them in detail.
- Describe the user interface being implemented.
- Describe the software interfaces.
- Describe the performance requirements.
- Include design features and the architecture of the project.

#### 1.2 Scope

The HLD document present the entire structure of the project in parts, such as the data ingestion, data pre-processing, solution development and the deployment part along with their respective architectures. This uses non technical to mild technical terms which should be understandable to the administrators of the system.

#### 1.3 Definitions

Term	Description
EDA	Exploratory Data analysis
IDE	Integrated Development Environment

## 2) General Description

### 2.1 Product perspective

The Concrete compressive strength predictor is a machine learning based regression model which will help us to predict the compressive strength of a concrete based on its ingredients, which will be used to determine its quality by the engineers.

### 2.2 Problem statement

The quality of concrete is determined by its compressive strength, which is measured using a conventional crushing test on a concrete cylinder. The strength of the concrete is also a vital aspect in achieving the requisite longevity. It will take 28 days to test strength, which is a long period. So, what will we do now? We can save a lot of time and effort by using Data Science to estimate how much quantity of which raw material we need for acceptable compressive strength.

### 2.3 Proposed solution

The solution proposed here is a web application, which takes the details of the main ingredients of a concrete specimen which contributes to its compressive strength and those details will be taken by a machine learning model in the backend, which predicts the compressive strength in MPa and displays in the front-end page to the user.

### 2.4 Technical requirements

I used python version 3.7 with some important libraries to develop a machine learning model, which accurately predicts the compressive strength of a concrete based on its details. Then, the model is used as a back-end software for a front-end web application which can be used by the users.

## High Level Design (HLD)

### 2.5 Data requirements

For training and testing the model, I used the public data set available in Kaggle, “Concrete Compressive Strength Data Set” by Ahiale Darlington.

URL - <https://www.kaggle.com/elikplim/concrete-compressive-strength-data-set>

Data dictionary is as follows:

Name	Data Type	Measurement	Description
Cement	Quantitative	kg in a m3 mixture	Input variable
Blast Furnace Slag	Quantitative	kg in a m3 mixture	Input variable
Fly Ash	Quantitative	kg in a m3 mixture	Input variable
Water	Quantitative	kg in a m3 mixture	Input variable
Superplasticizer	Quantitative	kg in a m3 mixture	Input variable
Coarse Aggregate	Quantitative	kg in a m3 mixture	Input variable
Fine Aggregate	Quantitative	kg in a m3 mixture	Input variable
Age	Quantitative	Days (1~365)	Input variable
Concrete Compressive Strength	Quantitative	megapascals (Mpa)	Output variable

## High Level Design (HLD)

### 2.6 Tools and technologies used

- Jupyter notebook is used for EDA and experimentation with various ML algorithms with the help of pandas, numpy, matplotlib, seaborn, scikit learn, statsmodels libraries.
- Pycharm is an IDE used for development and deployment of the solution with logging. Used python version 3.8 and libraries include logging, pandas, numpy, scikit learn, statsmodels,, joblib, flask and html 5.
- Github is used as a version control system.
- Deployed on Local Machine


### 2.7 Constraints

The Concrete Compressive Strength Prediction system must be user friendly, errors free and users should not be required to know about any of the workings.

## High Level Design (HLD)


### 3) Design details

#### 3.1 Process flow





### 3.2 Deployment process



### 3.3 Event log

In this project, I used the “logging” library in both the development and deployment stages, which keeps logging the events at every step into the “.log” files. One of the advantages of event logging is, it makes debugging much easier, like we can directly go to that specific line of code, having errors.

### 3.4 Error handling

Used exceptions handling to catch the errors, so that they will be recorded in logs and ensures the smooth run, without getting terminated in the middle. Once the run gets completed, we can check the log files for the errors and can take an appropriate debugging action.

### 3.5 Performance

The ML based Concrete compressive strength predictor application is used for predicting the compressive strength of a concrete based on its age and its ingredients. So, it should be as accurate as possible, so that it will not mislead the concerned authorities (like civil engineers, architects, construction companies, etc.). Also, the model retraining is very important to keep it relevant if the new variants of concrete are designed in future or to improve the performance.

## High Level Design (HLD)

### 3.6 Reusability

The code written and the components used have an ability to be reused without any problem.

### 3.7 Application compatibility

The different components or modules of this project use python version 3.8 as their interface between them. Each component has its own task to perform, and it is the job of the python version to ensure proper transfer of the information.


### 3.8 Resource utilization

In this project, any task may likely to use all the processing power available in the system, until it is accomplished.

### 3.9 Deployment:

I deploy this application on local machine

### 3.10 User interface



The screenshot shows a web browser window with the URL `127.0.0.1:5000/predict`. The page has a purple background and is titled "Concrete Compressive Strength Predictor". It contains several input fields for concrete properties, each with a label and a placeholder value:

- Age (in days) : Age of the concrete
- Cement (in kg) : quantity
- Water (in kg) : quantity
- Fly ash (in kg) : quantity
- Coarse Aggregate (in kg) : quantity
- Fine Aggregate (in kg) : quantity
- Superplasticizer (in kg) : quantity
- Blast furnace slag (in kg) : quantity

At the bottom, there is a "Predict" button and a text box displaying the result: "The Concrete compressive strength is 64.08 MPa". The browser's taskbar at the bottom shows various icons and the system clock indicating 4:32 PM.

## High Level Design (HLD)

### 4) Conclusion

Concrete Compressive Strength Predictor is used to predict the compressive strength of a concrete based on the given input quantities of raw materials used, which enables the engineers to determine its quality and saves a lot of time unlike the usual approach.

### References

- [Testing the compressive strength of a concrete in laboratory](#)
- [Concrete Basics: Essential ingredients for a concrete mixture](#)
- [Applications of Fly ash](#)
- [Blast furnace slag cement](#)
- [Applications of Superplasticizer in concrete making](#)
- [Factors that affect strength of concrete](#)
- [Feature selection with sklearn and pandas](#)
- [sklearn's LassoCV](#)
- [Post pruning technique in Decision tree algorithm](#)
- [HTML, CSS tutorials](#)