


Multilayer Ceramic Chip Capacitor

Part Number : 222030160475KXT		Description : 2220 16V 4.7uF ±10% X7R (2R1)	
<p>Syfer Technology Ltd offers Multilayer Ceramic Chip Capacitors of the highest quality and reliability for a range of demanding applications. Manufactured using our "Wet Process", the range encompasses 10V to 12kV capability, with a variety of termination options including FlexiCap™, the worlds first commercially available flexible termination.</p>			
Mechanical Specification			
Syfer Size Code		2220	
Length (L1) mm		5.7 ± 0.4	
Width (W) mm		5.0 ± 0.4	
Thickness (H) mm		2.5 Max.	
Termination Bands (L2,L3) mm		0.25 - 1.0	
Minimum Band Gap (L4) mm		3.3	
Termination Material		100% Matte Sn over Cu, FlexiCap™ Base	
Solderability		IEC 60068-2-58	
RoHS Compliant to 2011/65/EC		Yes	
REACH Compliant		Yes	
Packaging		Taped and Reeled, 7 inch Reel	
General Electric Specifications			
Rated Voltage		16V	
Nominal Capacitance Value		4.7uF	
Capacitance Tolerance		±10%	
Tangent of Loss Angle (Tan δ)		≤0.025	
Capacitance and Tan δ Test Conditions		0.5Vrms @ 1kHz	
Voltage Proof (Voltage applied for 5 secs max. @ 50mA max. charge current)		2.5 x Rated Voltage	
Min Insulation Resistance (IR)		210 MΩ	
Dielectric Classification		X7R (2R1)	
Rated Temperature Range		-55°C - +125°C	
Maximum Capacitance Change over Temperature Range		No DC Voltage	±15%
		Rated DC Voltage	-
Climatic Category (IEC)		55/125/56	
Ageing Characteristic		Less than 2% per time decade	
<p>Knowles (UK) Ltd., Old Stoke Road, Arminghall, Norwich, NR14 8SQ Tel: +44 1603 723300 Email: syfersales@knowles.com Web: http://www.syfer.com</p>		This datasheet is for a standard item and is confirmed valid on the date generated, the latest published data for this part may differ and is available at http://www.syfer.com or by contacting us at syfersales@knowles.com	
		<p>The information contained on this drawing is confidential and may not be copied in whole or part in any form or disclosed to a third party without the consent of Syfer Technology Ltd. and any customer mentioned within this specification.</p>	<p>Date: 03 August 2015</p>