


Integrating ServiceNow PDI with GitHub

Authored by Yaaseen Sheriff, Senior Business Analyst


A step-by-step guide for ServiceNow developers to manage scoped applications using GitHub for version control.

Step 1: Create a Personal Access Token (PAT) in GitHub


1. Log in to your GitHub account and create a clean, empty repository.
2. Click on your profile photo in the top-right corner and select **Settings**.




3. Scroll down the left sidebar to the bottom and click **Developer settings**.




4. In the left menu, select **Personal access tokens**, then **Tokens (classic)**.



5. Click the **Generate new token** dropdown and select **Generate new token (classic)**.



6. Give your token a descriptive **Note** (e.g., "ServiceNow PDI Sync").
7. Set an **Expiration** date.
8. Under **Select scopes**, check the **repo** checkbox. This is essential for full control over private repositories.



New personal access token (classic)

Personal access tokens (classic) function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to [authenticate to the API over Basic Authentication](#).

Note

What's this token for?

Expiration

30 days (Jul 01, 2026)

The token will expire on the selected date

Select scopes

Scopes define the access for personal tokens. [Read more about OAuth scopes](#).


- ☒ **repo** Full control of private repositories
- ☐ **repo:status** Access commit status
- ☐ **repo:deployment** Access deployment status
- ☐ **public_repo** Access public repositories
- ☐ **repo:invite** Access repository invitations
- ☐ **security_events** Read and write security events

9. Click **Generate token** at the bottom.

Important: Copy this token immediately as you won't be able to see it again!

Step 2: Configure Credentials in ServiceNow

1. In your ServiceNow instance, Navigate to **System Security > Credentials** or type **discovery_credentials.list** into the filter navigator and press Enter to go directly to the list.
2. Click **New** to create a new credential record.




Name	User name	Type	Order	Active
Sidebar - Slack User Token Credentials		OAuth 2.0	100	true
Sidebar - Teams Credentials		OAuth 2.0	100	true
Sidebar Slack Credentials		OAuth 2.0	100	true
GitHub Source Control	Yuseem1	Basic Auth	100	true
public		SNMP Community (password only)	99.999	true
Windows MID Server Service Account		Windows	99.999	true

3. Select **Basic Auth** as the type.
4. Enter your GitHub username and use the **Personal Access Token (classic)** you generated in Step 1 as the Password.
5. Save the record and note the name you gave this credential.

Step 3: Link Your Scoped Application


1. Open **App Engine Studio**.



2. Select your scoped application under **Your apps**
3. In the top right of the application view, click the **Source control** button.
4. Select **Link to source control**.




5. Enter your GitHub repository URL. **Make sure the URL ends with .git and Ensure the Branch field is set to main..**

The screenshot shows a 'Link to source control' dialog box. It has a title bar with a close button. The main content area contains the following elements:

- A warning message: 'WARNING: Linking an application to source control deletes its completed update sets and customer update records. Export any update sets you want to preserve prior to linking.'
- A 'Network protocol' section with radio buttons for 'https' (selected) and 'ssh'.
- A 'URL' field with a '*' icon and a hint icon, containing the text 'https://'.
- A 'Branch' field with a hint icon, containing the text 'sn_instances/dev323553'.
- A 'Connect with a MID server' section with radio buttons for 'Yes' and 'No' (selected).

At the bottom, there are two buttons: 'Cancel' and 'Link to source control'.

6. Select the **Credential** record you created in Step 2.



The screenshot shows a dialog box titled "Link to source control" with a close button (X) in the top right corner. The dialog contains the following fields and options:

- Branch**: A text input field containing "sn_instances/dev323553".
- Connect with a MID server**: Radio buttons for "Yes" and "No", with "No" selected.
- Default email**: A text input field.
- Always use this email for commits from all developers**: A checkbox.
- Credential**: A dropdown menu with a downward arrow.
- Commit comment**: A text input field.
- Buttons**: "Cancel" and "Link to source control" buttons at the bottom right.

7. Click **Link to source control**.

Step 4: Congratulations and Next Steps!

Congratulations! Your application is now linked, and you are ready to start building. Keep in mind that each time you make changes and want to update your source control, you will need to commit them.

How to Commit Changes:

1. Go back to the **Source control** menu in your open application in App Engine Studio.
2. Select **Commit Changes**.
3. Enter a meaningful commit comment describing your updates, then confirm the commit.

Best Practices & Tips

Practice	Description
Environment Privacy	Anonymize your environment before sharing screenshots. Ensure your credentials and sensitive URLs are not shared publicly.
Scope Management	While you perform these actions inside App Engine Studio for scoped apps, you may occasionally need to toggle to the Global scope for certain system-level configurations.
Repository Setup	Always link to a clean, empty repository when initially setting up source control to avoid conflicts.