



Graph Analysis and Graph Databases

Semyon Grigorev

Saint Petersburg State University

April 16, 2022

- Lead: Semyon Grigorev
 - ▶ PhD (2016), Associate professor (2016, SPbSU)
 - ▶ dblp: <https://dblp.org/pid/181/9903.html>
 - ▶ s.v.grigoriev@spbu.ru
- PhD students: 2
- Master students: 2
- Bachelor students: 4

- Lead: Semyon Grigorev
 - ▶ PhD (2016), Associate professor (2016, SPbSU)
 - ▶ dblp: <https://dblp.org/pid/181/9903.html>
 - ▶ s.v.grigoriev@spbu.ru
- PhD students: 2
- Master students: 2
- Bachelor students: 4
- Research areas
 - ▶ High-performance graph analysis
 - ▶ Formal languages constrained path querying
 - ▶ Graph databases and graph query languages

High-Performance Graph Analysis

- Linear algebra based algorithms for graph analysis
 - ▶ Parallel algorithms on CPU and GPGPU
 - ▶ Sparse linear algebra
 - ▶ GraphBLAS API

High-Performance Graph Analysis

- Linear algebra based algorithms for graph analysis
 - ▶ Parallel algorithms on CPU and GPGPU
 - ▶ Sparse linear algebra
 - ▶ GraphBLAS API
- Research directions
 - ▶ GraphBLAS-based algorithms design, implementation and evaluation
 - ▶ Integration of algorithms to graph databases
 - ▶ Portable multi-GPGPU implementation of GraphBALS-like API

High-Performance Graph Analysis

- Linear algebra based algorithms for graph analysis
 - ▶ Parallel algorithms on CPU and GPGPU
 - ▶ Sparse linear algebra
 - ▶ GraphBLAS API
- Research directions
 - ▶ GraphBLAS-based algorithms design, implementation and evaluation
 - ▶ Integration of algorithms to graph databases
 - ▶ Portable multi-GPGPU implementation of GraphBALS-like API
- Collaboration
 - ▶ GraphBLAS community
 - ▶ LDBC community

High-Performance Graph Analysis: Results

- Tools

- ▶ Spla: sparse linear algebra framework for multi-GPU computations based on OpenCL
- ▶ SPbLA: library of GPGPU-powered sparse boolean linear algebra operations
- ▶ LDBC Graphalytics extension for evaluation of formal language constrained path querying

- Papers

- ▶ SPbLA: The Library of GPGPU-Powered Sparse Boolean Linear Algebra Operations (GrAPL@IPDPS)
- ▶ Evaluation of the context-free path querying algorithm based on matrix multiplication (GRADES-NDA@SIGMOD)

Formal Language Constrained Path Querying (FLPQ)

- Formal languages as path constraints
 - ▶ Regular path querying (RPQ)
 - ▶ Context-free path querying (CFPQ)
 - ▶ Applications
 - ★ Graph analysis
 - ★ Interprocedural static code analysis
 - ★ Graph database querying

Formal Language Constrained Path Querying (FLPQ)

- Formal languages as path constraints
 - ▶ Regular path querying (RPQ)
 - ▶ Context-free path querying (CFPQ)
 - ▶ Applications
 - ★ Graph analysis
 - ★ Interprocedural static code analysis
 - ★ Graph database querying
- Research directions
 - ▶ New algorithms development
 - ▶ Complexity analysis
 - ▶ High performance algorithms implementation and evaluation

Formal Language Constrained Path Querying (FLPQ)

- Formal languages as path constraints
 - ▶ Regular path querying (RPQ)
 - ▶ Context-free path querying (CFPQ)
 - ▶ Applications
 - ★ Graph analysis
 - ★ Interprocedural static code analysis
 - ★ Graph database querying
- Research directions
 - ▶ New algorithms development
 - ▶ Complexity analysis
 - ▶ High performance algorithms implementation and evaluation
- Collaboration
 - ▶ LDBC community
 - ▶ RedisGraph team
 - ▶ Neo4j team

- Tools

- ▶ GLL4Graph: CFPQ for Neo4j
- ▶ CFPQ for RedisGraph
- ▶ CFPQ_PyAlgo: set of GrpapBLAS-based FLPQ algorithms

- Papers (> 10)

- ▶ Multiple-Source Context-Free Path Querying in Terms of Linear Algebra (EDBT, Core A)
- ▶ Context-free path querying by matrix multiplication (GRADES-NDA@SIGMOD)
- ▶ Parser combinators for context-free path querying (Scala@ICFP)