

OPERATOR STATION

240-0484 PANEL GP-ELECTRONIC


S/N: ZKC1-UP; C2G1-UP; NKM1-UP
AN ATTACHMENT

SMCS-4490, 7490

i03514616

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME	SEE PAGE
					1 2 3 4 5 6 (PRODUCT LEVEL)	
	1	1	8T-4121	8	WASHER-HARD (11X21X2.5-MM THK)	
M	2	1	8T-4133	4	NUT (M10X1.5-THD)	
M	3	1	8T-4195	4	BOLT (M10X1.5X30-MM)	
	4	1	7F-6998	4	LOCKWASHER	

M-METRIC PART



TOP VIEW OF ENGINE

<END>

GRAPHIC #1

g01856093

OPERATOR STATION

258-6791 PANEL GP-ELECTRONIC

S/N: ZKC1-UP; NKM1-UP

PANEL

AN ATTACHMENT

SMCS-4490, 7490

i03474162

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME	SEE PAGE
					1 2 3 4 5 6 (PRODUCT LEVEL)	
Y	1	1	258-6792	1	PANEL GP-ELECTRONIC	1228
	3	1	095-0827	4	LOCKWASHER	
	4	1	260-6688	4	BOLT (M6X1X30-MM)	
M	5	1	5C-2890	4	NUT (M6X1-THD)	
M	6	1	6V-9492	4	SCREW-MACHINE (M4X0.7X25-MM)	
	7	1	8C-9660	8	WASHER (4.6X7.9X0.8-MM THK)	
M	8	1	8T-7961	4	LOCKNUT (M4X0.7-THD)	
	9	1	9X-8256	8	WASHER (6.6X12X2-MM THK)	


M-METRIC PART

Y-SEPARATE ILLUSTRATION

OPERATOR STATION

258-6791 PANEL GP-ELECTRONIC (contd.)

i03474162



GRAPHIC #1

<END>

g01238470

OPERATOR STATION

258-6792 PANEL GP-ELECTRONIC

S/N: ZKC1-UP; NKM1-UP

PART OF 258-6791 PANEL GP-ELECTRONIC

AN ATTACHMENT

TYPE 1

SMCS-4490, 7490

i03210884

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME 1 2 3 4 5 6 (PRODUCT LEVEL)	SEE PAGE
	1	1	2G-8922	1	CAP-PROTECTION	
B	2	1	6V-7802	2	FUSE (10-AMPERE) (US SOURCED)	
	3	1	9W-2275	2	RESISTOR (120-OHM)	
	4	1	160-9602	5	HOLDER-FUSE	
B	5	1	143-4471	3	FUSE (2-AMPERE) (OUTSIDE NACD)	
B	6	1	143-5080	2	FUSE (10-AMPERE) (OUTSIDE NACD)	
	7	1	143-8789	3	BRACKET-END	
	8	1	195-2637	5	SCREW (8-32X0.5-IN)	
	9	1	234-9425	9	LINK (TERMINAL)	
	10	1	235-1133	1	LINK (TERMINAL)	
	11	1	301-8327	2	LINK (TERMINAL)	
	12	1	245-2123	1	RELAY AS (24-VOLT) (24-VOLT)	
B		1	143-4478	1	RELAY (24-VOLT) (OUTSIDE NACD)	
B		1	223-6470	1	RELAY (10-AMPERE, 24-VOLT) (US SOURCED)	
	13	1	245-2124	1	BASE AS (RELAY)	
B		1	143-4479	1	SOCKET-RELAY (OUTSIDE NACD)	
B		1	211-0640	1	SPRING (RELAY) (US SOURCED)	
B		1	252-1732	1	BASE-RELAY (US SOURCED)	
	14	1	208-9270	1	DIODE (1.5-KW, TRANSORB)	
	15	1	258-6793	1	PLATE AS	
M		1	3E-4304	3	INSERT-THREADED (M6X1-THD)	
	16	1	261-7255	1	LINK (COPPER)	
	17	1	301-8318	1	COVER-END	
C	18	1	301-8313	80	BLOCK-TERMINAL (800-VOLT, 24-AMPERE)	
C	19	1	301-8316	2	COVER-END	
C	20	1	301-8317	2	BLOCK-TERMINAL (800-VOLT, 24-AMPERE)	
C	21	1	301-8325	1	COVER-END	
C	22	1	301-8326	7	BLOCK-TERMINAL (800-VOLT, 41-AMPERE)	
C	23	1	4B-4274	5	WASHER (5.5X13X1.2-MM THK)	
CM	24	1	5C-9553	5	BOLT (M6X1X16-MM)	
B	25	1	7W-0482	3	FUSE (2-AMPERE) (US SOURCED)	
	26	1	8C-9660	1	WASHER (4.6X7.9X0.8-MM THK)	
M	27	1	8T-7961	1	LOCKNUT (M4X0.7-THD)	
	28	1	245-5739	1	DIODE AS	
B		1	143-4480	1	DIODE AS	
B		1	252-1731	1	MODULE-DIODE	
L	30	1	235-6970		DUCT (400-MM)	
L	30A	1	235-6970		DUCT (275-MM)	
P	31	1	204-8659		RAIL (7-DM) (2.40-DM)	
P	31A	1	204-8659		RAIL (7-DM) (4.25-DM)	
L	32	1	261-7256		SLEEVE (20-MM)	
E	33	1	147-1960		RAIL (24-CM)	
E	33A	1	147-1960		RAIL (42.5-CM)	
FY			258-4700	1	HARNESS AS-PANEL (EMCP 3)	382
FJ			241-8022	1	FILM-INFORMATION (ELEC COMPONENT IDENTIFICATIONS)	
FJ			275-8520	2	KIT-MARKER (EACH KIT INCLUDES STRIPS)	

OPERATOR STATION

258-6792 PANEL GP-ELECTRONIC (contd.)


i03210884

B-USE AS REQUIRED
C-CHANGE FROM PREVIOUS TYPE
E-ORDER BY THE CENTIMETER
F-NOT SHOWN
J-FIT AS REQUIRED
L-ORDER BY THE MILLIMETER
M-METRIC PART
P-ORDER BY DECIMETER
Y-SEPARATE ILLUSTRATION

OPERATOR STATION

258-6792 PANEL GP-ELECTRONIC (contd.)

i03210884



GRAPHIC #1

<END>

g01636905

OPERATOR STATION

258-6792 PANEL GP-ELECTRONIC

S/N: ZKC1-UP; NKM1-UP

PART OF 258-6791 PANEL GP-ELECTRONIC

AN ATTACHMENT

TYPE 2

SMCS-4490, 7490

i04570037

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME 1 2 3 4 5 6 (PRODUCT LEVEL)	SEE PAGE
	1	1	2G-8922	1	CAP-PROTECTION	
B	2	1	6V-7802	2	FUSE (10-AMPERE) (US SOURCED)	
	3	1	9W-2275	2	RESISTOR (120-OHM)	
	4	1	160-9602	5	HOLDER-FUSE	
B	5	1	143-4471	3	FUSE (2-AMPERE) (OUTSIDE NACD)	
B	6	1	143-5080	2	FUSE (10-AMPERE) (OUTSIDE NACD)	
	7	1	143-8789	3	BRACKET-END	
	8	1	195-2637	5	SCREW (8-32X0.5-IN)	
	9	1	234-9425	9	LINK (TERMINAL)	
	10	1	235-1133	1	LINK (TERMINAL)	
	11	1	301-8327	5	LINK (TERMINAL)	
	12	1	245-2123	1	RELAY AS (24-VOLT) (24-VOLT)	
B		1	143-4478	1	RELAY (24-VOLT) (OUTSIDE NACD)	
B		1	223-6470	1	RELAY (10-AMPERE, 24-VOLT) (US SOURCED)	
	13	1	245-2124	1	BASE AS (RELAY)	
B		1	333-7901	1	SOCKET-RELAY (OUTSIDE NACD)	
B		1	211-0640	1	SPRING (RELAY) (US SOURCED)	
B		1	252-1732	1	BASE-RELAY (US SOURCED)	
	15	1	258-6793	1	PLATE AS	
M		1	3E-4304	3	INSERT-THREADED (M6X1-THD)	
	17	1	301-8318	1	COVER-END	
	18	1	301-8313	80	BLOCK-TERMINAL (800-VOLT, 24-AMPERE)	
	19	1	301-8316	2	COVER-END	
	20	1	301-8317	2	BLOCK-TERMINAL (800-VOLT, 24-AMPERE)	
	21	1	301-8325	1	COVER-END	
	22	1	301-8326	8	BLOCK-TERMINAL (800-VOLT, 41-AMPERE)	
	23	1	4B-4274	5	WASHER (5.5X13X1.2-MM THK)	
CM	24	1	8T-6411	5	SCREW-MACHINE (M6X1X12-MM)	
B	25	1	7W-0482	3	FUSE (2-AMPERE) (US SOURCED)	
	26	1	8C-9660	1	WASHER (4.6X7.9X0.8-MM THK)	
M	27	1	8T-7961	1	LOCKNUT (M4X0.7-THD)	
L	30	1	235-6970		DUCT (400-MM)	
L	30A	1	235-6970		DUCT (275-MM)	
P	31	1	204-8659		RAIL (7-DM) (2.40-DM)	
P	31A	1	204-8659		RAIL (7-DM) (4.25-DM)	
E	33	1	147-1960		RAIL (24-CM)	
E	33A	1	147-1960		RAIL (42.5-CM)	
C	34	1	095-0827	5	LOCKWASHER	
FY			258-4700	1	HARNESS AS-PANEL (EMCP 3)	382
F			2L-8075	1	TERMINAL-RING (14-GA TO 16-GA, NO. 8 SCREW)	
EF			125-7874		TUBE-HEAT SHRINK (5.72-MM DIA) (3-CM)	
F			2L-8075	9	TERMINAL-RING (14-GA TO 16-GA, NO. 8 SCREW)	
F			8C-6354	1	CAP-RECEPTACLE (ET CONNECTOR)	
F			8T-8729	49	PIN-CONNECTOR (16-GA TO 18-GA)	
F			096-0061	1	STRAP-CABLE	
F			103-0213	1	RECEPTACLE AS-CONNECTOR (70-PIN)	
EF			125-7876		TUBE-HEAT SHRINK (17.78-MM DIA) (40-CM)	
F			126-1766	55	SOCKET-CONNECTOR (14-GA TO 18-GA)	
F			128-2312	1	CONNECTOR	
F			160-7689	1	PLUG AS-CONNECTOR (70-PIN)	
F			159-9322	1	SEAL-O-RING	
F			254-7618	7	TERMINAL-BLADE (14-GA TO 16-GA)	

OPERATOR STATION

258-6792 PANEL GP-ELECTRONIC (contd.)


i04570037

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
FJ			241-8022	1	FILM-INFORMATION (ELEC COMPONENT IDENTIFICATIONS)						
FJ			275-8520	2	KIT-MARKER						
(EACH KIT INCLUDES STRIPS)											
B-USE AS REQUIRED C-CHANGE FROM PREVIOUS TYPE E-ORDER BY THE CENTIMETER F-NOT SHOWN J-FIT AS REQUIRED L-ORDER BY THE MILLIMETER M-METRIC PART P-ORDER BY DECIMETER Y-SEPARATE ILLUSTRATION											

OPERATOR STATION

258-6792 PANEL GP-ELECTRONIC (contd.)

i04570037



GRAPHIC #1

<END>

g02730943

OPERATOR STATION

131-1960 PANEL GP-INSTRUMENT


S/N: C2G1-UP

8 LIGHT REMOTE ANNUNCIATOR
AN ATTACHMENT

SMCS-7451

i01131573

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME	SEE PAGE
					1 2 3 4 5 6 (PRODUCT LEVEL)	
	1	1	4P-2160	6	RING-RETAINING	
	2	1	4P-2161	6	SCREW	
	3	1	4P-2162	6	CLIP	
Y	4	1	130-3325	1	MODULE GP-ALARM (CUSTOM)	1183
Y-SEPARATE ILLUSTRATION						



GRAPHIC #1

<END>

g00598579

OPERATOR STATION

131-1961 PANEL GP-INSTRUMENT


S/N: C2G1-UP

16 LIGHT DEFINABLE REMOTE ANNUNCIATOR
AN ATTACHMENT

SMCS-7451

i01131575

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	1	4P-2160	6	RING-RETAINING						
	2	1	4P-2161	6	SCREW						
	3	1	4P-2162	6	CLIP						
Y	4	1	130-3325	1	MODULE	GP-ALARM	(CUSTOM)				1183
Y	5	1	130-3333	1	MODULE	GP-ALARM	(CUSTOM)				1185
Y-SEPARATE ILLUSTRATION											



GRAPHIC #1

<END>

g00598587

OPERATOR STATION


131-1962 PANEL GP-INSTRUMENT

S/N: C2G1-UP
AN ATTACHMENT

SMCS-7451

i03542402

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME	SEE PAGE
					1 2 3 4 5 6 (PRODUCT LEVEL)	
	1	1	4P-2160	6	RING-RETAINING	
	2	1	4P-2161	6	SCREW	
	3	1	4P-2162	6	CLIP	
Y	4	1	9W-3577	1	CONTROL GP-ALARM MODULE	1181
Y-SEPARATE ILLUSTRATION						



FRONT
VIEW

GRAPHIC #1

<END>

g00942709

OPERATOR STATION

131-1965 PANEL GP-INSTRUMENT


S/N: C2G1-UP

16 LIGHT REMOTE ANNUNCIATOR
AN ATTACHMENT

SMCS-7451

i01131577

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME	SEE PAGE
					1 2 3 4 5 6 (PRODUCT LEVEL)	
	1	1	4P-2160	6	RING-RETAINING	
	2	1	4P-2161	6	SCREW	
	3	1	4P-2162	6	CLIP	
Y	4	1	130-3333	1	MODULE GP-ALARM (CUSTOM)	1185
Y	5	1	130-3350	1	CONTROL GP-ALARM MODULE	1187
Y-SEPARATE ILLUSTRATION						



GRAPHIC #1

<END>

g00598587

OPERATOR STATION

144-8325 PANEL GP-INSTRUMENT

S/N: C2G1-UP


8 LIGHT REMOTE ANNUNCIATOR
AN ATTACHMENT

SMCS-7451

i00991249

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
Z	1	1		1	BOX						
Z	2	1		1	LID						
Z	3	1		1	PLATE						
	4	1	4P-2160	6	RING-RETAINING						
	5	1	4P-2161	6	SCREW						
	6	1	4P-2162	6	CLIP						
Y	7	1	130-3350	1	CONTROL GP-ALARM MODULE						1187

Y-SEPARATE ILLUSTRATION
Z-NOT SERVICED SEPARATELY



GRAPHIC #1

<END>

g00277157

OPERATOR STATION

261-8429 POTENTIOMETER AS-VOLT ADJUST AVR

S/N: ZKC1-UP; NKM1-UP


AN ATTACHMENT

TYPE 1

SMCS-5721

i02207967

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	1	4W-5972	1	KNOB						
	2	1	7E-1246	1	POTENTIOMETER (2000-OHM)						
	3	1	7C-4550	1	SEAL						



GRAPHIC #1

<END>

g01137163

OPERATOR STATION

261-8429 POTENTIOMETER AS-VOLT ADJUST AVR

S/N: ZKC1-UP; NKM1-UP


AN ATTACHMENT

TYPE 2

SMCS-5721

i04559850

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	1	4W-5972	1	KNOB						
C	2	1	127-9070	1	POTENTIOMETER (10,000-OHM)						
	3	1	7C-4550	1	SEAL						
C	4	1	207-5432	2	TERMINAL-BLADE (14-GA TO 16-GA)						
C-CHANGE FROM PREVIOUS TYPE											



GRAPHIC #1

<END>

g02727757

OPERATOR STATION


236-4560 SEAL GP-ENCLOSURE

S/N: C2G1-UP
AN ATTACHMENT

SMCS-7451

i01948286

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	1	213-0985	1	GROMMET						



GRAPHIC #1

<END>

g01015503

OPERATOR STATION

240-5813 SEAL GP-ENCLOSURE-CONTROL PANEL

S/N: C2G1-UP
AN ATTACHMENT

SMCS-7451

i03308083

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	1	103-6272	1	SEAL						
	2	1	240-6629	1	GASKET						
B	3	1	158-0314	1	GASKET						
B	4	1	5L-5180	5	WASHER (0.49X0.875X0.05-IN THK)						
B	5	1	5L-5840	2	WASHER (9.25X16.92X1.83-MM THK)						
B	6	1	7C-2954	2	GASKET-MODULE (ALARM, SYNCHRONIZING)						
B	7	1	7C-4550	2	SEAL						
B	8	1	7C-4910	2	SEAL						
D	9	1	5P-5637	1	SEAL (3.6-M)						
D	10	1	5P-5637	2	SEAL (0.95-M)						
D	11	1	5P-5637	1	SEAL (1.5-M)						
D	12	1	5P-5637	1	SEAL (2.8-M)						


B-USE AS REQUIRED

D-ORDER BY THE METER


OPERATOR STATION

240-5813 SEAL GP-ENCLOSURE (contd.)


i03308083



TOP VIEW



LEFT SIDE VIEW



REAR VIEW

GRAPHIC #1

<END>

g01156238

OPERATOR STATION


241-3092 SEAL GP-ENCLOSURE

S/N: C2G1-UP
AN ATTACHMENT

SMCS-7451

i01957145

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
E	1	1	241-3091		SEAL (380CM)						
E-ORDER BY THE CENTIMETER											



GRAPHIC #1

<END>

g01025837

OPERATOR STATION



241-6078 SEAL GP-ENCLOSURE-GROMMET

S/N: ZKC1-UP; C2G1-UP; NKM1-UP
AN ATTACHMENT

SMCS-7451

i01957225

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	1	241-6070	6	GROMMET						



GRAPHIC #1

<END>

g01025822

OPERATOR STATION

277-3571 SEAL GP-ENCLOSURE


S/N: C2G1-UP
AN ATTACHMENT

SMCS-7451


i02427448

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
L	1	1	197-8039		SEAL (4.5-DM)						
L	2	1	197-8039		SEAL (4.5-DM)						

L-ORDER BY DECIMETER



LEFT SIDE VIEW



VIEW IF AREA A

GRAPHIC #1

<END>

g01178388

OPERATOR STATION


291-3709 SEAL GP-ENCLOSURE

S/N: C2G1-UP
AN ATTACHMENT

SMCS-7451

i02548583

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME	SEE PAGE
					1 2 3 4 5 6 (PRODUCT LEVEL)	
	1	1	264-6380	1	CONNECTOR-ELECTRICAL	
	2	1	291-3708	1	REDUCER	



GRAPHIC #1

<END>

g01278149

SERVICE EQUIPMENT AND SUPPLIES

6L-4502 CHART-PLATE & FILM

S/N: L5A1-UP

SMCS-7557

i04007750

NOTE	PART NUMBER	QTY	PART NAME						SEE PAGE
			1	2	3	4	5	6 (PRODUCT LEVEL)	
	101-2474	1	FILM (STRIPE BULK)						
			INSTALL ON VERTICAL LH & RH SIDE OF						
			BASE 25 MM FROM BOTTOM SO THAT STRIPE						
			PASSES THROUGH WELDED HOLES OF VERTICAL						
			LIFTING BRACKETS.						
	7E-8070	1	FILM (INFORMATION)						
			(BAR CODE-ENGINE SERIAL NUMBER)						
			INSTALL ON LH SIDE OF CYLINDER HEAD NEAR						
			FRONT BELOW 4 BOLT COVER.						
	142-7556	1	FILM-IDENTIFICATION (CATERPILLAR)						
			INSTALL ON REAR OF AC GENERATOR TERMINAL						
			BOX ABOVE CIRCUIT BREAKER CENTERED FROM						
			SIDE TO SIDE & FROM TOP OF BREAKER TO						
			TOP OF TERMINAL BOX.						
	142-7557	2	FILM-IDENTIFICATION (CAT)						
			INSTALL ON VERTICAL SURFACE ON BASE						
			ALIGNING BOTTOM OF TRADEMARK WITH						
			BOTTOM OF RED STRIPE & CENTERED BETWEEN						
			GUSSETS & APPROXIMATELY CENTERED FROM						
			FRONT TO REAR OF BASE.						
	4P-8681	1	FILM-IDENTIFICATION (ENGINE OIL FILTER)						
			INSTALL ON SPIN-ON OIL FILTER.						
	144-3789	1	FILM-INFORMATION (GENSET RATING)						
			INSTALL ON AC GENERATOR BARREL NEXT TO						
			SERIAL NUMBER PLATE ON RH SIDE.						
	144-0876	1	FILM-INFORMATION (COOLANT DRAIN)						
			INSTALL ON RIGHT SIDE OF BASE ON VERT-						
			ICAL SURFACE NEAR COOLANT DRAIN PLUG.						
	142-7543	1	FILM-INFORMATION (DIESEL FUEL FILL)						
			INSTALL ON FUEL TANK NEAR FUEL FILL						
			CAP.						
	144-0875	1	FILM-INFORMATION (OIL DRAIN) (OIL DRAIN)						
			INSTALL ON RIGHT SIDE OF BASE ON						
			VERTICAL SURFACE NEAR OIL DRAIN PLUG.						
	142-7555	1	FILM-TRADEMARK (CATERPILLAR)						
			INSTALL ON FRONT VERTICAL SURFACE OF						
			RADIATOR TOP TANK CENTER BELOW RADIATOR						
			CAP.						
	144-6336	1	FILM-WARNING (LIFTING INSTRUCTIONS)						
			INSTALL ONE ON VERTICAL LH REAR AND RH						
			FRONT SURFACES OF THE BASE NEAR LIFTING						
			HOLES AND OUTBOARD OF GUSSETS.						
	142-7546	5	FILM-WARNING (HIGH VOLTAGE)						
			INSTALL ON RH SIDE OF CONTROL BOX CENTERED						
			TOWARD TOP. INSTALL ON REAR OF CONTROL BOX						
			CENTERED TOWARD TOP. INSTALL ON FRONT OF						
			TERMINAL BOX BELOW CIRCUIT BREAKER. INSTALL						
			ON BACK OF TERMINAL BOX CENTERED						
			TOWARD TOP. INSTALL ON LH AND RH SIDES OF						
			TERMINAL BOX CENTERED TOWARD TOP.						
	142-7542	2	FILM-WARNING (HOT SURFACE)						
			INSTALL ON LH AND RH SIDE OF RADIATOR.						
	142-7544	1	FILM-WARNING (DIESEL FUEL)						
			INSTALL ON FUEL TANK NEAR FUEL FILL						
			CAP, ABOVE 142-7543 DECAL.						
	142-7540	2	FILM-WARNING (NO SERVICE-READ MANUAL)						
			INSTALL ON LEFT & RIGHT SIDE OF TERMINAL						
			BOX TOWARD REAR.						
	142-7554	1	FILM-WARNING (AUTOMATIC ENGINE START)						

SERVICE EQUIPMENT AND SUPPLIES

6L-4502 CHART-PLATE & FILM (contd.)

i04007750

NOTE	PART NUMBER	QTY	PART NAME						SEE PAGE
			1	2	3	4	5	6 (PRODUCT LEVEL)	
			INSTALL ON REAR OF TERMINAL BOX CENTERED						
			BELOW CIRCUIT BREAKER BENEATH HIGH VOLT-						
			AGE SHOCK WARNING DECAL.						
	120-9500	3	FILM-WARNING (LIFTING FUEL TANK BASE)						
			INSTALL ON FUEL TANK BASES. REQUIRES 3 PER						
			UNIT.						
	142-7552		FILM-WARNING (ENGINE COOLANT PRESSURE)						
			(HOT SURFACE)						
	115-5852	1	PLATE & FILM GP (ENGINE INFORMATION)						
			(ENG RATING)(GLPS)						
			INSTALL ON LH REAR SIDE OF BLOCK. INSTALL						
			LAMINANT OVER SILVER FILM.						
	7E-2681	1	PLATE-IDENTIFICATION (CATERPILLAR)						
			INSTALL ON TOP OF VALVE COVER TOWARDS REAR						
			OF ENGINE. READABLE FROM RH SIDE OF ENGINE.						
	3N-3790	1	PLATE-SERIAL NUMBER (ENGINE)						
			**REFLATTEN AFTER STAMPING--INSTALL ON CAST						
			PAD ON UPPER LH SIDE OF BLOCK USING DRIVE						
			SCREWS. *STAMP SERIAL NUMBER IN BLOCK JUST						
			BELOW PLATE IN FIGURES 6 HIGH.						
	8L-8413	1	STRAP-CABLE (PLASTIC)						
			INSTALL PRESART TAG.						
	3N-3469	1	TAG-INSTRUCTION (ENGINE PRESTART)						
			INSTALL ON RH OR LH SIDE OF ENGINE IN A						
			VISIBLE LOCATION. DO NOT INSTALL ON FRONT						
			OR REAR OF ENGINE OR COMPONENT.						
<END>									

SERVICE EQUIPMENT AND SUPPLIES

205-7860 FILM GP-PRODUCT IDENTIFICATION

S/N: ZKC1-UP; C2G1-UP; NKM1-UP
AN ATTACHMENT


SMCS-7405, 7557 i02650745

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME	SEE PAGE
					1 2 3 4 5 6 (PRODUCT LEVEL)	
B	1	1,2	239-6986	1	PLATE-SERIAL NUMBER (MACHINE) (17-PIN)	
B-USE AS REQUIRED						


SERVICE EQUIPMENT AND SUPPLIES

205-7860 FILM GP (contd.)


i02650745




FRONT VIEW
(CAT 3500)



FRONT VIEW
(CAT 3412)



FRONT VIEW
(SCANIA DC11/12)



FRONT VIEW
(CAT 3X06 / 3456)


GRAPHIC #1

g01100248


SERVICE EQUIPMENT AND SUPPLIES

205-7860 FILM GP (contd.)


i02650745



CAT 305X MARINE
(RIGHT SIDE VIEW)



CAT 3456 / 3406 / C18 (COMMON GENSET)
(LEFT SIDE VIEW)



PEP 1000 SERIES
(RIGHT SIDE VIEW)

GRAPHIC #2

<END>

g01092174

SERVICE EQUIPMENT AND SUPPLIES

237-7189 FILM GP

S/N: C2G1-UP
 LABEL LOCATION
 AN ATTACHMENT
 TYPE 1

SMCS-7405, 7557

i02492574




NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	3	1	122-9760	1	FILM-INFORMATION (SILVER ULTRAPLATE) (CERTIFICATION) (CE MARK)						
	4	1	222-7944	1	FILM-WARNING (DO NOT OPERATE, READ OMM, INTL)						
	5	1	224-6821	2	FILM-WARNING (HOT SURFACE)						
	7	1, 2	222-7945	2	FILM-WARNING (SHOCK HAZARD)						
	9	1	224-6818	3	FILM-WARNING (AUTO ENGINE START)						
	11	1	275-7687	1	FILM-STRIPE						
	12	2	225-4257	1	FILM-WARNING (HOT FLUID UNDER PRESS, INTL)						
	13	1	142-7555	1	FILM-TRADEMARK (CATERPILLAR) (DIE CUT 75MM HEIGHT)						
	14	2	134-7258	1	FILM-INFORMATION (EXTENDED LIFE COOLANT,READ OMM)						
	18	1	144-6336	4	FILM-WARNING (LIFTING INSTRUCTIONS) (PACKAGE GENSET LIFTING INST.)						
	19	1	3N-9344	2	FILM-INFORMATION (CENTER OF GRAVITY)						
	21	1	1P-2807	12	FILM-INFORMATION (LIFT EYE LOCATION)						
	22	2	263-5804	6	FILM-IDENTIFICATION (FUEL)						
	26	1	228-4798	2	FILM-GROUND (EARTH)						
	27	1	229-5048	3	FILM-WARNING (SHOCK HAZARD, READ OMM)						
	28	1	157-2853	1	FILM-INFORMATION (READ OMM)						
B	29	1	224-7683	2	FILM (CAT) (CAT) (520-MM X 165-MM)						
B	30	1	239-0191	2	FILM (CAT) (CAT) (330-MM X 136-MM)						
F			122-9760	1	FILM-INFORMATION (SILVER ULTRAPLATE) (SHOULD BE USED ON C.E. ORDERS ONLY. REMOVE ORIGINAL BEFORE FITTING NEW PLATE.)						
F			142-7543	1	FILM-INFORMATION (DIESEL FUEL FILL) (FOR REMOTE FUEL FILL,TO BE FITTED ADJACENT TO REMOTE FILL SOCKET ON BASEFRAME,ON FUEL TANK NEAR FUEL FILLER CAP)						
F			144-0875	1	FILM-INFORMATION (OIL DRAIN) (ENGINE)						
F			144-0876	1	FILM-INFORMATION (COOLANT DRAIN)						
F			144-3790	1	FILM-INFORMATION (LAMINATE)						
B-USE AS REQUIRED											
F-NOT SHOWN											

SERVICE EQUIPMENT AND SUPPLIES

237-7189 FILM GP (contd.)

i02492574

REFER TO ALL ILLUSTRATIONS OF
THIS GROUP FOR AUXILIARY VIEWS




GRAPHIC #1

g01250865


SERVICE EQUIPMENT AND SUPPLIES

237-7189 FILM GP (contd.)


i02492574




VIEW A-A



VIEW B-B



VIEW D-D



VIEW D-D

GRAPHIC #2

<END>

g01176426

SERVICE EQUIPMENT AND SUPPLIES

237-7189 FILM GP

S/N: C2G1-UP

LABEL LOCATION

AN ATTACHMENT

TYPE 2

SMCS-7405, 7557

i02814671

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
BC	1	1	303-3438	2	FILM-IDENTIFICATION (CAT)						
	3	1	122-9760	1	FILM-INFORMATION (SILVER ULTRAPLATE) (CERTIFICATION (CE MARK)						
	4	1	222-7944	1	FILM-WARNING (DO NOT OPERATE, READ OMM, INTL)						
	5	1	224-6821	2	FILM-WARNING (HOT SURFACE)						
	7	1, 2	222-7945	2	FILM-WARNING (SHOCK HAZARD)						
C	9	1	224-6818	3	FILM-WARNING (AUTO ENGINE START)						
	11	1	303-3433	1	FILM-IDENTIFICATION (CATERPILLAR)						
	12	2	225-4257	1	FILM-WARNING (HOT FLUID UNDER PRESS, INTL)						
	13	1	142-7555	1	FILM-TRADEMARK (CATERPILLAR)						
	14	2	134-7258	1	FILM-INFORMATION (EXTENDED LIFE COOLANT,READ OMM)						
	18	1	144-6336	4	FILM-WARNING (LIFTING INSTRUCTIONS) (PACKAGE GENSET)						
	19	1	3N-9344	2	FILM-INFORMATION (CENTER OF GRAVITY)						
	21	1	1P-2807	12	FILM-INFORMATION (LIFT EYE LOCATION)						
	22	2	263-5804	6	FILM-IDENTIFICATION (FUEL)						
	26	1	228-4798	2	FILM-GROUND (EARTH)						
	27	1	229-5048	3	FILM-WARNING (SHOCK HAZARD, READ OMM)						
	28	1	157-2853	1	FILM-INFORMATION (READ OMM)						
BC	29	1	303-3440	2	FILM-IDENTIFICATION (CAT)						
F			122-9760	1	FILM-INFORMATION (SILVER ULTRAPLATE) (SHOULD BE USED ON C.E. ORDERS ONLY. REMOVE ORIGINAL BEFORE FITTING NEW PLATE.)						
F			142-7543	1	FILM-INFORMATION (DIESEL FUEL FILL) (FOR REMOTE FUEL FILL,TO BE FITTED ADJACENT TO REMOTE FILL SOCKET ON BASEFRAME,ON FUEL TANK NEAR FUEL FILLER CAP)						
F			144-0875	1	FILM-INFORMATION (OIL DRAIN) (ENGINE)						
F			144-0876	1	FILM-INFORMATION (COOLANT DRAIN)						
F			144-3790	1	FILM-INFORMATION (LAMINATE)						




B-USE AS REQUIRED
C-CHANGE FROM PREVIOUS TYPE
F-NOT SHOWN

SERVICE EQUIPMENT AND SUPPLIES

237-7189 FILM GP (contd.)

i02814671

REFER TO ALL ILLUSTRATIONS OF
THIS GROUP FOR AUXILIARY VIEWS




GRAPHIC #1

g01440929


SERVICE EQUIPMENT AND SUPPLIES

237-7189 FILM GP (contd.)


i02814671




VIEW A-A



VIEW B-B



VIEW D-D



VIEW D-D

GRAPHIC #2

<END>

g01176426

SERVICE EQUIPMENT AND SUPPLIES

237-7190 FILM GP

S/N: C2G1-UP

LABEL LOCATION

AN ATTACHMENT

TYPE 1

SMCS-7405, 7557

i02492596


NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	2	222-7944	2	FILM-WARNING (DO NOT OPERATE, READ OMM, INTL)						
	2	1	224-6821	3	FILM-WARNING (HOT SURFACE)						
	3	2	142-7543	1	FILM-INFORMATION (DIESEL FUEL FILL)						
	4	2	222-7945	2	FILM-WARNING (SHOCK HAZARD)						
	5	1, 2	224-6818	3	FILM-WARNING (AUTO ENGINE START)						
	6	1	224-7684	3	FILM-IDENTIFICATION (CAT)						
B	7	2	225-1073	1	FILM-IDENTIFICATION (CATERPILLAR)						
	8	2	225-4257	1	FILM-WARNING (HOT FLUID UNDER PRESS, INTL)						
	9	1	134-7258	3	FILM-INFORMATION (EXTENDED LIFE COOLANT,READ OMM)						
	10	2	144-0875	1	FILM-INFORMATION (OIL DRAIN) (ENGINE)						
	11	2	144-0876	1	FILM-INFORMATION (COOLANT DRAIN)						
	12	1	144-6336	2	FILM-WARNING (LIFTING INSTRUCTIONS)						
	13	1	3N-9344	2	FILM-INFORMATION (CENTER OF GRAVITY)						
	14	1	1P-2807	12	FILM-INFORMATION (LIFT EYE LOCATION)						
B	15	2	263-5804	2	FILM-IDENTIFICATION (FUEL)						
	16	1	228-4798	2	FILM-GROUND (EARTH)						
	17	1, 2	229-5048	3	FILM-WARNING (SHOCK HAZARD, READ OMM)						
	18	2	157-2853	1	FILM-INFORMATION (READ OMM)						
	19	1	3E-3855	2	PLATE-SOUND SUPPRESSION (EXTERIOR SOUND, 97-DB)						
	20	1	3E-3856	2	PLATE-SOUND SUPPRESSION (EXTERIOR SOUND, 98-DB)						
	21	1	8C-8932	2	PLATE-SOUND SUPPRESSION (100-DB)						
	22	2	144-3790	1	FILM-INFORMATION (LAMINATE)						
B-USE AS REQUIRED											

SERVICE EQUIPMENT AND SUPPLIES


237-7190 FILM GP (contd.)

i02492596


REFER TO ALL ILLUSTRATIONS OF
THIS GROUP FOR AUXILIARY VIEWS




FRONT VIEW



TOP VIEW



LEFT SIDE VIEW
(ENGINE DETAIL)



LEFT SIDE VIEW








GRAPHIC #1

g01310470



SERVICE EQUIPMENT AND SUPPLIES

237-7190 FILM GP (contd.)

i02492596



VIEW D-D



GRAPHIC #2

<END>

g01310487

SERVICE EQUIPMENT AND SUPPLIES

237-7190 FILM GP

S/N: C2G1-UP

LABEL LOCATION

AN ATTACHMENT

TYPE 2

SMCS-7405, 7557

i03097563

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	2	222-7944	2	FILM-WARNING (DO NOT OPERATE, READ OMM, INTL)						
	2	1	224-6821	3	FILM-WARNING (HOT SURFACE)						
	3	2	142-7543	1	FILM-INFORMATION (DIESEL FUEL FILL)						
	4	2	222-7945	2	FILM-WARNING (SHOCK HAZARD)						
	5	1, 2	224-6818	3	FILM-WARNING (AUTO ENGINE START)						
C	6	1	303-3430	1	FILM-IDENTIFICATION (CAT)						
BC	7	2	303-3434	1	FILM-IDENTIFICATION (CATERPILLAR)						
	8	2	225-4257	1	FILM-WARNING (HOT FLUID UNDER PRESS, INTL)						
	9	1	134-7258	3	FILM-INFORMATION (EXTENDED LIFE COOLANT, READ OMM)						
	10	2	144-0875	1	FILM-INFORMATION (OIL DRAIN) (ENGINE)						
	11	2	144-0876	1	FILM-INFORMATION (COOLANT DRAIN)						
	12	1	144-6336	2	FILM-WARNING (LIFTING INSTRUCTIONS)						
	13	1	3N-9344	2	FILM-INFORMATION (CENTER OF GRAVITY)						
	14	1	1P-2807	12	FILM-INFORMATION (LIFT EYE LOCATION)						
B	15	2	263-5804	2	FILM-IDENTIFICATION (FUEL)						
	16	1	228-4798	2	FILM-GROUND (EARTH)						
	17	1, 2	229-5048	3	FILM-WARNING (SHOCK HAZARD, READ OMM)						
	18	2	157-2853	1	FILM-INFORMATION (READ OMM)						
	19	1	3E-3855	2	PLATE-SOUND SUPPRESSION (EXTERIOR SOUND, 97-DB)						
	20	1	3E-3856	2	PLATE-SOUND SUPPRESSION (EXTERIOR SOUND, 98-DB)						
	21	1	8C-8932	2	PLATE-SOUND SUPPRESSION (100-DB)						
	22	2	144-3790	1	FILM-INFORMATION (LAMINATE)						
C	23	1	303-3440	2	FILM-IDENTIFICATION (CAT)						
	24	1	142-7548	1	FILM-INFORMATION (POSITIVE, NEGATIVE)						


B-USE AS REQUIRED

C-CHANGE FROM PREVIOUS TYPE

SERVICE EQUIPMENT AND SUPPLIES

237-7190 FILM GP (contd.)

i03097563












GRAPHIC #1

g01451720

SERVICE EQUIPMENT AND SUPPLIES

237-7190 FILM GP (contd.)

i03097563



GRAPHIC #2

<END>

g01440926