

OPERATOR STATION


157-3540 MODULE GP-SYSTEM COMMUNICATION

S/N: C8G1-UP
FOR USE WITH EMCP II CONTROL PANEL
AN ATTACHMENT

SMCS-1926

i01628575

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME	SEE PAGE
					1 2 3 4 5 6 (PRODUCT LEVEL)	
Y	1	1	102-8627	1	MODULE GP-SYSTEM COMMUNICATION	494
Y-SEPARATE ILLUSTRATION						



GRAPHIC #1

<END>

g00535482

OPERATOR STATION

164-8940 MODULE GP-SYSTEM COMMUNICATION


S/N: C8G1-UP

PART OF 102-8627 MODULE GP-SYSTEM COMMUNICATION
AN ATTACHMENT

SMCS-1926

i02020891

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	1	101-1785	1	BATTERY (LITHIUM) (3-VOLT PARALLEL, 6-VOLT SERIES)						
	2	1	8L-8413	1	STRAP-CABLE						



GRAPHIC #1

<END>

g00536528

OPERATOR STATION

239-6758 MOUNTING GP-CONTROL PANEL


S/N: C8G1-UP
TURRET
AN ATTACHMENT

SMCS-7451

i02204550

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	1	236-0384	1	COVER (TOP)						
		1	175-3265	6	SCREW (8-16X0.63-IN)						
	2	1	236-0386	1	BASE AS (TURRET)						
	3	1	236-0387	1	PLATE-MOUNTING						
	4	1	236-0389	1	PLATE (CABLE-INLET)						
	5	1	239-6766	1	BRACKET AS						
	5A	1	203-5398	14	INSERT-THREADED (M5X0.8-THD)						
	6	1	215-3790	6	BOLT (M6X17.5-THD)						
M	7	1	8T-4127	14	SCREW-MACHINE (M5X0.8X20-MM)						
	8	1	9X-8256	6	WASHER (6.6X12X2-MM THK)						

M-METRIC PART



GRAPHIC #1

<END>

g01017027

OPERATOR STATION



258-6799 MOUNTING GP-CONTROL PANEL-D00R

S/N: C8G1-UP
AN ATTACHMENT

SMCS-7451

i02398613

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	1	2	3	4	5	6	(PRODUCT LEVEL)	SEE PAGE	
	1	1	271-9984	2	HINGE AS								
Y	2	1	258-6800	1	PANEL GP-CONTROL (ANNUNCIATOR)								504
M	3	1	192-4522	8	SCREW-FLAT HEAD (M5X0.8X20-MM)								
M-METRIC PART Y-SEPARATE ILLUSTRATION													



VIEW OF AREA A

GRAPHIC #1

<END>

g01179349

OPERATOR STATION


258-6776 MOUNTING GP-DIVIDER PLATE

S/N: C8G1-UP
AN ATTACHMENT

SMCS-7451

i02508778

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	1	6K-0806	1	STRAP - CABLE						
	2	1	160-7307	1	GROMMET						
	3	1	268-5543	1	PLATE AS						
	3A	1	203-5398	4	INSERT - THREADED (M5X0.8-THD)						
M	4	1	095-0742	8	SCREW-MACHINE (M6X1X16-MM)						
	5	1	095-0827	8	LOCKWASHER						
	6	1	9X-8256	8	WASHER (6.6X12X2-MM THK)						
M-METRIC PART											



GRAPHIC #1

<END>

g01269686

OPERATOR STATION

235-7943 PANEL GP-CONTROL

S/N: C8G1-UP

PART OF 235-9566 PANEL GP-ELECTRONIC

AN ATTACHMENT

TYPE 1

SMCS-4490, 7451


i02468162

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	1	3N-5979	1	SWITCH-ROTARY (4-POSITION) (RUN CONTROL)						
	2	1	7G-9730	2	SOCKET AS-LAMP						
					(EACH INCLUDES)						
		1	6V-8367	1	LOCKWASHER						
		1	6V-8382	1	NUT-HEX (11/16-27-THD)						
	3	1	7N-5876	2	LAMP (24-VOLT)						
	4	1	8D-2676	1	SWITCH AS-TOGGLE						
					(FRONT AUXILLARY FLOOD LIGHTS)						
		1	3L-8187	2	LOCKWASHER (#6)						
		1	6T-3631	2	NUT-HEX (15/32-32-THD)						
		1	6T-3632	1	LOCKWASHER						
		1	6T-3633	1	RING-LOCKING						
		1	6V-8374	2	SCREW-MACHINE (6-32X0.25-IN)						
	5	1	143-8789	2	BLOCK-TERMINAL						
	6	1	206-9512	1	CONTACT						
	7	1	226-6446	1	SWITCH AS-PUSH BUTTON (STOP)						
		1	261-5503	1	PLATE						
	8	1	228-6935	3	BLOCK-CONTACT						
	9	1	228-7280	1	SHROUD (EMERGENCY STOP)						
	10	1	234-6656	1	DOOR AS						
		1	203-5398	4	INSERT-THREADED (M5X0.8-THD)						
	11	1	234-9409	57	TERMINAL (3-CONTACT, 10-GA TO 22-GA)						
	12	1	234-9424	1	TERMINAL (END)						
	13	1	234-9425	2	LINK (TERMINAL)						
	14	1	235-7944	2	LOCK AS						
	15	1	240-5721	3	CLIP						
	16	1	242-1601	1	FILM (CONTROL PANEL)						
J	17	1	235-6970		DUCT (300-MM)						
D	18	1	5P-5637		SEAL (2.6-M)						
D-ORDER BY THE METER											
J-SOLD BY THE MILLIMETER											

OPERATOR STATION

235-7943 PANEL GP-CONTROL (contd.)

i02468162



GRAPHIC #1

<END>

g01223270

OPERATOR STATION

235-7943 PANEL GP-CONTROL

S/N: C8G1-UP

PART OF 235-9566 PANEL GP-ELECTRONIC

AN ATTACHMENT

TYPE 2

SMCS-4490, 7451

i02739553

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME 1 2 3 4 5 6 (PRODUCT LEVEL)	SEE PAGE
	1	1	3N-5979	1	SWITCH-ROTARY (4-POSITION) (RUN CONTROL)	
	2	1	7G-9730	2	SOCKET AS-LAMP	
					(EACH INCLUDES)	
		1	6V-8367	1	LOCKWASHER	
		1	6V-8382	1	NUT-HEX (11/16-27-THD)	
	3	1	7N-5876	2	LAMP (24-VOLT)	
	4	1	8D-2676	1	SWITCH AS-TOGGLE	
					(FRONT AUXILLARY FLOOD LIGHTS)	
		1	3L-8187	2	LOCKWASHER (#6)	
		1	6T-3631	2	NUT-HEX (15/32-32-THD)	
		1	6T-3632	1	LOCKWASHER	
		1	6T-3633	1	RING-LOCKING	
		1	6V-8374	2	SCREW-MACHINE (6-32X0.25-IN)	
	5	1	143-8789	2	BLOCK-TERMINAL	
	6	1	206-9512	1	CONTACT	
	7	1	226-6446	1	SWITCH AS-PUSH BUTTON (STOP)	
		1	261-5503	1	PLATE	
	8	1	228-6935	3	BLOCK-CONTACT	
	9	1	228-7280	1	SHROUD (EMERGENCY STOP)	
	10	1	234-6656	1	DOOR AS	
		1	203-5398	4	INSERT-THREADED (M5X0.8-THD)	
C	11	1	301-8312	57	BLOCK-TERMINAL	
C	12	1	301-8315	1	COVER-END	
	13	1	234-9425	2	LINK (TERMINAL)	
	14	1	235-7944	2	LOCK AS	
	15	1	240-5721	3	CLIP	
	16	1	242-1601	1	FILM (CONTROL PANEL)	
J	17	1	235-6970		DUCT (300-MM)	
D	18	1	5P-5637		SEAL (2.6-M)	
C	19	1	275-8520	1	KIT-MARKER	

C-CHANGE FROM PREVIOUS TYPE





D-ORDER BY THE METER

J-SOLD BY THE MILLIMETER

OPERATOR STATION

235-7943 PANEL GP-CONTROL (contd.)

i02739553



GRAPHIC #1

<END>

g01388413

OPERATOR STATION

258-6800 PANEL GP-CONTROL

S/N: C8G1-UP

ANNUNCIATOR

PART OF 258-6799 MOUNTING GP-CONTROL PANEL

AN ATTACHMENT

SMCS-4490, 7451

i02624162


NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	1	235-7944	2	LOCK AS						
Y	2	1	267-1226	1	CONTROL GP-GENERATOR SET (ANNUNCIATOR)						466
	3	1	258-6801	1	DOOR AS						
	3A	1	203-5398	4	INSERT-THREADED (M5X0.8-THD)						
	4	1	095-0827	4	LOCKWASHER						
M		1	5C-2890	4	NUT (M6X1-THD)						
		1	9X-8256	4	WASHER (6.6X12X2-MM THK)						
D	5	1	5P-5637		SEAL (0.21-M)						
F			261-7982	1	HARNESS AS-CONTROL (ANNUNCIATOR)						
			1S-9593	2	STRAP-CABLE						
			134-6258		CABLE-ELECTRICAL (16-GA) (147-CM)						
			155-2274	1	KIT-CONNECTING PLUG (6-PIN)						
					(INCLUDES PLUG AS AND WEDGE)						

D-ORDER BY THE METER

F-NOT SHOWN

M-METRIC PART

Y-SEPARATE ILLUSTRATION



GRAPHIC #1

<END>

g01172314

OPERATOR STATION

261-6623 PANEL GP-ELECTRICAL


S/N: C8G1-UP
GENERATOR RUN RELAY
AN ATTACHMENT

SMCS-1417

i02624203

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	1	245-2123	1	RELAY AS						
B		1	143-4478	1	RELAY (24-VOLT) (EUROPEAN SOURCED)						
B		1	223-6470	1	RELAY (10-AMPERE, 24-VOLT) (US SOURCED)						
	2	1	245-2124	1	BASE AS (RELAY)						
B		1	143-4479	1	SOCKET-RELAY (EUROPEAN SOURCED)						
B		1	211-0640	1	SPRING (RELAY) (US SOURCED)						
B		1	252-1732	1	BASE-RELAY (US SOURCED)						
F			258-4702	1	HARNESS AS-PANEL (CONTROL)						

B-USE AS REQUIRED
F-NOT SHOWN



GRAPHIC #1

<END>

g01142748

OPERATOR STATION

261-6630 PANEL GP-ELECTRICAL

S/N: C8G1-UP
AN ATTACHMENT

SMCS-1417

i02708206


NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	1	160-9602	1	HOLDER-FUSE						
B	2	1	143-4471	1	FUSE (2-AMPERE) (EUROPEAN SOURCED)						
B	3	1	143-4472	1	FUSE (6-AMPERE) (EUROPEAN SOURCED)						
B	4	1	143-5080	1	FUSE (10-AMPERE) (EUROPEAN SOURCED)						
C	5	1	290-4433	1	BATTERY CHARGER (10-AMPERE)						
	6	1	209-7301	1	CONTACTOR						
B	7	1	238-3255	1	FUSE (4-AMPERE) (EUROPEAN SOURCED)						
M	8	1	6V-9673	4	SCREW-MACHINE (M5X0.8X12-MM)						
	9	1	8T-0328	4	WASHER-HARD (5.5X10X1-MM THK)						
B	10	1	6V-7802	1	FUSE (10-AMPERE) (US SOURCED)						
B	11	1	7W-0482	1	FUSE (2-AMPERE) (US SOURCED)						
B	12	1	190-2557	1	FUSE (4-AMPERE) (US SOURCED)						
B	13	1	190-2558	1	FUSE (6-AMPERE) (US SOURCED)						
	14	1	261-7255	1	LINK						
L	15	1	261-7256		SLEEVE (59-MM)						
	16	1	265-7214	1	LINK (TERMINAL)						
F			261-5611	1	HARNESS AS-PANEL						

B-USE AS REQUIRED
C-CHANGE FROM PREVIOUS TYPE
F-NOT SHOWN
L-ORDER BY THE MILLIMETER
M-METRIC PART

OPERATOR STATION

261-6630 PANEL GP-ELECTRICAL (contd.)

i02708206



GRAPHIC #1

<END>

g01296491

OPERATOR STATION

235-8002 PANEL GP-ELECTRONIC

S/N: C8G1-UP

PART OF 235-9566 PANEL GP-ELECTRONIC

AN ATTACHMENT

TYPE 1

SMCS-4490, 7490

i02473667

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME 1 2 3 4 5 6 (PRODUCT LEVEL)	SEE PAGE
	1	1	143-8789	2	BLOCK-TERMINAL	
	2	1	235-1136	6	TERMINAL (BLOCK)	
	3	1	195-2637	28	SCREW (8-32X1/2-IN)	
	4	1	234-9409	112	TERMINAL (3-CONTACT, 10-GA TO 22-GA)	
	5	1	234-9423	6	TERMINAL (EARTH)	
	6	1	235-1140	4	COVER-END	
	7	1	234-1907	1	CHASSIS AS	
M		1	3E-4304	13	INSERT-THREADED (M6X1-THD)	
		1	197-7426	4	INSERT-THREADED (M4X0.7-THD)	
		1	203-5398	12	INSERT-THREADED (M5X0.8-THD) (M5)	
	8	1	234-3323	1	BRACKET	
	9	1	235-3878	1	HARNESS AS-PANEL (CHASSIS)	
		1	102-8806	1	KIT-RECEPTACLE (8-PIN)	
					(INCLUDES RECEPTACLE AS AND WEDGE)	
		1	103-0213	2	RECEPTACLE AS-CONNECTOR (70-PIN)	
	10	1	235-6090	1	BRACKET	
	11	1	245-2123	1	RELAY AS	
B		1	143-4478	1	RELAY (24-VOLT) (EUROPEAN SOURCED)	
B		1	223-6470	1	RELAY (10-AMPERE, 24-VOLT) (US SOURCED)	
	12	1	245-2124	1	BASE AS (RELAY)	
B		1	143-4479	1	SOCKET-RELAY (EUROPEAN SOURCED)	
B		1	211-0640	1	SPRING (RELAY) (US SOURCED)	
B		1	252-1732	1	BASE-RELAY (US SOURCED)	
M	13	1	095-0742	4	SCREW-MACHINE (M6X1X16-MM)	
M	14	1	6V-9492	8	SCREW-MACHINE (M4X0.7X25-MM)	
	15	1	8C-9660	16	WASHER (4.6X7.9X0.8-MM THK)	
M	16	1	8T-7961	8	LOCKNUT (M4X0.7-THD)	
	17	1	9X-8256	4	WASHER (6.6X12X2-MM THK)	
H	18	1	235-6970		DUCT (430-MM)	
H	18A	1	235-6970		DUCT (825-MM)	
H	19	1	235-6969		DUCT (300-MM)	
H	19A	1	235-6969		DUCT (215-MM EACH)	
H	19B	1	235-6969		DUCT (430-MM EACH)	
	20	1	234-9424	3	TERMINAL (END)	
	21	1	234-9425	3	LINK (TERMINAL)	
	22	1	235-1132	1	LINK (TERMINAL)	
BF		1	241-8022	1	FILM-INFORMATION (ELEC COMPONENT IDENTIFICATIONS)	
BF		1	261-7255	1	LINK	
BF		1	261-7256		SLEEVE (100-MM)	
BF		1	265-7214	2	LINK (TERMINAL)	
F		1	267-8327	10	TERMINAL	
F		1	267-8328	43	MARKER-TERMINAL (1)	
F		1	267-8329	43	MARKER-TERMINAL (2)	
F		1	267-8330	32	MARKER-TERMINAL (3)	
F		1	267-8331	23	MARKER-TERMINAL (4)	
F		1	267-8332	16	MARKER-TERMINAL (5)	
F		1	267-8333	11	MARKER-TERMINAL (6)	
F		1	267-8334	11	MARKER-TERMINAL (7)	
F		1	267-8335	11	MARKER-TERMINAL (8)	
F		1	267-8336	10	TERMINAL	

OPERATOR STATION

235-8002 PANEL GP-ELECTRONIC (contd.)


i02473667

B-USE AS REQUIRED
F-NOT SHOWN
H-ORDER BY THE MILLIMETER
M-METRIC PART

OPERATOR STATION

235-8002 PANEL GP-ELECTRONIC (contd.)

i02473667



GRAPHIC #1

<END>

g01219319

OPERATOR STATION

235-8002 PANEL GP-ELECTRONIC

S/N: C8G1-UP

PART OF 235-9566 PANEL GP-ELECTRONIC

AN ATTACHMENT

TYPE 2

SMCS-4490, 7490

i02534048


NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME 1 2 3 4 5 6 (PRODUCT LEVEL)	SEE PAGE
	1	1	143-8789	2	BLOCK-TERMINAL	
	2	1	195-2637	28	SCREW (8-32X1/2-IN)	
	3	1	234-1907	1	CHASSIS AS	
M		1	3E-4304	13	INSERT-THREADED (M6X1-THD)	
		1	197-7426	4	INSERT-THREADED (M4X0.7-THD)	
		1	203-5398	12	INSERT-THREADED (M5X0.8-THD)	
	4	1	234-3323	1	BRACKET	
	5	1	234-9409	112	TERMINAL (3-CONTACT, 10-GA TO 22-GA)	
	6	1	234-9423	6	TERMINAL	
	7	1	234-9424	3	TERMINAL (END)	
	8	1	234-9425	3	LINK (TERMINAL)	
	9	1	235-1132	1	LINK (TERMINAL)	
	10	1	235-1136	6	TERMINAL	
	11	1	235-1140	4	COVER-END	
	12	1	235-3878	1	HARNESS AS-PANEL (CHASSIS)	
		1	102-8806	1	KIT-RECEPTACLE (8-PIN)	
					(INCLUDES RECEPTACLE AS AND WEDGE)	
		1	103-0213	2	RECEPTACLE AS-CONNECTOR (70-PIN)	
	13	1	235-6090	1	BRACKET	
	14	1	245-2123	1	RELAY AS	
B		1	143-4478	1	RELAY (24-VOLT) (OUTSIDE NACD)	
B		1	223-6470	1	RELAY (10-AMPERE, 24-VOLT) (US SOURCED)	
	15	1	245-2124	1	BASE AS (RELAY)	
B		1	143-4479	1	SOCKET-RELAY (OUTSIDE NACD)	
B		1	211-0640	1	SPRING (RELAY) (US SOURCED)	
B		1	252-1732	1	BASE-RELAY (US SOURCED)	
CJ	16	1	275-8520	3	KIT-MARKER	
M	17	1	095-0742	4	SCREW-MACHINE (M6X1X16-MM)	
M	18	1	6V-9492	8	SCREW-MACHINE (M4X0.7X25-MM)	
	19	1	8C-9660	16	WASHER (4.6X7.9X0.8-MM THK)	
M	20	1	8T-7961	8	LOCKNUT (M4X0.7-THD)	
	21	1	9X-8256	4	WASHER (6.6X12X2-MM THK)	
H	25	1	235-6970		DUCT (430-MM)	
H	25A	1	235-6970		DUCT (825-MM)	
H	26	1	235-6969		DUCT (300-MM)	
H	26A	1	235-6969		DUCT (215-MM EACH)	
H	26B	1	235-6969		DUCT (430-MM EACH)	
BF			241-8022	1	FILM-INFORMATION (ELEC COMPONENT IDENTIFICATIONS)	
BF			261-7255	1	LINK (COPPER)	
FH			261-7256		SLEEVE (100-MM)	
BF			265-7214	2	LINK (TERMINAL) (COPPER)	

B-USE AS REQUIRED
C-CHANGE FROM PREVIOUS TYPE
F-NOT SHOWN
H-ORDER BY THE MILLIMETER
J-FIT AS REQUIRED
M-METRIC PART

OPERATOR STATION

235-8002 PANEL GP-ELECTRONIC (contd.)

i02534048



GRAPHIC #1

<END>

g01268118

OPERATOR STATION

235-8002 PANEL GP-ELECTRONIC

S/N: C8G1-UP

PART OF 235-9566 PANEL GP-ELECTRONIC

AN ATTACHMENT

TYPE 3

SMCS-4490, 7490

i03142827

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME 1 2 3 4 5 6 (PRODUCT LEVEL)	SEE PAGE
C	1	1	143-8789	8	BLOCK-TERMINAL	
	2	1	195-2637	28	SCREW (8-32X1/2-IN)	
	3	1	234-1907	1	CHASSIS AS	
M		1	3E-4304	29	INSERT-THREADED (M6X1-THD)	
		1	197-7426	4	INSERT-THREADED (M4X0.7-THD)	
		1	203-5398	12	INSERT-THREADED (M5X0.8-THD)	
	4	1	234-3323	1	BRACKET	
C	5	1	301-8312	115	BLOCK-TERMINAL	
C	6	1	301-8317	6	BLOCK-TERMINAL	
C	7	1	301-8315	4	COVER-END	
	8	1	234-9425	3	LINK (TERMINAL)	
	9	1	235-1132	1	LINK (TERMINAL)	
C	10	1	301-8326	6	BLOCK-TERMINAL	
C	11	1	301-8318	2	COVER-END	
	12	1	235-3878	1	HARNESS AS-PANEL	
		1	102-8806	1	KIT-RECEPTACLE (8-PIN)	
					(INCLUDES RECEPTACLE AS AND WEDGE)	
		1	103-0213	2	RECEPTACLE AS-CONNECTOR (70-PIN)	
	13	1	235-6090	1	BRACKET	
	14	1	245-2123	1	RELAY AS	
B		1	143-4478	1	RELAY (24-VOLT) (OUTSIDE NACD)	
B		1	223-6470	1	RELAY (10-AMPERE, 24-VOLT) (US SOURCED)	
	15	1	245-2124	1	BASE AS (RELAY)	
B		1	143-4479	1	SOCKET-RELAY (OUTSIDE NACD)	
B		1	211-0640	1	SPRING (RELAY) (US SOURCED)	
B		1	252-1732	1	BASE-RELAY (US SOURCED)	
M	17	1	095-0742	4	SCREW-MACHINE (M6X1X16-MM)	
M	18	1	6V-9492	8	SCREW-MACHINE (M4X0.7X25-MM)	
	19	1	8C-9660	18	WASHER (4.6X7.9X0.8-MM THK)	
M	20	1	8T-7961	8	LOCKNUT (M4X0.7-THD)	
	21	1	9X-8256	4	WASHER (6.6X12X2-MM THK)	
H	25	1	235-6970		DUCT (430-MM)	
H	25A	1	235-6970		DUCT (825-MM)	
E	26	1	299-5937		DUCT-WIRE (30-CM)	
E	26A	1	299-5937		DUCT-WIRE (21.5-CM EACH)	
E	26B	1	299-5937		DUCT-WIRE (43-CM EACH)	
C	27	1	301-8325	2	COVER-END	
C	28	1	4B-4274	28	WASHER (5.5X13X1.2-MM THK)	
M	29	1	8T-6411	16	SCREW-MACHINE (M6X1X12-MM)	
	30	1	095-0827	16	LOCKWASHER	
N	31	1	204-8659		RAIL (3-DM)	
N	31A	1	204-8659		RAIL (4.4-DM EACH)	
N	31B	1	204-8659		RAIL (1.7-DM)	
N	31C	1	204-8659		RAIL (2.6-DM)	
N	31D	1	204-8659		RAIL (1.6-DM)	
N	31E	1	204-8659		RAIL (2.2-DM)	
M	32	1	5C-8312	1	NUT (M4X0.7-THD)	
FJ			275-8520	3	KIT-MARKER	
BF			241-8022	1	FILM-INFORMATION (ELEC COMPONENT IDENTIFICATIONS)	
BF			261-7255	1	LINK	
FH			261-7256		SLEEVE (100-MM)	
BF			265-7214	2	LINK (TERMINAL)	

OPERATOR STATION

235-8002 PANEL GP-ELECTRONIC (contd.)


i03142827

B-USE AS REQUIRED
C-CHANGE FROM PREVIOUS TYPE
E-ORDER BY THE CENTIMETER
F-NOT SHOWN
H-ORDER BY THE MILLIMETER
J-FIT AS REQUIRED
M-METRIC PART
N-ORDER BY THE DECIMETER

OPERATOR STATION

235-8002 PANEL GP-ELECTRONIC (contd.)

i03142827



GRAPHIC #1

<END>

g01621837

OPERATOR STATION

235-9566 PANEL GP-ELECTRONIC

S/N: C8G1-UP
AN ATTACHMENT
TYPE 1

SMCS-4490, 7490

i02576277


NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME 1 2 3 4 5 6 (PRODUCT LEVEL)	SEE PAGE
	1	1	143-5099	2	INSULATOR	
	2	1	155-2092	1	BAR	
	3	1	231-2775	1	PLATE AS	
		1	203-5398	12	INSERT-THREADED (M5X0.8-THD) (THREADED M6)	
	4	1	231-3262	1	ENCLOSURE AS	
M		1	3E-4304	16	INSERT-THREADED (M6X1.6H-THD)	
		1	180-3748	19	INSERT-THREADED (M8X1.25-THD)	
		1	203-5398	24	INSERT-THREADED (M5X0.8-THD) (THREADED M6)	
	5	1	231-3296	1	SUPPORT AS	
		1	203-5398	6	INSERT-THREADED (M5X0.8-THD) (THREADED M6)	
	6	1	235-0801	1	COVER	
	7	1	235-5775	4	BRACKET AS	
					(EACH INCLUDES)	
		1	203-5398	3	INSERT-THREADED (M5X0.8-THD) (THREADED M6)	
Y	8	1	235-7943	1	PANEL GP-CONTROL	500
Y	9	1	235-8002	1	PANEL GP-ELECTRONIC	508
	10	1	271-9984	2	HINGE AS	
	12	1	160-7307	1	GROMMET	
	13	1	142-4899	4	LOCKWASHER	
M	14	1	192-4522	8	SCREW-FLAT HEAD	
	15	1	231-3302	1	SUPPORT AS	
		1	203-5398	2	INSERT-THREADED (M5X0.8-THD) (THREADED M6)	
M	16	1	5C-7261	8	NUT (M8X1.25-THD)	
M	17	1	8T-6693	40	SCREW-MACHINE (M5X0.8X16-MM)	
M	18	1	7X-2621	2	BOLT (M10X1.5X12-MM)	
	19	1	8T-0328	40	WASHER-HARD (5.5X10X1-MM THK)	
	20	1	8T-4121	4	WASHER-HARD (11X21X2.5-MM THK)	
M	21	1	8T-4137	2	BOLT (M10X1.5X20-MM)	
	22	1	8T-4224	19	WASHER-HARD (8.8X16X2-MM THK)	
M	23	1	8T-7547	8	BOLT (M8X1.25X30-MM)	
	24	1	236-0389	1	PLATE	
	25	1	246-4941	1	BRACKET	
M	26	1	8T-4200	3	BOLT (M8X1.25X16-MM)	

M-METRIC PART
Y-SEPARATE ILLUSTRATION

OPERATOR STATION

235-9566 PANEL GP-ELECTRONIC (contd.)

i02576277



GRAPHIC #1

<END>

g01102235

OPERATOR STATION

235-9566 PANEL GP-ELECTRONIC

S/N: C8G1-UP
AN ATTACHMENT
TYPE 2

SMCS-4490, 7490

i03487140


NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	1	160-7307	1	GROMMET						
	2	1	231-2775	1	PLATE AS						
		1	203-5398	12	INSERT-THREADED (M5X0.8-THD)						
	3	1	231-3262	1	ENCLOSURE AS						
M		1	3E-4304	16	INSERT-THREADED (M6X1-THD)						
		1	180-3748	19	INSERT-THREADED (M8X1.25-THD)						
		1	203-5398	24	INSERT-THREADED (M5X0.8-THD)						
	4	1	231-3296	1	SUPPORT AS						
		1	203-5398	6	INSERT-THREADED (M5X0.8-THD)						
	5	1	231-3302	1	SUPPORT AS						
		1	203-5398	2	INSERT-THREADED (M5X0.8-THD)						
	6	1	235-0801	1	COVER						
	7	1	235-5775	4	BRACKET AS						
					(EACH INCLUDES)						
		1	203-5398	3	INSERT-THREADED (M5X0.8-THD)						
Y	8	1	235-7943	1	PANEL GP-CONTROL						500
Y	9	1	235-8002	1	PANEL GP-ELECTRONIC						508
	10	1	236-0389	1	PLATE						
	11	1	246-4941	1	BRACKET						
	12	1	271-9984	2	HINGE AS						
M	13	1	192-4522	8	SCREW-FLAT HEAD						
M	14	1	5C-7261	8	NUT (M8X1.25-THD)						
	15	1	8T-0328	44	WASHER-HARD (5.5X10X1-MM THK)						
M	16	1	8T-4200	3	BOLT (M8X1.25X16-MM)						
	17	1	8T-4224	16	WASHER-HARD (8.8X16X2-MM THK)						
M	18	1	8T-6693	44	SCREW-MACHINE (M5X0.8X16-MM)						
M	19	1	8T-7547	8	BOLT (M8X1.25X30-MM)						
	20	1	5P-4116	3	WASHER-HARD (8.8X20.5X2-MM THK)						
BFJ			061-8844	4	GROMMET						

B-USE AS REQUIRED
F-NOT SHOWN
J-FOR US MANUFACTURE ONLY
M-METRIC PART
Y-SEPARATE ILLUSTRATION

OPERATOR STATION

235-9566 PANEL GP-ELECTRONIC (contd.)

i03487140



GRAPHIC #1

<END>

g01827594

OPERATOR STATION

240-0484 PANEL GP-ELECTRONIC


S/N: C8G1-UP
AN ATTACHMENT

SMCS-4490, 7490

i02195727

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	1	8T-4121	10	WASHER-HARD (11X21X2.5-MM THK)						
M	2	1	8T-4133	4	NUT (M10X1.5-THD)						
M	3	1	8T-4195	6	BOLT (M10X1.5X30-MM)						
	4	1	7F-6998	6	LOCKWASHER						

M-METRIC PART



TOP VIEW

<END>

GRAPHIC #1

g01101118

OPERATOR STATION

258-6778 PANEL GP-ELECTRONIC

S/N: C8G1-UP
AN ATTACHMENT


SMCS-4490, 7490

i02322971

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME	SEE PAGE
					1 2 3 4 5 6 (PRODUCT LEVEL)	
Y	1	1	258-6779	1	PANEL GP-ELECTRONIC	522
	2	1	095-0827	6	LOCKWASHER	
	3	1	260-6688	6	BOLT (M6X1X30-MM)	
M	4	1	5C-2890	6	NUT (M6X1-THD)	
	5	1	9X-8256	12	WASHER (6.6X12X2-MM THK)	

M-METRIC PART

Y-SEPARATE ILLUSTRATION



VIEW OF AREA A



GRAPHIC #1

<END>

g01161182

OPERATOR STATION

258-6779 PANEL GP-ELECTRONIC

S/N: C8G1-UP

OPTIONS

PART OF 258-6778 PANEL GP-ELECTRONIC

AN ATTACHMENT

SMCS-4490, 7490

i03474020


NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME 1 2 3 4 5 6 (PRODUCT LEVEL)	SEE PAGE
	1	1	195-2637	11	SCREW (8-32X1/2-IN)	
	2	1	258-6780	1	PLATE AS	
M		1	3E-4304	5	INSERT-THREADED (M6X1-THD)	
		1	203-5398	10	INSERT-THREADED (M5X0.8-THD)	
	3	1	095-0827	5	LOCKWASHER	
M	4	1	8T-6411	5	SCREW-MACHINE (M6X1X12-MM)	
H	5	1	235-6970		DUCT (365-MM)	
E	6	1	299-5937		DUCT-WIRE (41-CM)	
E	6A	1	299-5937		DUCT-WIRE (41-CM)	
E	6B	1	299-5937		DUCT-WIRE (18.5-CM)	
M	7	1	8T-7961	1	LOCKNUT (M4X0.7-THD)	
	8	1	8C-9660	1	WASHER (4.6X7.9X0.8-MM THK)	
	9	1	2G-8922	1	CAP-PROTECTION	
J	10	1	204-8659		RAIL (3.5-DM)	
J	10A	1	204-8659		RAIL (2.5-DM)	
E	11	1	147-1960		RAIL (60-CM)	

E-ORDER BY THE CENTIMETER
H-ORDER BY THE MILLIMETER
J-ORDER BY THE DECIMETER
M-METRIC PART

OPERATOR STATION

258-6779 PANEL GP-ELECTRONIC (contd.)

i03474020



GRAPHIC #1

<END>

g01826893

OPERATOR STATION

258-6791 PANEL GP-ELECTRONIC

S/N: C8G1-UP
AN ATTACHMENT

SMCS-4490, 7490

i03474160

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME	SEE PAGE
					1 2 3 4 5 6 (PRODUCT LEVEL)	
Y	1	1	258-6792	1	PANEL GP-ELECTRONIC	526
	3	1	095-0827	4	LOCKWASHER	
	4	1	260-6688	4	BOLT (M6X1X30-MM)	
M	5	1	5C-2890	4	NUT (M6X1-THD)	
M	6	1	6V-9492	4	SCREW-MACHINE (M4X0.7X25-MM)	
	7	1	8C-9660	8	WASHER (4.6X7.9X0.8-MM THK)	
M	8	1	8T-7961	4	LOCKNUT (M4X0.7-THD)	
	9	1	9X-8256	8	WASHER (6.6X12X2-MM THK)	


M-METRIC PART

Y-SEPARATE ILLUSTRATION

OPERATOR STATION

258-6791 PANEL GP-ELECTRONIC (contd.)

i03474160



GRAPHIC #1

<END>

g01238470

OPERATOR STATION

258-6792 PANEL GP-ELECTRONIC

S/N: C8G1-UP

PART OF 258-6791 PANEL GP-ELECTRONIC

AN ATTACHMENT

TYPE 1

SMCS-4490, 7490

i02533043


NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME 1 2 3 4 5 6 (PRODUCT LEVEL)	SEE PAGE
	1	1	2G-8922	1	CAP-PROTECTION	
B	2	1	6V-7802	2	FUSE (10-AMPERE) (US SOURCED)	
	3	1	9W-2275	2	RESISTOR	
	4	1	160-9602	5	HOLDER-FUSE	
B	5	1	143-4471	3	FUSE (2-AMPERE) (EUROPEAN SOURCED)	
B	6	1	143-5080	2	FUSE (10-AMPERE) (EUROPEAN SOURCED)	
	7	1	143-8789	3	BLOCK-TERMINAL	
	8	1	195-2637	5	SCREW (8-32X1/2-IN)	
	9	1	234-9423	2	TERMINAL	
	10	1	234-9425	9	LINK (TERMINAL)	
	11	1	235-0453	80	TERMINAL	
	12	1	235-1133	1	LINK (TERMINAL)	
	13	1	235-1136	7	TERMINAL	
	14	1	235-2780	2	TERMINAL (LINK)	
	15	1	245-2123	1	RELAY AS	
B		1	143-4478	1	RELAY (24-VOLT) (EUROPEAN SOURCED)	
B		1	223-6470	1	RELAY (10-AMPERE, 24-VOLT) (US SOURCED)	
	16	1	245-2124	1	BASE AS (RELAY)	
B		1	143-4479	1	SOCKET-RELAY (EUROPEAN SOURCED)	
B		1	211-0640	1	SPRING (RELAY) (US SOURCED)	
B		1	252-1732	1	BASE-RELAY (US SOURCED)	
	17	1	258-6793	1	PLATE AS	
M		1	3E-4304	3	INSERT-THREADED (M6X1-THD)	
	18	1	261-7255	1	LINK (COPPER)	
	19	1	095-0827	5	LOCKWASHER	
	20	1	235-1130	2	COVER-END	
	21	1	245-5739	1	DIODE AS	
B		1	143-4480	1	DIODE AS (EUROPEAN SOURCED)	
B		1	252-1731	1	MODULE-DIODE (US SOURCED)	
B	22	1	7W-0482	3	FUSE (2-AMPERE) (US SOURCED)	
	23	1	8C-9660	1	WASHER (4.6X7.9X0.8-MM THK)	
M	24	1	8T-6411	5	SCREW-MACHINE (M6X1X12-MM)	
M	25	1	8T-7961	1	LOCKNUT (M4X0.7-THD)	
J	29	1	235-6970		DUCT (400-MM)	
J	29A	1	235-6970		DUCT (275-MM)	
P	30	1	204-8659		RAIL (2.40-DM)	
P	30A	1	204-8659		RAIL (4.15-DM)	
J	31	1	261-7256		SLEEVE (20-MM)	
E	32	1	147-1960		RAIL (70-CM) (US SOURCED)	
	33	1	235-1140	2	COVER-END	
FY			258-4700	1	HARNESS AS-PANEL (EMCP 3)	230
FL			241-8022	1	FILM-INFORMATION (ELEC COMPONENT IDENTIFICATIONS)	
FL			275-8520	2	KIT-MARKER	

B-USE AS REQUIRED
E-ORDER BY THE CENTIMETER
F-NOT SHOWN
J-ORDER BY THE MILLIMETER
L-FIT AS REQUIRED
M-METRIC PART
P-ORDER BY DECIMETER
Y-SEPARATE ILLUSTRATION

OPERATOR STATION

258-6792 PANEL GP-ELECTRONIC (contd.)

i02533043



GRAPHIC #1

<END>

g01289693

OPERATOR STATION

258-6792 PANEL GP-ELECTRONIC

S/N: C8G1-UP

PART OF 258-6791 PANEL GP-ELECTRONIC

AN ATTACHMENT

TYPE 2

SMCS-4490, 7490

i03210883

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME 1 2 3 4 5 6 (PRODUCT LEVEL)	SEE PAGE
	1	1	2G-8922	1	CAP-PROTECTION	
B	2	1	6V-7802	2	FUSE (10-AMPERE) (US SOURCED)	
	3	1	9W-2275	2	RESISTOR	
	4	1	160-9602	5	HOLDER-FUSE	
B	5	1	143-4471	3	FUSE (2-AMPERE) (OUTSIDE NACD)	
B	6	1	143-5080	2	FUSE (10-AMPERE) (OUTSIDE NACD)	
	7	1	143-8789	3	BLOCK-TERMINAL	
	8	1	195-2637	5	SCREW (8-32X1/2-IN)	
	9	1	234-9425	9	LINK (TERMINAL)	
	10	1	235-1133	1	LINK (TERMINAL)	
	11	1	301-8327	2	LINK (TERMINAL)	
	12	1	245-2123	1	RELAY AS (24-VOLT)	
B		1	143-4478	1	RELAY (24-VOLT) (OUTSIDE NACD)	
B		1	223-6470	1	RELAY (10-AMPERE, 24-VOLT) (US SOURCED)	
	13	1	245-2124	1	BASE AS (RELAY)	
B		1	143-4479	1	SOCKET-RELAY (OUTSIDE NACD)	
B		1	211-0640	1	SPRING (RELAY) (US SOURCED)	
B		1	252-1732	1	BASE-RELAY (US SOURCED)	
	14	1	208-9270	1	DIODE (1.5-KW, TRANSORB)	
	15	1	258-6793	1	PLATE AS	
M		1	3E-4304	3	INSERT-THREADED (M6X1-THD)	
	16	1	261-7255	1	LINK (COPPER)	
	17	1	301-8318	1	COVER-END	
C	18	1	301-8313	80	BLOCK-TERMINAL	
C	19	1	301-8316	2	COVER-END	
C	20	1	301-8317	2	BLOCK-TERMINAL	
C	21	1	301-8325	1	COVER-END	
C	22	1	301-8326	7	BLOCK-TERMINAL	
C	23	1	4B-4274	5	WASHER (5.5X13X1.2-MM THK)	
CM	24	1	5C-9553	5	BOLT (M6X1X16-MM)	
B	25	1	7W-0482	3	FUSE (2-AMPERE) (US SOURCED)	
	26	1	8C-9660	1	WASHER (4.6X7.9X0.8-MM THK)	
M	27	1	8T-7961	1	LOCKNUT (M4X0.7-THD)	
	28	1	245-5739	1	DIODE AS	
B		1	143-4480	1	DIODE AS	
B		1	252-1731	1	MODULE-DIODE	
L	30	1	235-6970		DUCT (400-MM)	
L	30A	1	235-6970		DUCT (275-MM)	
P	31	1	204-8659		RAIL (2.40-DM)	
P	31A	1	204-8659		RAIL (4.25-DM)	
L	32	1	261-7256		SLEEVE (20-MM)	
E	33	1	147-1960		RAIL (24-CM)	
E	33A	1	147-1960		RAIL (42.5-CM)	
FY			258-4700	1	HARNESS AS-PANEL (EMCP 3)	230
FJ			241-8022	1	FILM-INFORMATION (ELEC COMPONENT IDENTIFICATIONS)	
FJ			275-8520	2	KIT-MARKER (EACH KIT INCLUDES STRIPS)	

OPERATOR STATION

258-6792 PANEL GP-ELECTRONIC (contd.)


i03210883

B-USE AS REQUIRED
C-CHANGE FROM PREVIOUS TYPE
E-ORDER BY THE CENTIMETER
F-NOT SHOWN
J-FIT AS REQUIRED
L-ORDER BY THE MILLIMETER
M-METRIC PART
P-ORDER BY DECIMETER
Y-SEPARATE ILLUSTRATION

OPERATOR STATION

258-6792 PANEL GP-ELECTRONIC (contd.)

i03210883



GRAPHIC #1

<END>

g01636905

OPERATOR STATION

258-6792 PANEL GP-ELECTRONIC

S/N: C8G1-UP

PART OF 258-6791 PANEL GP-ELECTRONIC

AN ATTACHMENT

TYPE 3

SMCS-4490, 7490

i03474291

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME 1 2 3 4 5 6 (PRODUCT LEVEL)	SEE PAGE
	1	1	2G-8922	1	CAP-PROTECTION	
B	2	1	6V-7802	2	FUSE (10-AMPERE) (US SOURCED)	
	3	1	9W-2275	2	RESISTOR	
	4	1	160-9602	5	HOLDER-FUSE	
B	5	1	143-4471	3	FUSE (2-AMPERE) (OUTSIDE NACD)	
B	6	1	143-5080	2	FUSE (10-AMPERE) (OUTSIDE NACD)	
	7	1	143-8789	3	BLOCK-TERMINAL	
	8	1	195-2637	5	SCREW (8-32X1/2-IN)	
	9	1	234-9425	9	LINK (TERMINAL)	
	10	1	235-1133	1	LINK (TERMINAL)	
	11	1	301-8327	2	LINK (TERMINAL)	
	12	1	245-2123	1	RELAY AS (24-VOLT)	
B		1	143-4478	1	RELAY (24-VOLT) (OUTSIDE NACD)	
B		1	223-6470	1	RELAY (10-AMPERE, 24-VOLT) (US SOURCED)	
	13	1	245-2124	1	BASE AS (RELAY)	
B		1	143-4479	1	SOCKET-RELAY (OUTSIDE NACD)	
B		1	211-0640	1	SPRING (RELAY) (US SOURCED)	
B		1	252-1732	1	BASE-RELAY (US SOURCED)	
	14	1	208-9270	1	DIODE (1.5-KW, TRANSORB)	
	15	1	258-6793	1	PLATE AS	
M		1	3E-4304	3	INSERT-THREADED (M6X1-THD)	
	17	1	301-8318	1	COVER-END	
	18	1	301-8313	80	BLOCK-TERMINAL	
	19	1	301-8316	2	COVER-END	
	20	1	301-8317	2	BLOCK-TERMINAL	
	21	1	301-8325	1	COVER-END	
	22	1	301-8326	7	BLOCK-TERMINAL	
	23	1	4B-4274	5	WASHER (5.5X13X1.2-MM THK)	
CM	24	1	8T-6411	5	SCREW-MACHINE (M6X1X12-MM)	
B	25	1	7W-0482	3	FUSE (2-AMPERE) (US SOURCED)	
	26	1	8C-9660	1	WASHER (4.6X7.9X0.8-MM THK)	
M	27	1	8T-7961	1	LOCKNUT (M4X0.7-THD)	
	28	1	245-5739	1	DIODE AS	
B		1	143-4480	1	DIODE AS	
B		1	252-1731	1	MODULE-DIODE	
L	30	1	235-6970		DUCT (400-MM)	
L	30A	1	235-6970		DUCT (275-MM)	
P	31	1	204-8659		RAIL (2.40-DM)	
P	31A	1	204-8659		RAIL (4.25-DM)	
E	33	1	147-1960		RAIL (24-CM)	
E	33A	1	147-1960		RAIL (42.5-CM)	
C	34	1	095-0827	5	LOCKWASHER	
FY			258-4700	1	HARNESS AS-PANEL (EMCP 3)	230
FJ			241-8022	1	FILM-INFORMATION (ELEC COMPONENT IDENTIFICATIONS)	
FJ			275-8520	2	KIT-MARKER (EACH KIT INCLUDES STRIPS)	

OPERATOR STATION

258-6792 PANEL GP-ELECTRONIC (contd.)


i03474291

B-USE AS REQUIRED
C-CHANGE FROM PREVIOUS TYPE
E-ORDER BY THE CENTIMETER
F-NOT SHOWN
J-FIT AS REQUIRED
L-ORDER BY THE MILLIMETER
M-METRIC PART
P-ORDER BY DECIMETER
Y-SEPARATE ILLUSTRATION

OPERATOR STATION

258-6792 PANEL GP-ELECTRONIC (contd.)

i03474291



GRAPHIC #1

<END>

g01827014

OPERATOR STATION

144-8325 PANEL GP-INSTRUMENT


S/N: C8G1-UP

REQUIRES AN EMCP II OR EMCP II+ CONTROL PANEL
AN ATTACHMENT

SMCS-7451

i01629843

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
Z	1	1		1	BOX						
Z	2	1		1	LID						
Z	3	1		1	PLATE						
	4	1	4P-2160	6	RING-RETAINING						
	5	1	4P-2161	6	SCREW						
	6	1	4P-2162	6	CLIP						
Y	7	1	130-3350	1	CONTROL	GP-ALARM	MODULE				443
Y-SEPARATE ILLUSTRATION											
Z-NOT SERVICED SEPARATELY											



GRAPHIC #1

<END>

g00277157