

OPERATOR STATION

157-3540 MODULE GP-SYSTEM COMMUNICATION


S/N: C2G1-UP

FOR USE WITH EMCP II CONTROL PANEL
AN ATTACHMENT

SMCS-1926

i01508689

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME	SEE PAGE
					1 2 3 4 5 6 (PRODUCT LEVEL)	
Y	1	1	102-8627	1	MODULE GP-SYSTEM COMMUNICATION	1194
Y-SEPARATE ILLUSTRATION						



GRAPHIC #1

<END>

g00535482

OPERATOR STATION

164-8940 MODULE GP-SYSTEM COMMUNICATION*R


S/N: C2G1-UP

PART OF 102-8627 MODULE GP-SYSTEM COMMUNICATION
AN ATTACHMENT

SMCS-1926

i02638417

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	1	101-1785	1	BATTERY (LITHIUM) (INTERNAL BACKUP)						
	2	1	8L-8413	1	STRAP-CABLE						



GRAPHIC #1

<END>

g00536528

OPERATOR STATION

239-6758 MOUNTING GP-CONTROL PANEL


S/N: ZKC1-UP; C2G1-UP; NKM1-UP
AN ATTACHMENT

SMCS-7451

i02013117

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME	SEE PAGE
	1	1	236-0384	1	COVER (TOP)	
		1	175-3265	6	SCREW (8-16X0.63-IN)	
	2	1	236-0386	1	BASE AS (TURRET)	
	3	1	236-0387	1	PLATE-MOUNTING	
	4	1	236-0389	1	PLATE (CABLE-INLET)	
	5	1	239-6766	1	BRACKET AS	
	5A	1	203-5398	14	INSERT-THREADED (M5X0.8-THD)	
	6	1	215-3790	6	BOLT (M6X17.5-THD)	
M	7	1	8T-4127	14	SCREW-MACHINE (M5X0.8X20-MM)	
	8	1	9X-8256	6	WASHER (6.6X12X2-MM THK)	

M-METRIC PART



GRAPHIC #1

<END>

g01017027

OPERATOR STATION


258-6776 MOUNTING GP-DIVIDER PLATE

S/N: ZKC1-UP; NKM1-UP
AN ATTACHMENT

SMCS-7451

i02508776

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	1	6K-0806	1	STRAP-CABLE						
	2	1	160-7307	1	GROMMET						
	3	1	268-5543	1	PLATE AS						
	3A	1	203-5398	4	INSERT-THREADED (M5X0.8-THD)						
M	4	1	095-0742	8	SCREW-MACHINE (M6X1X16-MM)						
	5	1	095-0827	8	LOCKWASHER						
	6	1	9X-8256	8	WASHER (6.6X12X2-MM THK)						
M-METRIC PART											



GRAPHIC #1

<END>

g01269686

OPERATOR STATION


259-0317 MOUNTING GP-PANEL

S/N: ZKC1-UP; C2G1-UP; NKM1-UP
AN ATTACHMENT

SMCS-1609

i02252713

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	1	235-1182	1	BRACKET AS						
		1	180-3748	6	INSERT-THREADED (M8X1.25-THD)						
	1A	1	203-5398	8	INSERT-THREADED (M5X0.8-THD)						
M	2	1	8T-4189	6	BOLT (M8X1.25X20-MM)						
	3	1	8T-4224	6	WASHER-HARD (8.8X16X2-MM THK)						
M-METRIC PART											



FRONT VIEW

GRAPHIC #1

<END>

g01141104

OPERATOR STATION

235-7943 PANEL GP-CONTROL

S/N: C2G1-UP

PART OF 235-9566 PANEL GP-ELECTRONIC

AN ATTACHMENT

TYPE 1

SMCS-4490, 7451


i02421981

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	1	3N-5979	1	SWITCH-ROTARY (4-POSITION) (RUN CONTROL)						
	2	1	7G-9730	2	LAMP AS (120-VOLT, 3-WATT)						
					(EACH INCLUDES)						
		1	6V-8367	1	LOCKWASHER						
		1	6V-8382	1	NUT-HEX (11/16-27-THD)						
	3	1	7N-5876	2	LAMP (24-VOLT, 0.2-AMPERE)						
	4	1	8D-2676	1	SWITCH AS-TOGGLE (FRONT AUXILLARY FLOOD LIGHTS)						
		1	3L-8187	2	LOCKWASHER (#6)						
		1	6T-3631	2	NUT-HEX (15/32-32-THD)						
		1	6T-3632	1	LOCKWASHER						
		1	6T-3633	1	RING-LOCKING						
		1	6V-8374	2	SCREW-MACHINE (6-32X0.25-IN)						
	5	1	143-8789	2	BRACKET-END						
	6	1	206-9512	1	CONTACT						
	7	1	226-6446	1	SWITCH AS-PUSH BUTTON (STOP)						
		1	261-5503	1	PLATE						
	8	1	228-6935	3	BLOCK-CONTACT						
	9	1	228-7280	1	SHROUD						
	10	1	234-6656	1	DOOR AS						
		1	203-5398	4	INSERT-THREADED (M5X0.8-THD)						
	11	1	234-9409	57	TERMINAL (3-CONTACT, 10-GA TO 22-GA)						
	12	1	234-9424	1	TERMINAL (END)						
	13	1	234-9425	2	LINK (TERMINAL)						
	14	1	235-7944	2	LOCK AS						
	15	1	240-5721	3	CLIP						
	16	1	242-1601	1	FILM (CONTROL PANEL)						
J	17	1	235-6970		DUCT (300-MM)						
D	18	1	5P-5637		SEAL (2.6-M)						
D-ORDER BY THE METER											
J-SOLD BY THE MILLIMETER											

OPERATOR STATION

235-7943 PANEL GP-CONTROL (contd.)

i02421981



GRAPHIC #1

<END>

g01223270

OPERATOR STATION

235-7943 PANEL GP-CONTROL

S/N: C2G1-UP

PART OF 235-9566 PANEL GP-ELECTRONIC

AN ATTACHMENT

TYPE 2

SMCS-4490, 7451

i02739550

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME 1 2 3 4 5 6 (PRODUCT LEVEL)	SEE PAGE
	1	1	3N-5979	1	SWITCH-ROTARY (4-POSITION) (RUN CONTROL)	
	2	1	7G-9730	2	LAMP AS (120-VOLT, 3-WATT)	
					(EACH INCLUDES)	
		1	6V-8367	1	LOCKWASHER	
		1	6V-8382	1	NUT-HEX (11/16-27-THD)	
	3	1	7N-5876	2	LAMP (24-VOLT, 0.2-AMPERE)	
	4	1	8D-2676	1	SWITCH AS-TOGGLE	
					(FRONT AUXILLARY FLOOD LIGHTS)	
		1	3L-8187	2	LOCKWASHER (#6)	
		1	6T-3631	2	NUT-HEX (15/32-32-THD)	
		1	6T-3632	1	LOCKWASHER	
		1	6T-3633	1	RING-LOCKING	
		1	6V-8374	2	SCREW-MACHINE (6-32X0.25-IN)	
	5	1	143-8789	2	BRACKET-END	
	6	1	206-9512	1	CONTACT	
	7	1	226-6446	1	SWITCH AS-PUSH BUTTON (STOP)	
		1	261-5503	1	PLATE	
	8	1	228-6935	3	BLOCK-CONTACT	
	9	1	228-7280	1	SHROUD	
	10	1	234-6656	1	DOOR AS	
		1	203-5398	4	INSERT-THREADED (M5X0.8-THD)	
C	11	1	301-8312	57	BLOCK-TERMINAL (800-VOLT, 24-AMPERE)	
C	12	1	301-8315	1	COVER-END	
	13	1	234-9425	2	LINK (TERMINAL)	
	14	1	235-7944	2	LOCK AS	
	15	1	240-5721	3	CLIP	
	16	1	242-1601	1	FILM (CONTROL PANEL)	
J	17	1	235-6970		DUCT (300-MM)	
D	18	1	5P-5637		SEAL (2.6-M)	
C	19	1	275-8520	1	KIT-MARKER	

C-CHANGE FROM PREVIOUS TYPE





D-ORDER BY THE METER

J-SOLD BY THE MILLIMETER

OPERATOR STATION

235-7943 PANEL GP-CONTROL (contd.)

i02739550



GRAPHIC #1

<END>

g01388413

OPERATOR STATION

236-5836 PANEL GP-CONTROL

S/N: C2G1-UP
AN ATTACHMENT
TYPE 1

SMCS-4490, 7451

i04091295

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	1	245-2124	4	BASE AS (RELAY)						
					(EACH INCLUDES)						
B		1	143-4479	1	SOCKET-RELAY (EUROPEAN SOURCED)						
B		1	211-0640	1	SPRING (RELAY) (US SOURCED)						
B		1	252-1732	1	BASE-RELAY (US SOURCED)						
	2	1	143-5082	1	SWITCH AS-PUSH BUTTON (CLOSE BREAKER)						
	3	1	143-5084	2	BASE-LAMP						
	4	1	143-5085	2	BLOCK-CONTACT						
	5	1	143-5086	1	BLOCK-CONTACT						
	6	1	6T-7596	1	DIODE-RECTIFIER (24-VOLT)						
M	7	1	6V-7743	4	LOCKNUT (M6X1-THD)						
	8	1	160-9602	3	HOLDER-FUSE						
	9	1	160-9633	1	SWITCH AS-PUSH BUTTON (OPEN BREAKER)						
	10	1	169-4500	2	LAMP (24-VOLT, 2.8-WATT)						
	11	1	169-4501	2	CLIP						
Y	12	1	169-4701	1	CONTROL GP-EMCP ELECTRONIC						1136
	13	1	172-4390	1	RELAY AS (120-VOLT) (28-VDC)						
	14	1	173-7196	1	TRANSFORMER AS						
	15	1	214-0491	1	RELAY AS-TIMER (5-AMPERE, 240-VOLT) (24-VDC)						
M	16	1	095-0742	8	SCREW-MACHINE (M6X1X16-MM)						
	17	1	115-7948	2	SOCKET-RELAY						
B	18	1	143-4471	2	FUSE (2-AMPERE) (EUROPEAN SOURCED)						
B	19	1	143-4472	1	FUSE (6-AMPERE) (EUROPEAN SOURCED)						
	20	1	245-2123	4	RELAY AS (24-VOLT)						
					(EACH INCLUDES)						
B		1	143-4478	1	RELAY (24-VOLT) (EUROPEAN SOURCED)						
B		1	223-6470	1	RELAY (10-AMPERE, 24-VOLT) (US SOURCED)						
	21	1	166-0391	1	RELAY AS (24-VOLT)						
	22	1	236-5466	1	FILM (CONTROL PANEL)						
	23	1	236-5845	1	PLATE						
	24	1	3E-2149	1	SWITCH-ROTARY (PARALLEL MODE)						
B	25	1	7W-0482	4	FUSE (2-AMPERE) (US SOURCED)						
M	26	1	7X-2534	1	BOLT (M6X1X50-MM)						
	27	1	9X-8256	13	WASHER (6.6X12X2-MM THK)						
B	28	1	190-2558	1	FUSE (6-AMPERE) (US SOURCED)						
	29	1	235-1140	2	COVER-END						
	30	1	235-1131	7	TERMINAL-SPRING						
	31	1	234-9423	2	TERMINAL						
F			236-5317	1	HARNESS AS-PANEL (CONTROL)						

B-USE AS REQUIRED

F-NOT SHOWN

M-METRIC PART

Y-SEPARATE ILLUSTRATION