


OPERATOR STATION

236-5836 PANEL GP-CONTROL (contd.)

i04091295



GRAPHIC #1

<END>

g01229318

OPERATOR STATION

236-5836 PANEL GP-CONTROL

S/N: C2G1-UP
AN ATTACHMENT
TYPE 2

SMCS-4490, 7451

i04091289


NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	1	245-2124	4	BASE AS (RELAY)						
					(EACH INCLUDES)						
B		1	143-4479	1	SOCKET-RELAY (EUROPEAN SOURCED)						
B		1	211-0640	1	SPRING (RELAY) (US SOURCED)						
B		1	252-1732	1	BASE-RELAY (US SOURCED)						
	2	1	143-5082	1	SWITCH AS-PUSH BUTTON (CLOSE BREAKER)						
	3	1	143-5084	2	BASE-LAMP						
	4	1	143-5085	2	BLOCK-CONTACT						
	5	1	143-5086	1	BLOCK-CONTACT						
	6	1	6T-7596	1	DIODE-RECTIFIER (24-VOLT)						
M	7	1	6V-7743	4	LOCKNUT (M6X1-THD)						
	8	1	160-9602	3	HOLDER-FUSE						
	9	1	160-9633	1	SWITCH AS-PUSH BUTTON (OPEN BREAKER)						
	10	1	169-4500	2	LAMP (24-VOLT, 2.8-WATT)						
	11	1	169-4501	2	CLIP						
Y	12	1	169-4701	1	CONTROL GP-EMCP ELECTRONIC						1136
	13	1	172-4390	1	RELAY AS (120-VOLT) (CONTROL PANEL)						
	14	1	173-7196	1	TRANSFORMER AS						
	15	1	214-0491	1	RELAY AS-TIMER (5-AMPERE, 240-VOLT) (24-VDC)						
M	16	1	095-0742	8	SCREW-MACHINE (M6X1X16-MM)						
	17	1	115-7948	2	SOCKET-RELAY						
B	18	1	143-4471	2	FUSE (2-AMPERE) (EUROPEAN SOURCED)						
B	19	1	143-4472	1	FUSE (6-AMPERE) (EUROPEAN SOURCED)						
	20	1	245-2123	4	RELAY AS (24-VOLT) (ALARM)						
					(EACH INCLUDES)						
B		1	143-4478	1	RELAY (24-VOLT) (EUROPEAN SOURCED)						
B		1	223-6470	1	RELAY (10-AMPERE, 24-VOLT) (US SOURCED)						
	21	1	166-0391	1	RELAY AS (24-VOLT) (CONTROL PANEL)						
	22	1	236-5466	1	FILM (CONTROL PANEL)						
	23	1	236-5845	1	PLATE						
	24	1	3E-2149	1	SWITCH-ROTARY (PARALLEL MODE)						
B	25	1	7W-0482	4	FUSE (2-AMPERE) (US SOURCED)						
M	26	1	7X-2534	1	BOLT (M6X1X50-MM)						
	27	1	9X-8256	13	WASHER (6.6X12X2-MM THK)						
B	28	1	190-2558	1	FUSE (6-AMPERE) (US SOURCED)						
C	29	1	301-8318	1	COVER-END						
C	30	1	301-8311	7	BLOCK-TERMINAL (800-VOLT, 24-AMPERE)						
C	31	1	301-8317	2	BLOCK-TERMINAL (800-VOLT, 24-AMPERE)						
F			236-5317	1	HARNESS AS-PANEL (CONTROL)						

B-USE AS REQUIRED
C-CHANGE FROM PREVIOUS TYPE
F-NOT SHOWN
M-METRIC PART
Y-SEPARATE ILLUSTRATION


OPERATOR STATION

236-5836 PANEL GP-CONTROL (contd.)


i04091289




FRONT VIEW
(CONTROL PANEL)



FRONT VIEW
(ELECTRONIC PANEL)



REAR VIEW
(CONTROL PANEL)



VIEW OF AREA A

GRAPHIC #1

<END>

g01375954

OPERATOR STATION

236-6508 PANEL GP-CONTROL

S/N: C2G1-UP

EMS II +P

AN ATTACHMENT

SMCS-4490, 7451

i04559732

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME 1 2 3 4 5 6 (PRODUCT LEVEL)	SEE PAGE
	1	1	100-5566	1	BEZEL	
	2	1	245-2124	4	BASE AS (RELAY) (EACH INCLUDES)	
B		1	143-4479	1	SOCKET-RELAY (EUROPEAN SOURCED)	
B		1	211-0640	1	SPRING (RELAY) (US SOURCED)	
B		1	252-1732	1	BASE-RELAY (US SOURCED)	
	3	1	143-5082	1	SWITCH AS-PUSH BUTTON (CLOSE BREAKER)	
	4	1	143-5084	2	BASE-LAMP	
	5	1	143-5085	2	BLOCK-CONTACT	
	6	1	143-5086	1	BLOCK-CONTACT	
	7	1	6T-7596	1	DIODE-RECTIFIER (24-VOLT)	
Y	8	1	154-5505	1	CONTROL GP-ENGINE MONITORING	1146
M	9	1	6V-7743	4	LOCKNUT (M6X1-THD)	
	10	1	160-9602	3	HOLDER-FUSE	
	11	1	160-9633	1	SWITCH AS-PUSH BUTTON (OPEN BREAKER)	
	12	1	169-4500	2	LAMP (24-VOLT, 2.8-WATT)	
	13	1	169-4501	2	CLIP	
Y	14	1	169-4701	1	CONTROL GP-EMCP ELECTRONIC (BUSS TRANSFORMER BOX)	1136
	15	1	172-4390	1	RELAY AS (120-VOLT)	
	16	1	173-7196	1	TRANSFORMER AS (LOW VOLTAGE)	
	17	1	214-0491	1	RELAY AS-TIMER (5-AMPERE, 240-VOLT)	
	18	1	234-7793	1	PLATE	
M	19	1	095-0742	8	SCREW-MACHINE (M6X1X16-MM)	
	20	1	115-7948	2	SOCKET-RELAY	
B	21	1	143-4471	2	FUSE (2-AMPERE) (EUROPEAN SOURCED)	
B	22	1	143-4472	1	FUSE (6-AMPERE) (EUROPEAN SOURCED)	
	23	1	245-2123	4	RELAY AS (24-VOLT) (EACH INCLUDES)	
B		1	143-4478	1	RELAY (24-VOLT) (EUROPEAN SOURCED)	
B		1	223-6470	1	RELAY (10-AMPERE, 24-VOLT) (US SOURCED)	
	24	1	166-0391	1	RELAY AS (24-VOLT) (CONTROL PANEL)	
	25	1	236-5467	1	FILM (CONTROL PANEL)	
	26	1	3E-2149	1	SWITCH-ROTARY (PARALLEL MODE)	
	27	1	7N-8008	1	SWITCH AS-TOGGLE (CLEAR/MODE)	
		1	3L-8187	6	LOCKWASHER	
		1	6T-3631	2	NUT-HEX (15/32-32-THD)	
		1	6T-3632	1	LOCKWASHER	
		1	6T-3633	1	RING-LOCKING	
		1	6V-8374	6	SCREW-MACHINE (6-32X0.25-IN)	
B	28	1	7W-0482	4	FUSE (2-AMPERE) (US SOURCED)	
M	29	1	7X-2534	1	BOLT (M6X1X50-MM)	
	30	1	8C-9660	4	WASHER (4.6X7.9X0.8-MM THK)	
Y	31	1	8N-0694	1	SWITCH AS-TOGGLE (STARTING AID)	463
M	32	1	8T-0024	4	SCREW (M4X0.7X30-MM)	
M	33	1	8T-7961	4	LOCKNUT (M4X0.7-THD)	
	34	1	9X-8256	13	WASHER (6.6X12X2-MM THK)	
B	35	1	190-2558	1	FUSE (6-AMPERE) (US SOURCED)	
	36	1	235-1140	2	COVER-END	
	37	1	235-1131	7	TERMINAL-SPRING	
	38	1	234-9423	2	TERMINAL	
F			236-5316	1	HARNESS AS-MONITOR (EMS II)	
			8T-9834	1	PLUG AS-CONNECTOR (40-PIN)	
F			236-5317	1	HARNESS AS-PANEL (CONTROL) (+P)	

OPERATOR STATION

236-6508 PANEL GP-CONTROL (contd.)


i04559732

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
			102-8803	1	KIT-RECEPTACLE (3-PIN)						
					(INCLUDES RECEPTACLE AS AND WEDGE)						
B-USE AS REQUIRED											
F-NOT SHOWN											
M-METRIC PART											
Y-SEPARATE ILLUSTRATION											

OPERATOR STATION

236-6508 PANEL GP-CONTROL (contd.)

i04559732



GRAPHIC #1

<END>

g01226762

OPERATOR STATION


237-1468 PANEL GP-CONTROL

S/N: C2G1-UP
EARTH FAULT , TRANSFORMER
AN ATTACHMENT

SMCS-4490, 7451

i02440765

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME	SEE PAGE
					1 2 3 4 5 6 (PRODUCT LEVEL)	
	1	1	212-7040	1	RELAY (GROUND FAULT, 24-VOLT, DC)	
	2	1	6T-7596	1	DIODE-RECTIFIER	
F			237-1469	1	HARNESS AS-WIRING (EARTH FAULT)	
F-NOT SHOWN						



GRAPHIC #1

<END>

g01220227

OPERATOR STATION


268-1457 PANEL GP-ELECTRICAL

S/N: C2G1-UP
AN ATTACHMENT

SMCS-1417

i03542260

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	1	214-0491	1	RELAY AS-TIMER (5-AMPERE, 240-VOLT) (24-VDC)						
F			277-0304	1	HARNESS AS-ALARM						
			8L-8413	7	STRAP - CABLE						
F - NOT SHOWN											



GRAPHIC #1

<END>

g01223318

OPERATOR STATION

235-8002 PANEL GP-ELECTRONIC

S/N: C2G1-UP

PART OF 235-9566 PANEL GP-ELECTRONIC

AN ATTACHMENT

TYPE 1

SMCS-4490, 7490

i02440610

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME 1 2 3 4 5 6 (PRODUCT LEVEL)	SEE PAGE
	1	1	143-8789	2	BRACKET-END	
	2	1	235-1136	6	TERMINAL (2-CONTACT, 10-GA TO 20-GA)	
	3	1	195-2637	28	SCREW (8-32X0.5-IN)	
	4	1	234-9409	112	TERMINAL (3-CONTACT, 10-GA TO 22-GA)	
	5	1	234-9423	6	TERMINAL	
	6	1	235-1140	4	COVER-END	
	7	1	234-1907	1	CHASSIS AS	
M		1	3E-4304	13	INSERT-THREADED (M6X1-THD) (M6X1-6 THD)	
		1	197-7426	4	INSERT-THREADED (M4X0.7-THD) (M4X0.7 THD)	
		1	203-5398	12	INSERT-THREADED (M5X0.8-THD) (M5)	
	8	1	234-3323	1	BRACKET	
	9	1	235-3878	1	HARNESS AS-PANEL (CHASSIS)	
		1	102-8806	1	KIT-RECEPTACLE (8-PIN)	
					(INCLUDES RECEPTACLE AS AND WEDGE)	
		1	103-0213	2	RECEPTACLE AS-CONNECTOR (70-PIN)	
	10	1	235-6090	1	BRACKET	
	11	1	245-2123	1	RELAY AS (24-VOLT)	
B		1	143-4478	1	RELAY (24-VOLT) (EUROPEAN SOURCED)	
B		1	223-6470	1	RELAY (10-AMPERE, 24-VOLT) (US SOURCED)	
	12	1	245-2124	1	BASE AS (RELAY)	
B		1	143-4479	1	SOCKET-RELAY (EUROPEAN SOURCED)	
B		1	211-0640	1	SPRING (RELAY) (US SOURCED)	
B		1	252-1732	1	BASE-RELAY (US SOURCED)	
M	13	1	095-0742	4	SCREW-MACHINE (M6X1X16-MM)	
M	14	1	6V-9492	8	SCREW-MACHINE (M4X0.7X25-MM)	
	15	1	8C-9660	16	WASHER (4.6X7.9X0.8-MM THK)	
M	16	1	8T-7961	8	LOCKNUT (M4X0.7-THD)	
	17	1	9X-8256	4	WASHER (6.6X12X2-MM THK)	
H	18	1	235-6970		DUCT (430-MM)	
H	18A	1	235-6970		DUCT (825-MM)	
H	19	1	235-6969		DUCT (300-MM)	
H	19A	1	235-6969		DUCT (215-MM EACH)	
H	19B	1	235-6969		DUCT (430-MM EACH)	
	20	1	234-9424	3	TERMINAL (END)	
	21	1	234-9425	3	LINK (TERMINAL)	
	22	1	235-1132	1	LINK (TERMINAL)	
BF		1	241-8022	1	FILM-INFORMATION (ELEC COMPONENT IDENTIFICATIONS)	
BF		1	261-7255	1	LINK	
BF		1	261-7256		SLEEVE (100-MM)	
BF		1	265-7214	2	LINK (TERMINAL)	
F		1	267-8327	10	TERMINAL	
F		1	267-8328	43	MARKER-TERMINAL	
F		1	267-8329	43	MARKER-TERMINAL (2)	
F		1	267-8330	32	MARKER-TERMINAL (3)	
F		1	267-8331	23	MARKER-TERMINAL (4)	
F		1	267-8332	16	MARKER-TERMINAL (5)	
F		1	267-8333	11	MARKER-TERMINAL (6)	
F		1	267-8334	11	MARKER-TERMINAL (7)	
F		1	267-8335	11	MARKER-TERMINAL (8)	
F		1	267-8336	10	TERMINAL	

OPERATOR STATION

235-8002 PANEL GP-ELECTRONIC (contd.)

i02440610

B-USE AS REQUIRED
F-NOT SHOWN
H-ORDER BY THE MILLIMETER
M-METRIC PART