


OPERATOR STATION

235-8002 PANEL GP-ELECTRONIC (contd.)

i02440610



GRAPHIC #1

<END>

g01219319

OPERATOR STATION

235-8002 PANEL GP-ELECTRONIC

S/N: C2G1-UP

PART OF 235-9566 PANEL GP-ELECTRONIC

AN ATTACHMENT

TYPE 2

SMCS-4490, 7490

i02534043


NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME 1 2 3 4 5 6 (PRODUCT LEVEL)	SEE PAGE
	1	1	143-8789	2	BRACKET-END	
	2	1	195-2637	28	SCREW (8-32X0.5-IN)	
	3	1	234-1907	1	CHASSIS AS	
M		1	3E-4304	13	INSERT-THREADED (M6X1-THD)	
		1	197-7426	4	INSERT-THREADED (M4X0.7-THD)	
		1	203-5398	12	INSERT-THREADED (M5X0.8-THD) (M5)	
4		1	234-3323	1	BRACKET	
5		1	234-9409	112	TERMINAL (3-CONTACT, 10-GA TO 22-GA)	
6		1	234-9423	6	TERMINAL	
7		1	234-9424	3	TERMINAL (END)	
8		1	234-9425	3	LINK (TERMINAL)	
9		1	235-1132	1	LINK (TERMINAL)	
10		1	235-1136	6	TERMINAL (2-CONTACT, 10-GA TO 20-GA)	
11		1	235-1140	4	COVER-END	
12		1	235-3878	1	HARNESS AS-PANEL (CHASSIS)	
		1	102-8806	1	KIT-RECEPTACLE (8-PIN)	
					(INCLUDES RECEPTACLE AS AND WEDGE)	
		1	103-0213	2	RECEPTACLE AS-CONNECTOR (70-PIN)	
13		1	235-6090	1	BRACKET	
14		1	245-2123	1	RELAY AS (24-VOLT)	
B		1	143-4478	1	RELAY (24-VOLT) (OUTSIDE NACD)	
B		1	223-6470	1	RELAY (10-AMPERE, 24-VOLT) (US SOURCED)	
15		1	245-2124	1	BASE AS (RELAY)	
B		1	143-4479	1	SOCKET-RELAY (OUTSIDE NACD)	
B		1	211-0640	1	SPRING (RELAY) (US SOURCED)	
B		1	252-1732	1	BASE-RELAY (US SOURCED)	
CJ	16	1	275-8520	3	KIT-MARKER	
M	17	1	095-0742	4	SCREW-MACHINE (M6X1X16-MM)	
M	18	1	6V-9492	8	SCREW-MACHINE (M4X0.7X25-MM)	
	19	1	8C-9660	16	WASHER (4.6X7.9X0.8-MM THK)	
M	20	1	8T-7961	8	LOCKNUT (M4X0.7-THD)	
	21	1	9X-8256	4	WASHER (6.6X12X2-MM THK)	
H	25	1	235-6970		DUCT (430-MM)	
H	25A	1	235-6970		DUCT (825-MM)	
H	26	1	235-6969		DUCT (300-MM)	
H	26A	1	235-6969		DUCT (215-MM EACH)	
H	26B	1	235-6969		DUCT (430-MM EACH)	
BF		1	241-8022	1	FILM-INFORMATION (ELEC COMPONENT IDENTIFICATIONS)	
BF		1	261-7255	1	LINK (COPPER)	
FH		1	261-7256		SLEEVE (100-MM)	
BF		1	265-7214	2	LINK (TERMINAL) (COPPER)	

B-USE AS REQUIRED
C-CHANGE FROM PREVIOUS TYPE
F-NOT SHOWN
H-ORDER BY THE MILLIMETER
J-FIT AS REQUIRED
M-METRIC PART

OPERATOR STATION

235-8002 PANEL GP-ELECTRONIC (contd.)

i02534043



GRAPHIC #1

<END>

g01268118

OPERATOR STATION

235-8002 PANEL GP-ELECTRONIC

S/N: C2G1-UP

PART OF 235-9566 PANEL GP-ELECTRONIC

AN ATTACHMENT

TYPE 3

SMCS-4490, 7490

i03142825

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME 1 2 3 4 5 6 (PRODUCT LEVEL)	SEE PAGE
C	1	1	143-8789	8	BRACKET-END	
	2	1	195-2637	28	SCREW (8-32X0.5-IN)	
	3	1	234-1907	1	CHASSIS AS	
M		1	3E-4304	29	INSERT-THREADED (M6X1-THD)	
		1	197-7426	4	INSERT-THREADED (M4X0.7-THD)	
		1	203-5398	12	INSERT-THREADED (M5X0.8-THD)	
	4	1	234-3323	1	BRACKET	
C	5	1	301-8312	115	BLOCK-TERMINAL (800-VOLT, 24-AMPERE)	
C	6	1	301-8317	6	BLOCK-TERMINAL (800-VOLT, 24-AMPERE)	
C	7	1	301-8315	4	COVER-END	
	8	1	234-9425	3	LINK (TERMINAL)	
	9	1	235-1132	1	LINK (TERMINAL)	
C	10	1	301-8326	6	BLOCK-TERMINAL (800-VOLT, 41-AMPERE)	
C	11	1	301-8318	2	COVER-END	
	12	1	235-3878	1	HARNESS AS-PANEL	
		1	102-8806	1	KIT-RECEPTACLE (8-PIN)	
					(INCLUDES RECEPTACLE AS AND WEDGE)	
		1	103-0213	2	RECEPTACLE AS-CONNECTOR (70-PIN)	
	13	1	235-6090	1	BRACKET	
	14	1	245-2123	1	RELAY AS (24-VOLT)	
B		1	143-4478	1	RELAY (24-VOLT) (OUTSIDE NACD)	
B		1	223-6470	1	RELAY (10-AMPERE, 24-VOLT) (US SOURCED)	
	15	1	245-2124	1	BASE AS (RELAY)	
B		1	143-4479	1	SOCKET-RELAY (OUTSIDE NACD)	
B		1	211-0640	1	SPRING (RELAY) (US SOURCED)	
B		1	252-1732	1	BASE-RELAY (US SOURCED)	
M	17	1	095-0742	4	SCREW-MACHINE (M6X1X16-MM)	
M	18	1	6V-9492	8	SCREW-MACHINE (M4X0.7X25-MM)	
	19	1	8C-9660	18	WASHER (4.6X7.9X0.8-MM THK)	
M	20	1	8T-7961	8	LOCKNUT (M4X0.7-THD)	
	21	1	9X-8256	4	WASHER (6.6X12X2-MM THK)	
H	25	1	235-6970		DUCT (430-MM)	
H	25A	1	235-6970		DUCT (825-MM)	
E	26	1	299-5937		DUCT-WIRE (30-CM)	
E	26A	1	299-5937		DUCT-WIRE (21.5-CM EACH)	
E	26B	1	299-5937		DUCT-WIRE (43-CM EACH)	
C	27	1	301-8325	2	COVER-END	
C	28	1	4B-4274	28	WASHER (5.5X13X1.2-MM THK)	
M	29	1	8T-6411	16	SCREW-MACHINE (M6X1X12-MM)	
	30	1	095-0827	16	LOCKWASHER	
N	31	1	204-8659		RAIL (3-DM)	
N	31A	1	204-8659		RAIL (4.4-DM EACH)	
N	31B	1	204-8659		RAIL (1.7-DM)	
N	31C	1	204-8659		RAIL (2.6-DM)	
N	31D	1	204-8659		RAIL (1.6-DM)	
N	31E	1	204-8659		RAIL (2.2-DM)	
M	32	1	5C-8312	1	NUT (M4X0.7-THD)	
FJ			275-8520	3	KIT-MARKER	
BF			241-8022	1	FILM-INFORMATION (ELEC COMPONENT IDENTIFICATIONS)	
BF			261-7255	1	LINK	
FH			261-7256		SLEEVE (100-MM)	
BF			265-7214	2	LINK (TERMINAL)	

OPERATOR STATION

235-8002 PANEL GP-ELECTRONIC (contd.)


i03142825

B-USE AS REQUIRED
C-CHANGE FROM PREVIOUS TYPE
E-ORDER BY THE CENTIMETER
F-NOT SHOWN
H-ORDER BY THE MILLIMETER
J-FIT AS REQUIRED
M-METRIC PART
N-ORDER BY THE DECIMETER

OPERATOR STATION

235-8002 PANEL GP-ELECTRONIC (contd.)

i03142825



<END>

GRAPHIC #1

g01621837

OPERATOR STATION

235-9566 PANEL GP-ELECTRONIC

S/N: C2G1-UP
AN ATTACHMENT
TYPE 1

SMCS-4490, 7490

i02576274


NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME 1 2 3 4 5 6 (PRODUCT LEVEL)	SEE PAGE
	1	1	143-5099	2	INSULATOR	
	2	1	155-2092	1	BAR	
	3	1	231-2775	1	PLATE AS	
		1	203-5398	12	INSERT-THREADED (M5X0.8-THD) (THREADED M6)	
	4	1	231-3262	1	ENCLOSURE AS	
M		1	3E-4304	16	INSERT-THREADED (M6X1-6H-THD)	
		1	180-3748	19	INSERT-THREADED (M8X1.25-THD)	
		1	203-5398	24	INSERT-THREADED (M5X0.8-THD) (THREADED M6)	
	5	1	231-3296	1	SUPPORT AS	
		1	203-5398	6	INSERT-THREADED (M5X0.8-THD) (THREADED M6)	
	6	1	235-0801	1	COVER	
	7	1	235-5775	4	BRACKET AS	
					(EACH INCLUDES)	
		1	203-5398	3	INSERT-THREADED (M5X0.8-THD) (THREADED M6)	
Y	8	1	235-7943	1	PANEL GP-CONTROL	1200
Y	9	1	235-8002	1	PANEL GP-ELECTRONIC	1213
	10	1	271-9984	2	HINGE AS	
	12	1	160-7307	1	GROMMET	
	13	1	142-4899	4	LOCKWASHER	
M	14	1	192-4522	8	SCREW-FLAT HEAD	
	15	1	231-3302	1	SUPPORT AS	
		1	203-5398	2	INSERT-THREADED (M5X0.8-THD) (THREADED M6)	
M	16	1	5C-7261	8	NUT (M8X1.25-THD)	
M	17	1	8T-6693	40	SCREW-MACHINE (M5X0.8X16-MM)	
M	18	1	7X-2621	2	BOLT (M10X1.5X12-MM)	
	19	1	8T-0328	40	WASHER-HARD (5.5X10X1-MM THK)	
	20	1	8T-4121	4	WASHER-HARD (11X21X2.5-MM THK)	
M	21	1	8T-4137	2	BOLT (M10X1.5X20-MM)	
	22	1	8T-4224	19	WASHER-HARD (8.8X16X2-MM THK)	
M	23	1	8T-7547	8	BOLT (M8X1.25X30-MM)	
	24	1	236-0389	1	PLATE	
	25	1	246-4941	1	BRACKET	
M	26	1	8T-4200	3	BOLT (M8X1.25X16-MM)	

M-METRIC PART
Y-SEPARATE ILLUSTRATION

OPERATOR STATION

235-9566 PANEL GP-ELECTRONIC (contd.)

i02576274



GRAPHIC #1

<END>

g01102235

OPERATOR STATION

235-9566 PANEL GP-ELECTRONIC

S/N: C2G1-UP
AN ATTACHMENT
TYPE 2

SMCS-4490, 7490


i03487142

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
	1	1	160-7307	1	GROMMET						
	2	1	231-2775	1	PLATE AS						
		1	203-5398	12	INSERT-THREADED (M5X0.8-THD)						
	3	1	231-3262	1	ENCLOSURE AS						
M		1	3E-4304	16	INSERT-THREADED (M6X1-THD)						
		1	180-3748	19	INSERT-THREADED (M8X1.25-THD)						
		1	203-5398	24	INSERT-THREADED (M5X0.8-THD)						
4	1	231-3296	1	SUPPORT AS							
	1	203-5398	6	INSERT-THREADED (M5X0.8-THD)							
5	1	231-3302	1	SUPPORT AS							
	1	203-5398	2	INSERT-THREADED (M5X0.8-THD)							
6	1	235-0801	1	COVER							
7	1	235-5775	4	BRACKET AS							
					(EACH INCLUDES)						
		1	203-5398	3	INSERT-THREADED (M5X0.8-THD)						
Y	8	1	235-7943	1	PANEL GP-CONTROL						1200
Y	9	1	235-8002	1	PANEL GP-ELECTRONIC						1213
	10	1	236-0389	1	PLATE						
	11	1	246-4941	1	BRACKET						
	12	1	271-9984	2	HINGE AS						
M	13	1	192-4522	8	SCREW-FLAT HEAD						
M	14	1	5C-7261	8	NUT (M8X1.25-THD)						
	15	1	8T-0328	44	WASHER-HARD (5.5X10X1-MM THK)						
M	16	1	8T-4200	3	BOLT (M8X1.25X16-MM)						
	17	1	8T-4224	16	WASHER-HARD (8.8X16X2-MM THK)						
M	18	1	8T-6693	44	SCREW-MACHINE (M5X0.8X16-MM)						
M	19	1	8T-7547	8	BOLT (M8X1.25X30-MM)						
	20	1	5P-4116	3	WASHER-HARD (8.8X20.5X2-MM THK)						
BFJ			061-8844	4	GROMMET						
B-USE AS REQUIRED F-NOT SHOWN J-FOR US MANUFACTURE ONLY M-METRIC PART Y-SEPARATE ILLUSTRATION											

OPERATOR STATION

235-9566 PANEL GP-ELECTRONIC (contd.)

i03487142



GRAPHIC #1

<END>

g01827594