

OPERATOR STATION

240-0484 PANEL GP-ELECTRONIC


S/N: ZKC1-UP; C2G1-UP; NKM1-UP
AN ATTACHMENT

SMCS-4490, 7490

i03514616

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME	SEE PAGE
					1 2 3 4 5 6 (PRODUCT LEVEL)	
	1	1	8T-4121	8	WASHER-HARD (11X21X2.5-MM THK)	
M	2	1	8T-4133	4	NUT (M10X1.5-THD)	
M	3	1	8T-4195	4	BOLT (M10X1.5X30-MM)	
	4	1	7F-6998	4	LOCKWASHER	

M-METRIC PART



TOP VIEW OF ENGINE

<END>

GRAPHIC #1

g01856093

OPERATOR STATION

258-6791 PANEL GP-ELECTRONIC

S/N: ZKC1-UP; NKM1-UP

PANEL

AN ATTACHMENT

SMCS-4490, 7490

i03474162

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME	SEE PAGE
					1 2 3 4 5 6 (PRODUCT LEVEL)	
Y	1	1	258-6792	1	PANEL GP-ELECTRONIC	1228
	3	1	095-0827	4	LOCKWASHER	
	4	1	260-6688	4	BOLT (M6X1X30-MM)	
M	5	1	5C-2890	4	NUT (M6X1-THD)	
M	6	1	6V-9492	4	SCREW-MACHINE (M4X0.7X25-MM)	
	7	1	8C-9660	8	WASHER (4.6X7.9X0.8-MM THK)	
M	8	1	8T-7961	4	LOCKNUT (M4X0.7-THD)	
	9	1	9X-8256	8	WASHER (6.6X12X2-MM THK)	


M-METRIC PART

Y-SEPARATE ILLUSTRATION

OPERATOR STATION

258-6791 PANEL GP-ELECTRONIC (contd.)

i03474162



GRAPHIC #1

<END>

g01238470

OPERATOR STATION

258-6792 PANEL GP-ELECTRONIC

S/N: ZKC1-UP; NKM1-UP

PART OF 258-6791 PANEL GP-ELECTRONIC

AN ATTACHMENT

TYPE 1

SMCS-4490, 7490

i03210884

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME 1 2 3 4 5 6 (PRODUCT LEVEL)	SEE PAGE
	1	1	2G-8922	1	CAP-PROTECTION	
B	2	1	6V-7802	2	FUSE (10-AMPERE) (US SOURCED)	
	3	1	9W-2275	2	RESISTOR (120-OHM)	
	4	1	160-9602	5	HOLDER-FUSE	
B	5	1	143-4471	3	FUSE (2-AMPERE) (OUTSIDE NACD)	
B	6	1	143-5080	2	FUSE (10-AMPERE) (OUTSIDE NACD)	
	7	1	143-8789	3	BRACKET-END	
	8	1	195-2637	5	SCREW (8-32X0.5-IN)	
	9	1	234-9425	9	LINK (TERMINAL)	
	10	1	235-1133	1	LINK (TERMINAL)	
	11	1	301-8327	2	LINK (TERMINAL)	
	12	1	245-2123	1	RELAY AS (24-VOLT) (24-VOLT)	
B		1	143-4478	1	RELAY (24-VOLT) (OUTSIDE NACD)	
B		1	223-6470	1	RELAY (10-AMPERE, 24-VOLT) (US SOURCED)	
	13	1	245-2124	1	BASE AS (RELAY)	
B		1	143-4479	1	SOCKET-RELAY (OUTSIDE NACD)	
B		1	211-0640	1	SPRING (RELAY) (US SOURCED)	
B		1	252-1732	1	BASE-RELAY (US SOURCED)	
	14	1	208-9270	1	DIODE (1.5-KW, TRANSORB)	
	15	1	258-6793	1	PLATE AS	
M		1	3E-4304	3	INSERT-THREADED (M6X1-THD)	
	16	1	261-7255	1	LINK (COPPER)	
	17	1	301-8318	1	COVER-END	
C	18	1	301-8313	80	BLOCK-TERMINAL (800-VOLT, 24-AMPERE)	
C	19	1	301-8316	2	COVER-END	
C	20	1	301-8317	2	BLOCK-TERMINAL (800-VOLT, 24-AMPERE)	
C	21	1	301-8325	1	COVER-END	
C	22	1	301-8326	7	BLOCK-TERMINAL (800-VOLT, 41-AMPERE)	
C	23	1	4B-4274	5	WASHER (5.5X13X1.2-MM THK)	
CM	24	1	5C-9553	5	BOLT (M6X1X16-MM)	
B	25	1	7W-0482	3	FUSE (2-AMPERE) (US SOURCED)	
	26	1	8C-9660	1	WASHER (4.6X7.9X0.8-MM THK)	
M	27	1	8T-7961	1	LOCKNUT (M4X0.7-THD)	
	28	1	245-5739	1	DIODE AS	
B		1	143-4480	1	DIODE AS	
B		1	252-1731	1	MODULE-DIODE	
L	30	1	235-6970		DUCT (400-MM)	
L	30A	1	235-6970		DUCT (275-MM)	
P	31	1	204-8659		RAIL (7-DM) (2.40-DM)	
P	31A	1	204-8659		RAIL (7-DM) (4.25-DM)	
L	32	1	261-7256		SLEEVE (20-MM)	
E	33	1	147-1960		RAIL (24-CM)	
E	33A	1	147-1960		RAIL (42.5-CM)	
FY			258-4700	1	HARNESS AS-PANEL (EMCP 3)	382
FJ			241-8022	1	FILM-INFORMATION (ELEC COMPONENT IDENTIFICATIONS)	
FJ			275-8520	2	KIT-MARKER (EACH KIT INCLUDES STRIPS)	

OPERATOR STATION

258-6792 PANEL GP-ELECTRONIC (contd.)


i03210884

B-USE AS REQUIRED
C-CHANGE FROM PREVIOUS TYPE
E-ORDER BY THE CENTIMETER
F-NOT SHOWN
J-FIT AS REQUIRED
L-ORDER BY THE MILLIMETER
M-METRIC PART
P-ORDER BY DECIMETER
Y-SEPARATE ILLUSTRATION

OPERATOR STATION

258-6792 PANEL GP-ELECTRONIC (contd.)

i03210884



GRAPHIC #1

<END>

g01636905

OPERATOR STATION

258-6792 PANEL GP-ELECTRONIC

S/N: ZKC1-UP; NKM1-UP

PART OF 258-6791 PANEL GP-ELECTRONIC

AN ATTACHMENT

TYPE 2

SMCS-4490, 7490

i04570037

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME 1 2 3 4 5 6 (PRODUCT LEVEL)	SEE PAGE
	1	1	2G-8922	1	CAP-PROTECTION	
B	2	1	6V-7802	2	FUSE (10-AMPERE) (US SOURCED)	
	3	1	9W-2275	2	RESISTOR (120-OHM)	
	4	1	160-9602	5	HOLDER-FUSE	
B	5	1	143-4471	3	FUSE (2-AMPERE) (OUTSIDE NACD)	
B	6	1	143-5080	2	FUSE (10-AMPERE) (OUTSIDE NACD)	
	7	1	143-8789	3	BRACKET-END	
	8	1	195-2637	5	SCREW (8-32X0.5-IN)	
	9	1	234-9425	9	LINK (TERMINAL)	
	10	1	235-1133	1	LINK (TERMINAL)	
	11	1	301-8327	5	LINK (TERMINAL)	
	12	1	245-2123	1	RELAY AS (24-VOLT) (24-VOLT)	
B		1	143-4478	1	RELAY (24-VOLT) (OUTSIDE NACD)	
B		1	223-6470	1	RELAY (10-AMPERE, 24-VOLT) (US SOURCED)	
	13	1	245-2124	1	BASE AS (RELAY)	
B		1	333-7901	1	SOCKET-RELAY (OUTSIDE NACD)	
B		1	211-0640	1	SPRING (RELAY) (US SOURCED)	
B		1	252-1732	1	BASE-RELAY (US SOURCED)	
	15	1	258-6793	1	PLATE AS	
M		1	3E-4304	3	INSERT-THREADED (M6X1-THD)	
	17	1	301-8318	1	COVER-END	
	18	1	301-8313	80	BLOCK-TERMINAL (800-VOLT, 24-AMPERE)	
	19	1	301-8316	2	COVER-END	
	20	1	301-8317	2	BLOCK-TERMINAL (800-VOLT, 24-AMPERE)	
	21	1	301-8325	1	COVER-END	
	22	1	301-8326	8	BLOCK-TERMINAL (800-VOLT, 41-AMPERE)	
	23	1	4B-4274	5	WASHER (5.5X13X1.2-MM THK)	
CM	24	1	8T-6411	5	SCREW-MACHINE (M6X1X12-MM)	
B	25	1	7W-0482	3	FUSE (2-AMPERE) (US SOURCED)	
	26	1	8C-9660	1	WASHER (4.6X7.9X0.8-MM THK)	
M	27	1	8T-7961	1	LOCKNUT (M4X0.7-THD)	
L	30	1	235-6970		DUCT (400-MM)	
L	30A	1	235-6970		DUCT (275-MM)	
P	31	1	204-8659		RAIL (7-DM) (2.40-DM)	
P	31A	1	204-8659		RAIL (7-DM) (4.25-DM)	
E	33	1	147-1960		RAIL (24-CM)	
E	33A	1	147-1960		RAIL (42.5-CM)	
C	34	1	095-0827	5	LOCKWASHER	
FY			258-4700	1	HARNESS AS-PANEL (EMCP 3)	382
F			2L-8075	1	TERMINAL-RING (14-GA TO 16-GA, NO. 8 SCREW)	
EF			125-7874		TUBE-HEAT SHRINK (5.72-MM DIA) (3-CM)	
F			2L-8075	9	TERMINAL-RING (14-GA TO 16-GA, NO. 8 SCREW)	
F			8C-6354	1	CAP-RECEPTACLE (ET CONNECTOR)	
F			8T-8729	49	PIN-CONNECTOR (16-GA TO 18-GA)	
F			096-0061	1	STRAP-CABLE	
F			103-0213	1	RECEPTACLE AS-CONNECTOR (70-PIN)	
EF			125-7876		TUBE-HEAT SHRINK (17.78-MM DIA) (40-CM)	
F			126-1766	55	SOCKET-CONNECTOR (14-GA TO 18-GA)	
F			128-2312	1	CONNECTOR	
F			160-7689	1	PLUG AS-CONNECTOR (70-PIN)	
F			159-9322	1	SEAL-O-RING	
F			254-7618	7	TERMINAL-BLADE (14-GA TO 16-GA)	

OPERATOR STATION

258-6792 PANEL GP-ELECTRONIC (contd.)


i04570037

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME						SEE PAGE
					1	2	3	4	5	6 (PRODUCT LEVEL)	
FJ			241-8022	1	FILM-INFORMATION (ELEC COMPONENT IDENTIFICATIONS)						
FJ			275-8520	2	KIT-MARKER						
(EACH KIT INCLUDES STRIPS)											
B-USE AS REQUIRED											
C-CHANGE FROM PREVIOUS TYPE											
E-ORDER BY THE CENTIMETER											
F-NOT SHOWN											
J-FIT AS REQUIRED											
L-ORDER BY THE MILLIMETER											
M-METRIC PART											
P-ORDER BY DECIMETER											
Y-SEPARATE ILLUSTRATION											

OPERATOR STATION

258-6792 PANEL GP-ELECTRONIC (contd.)

i04570037



GRAPHIC #1

<END>

g02730943

OPERATOR STATION

131-1960 PANEL GP-INSTRUMENT


S/N: C2G1-UP

8 LIGHT REMOTE ANNUNCIATOR
AN ATTACHMENT

SMCS-7451

i01131573

NOTE	REF NO	GRAPHIC REF	PART NUMBER	QTY	PART NAME	SEE PAGE
					1 2 3 4 5 6 (PRODUCT LEVEL)	
	1	1	4P-2160	6	RING-RETAINING	
	2	1	4P-2161	6	SCREW	
	3	1	4P-2162	6	CLIP	
Y	4	1	130-3325	1	MODULE GP-ALARM (CUSTOM)	1183
Y-SEPARATE ILLUSTRATION						



GRAPHIC #1

<END>

g00598579