#### 1

# **ASSIGNMENT 2**

# Y.Nagarani

Download all python codes from

https://github.com/Y.Nagarani/ASSIGNMENT2/tree/main/CODES

and latex-tikz codes from

https://github.com/Y.Nagarani/ASSIGNMENT2/tree/main

## 1 Question No 2.15

Find the equation of the line passing through  $\begin{pmatrix} -3 \\ 5 \end{pmatrix}$  and perpendicular to the line through the points  $\begin{pmatrix} 2 \\ 5 \end{pmatrix}$  and  $\begin{pmatrix} -3 \\ 6 \end{pmatrix}$ 

### 2 SOLUTION

$$\mathbf{A} = \begin{pmatrix} 2 \\ 5 \end{pmatrix}, \mathbf{B} = \begin{pmatrix} -3 \\ 6 \end{pmatrix} \tag{2.0.1}$$

If the direction vector is  $\begin{pmatrix} 1 \\ m \end{pmatrix}$  (2.0.2)

$$\mathbf{m} = \begin{pmatrix} -3\\6 \end{pmatrix} - \begin{pmatrix} 2\\5 \end{pmatrix} \tag{2.0.3}$$

$$\mathbf{m} = \begin{pmatrix} -5\\1 \end{pmatrix} \tag{2.0.4}$$

Given point  $\mathbf{P} = \begin{pmatrix} -3 \\ 5 \end{pmatrix}$  and slope m = 5. The direction vector is  $\mathbf{m} = \begin{pmatrix} 1 \\ 5 \end{pmatrix}$ . Hence, the normal vector

$$\mathbf{n} = \begin{pmatrix} 0 & -1 \\ 1 & 0 \end{pmatrix} \mathbf{m} \tag{2.0.5}$$

$$= \begin{pmatrix} -5\\1 \end{pmatrix} \tag{2.0.6}$$

The equation of the line in terms of the normal vector is then obtained as

$$\mathbf{n}^T \left( \mathbf{x} - \mathbf{P} \right) = 0 \tag{2.0.7}$$

$$\implies (5 -1)\mathbf{x} = 20 \tag{2.0.8}$$




Fig. 0: Perpendicular Bisector