```
PopUp div Near Cursor
<div id='MouseView' style=''></div>
<span id='HideYMouse'</pre>
style='display:none;position:absolute;'>hello</span>
<span id='HideXMouse' style='display:none;position:absolute;'>bye</span>
<script>
     window.addEventListener('mousemove', function(e) {
var heightOfScroll=window.pageYOffset ||
document.documentElement.scrollTop || document.body.scrollTop || 0;
var widthOfScroll=window.pageXOffset ||
document.documentElement.scrollLeft || document.body.scrollLeft || 0;
document.getElementById('HideYMouse').innerHTML=e.y+heightOfScroll;
document.getElementById('HideXMouse').innerHTML=e.x+widthOfScroll;
})
var kiddingMe=document.getElementsByClassName('resetTWRA');
for (i=0;i<kiddingMe.length;i++) {</pre>
kiddingMe[i].addEventListener("mouseover", function() {
     var
checka=document.getElementById('MouseView').style.top=document.getElement
ById('HideYMouse').innerHTML+"px";
checkar=document.getElementById('MouseView').style.left=document.getEleme
ntById('HideXMouse').innerHTML+"px";
     document.getElementById('MouseView').style.display="block";
})
}
for (i=0;i<kiddingMe.length;i++) {</pre>
document.getElementsByClassName('resetTWRA')[i].addEventListener("mouseou
t", function() {
     document.getElementById('MouseView').style.display="none";
})
</script>
```