

HYPERTEXT MARKUP LANGUAGE

HTML Headings

HTML headings are title elements used to organize webpage content into different levels and sections. They create a structured content flow that helps users and browsers understand the importance of information on a webpage.

Headings are created using `<h1>` to `<h6>` tags.

Why Headings Are Important

HTML headings help to:

- Organize webpage content clearly
- Separate topics and subtopics
- Improve readability
- Create content hierarchy
- Help search engines understand page structure
- Improve accessibility for screen readers

HTML Heading Tags

HTML provides six levels of headings.

Tag	Purpose
<code><h1></code>	Main page heading
<code><h2></code>	Major section heading
<code><h3></code>	Subsection heading
<code><h4></code>	Smaller subsection
<code><h5></code>	Lower-level heading
<code><h6></code>	Smallest heading

Basic Example

```
<h1>Main Heading</h1>
<h2>Section Heading</h2>
<h3>Subsection Heading</h3>
<h4>Topic Heading</h4>
<h5>Minor Heading</h5>
<h6>Small Heading</h6>
```



Using Other HTML Tags Inside Headings

Heading tags can contain additional HTML elements.

Using Inside Headings

The tag styles specific words inside headings.

Example

```
<h2>Learn <span style="color:red;">HTML</span></h2>
```

Using <a> for Links

Links can be added inside headings.

Example

```
<h1>  
  <a href="home.html">Visit Homepage</a>  
</h1>
```

Using and

- makes text important
- emphasizes text

Example

```
<h3>This is <strong>important</strong> text</h3>
```

Using <sup> and <sub>

These tags create superscript and subscript text.

Example

```
<h4>10<sup>th</sup> Position</h4>  
<h5>H<sub>2</sub>O Formula</h5>
```

Using
 for Line Breaks

The
 tag creates a new line inside headings.

Example

```
<h2>  
First Line<br>  
Second Line  
</h2>
```

Using <mark> to Highlight Text

The <mark> tag highlights important words.

Example

```
<h1>Learn <mark>HTML</mark> Easily</h1>
```



HTML Paragraphs

HTML paragraphs are text containers used to organize written content into readable sections on a webpage. A paragraph groups sentences and information together so browsers can display text clearly with proper spacing and structure.

Paragraphs are created using the `<p>` tag.

Why Paragraphs Are Important

HTML paragraphs help to:

- Organize textual information
- Improve readability
- Separate content into sections
- Create spacing between text blocks
- Enhance webpage structure
- Improve user experience

Browsers automatically add space before and after paragraphs.

Creating a Paragraph

To create a paragraph, place content between the opening `<p>` tag and closing `</p>` tag.

Syntax

```
< p>Paragraph content goes here.</p>
```

Basic Example

```
<p>This is the first paragraph.</p>
```

```
<p>This is the second paragraph.</p>
```

Each paragraph appears on a separate line with spacing.

Paragraph Structure

An HTML paragraph contains:

- Opening tag → `<p>`
- Content → Text or elements
- Closing tag → `</p>`

Example

```
<p>Learning HTML is simple.</p>
```

Using Line Breaks Inside Paragraphs

The `<br>` tag creates a new line inside a paragraph without starting another paragraph.

Example

```
<p>
```

```
Welcome to HT ML.<br>
```

```
This text appears on a new line.
```

```
</p>
```



Using Headings with Paragraphs

Headings and paragraphs are commonly used together.

Example

```
< h1>Introduction</h1>
```

```
<p>HTML is used to build webpages.</p>
```

The heading defines the topic, while the paragraph explains it.

Lists with Paragraphs

Lists can appear before or after paragraphs to organize information.

Example

```
<p>Popular Web Technologies:</p>
```

```
<ul>
```

```
  <li>HTML</li>
```

```
  <li>CSS</li>
```

```
  <li>JavaScript</li>
```

```
</ul>
```

Text Formatting Inside Paragraphs

HTML formatting tags can be used within paragraphs.

Using for Important Text

```
<p>This is <strong>important</strong> information.</p>
```

- makes text bold and meaningful.

Using for Emphasized Text

```
< p>This is <em>emphasized</em>text.</p>
```

- usually displays italic text.

Links Inside Paragraphs

The <a> tag creates hyperlinks inside paragraphs.

Example

```
<p>
```

Visit the

```
<a href="about.html">About Page</a>.
```

```
</p>
```



Images Inside Paragraphs

Images can be inserted inside paragraphs using the `<img>` tag.

Example

```
<p>
```

Here is an image:

```

```

```
</p>
```

Superscript and Subscript in Paragraphs

Superscript `<sup>`

Displays smaller text above the normal line.

```
<p>2<sup>3</sup> = 8</p>
```

Subscript `<sub>`

Displays smaller text below the normal line.

```
<p>H<sub>2</sub>O</p>
```

Default Behavior of Paragraphs

Browsers automatically:

- Start paragraphs on new lines
- Add spacing above and below paragraphs
- Display paragraphs as block-level elements

Nested Elements Inside Paragraphs

Paragraphs can contain inline elements such as:

- `<a>`
- `<span>`
- `<strong>`
- `<em>`
- `<img>`
- `<sub>`
- `<sup>`

Example

```
<p>
```

Learn `<strong>HTML</strong>` with

```
<a href="home.html">examples</a>.
```

```
</p>
```



<https://elevatme.netlify.app>



<https://yaganti-spandana.netlify.app/>

