```
R version 4.2.2 (2022-10-31 ucrt) -- "Innocent and Trusting"
Copyright (C) 2022 The R Foundation for Statistical Computing
Platform: x86 64-w64-mingw32/x64 (64-bit)
R is free software and comes with ABSOLUTELY NO WARRANTY.
You are welcome to redistribute it under certain conditions.
Type 'license()' or 'licence()' for distribution details.
 Natural language support but running in an English locale
R is a collaborative project with many contributors.
Type 'contributors()' for more information and
'citation()' on how to cite R or R packages in publications.
Type 'demo()' for some demos, 'help()' for on-line help, or
'help.start()' for an HTML browser interface to help.
Type 'q()' to quit R.
[Previously saved workspace restored]
> Body temperature heartrate = read.csv("C:/Users/yxa210024/Desktop/Masters/spring2023/Stats for
DS/mini project5/bodytemp-heartrate.csv ", header = T)
> Males = subset(Body temperature heartrate, Body temperature heartrate$gender == 1)
> Females = subset(Body temperature heartrate, Body temperature heartrate$gender == 2)
> boxplot(Males$body temperature, Females$body temperature, main = "Body
+ Temperatures Boxplots", names = c('Males', 'Females'), ylab = "Temperatures")
> par(mfrow=c(1,2))
> qqnorm(Males$body temperature, main = 'Q-Q Plot of Body Temperature for Males')
> qqline(Males$body_temperature)
> qqnorm(Females$body temperature, main = 'Q-Q Plot of Body Temperature for Females')
> qqline(Females$body temperature)
> t.test(Males$body_temperature, Females$body temperature, alternative =
+ 'two.sided', var.equal = F)
       Welch Two Sample t-test
data: Males$body_temperature and Females$body_temperature
t = -2.2854, df = 127.51, p-value = 0.02394
alternative hypothesis: true difference in means is not equal to 0
95 percent confidence interval:
 -0.53964856 -0.03881298
sample estimates:
mean of x mean of y
 98.10462 98.39385
> par(mfrow=c(1,2))
> qqnorm(Males$body temperature, main = 'QQ Plot of Body Temp Males')
> qqline(Males$body temperature)
> qqnorm(Females$body temperature, main = 'QQ Plot of Body Temp Females')
> qqline(Females$body temperature)
> t.test(Males$body temperature, Females$body temperature, alternative =
+ 'two.sided', var.equal = F)
        Welch Two Sample t-test
data: Males$body temperature and Females$body temperature
t = -2.2854, df = 127.51, p-value = 0.02394
alternative hypothesis: true difference in means is not equal to 0
95 percent confidence interval:
-0.53964856 -0.03881298
sample estimates:
mean of x mean of y
 98.10462 98.39385
> par(mfrow=c(1,2))
> qqnorm(Males$body_temperature, main = 'QQ Plot Temp Males')
> qqline(Males$body_temperature)
> qqnorm(Females$body_temperature, main = 'QQ Plot Temp Females')
```

```
> qqline(Females$body temperature)
> t.test(Males$body temperature, Females$body temperature, alternative =
+ 'two.sided', var.equal = F)
        Welch Two Sample t-test
data: Males$body_temperature and Females$body_temperature t = -2.2854, df = 127.51, p-value = 0.02394
alternative hypothesis: true difference in means is not equal to 0
95 percent confidence interval:
-0.53964856 -0.03881298
sample estimates:
mean of x mean of y
 98.10462 98.39385
> boxplot(Males$heart_rate, Females$heart rate, main = "Boxplots of Heart
+ Rates", names = c('Males', 'Females'), ylab = "Heart Rates")
> par(mfrow=c(1,2))
> qqnorm(Males$heart rate, main = 'Q-Q Plot Rate Males')
> qqline(Males$heart rate)
> ggnorm(Females$heart rate, main = 'Q-Q Plot Rate Females')
> ggline(Females$heart rate)
> t.test(Males$heart rate, Females$heart rate, alternative = 'two.sided',
+ var.equal = F)
        Welch Two Sample t-test
data: Males$heart rate and Females$heart rate
t = -0.63191, df = 116.7, p-value = 0.5287
alternative hypothesis: true difference in means is not equal to 0
95 percent confidence interval:
-3.243732 1.674501
sample estimates:
mean of x mean of y
73.36923 74.15385
> par(mfrow=c(1,2))
> plot(Males$heart rate, Males$body temperature, pch=1, main='Scatter Plot for
+ + Males')
> abline(lm(Males$body temperature~Males$heart rate))
> plot(Females$heart rate, Females$body temperature, pch=1, main='Scatter
+ Plot for
+ + Females')
> abline(lm(Females$body temperature~Females$heart_rate))
> plot(Females$heart rate, Females$body temperature, pch=1, main='Scatter
> par(mfrow=c(1,2))
> plot(Males$heart rate, Males$body temperature, pch=1, main='Scatter Plot for Males')
> abline(lm(Males$body temperature~Males$heart rate))
> plot(Females$heart rate, Females$body temperature, pch=1, main='Scatter
+ Plot for Females')
> abline(lm(Females$body temperature~Females$heart rate))
> cor(Males$body temperature, Males$heart rate)
[1] 0.1955894
> cor(Females$body temperature,Females$heart rate)
[1] 0.2869312
```