


## Lesson1 Building:bit Tank---"Infrared obstacle avoidance"



#### 1.Experimental phenomena

After downloading the program, turn on the power switch of the Tank car, the Tank car will run forward. If you encounter obstacles, it will back for 1 second, then turn right for 1 second, and finally straight.

### 2.Preparation before class

We needs to be ready: Building Block Tank car\*1 USB data cable\*1

## 2-1.Two programming methods:

Online programming:

First, we need to connect the micro:bit to the computer by USB data cable, the computer will pop up a USB flash drive. Then, click on the URL in the USB flash drive: http://microbit.org/ to enter the edit process interface, click to

【Extensions】, and copy the package URL:

https://github.com/lzty634158/yahboom\_mbit\_en to the input field, and you can use the building blocks of the Yahboom software package.

Offilne programming:

Open the offline programming software Makecode, click to 【Extension】 and copy the package URL: https://github.com/lzty634158/yahboom\_mbit\_en to the input field, and you can use the building blocks of the Yahboom software package.

For detailed programming, please read the documentation before class [1. Preparation before class] ---- [Introduction of programming method]. We use micro:bit official website for online programming in here.

#### 3. Infrared obstacle avoidance principle


The infrared sensor possess a pair of infrared emitting and receiving tubes. The transmitting tube emits infrared light of a certain frequency. Within a certain range, if there are no obstacles, the infrared light emitted will gradually weaken because of the distance of the spread, and finally disappear. If there is an obstacle, the infrared light will encounter the obstacle and it will be reflected to reach the receiving tubes.






Figure 1 Infrared obstacle avoidance sensor

# 4.Studying blocks








# 5.Programming

Next, we started to write the infrared obstacle avoidance program for the building block Tank car. After writing, we need to download the program to the micro:bit board of the building block Tank car.



! Note: This experiment must be done indoors to reduce the interference of sunlight on the infrared sensor.