

Instance segmentation

Instance segmentation

1. Enable optimal performance of the motherboard
 - 1.1. Enable MAX power mode
 - 1.2. Enable Jetson Clocks
2. Instance segmentation: image
 - Effect preview
3. Instance segmentation: video
 - Effect preview
4. Instance segmentation: real-time detection
 - 4.1. USB camera
 - Effect preview
 - 4.2. CSI camera
 - Effect preview

References

Using Python to demonstrate **Ultralytics**: Instance Segmentation in images, videos, and real-time detection.

1. Enable optimal performance of the motherboard

1.1. Enable MAX power mode

Enabling MAX Power Mode on Jetson will ensure that all CPU and GPU cores are turned on:

```
sudo nvpmode1 -m 2
```

1.2. Enable Jetson Clocks

Enabling Jetson Clocks will ensure that all CPU and GPU cores run at maximum frequency:

```
sudo jetson_clocks
```

2. Instance segmentation: image

Use yolo11n-seg.pt to predict the pictures that come with the ultralytics project.

Enter the code folder:


```
cd /home/jetson/ultralytics/ultralytics/yahboom_demo
```

Run the code:

```
python3 02.segmentation_image.py
```

Effect preview

Yolo recognition output image location: /home/jetson/ultralytics/ultralytics/output/



Sample code:

```
from ultralytics import YOLO

# Load a model
model = YOLO("/home/jetson/ultralytics/ultralytics/yolo11n-seg.pt")

# Run batched inference on a list of images
results = model("/home/jetson/ultralytics/ultralytics/assets/zidane.jpg") # return a list of Results objects

# Process results list
for result in results:
    # boxes = result.boxes # Boxes object for bounding box outputs
    masks = result.masks # Masks object for segmentation masks outputs
    # keypoints = result.keypoints # Keypoints object for pose outputs
    # probs = result.probs # Probs object for classification outputs
    # obb = result.obb # Oriented boxes object for OBB outputs
    result.show() # display to screen

    result.save(filename="/home/jetson/ultralytics/ultralytics/output/zidane_output.jpg") # save to disk
```

3. Instance segmentation: video

Use yolo11n-seg.pt to predict the video under the ultralytics project (not the video that comes with ultralytics).

Enter the code folder:


```
cd /home/jetson/ultralytics/ultralytics/yahboom_demo
```

Run the code:

```
python3 02.segmentation_video.py
```

Effect preview

Video location of yolo recognition output: /home/jetson/ultralytics/ultralytics/output/



Sample code:

```
import cv2
from ultralytics import YOLO

# Load the YOLO model
model = YOLO("/home/jetson/ultralytics/ultralytics/yolo11n-seg.pt")

# Open the video file
video_path = "/home/jetson/ultralytics/ultralytics/videos/people_animals.mp4"
cap = cv2.VideoCapture(video_path)

# Get the video frame size and frame rate
frame_width = int(cap.get(cv2.CAP_PROP_FRAME_WIDTH))
frame_height = int(cap.get(cv2.CAP_PROP_FRAME_HEIGHT))
fps = int(cap.get(cv2.CAP_PROP_FPS))

# Define the codec and create a Videowriter object to output the processed video
output_path =
"/home/jetson/ultralytics/ultralytics/output/02.people_animals_output.mp4"
fourcc = cv2.VideoWriter_fourcc(*'mp4v') # You can use 'XVID' or 'mp4v'
depending on your platform
out = cv2.VideoWriter(output_path, fourcc, fps, (frame_width, frame_height))

# Loop through the video frames
while cap.isOpened():
    # Read a frame from the video
    success, frame = cap.read()
```

```

if success:
    # Run YOLO inference on the frame
    results = model(frame)

    # Visualize the results on the frame
    annotated_frame = results[0].plot()

    # Write the annotated frame to the output video file
    out.write(annotated_frame)

    # Display the annotated frame
    cv2.imshow("YOLO Inference", cv2.resize(annotated_frame, (640, 480)))

    # Break the loop if 'q' is pressed
    if cv2.waitKey(1) & 0xFF == ord("q"):
        break
    else:
        # Break the loop if the end of the video is reached
        break
# Release the video capture and writer objects, and close the display window
cap.release()
out.release()
cv2.destroyAllWindows()

```

4. Instance segmentation: real-time detection

4.1. USB camera

Use yolo11n-seg.pt to predict the USB camera image.

Enter the code folder:


```
cd /home/jetson/ultralytics/ultralytics/yahboom_demo
```

Run the code: Click the preview image and press the q key to terminate the program!

```
python3 02.segmentation_camera_usb.py
```

Effect preview

Video location of yolo recognition output: /home/jetson/ultralytics/ultralytics/output/



示例代码：

```

import cv2
from ultralytics import YOLO

# Load the YOLO model
model = YOLO("/home/jetson/ultralytics/ultralytics/yolo11n-seg.pt")

# Open the cammera
cap = cv2.VideoCapture(0)

# Get the video frame size and frame rate
frame_width = int(cap.get(cv2.CAP_PROP_FRAME_WIDTH))
frame_height = int(cap.get(cv2.CAP_PROP_FRAME_HEIGHT))
fps = int(cap.get(cv2.CAP_PROP_FPS))

# Define the codec and create a Videowriter object to output the processed video
output_path =
"/home/jetson/ultralytics/ultralytics/output/02.segmentation_camera_usb.mp4"
fourcc = cv2.VideoWriter_fourcc(*'mp4v') # You can use 'XVID' or 'mp4v'
depending on your platform
out = cv2.VideoWriter(output_path, fourcc, fps, (frame_width, frame_height))

# Loop through the video frames
while cap.isOpened():
    # Read a frame from the video
    success, frame = cap.read()

    if success:
        # Run YOLO inference on the frame
        results = model(frame)

        # Visualize the results on the frame
        annotated_frame = results[0].plot()

        # Write the annotated frame to the output video file
        out.write(annotated_frame)

```

```

        out.write(annotated_frame)

        # Display the annotated frame
        cv2.imshow("YOLO Inference", cv2.resize(annotated_frame, (640, 480)))

        # Break the loop if 'q' is pressed
        if cv2.waitKey(1) & 0xFF == ord("q"):
            break
        else:
            # Break the loop if the end of the video is reached
            break

    # Release the video capture and writer objects, and close the display window
    cap.release()
    out.release()
    cv2.destroyAllWindows()

```

4.2, CSI camera

Use yolo11n-seg.pt to predict the CSI camera image.

Enter the code folder:


```
cd /home/jetson/ultralytics/ultralytics/yahboom_demo
```

Run the code: Click the preview screen, press the q key to terminate the program!

```
python3 02.segmentation_camera_csi.py
```

Effect preview

Yolo recognizes the output video location: /home/jetson/ultralytics/ultralytics/output/



Sample code:

```
import cv2
```

```

from ultralytics import YOLO
from jetcam.csi_camera import CSICamera

# Load the YOLO model
model = YOLO("/home/jetson/ultralytics/ultralytics/yolo11n-seg.pt")

# Open the camera (CSI Camera)
cap = CSICamera(capture_device=0, width=640, height=480)

# Get the video frame size and frame rate
frame_width = 640
frame_height = 480
fps = 30

# Define the codec and create a Videowriter object to output the processed video
output_path =
"/home/jetson/ultralytics/ultralytics/output/02.segmentation_camera_csi.mp4"
fourcc = cv2.VideoWriter_fourcc(*'mp4v') # You can use 'XVID' or 'mp4v'
depending on your platform
out = cv2.VideoWriter(output_path, fourcc, fps, (frame_width, frame_height))

# Loop through the video frames
while True:
    # Read a frame from the camera
    frame = cap.read()

    if frame is not None:
        # Run YOLO inference on the frame
        results = model(frame)

        # Visualize the results on the frame
        annotated_frame = results[0].plot()

        # Write the annotated frame to the output video file
        out.write(annotated_frame)

        # Display the annotated frame
        cv2.imshow("YOLO Inference", cv2.resize(annotated_frame, (640, 480)))

        # Break the loop if 'q' is pressed
        if cv2.waitKey(1) & 0xFF == ord("q"):
            break
    else:
        # Break the loop if no frame is received (camera error or end of stream)
        print("No frame received, breaking the loop.")
        break

# Release the video capture and writer objects, and close the display window
cap.release()
out.release()
cv2.destroyAllWindows()

```

References

<https://docs.ultralytics.com/tasks/segment/>

