

# Gesture control robot arm action group

## 1. Introduction

The gesture grab and release function is based on gesture recognition, and adds the function of controlling the robot arm with specific gestures. When there is gesture 5 in the camera image, the robot arm will grab the object in a specific place. When there is gesture 1 in the camera image, the robot arm will not be able to put it in a specific place.

The recognizable gestures are: [One, Five], a total of 2 categories.

## 2. Start

- Open the desktop terminal and enter the following command to start the program

```
ros2 run dofbot_pro_mediapipe 17_GestureGrasp
```

At this time, put your hand in the camera screen and make gesture 5, then the robot arm will grab the object in front.



When the object is grabbed, gesture 1 is recognized, and the object is placed in the upper left position.



Press q in the image or press Ctrl+c in the terminal to exit the program.

## 3. Source code

Code path:

```
~/dofbot_pro_ws/src/dofbot_pro_mediapipe/dofbot_pro_mediapipe/17_GestureGrasp.py
```

```
#!/usr/bin/env python3
# encoding: utf-8
import cv2 as cv
import time
import sys
import signal
import rclpy
from rclpy.node import Node
from dofbot_utils.fps import FPS
from dofbot_utils.robot_controller import Robot_Controller
```

```

from dofbot_utils.GestureRecognition import handDetector
from Arm_Lib import Arm_Device
import threading

class GestureActionNode(Node):
    def __init__(self):
        super().__init__('gesture_action')
        self.hand_detector = handDetector(detectorCon=0.75)
        self.pTime = 0

        # 定义抓取方块的状态
        self.one_grabbed = 0
        self.two_grabbed = 0
        self.three_grabbed = 0
        self.four_grabbed = 0

        self.block_num = 0

        # 定义手势识别次数
        self.Count_One = 0
        self.Count_Two = 0
        self.Count_Three = 0
        self.Count_Four = 0
        self.Count_Five = 0

        self.arm = Arm_Device()
        self.move_state = False
        self.fps = FPS()
        self.robot = Robot_Controller()
        self.grap_joint = self.robot.get_gripper_value(1)
        self._joint_5 = self.robot.joint5
        self.arm.Arm_serial_servo_write6_array(self.robot.P_LOOK_AT, 1000)

        # Initialize video capture device
        self.cap = cv.VideoCapture(0, cv.CAP_V4L2)
        self.cap.set(cv.CAP_PROP_FRAME_WIDTH, 640)
        self.cap.set(cv.CAP_PROP_FRAME_HEIGHT, 480)
        if not self.cap.isOpened():
            self.get_logger().error("Error: Could not open video device.")
            rclpy.shutdown()

    def process(self, frame):
        frame, lmList = self.hand_detector.findHands(frame, draw=False)
        if len(lmList) != 0:
            gesture = self.hand_detector.get_gesture()
            # print("gesture = {}".format(gesture))

            if gesture == 'One':
                cv.putText(frame, gesture, (250, 30), cv.FONT_HERSHEY_SIMPLEX, 0.9, (0,
255, 0), 1)

                self.Count_One += 1
                self.Count_Two = 0
                self.Count_Three = 0
                self.Count_Four = 0
                self.Count_Five = 0
                if self.Count_One >= 5 and not self.move_state:
                    self.move_state = True
                    self.Count_One = 0

```

```

        print("start arm_ctrl_threading = {}".format(gesture))
        task = threading.Thread(target=self.arm_ctrl_threading,
name="arm_ctrl_threading", args=(gesture,))
        task.setDaemon(True)
        task.start()

    elif gesture == 'Five':
        cv.putText(frame, gesture, (250, 30), cv.FONT_HERSHEY_SIMPLEX, 0.9, (0,
255, 0), 1)

        self.Count_Five += 1
        self.Count_One = 0
        self.Count_Two = 0
        self.Count_Three = 0
        self.Count_Four = 0
        if self.Count_Five >= 5 and not self.move_state:
            self.move_state = True
            self.Count_Five = 0
            print("start arm_ctrl_threading = {}".format(gesture))
            task = threading.Thread(target=self.arm_ctrl_threading,
name="arm_ctrl_threading", args=(gesture,))
            task.setDaemon(True)
            task.start()

        self.fps.update_fps()
        self.fps.show_fps(frame)
        return frame

def arm_ctrl_threading(self, gesture):
    print("arm_ctrl_threading gesture = {}".format(gesture))
    if gesture == 'One':
        self.arm.Arm_serial_servo_write6_array([163, 111, 0, 53, 90, 135], 1000)
        time.sleep(1.5)
        self.arm.Arm_serial_servo_write(6, 30, 500)
        time.sleep(0.8)
        self.arm.Arm_serial_servo_write6_array([90, 164, 18, 0, 90, 135], 1000)
        time.sleep(1.2)

    elif gesture == 'Five':
        self.joints = [90, 35, 65, 0, 90, 30]
        # Release clamping jaws 松开夹爪
        self.arm.Arm_serial_servo_write(6, 30, 500)
        time.sleep(0.5)
        # Move to object position 移动至物体位置
        self.arm.Arm_serial_servo_write6_array(self.joints, 1000)
        time.sleep(1.2)
        # Grasp and clamp the clamping claw进行抓取,夹紧夹爪
        self.arm.Arm_serial_servo_write(6, 135, 500)
        time.sleep(0.6)
        self.arm.Arm_serial_servo_write6_array([90, 164, 18, 0, 90, 135], 1000)
        time.sleep(1.2)
        self.move_state = False

def run(self):
    while rcipy.ok():
        ret, frame = self.cap.read()
        if not ret:
            self.get_logger().error("Error: Could not read frame from video
device.")

```

```

        break

        action = cv.waitKey(1) & 0xFF
        frame = self.process(frame)
        if action == ord('q'):
            break
        cv.imshow('frame', frame)
    self.cap.release()
    cv.destroyAllWindows()

def main(args=None):
    rclpy.init(args=args)
    gesture_action_node = GestureActionNode()
    try:
        gesture_action_node.run()
    except KeyboardInterrupt:
        pass
    finally:
        gesture_action_node.cap.release()
        cv.destroyAllWindows()
        rclpy.shutdown()

if __name__ == '__main__':
    main()

```