

AI Agent Workflow

AI Agent Workflow

[Course Content](#)

[Start Dify Service](#)

[Case: Classification Q&A Chatbot](#)


[Visual Workflow Debugging](#)

[Accessing AI Agent Applications](#)

Course Content

- Use multiple AI large models to build an agent workflow to achieve complex logic functions.
- Note that the Dify used by Dofbot-SE is for chatbots. This tutorial is provided for users who are interested in learning and development.

Start Dify Service

A terminal window titled 'yahboom@yahboom-virtual-machine: ~' with a red title bar. The terminal shows a red box highlighting the output of a command: 'IP : 192.168.11.238' and 'DomainID : 30'. The prompt 'yahboom@yahboom-virtual-machine:~\$' is visible at the bottom.


```
yahboom@yahboom-virtual-machine: ~
=====
IP : 192.168.11.238
DomainID : 30
=====
yahboom@yahboom-virtual-machine:~$
```

- Check the virtual machine's IP address. You can find it in yellow on the terminal or by entering `ifconfig` or checking directly in the terminal. Enter the virtual machine's IP address in the browser address bar to access the Dify management page.



Case: Classification Q&A Chatbot

- In the example AI applications folder for this section's course, there are reference examples that you can import and use directly.


- Click Import DSL file on the Dify homepage studio.



- Select the example AI application `Complex agent.yml` from this section's course folder, then click Create.



- You can see the workflow content as shown below.



- In the workflow, **Question Classifier** is an AI large model-driven module. Its function is to classify user questions into math questions, physics questions, or other questions. If the user input is suitable for math or physics-related questions, different branches of AI large models will be called to answer. The **Question Classifier** classification content is as follows:

The image shows a workflow editor on the left and a configuration panel for a 'Question Classifier' node on the right.

Workflow Node (Left):

- QUESTION CLASSIFIER**
- Model: qwen3-4b (CHAT)
- CLASS 1**: Mathematical problems
- CLASS 2**: Physics problems
- CLASS 3**: Other questions
- Label: 对问题进行分类

Configuration Panel (Right):

- Question Classifier**
- 对问题进行分类
- SETTINGS** | **LAST RUN**
- MODEL ***: qwen3-4b (CHAT)
- INPUT VARIABLES ***: 开始 / (x) sys.query String
- VISION ?**: ☐
- CLASS ***
 - CLASS 1**: Mathematical problems (21 items, icons for edit, delete, copy, link)
 - CLASS 2**: Physics problems (16 items, icons for edit, delete, copy, link)
 - CLASS 3**: Other questions (15 items, icons for edit, delete, copy, link)
 - + Add Class**
- ADVANCED SETTING ▸**

- The LLM-1 branch is used to answer math-related questions. The prompt and settings are as follows.

The screenshot displays a workflow editor interface. On the left, three nodes are visible: 'LLM-1' (highlighted with a red box), 'LLM-2', and '直接回复' (Direct Reply). The 'LLM-1' node is configured with the model 'qwen3-8b' and the mode 'CHAT'. The 'LLM-2' node is configured with the model 'qwen3-1.7b' and the mode 'CHAT'. The '直接回复' node has a status icon and the text 'ANSWER 抱歉，这些问题我无法回答。Sorry, I can't answer these questions.'.

The settings panel for 'LLM-1' is open on the right, showing the following configuration:

- MODEL**: qwen3-8b (CHAT)
- CONTEXT**: (x) Set variable
- SYSTEM**: 114 | Jinja (x) | You are a master of mathematics and can answer questions in all kinds of mathematical fields
- MEMORIES**: BUILT-IN
- USER**: 15 | (x) | Start / (x) sys.query
- MEMORY**: 50 (WINDOW SIZE)
- VISION**: OFF
- ENABLE REASONING TAG SEPARATION**: OFF

- The LLM-2 branch is used to answer physics-related questions. The prompt and settings are as follows.


The image displays a workflow debugging interface. On the left, a visual workflow is shown on a grid background. It includes a node labeled 'LLM -1' with 'qwen3-8b' and a 'CHAT' button, followed by a node labeled 'LLM -2' with 'qwen3-1.7b' and a 'CHAT' button, which is highlighted with a red border. Below these is a '直接回复' (Direct Reply) node with an 'ANSWER' section containing the text: '抱歉，这些问题我无法回答。Sorry, I can't answer these questions.' A zoom level of '117%' is visible at the bottom right of the workflow area.

On the right, a detailed settings panel for the 'LLM -2' node is open. The panel has tabs for 'SETTINGS' and 'LAST RUN'. The 'SETTINGS' tab is active, showing the following configuration:


- MODEL ***: qwen3-1.7b (CHAT button)
- CONTEXT ?**: (x) Set variable
- SYSTEM ?**: 93 | Jinja | (x) | Copy | Link. The system prompt is: '你是一个物理学者，能够帮助用户解决这种物理学方面的问题You are a physicist and can help users solve such physics problems'. Below this is a '+ Add Message' button.
- MEMORIES ?**: BUILT-IN
- USER ?**: 15 | (x) | Copy | Link. The user prompt is: 'Start / (x)sys.query'.
- MEMORY ?**: Enabled (toggle on). Below it is a 'WINDOW SIZE' slider set to 50.
- VISION ?**: Disabled (toggle off).
- ENABLE REASONING TAG SEPARATION ?**: Disabled (toggle off).

Visual Workflow Debugging


- If you need to debug and test the workflow effect, you can click the preview button in the upper right corner. Then enter questions in the popup dialog to test.



- At the same time, the workflow will display the data flowing through the branches in real-time. Therefore, you can conveniently debug the workflow.




- If you need to expand the workflow, you can click the + sign on the left. There are multiple Dify preset tools and modules.



Accessing AI Agent Applications

- After completing the AI application editing, click Publish Application to save the configuration. Then click

Copy URL or API access credentials to access the created AI application through the web page or backend service API.





Complex agent

CHATFLOW

Edit Info

Duplicate

Export DSL

Import DSL



Complex agent

IN SERVICE

Public URL

http://192.168.18.13/chat/w4nsxph7cInRPD1K



Launch

Embedded

Customize

Settings



Backend Service API

IN SERVICE

Service API Endpoint

http://192.168.18.13/v1



API Key

API Reference



MCP Server

DISABLED

Server URL

Add description

Delete App