

Orca Mini

Orca Mini

1. Model scale
 2. Pull Orca Mini
 3. Use Orca Mini
 - 3.1. Run Orca Mini
 - 3.2. Have a conversation
 - 3.3. End the conversation
- References

Demo Environment

Development board: Jetson Orin series motherboard

SSD: 128G

Tutorial application scope: Whether the motherboard can run is related to the available memory of the system. The user's own environment and the programs running in the background may cause the model to fail to run.

Motherboard model	Run directly with Ollama	Run with Open WebUI
Jetson Orin NX 16GB	√	√
Jetson Orin NX 8GB	√	√
Jetson Orin Nano 8GB	√	√
Jetson Orin Nano 4GB	√	√


1. Model scale

Model	Parameters
Orca Mini	3B

2. Pull Orca Mini

Using the pull command will automatically pull the model from the Ollama model library:

```
ollama pull orca-mini:3b
```



3. Use Orca Mini

3.1. Run Orca Mini


If the system does not have a running model, the system will automatically pull the Orca Mini 1.1B model and run it:

```
ollama run orca-mini:3b
```

3.2. Have a conversation


```
How to learn a programming language?
```

The time to reply to the question is related to the hardware configuration, please be patient!



3.3. End the conversation

Use the `Ctrl+d` shortcut key or `/bye` to end the conversation!



References

Ollama

Official website: <https://ollama.com/>

GitHub: <https://github.com/ollama/ollama>

Orca Mini

Ollama corresponding model: <https://ollama.com/library/orca-mini>

