

Four types of detection(traffic)

Four types of detection(traffic)

1. Video detection
2. Real-time detection
 - 2.1. USB camera
 - 2.2 CSI Camera

Four types of detection are the case demonstrations that come with DeepStream: detecting and counting people, cars, road signs, and bicycles in the picture.

The tutorial only provides basic demonstrations, and other applications need to be developed by users

1. Video detection

Enter the folder where the case is located:


```
cd /opt/nvidia/deepstream/deepstream-7.1/sources/apps/sample_apps/deepstream-test1
```

Compile source code: refer to README in the same folder

```
sudo make CUDA_VER=12.6 # Factory image compiled, no user compilation required
```

Run the case: refer to dctest1_config.yml in the same folder

```
./deepstream-test1-app dctest1_config.yml  
or  
./deepstream-test1-app ../../../../samples/streams/sample_720p.h264
```



Configuration Files: dstream_test1_config.yml

```
#####
# SPDX-FileCopyrightText: Copyright (c) 2022 NVIDIA CORPORATION & AFFILIATES. All
# rights reserved.
# SPDX-License-Identifier: LicenseRef-NvidiaProprietary
#
# NVIDIA CORPORATION, its affiliates and licensors retain all intellectual
# property and proprietary rights in and to this material, related
# documentation and any modifications thereto. Any use, reproduction,
# disclosure or distribution of this material and related documentation
# without an express license agreement from NVIDIA CORPORATION or
# its affiliates is strictly prohibited.
#####

source:
  location: ../../../../samples/streams/sample_720p.h264

streammux:
  batch-size: 1
  batched-push-timeout: 40000
  width: 1920
  height: 1080

# Inference using nvinfer:
primary-gie:
  plugin-type: 0
  config-file-path: dstream_test1_pgie_config.yml

## Inference using nvinferserver:
#primary-gie:
#  plugin-type: 1
#  config-file-path: dstream_test1_pgie_nvinferserver_config.txt
```


2. Real-time detection

If there are multiple cameras, modify the .txt configuration file yourself: The following cases are the results when the motherboard is connected to only one camera.

2.1. USB camera

```
cd /opt/nvidia/deepstream/deepstream-7.1/samples/configs/deepstream-app
```

```
deepstream-app -c source1_usb_dec_infer_resnet_int8.txt
```



2.2 CSI Camera

```
cd /opt/nvidia/deepstream/deepstream-7.1/samples/configs/deepstream-app
```

```
deepstream-app -c source1_csi_dec_infer_resnet_int8.txt
```

