DeepSeek-R1

DeepSeek-R1
1. Model Size
2. Performance
3. Using DeepSeek-R1
    3.1 Running DeepSeek-R1
    3.2 Starting a Conversation
    3.3 Ending the Conversation
References

> **Demo Environment**

Development board: Jetson Orin series mainboard


Note: Due to performance limitations, the Jetson Orin Nano 4GB needs to run the small-parameter version

DeepSeek-R1 is an open source large language model (LLM) designed by DeepSeek for understanding and generating code

1. Model Size

Model	Size
deepseek-r1:1.5b	1.1GB
deepseek-r1:7b	4.7GB
deepseek-r1:8b	5.2GB

2. Performance




3. Using DeepSeek-R1

3.1 Running DeepSeek-R1

Run the model with the run command; if it is not downloaded yet, Ollama pulls it automatically:


```
ollama run deepseek-r1:1.5b
```



3.2 Starting a Conversation

```
How many minutes are there in a day?
```

Response time depends on the hardware; please be patient.



3.3 Ending the Conversation

Use the `Ctrl+d` shortcut or `/bye` to end the conversation!

References

> **Ollama**

Official website: https://ollama.com/

GitHub: https://github.com/ollama/ollama

> **DeepSeek-R1**

Ollama corresponding model: https://ollama.com/library/deepseek-r1

GitHub: https://github.com/deepseek-ai/DeepSeek-r1