2. OpenClaw and WhatsApp Plugin Application

2. OpenClaw and WhatsApp Plugin Application
    Preparations Before Use
    1. Configure Bot
    2. Interact with Bot

Preparations Before Use


!!! Confirm that OpenClaw has been configured and can interact normally.

If normal interaction is not possible, the following content cannot be implemented.


1. Configure Bot

Enter configuration mode


```
openclaw onboard  --install-daemon
```




Select QuickStart




Select Use existing values




Select Skip for now




Select All providers



Select Keep current. Note: The content in parentheses is the model you configured yourself



Select WhatsApp (QR link)



> **Note: If you encounter a "Failed to install" error at this stage, it is most likely caused by an incompatibility between the older OpenClaw core and the newer WhatsApp plugin. Please follow the instructions below to resolve this:**

```
# Remove the Tavily dependency symlink that triggers out-of-bounds scanning
```

```
p=~/.openclaw/npm/projects/openclaw-tavily-plugin-8ad843922d/node_modules/@openclaw/tavily-plugin/node_modules/openclaw
[ -L "$p" ] && rm "$p"

# Remove the WhatsApp plugin directory
rm -rf ~/.openclaw/npm/node_modules/@openclaw/whatsapp

# Add whatsapp to the original allowlist
openclaw config set plugins.allow '["board-control","feishu","openclaw-qqbot","openrouter","qqbot","whatsapp"]'

# Confirm the OpenClaw version
openclaw --version


# Install the version compatible with OpenClaw
openclaw plugins install @openclaw/whatsapp@2026.5.7
openclaw gateway restart
openclaw onboard --install-daemon
```

If you prefer to use the latest version, you can also upgrade OpenClaw. Choose either of the two methods.


Once the instructions have been completed, run the following again:

```
openclaw onboard  --install-daemon
```


Select Link WhatsApp now (QR)




Then a connection QR code will appear




Open WhatsApp on your phone, click You ---- Linked devices




Click Link a device, then scan the OpenClaw QR code




After scanning, wait for the connection to succeed. After successful connection, the following figure appears, select This Is my personal phone number




Enter your phone number, which needs to include the country code




Skip Search provider




Also skip Skills, install them later as needed



Also skip hooks, select Skip for now, then press space to select, then press Enter




Select restart gateway.




You can choose TUI interaction interface or Do this later.

2. Interact with Bot


Open WhatsApp, click Chat ---- "+"



Click to send message to yourself



Just send the content you want to interact with.


14:45
(You)
Message yourself
www.baidu.com
12:15
Today
Open the Raspberry Pi website and go to Baidu.
14:44
Let me help you open the browser on your Raspberry Pi and access the Baidu website.
14:44
I have launched the Chromium browser and opened the Baidu website. The browser should appear on the Raspberry Pi desktop.
If you want to view the content of the Baidu website in the terminal, you can also use the curl command to retrieve the webpage content:
14:45
This is the HTML content of Baidu's homepage. Your browser has opened successfully; you can now see the Baidu website on your Raspberry Pi desktop.
Would you like me to search for anything?
14:45