

AI Agent Workflow

AI Agent Workflow

1. Course Content
2. Start the Dify Service
3. Case: Classification Q&A Chatbot
4. Visual Workflow Debugging
5. Accessing the AI Agent Application

1. Course Content

- Use multiple AI large models to build an agent workflow, implementing complex logical functions.


2. Start the Dify Service

- Connect to the vehicle via VNC or SSH, and enter the command in the terminal:

```
sh ~/bringup_dify.sh
```


```
jetson@yahboom: ~  
ROS_DOMAIN_ID: 62 | ROS: humble  
my_robot_type: M1 | my_lidar: c1 | my_camera: usb  
-----  
jetson@yahboom:~$ sh ~/bringup_dify.sh  
WARN[0000] The "DB_USERNAME" variable is not set. Defaulting to a blank string.  
WARN[0000] The "DB_DATABASE" variable is not set. Defaulting to a blank string.  
WARN[0000] The "DB_PASSWORD" variable is not set. Defaulting to a blank string.  
WARN[0000] The "DB_PASSWORD" variable is not set. Defaulting to a blank string.  
WARN[0000] The "DB_DATABASE" variable is not set. Defaulting to a blank string.  
WARN[0000] The "DB_USERNAME" variable is not set. Defaulting to a blank string.  
WARN[0000] The "CERTBOT_EMAIL" variable is not set. Defaulting to a blank string  
.  
WARN[0000] The "CERTBOT_DOMAIN" variable is not set. Defaulting to a blank string.  
g.  
WARN[0000] The "DB_DATABASE" variable is not set. Defaulting to a blank string.  
WARN[0000] The "DB_PASSWORD" variable is not set. Defaulting to a blank string.  
WARN[0000] The "DB_USERNAME" variable is not set. Defaulting to a blank string.  
WARN[0000] The "DB_USERNAME" variable is not set. Defaulting to a blank string.  
WARN[0000] The "DB_DATABASE" variable is not set. Defaulting to a blank string.  
WARN[0000] The "DB_PASSWORD" variable is not set. Defaulting to a blank string.  
WARN[0000] The "DB_DATABASE" variable is not set. Defaulting to a blank string.  
WARN[0000] The "DB_PASSWORD" variable is not set. Defaulting to a blank string.  
WARN[0000] The "DB_USERNAME" variable is not set. Defaulting to a blank string.  
[+] Running 10/10  
✓ Container docker-sandbox-1      Runni...      0.0s  
✓ Container docker-web-1          Running      0.0s  
✓ Container docker-ssrf_proxy-1   Ru...        0.0s  
✓ Container docker-db-1           Healthy     0.5s  
✓ Container docker-redis-1        Running      0.0s  
✓ Container docker-worker_beat-1   R...        0.0s  
✓ Container docker-plugin_daemon-1 Running      0.0s  
✓ Container docker-api-1          Running      0.0s  
✓ Container docker-worker-1        Runnin...    0.0s  
✓ Container docker-nginx-1        Running      0.0s  
jetson@yahboom:~$
```

- Check the IP address of the virtual machine by clicking "Robot Information" on the left side of the desktop.




3. Case: Classification Q&A Chatbot


- In the example AI application folder of this course section, there are reference examples that can be directly imported and used.
- In the Dify Studio on the homepage, click "Import DSL File".



- Select the example AI application `complex_agent.yml` in the folder of this course section, then click "Create".



- You can see the workflow content as shown below.



- In the workflow, `question classifier` is a module driven by an AI large model. Its function is to classify user questions into math questions, physics questions, and other questions. If the user's input is suitable for math or physics related questions, different branch AI large models will be called to answer. The classification content of `question classifier` is as follows:

Question Classifier

对问题进行分类

SETTINGS LAST RUN

MODEL *

qwen3-4b CHAT

INPUT VARIABLES *

start / (x) sys.query String

VISION ?

CLASS *

CLASS 1

21

(x)

Mathematical problems

CLASS 2

16

(x)

Physics problems

CLASS 3

15

(x)

Other questions

+ Add Class

ADVANCED SETTING ▶

- The LLM-1 branch is used to answer math-related questions. Its prompt and settings are as follows:

LLM-1

▶ ⊕ □ ... | ✕

Add description...

SETTINGS

LAST RUN

MODEL *

 qwen3-8b

CHAT



▼

CONTEXT ?

(x)

 Set variable

SYSTEM ?

114



Jinja

☐

(x)





你是一个数学大师，能够回答各种数学领域的问题You are a master of mathematics and can answer questions in all kinds of mathematical fields

+ Add Message

MEMORIES ?

BUILT-IN

USER ?

15

(x)





Start

(x)

sys.query

MEMORY ?

☒

☐ WINDOW SIZE

50


VISION ?

☐

ENABLE REASONING TAG SEPARATION ?


☐

- The LLM-2 branch is used to answer physics-related questions. Its prompt and settings are as follows:




4. Visual Workflow Debugging


- If you need to debug and test the effect of the workflow, click "Preview" in the upper-right corner, then enter a question in the pop-up dialog to test.



- At the same time, the workflow will display the branch the data flows through in real time, making it convenient to debug the workflow.



- If you need to extend the workflow, click the + sign on the left, where there are multiple Dify preset tools and modules.



5. Accessing the AI Agent Application

- After completing the AI application orchestration, click "Publish Application" to save the configuration. Then click "Copy URL" or "API access credentials" to access the created AI application through the web page or backend service API.

Complex agent
CHATFLOW

Edit Info Duplicate Export DSL Import DSL

Complex agent IN SERVICE

Public URL

<https://192.168.11.105/chat/dmxfyIFG98hCuU...>

Launch Embedded Customize Settings

Backend Service API IN SERVICE

Service API Endpoint

<http://192.168.11.105/v1>

API Key API Reference


MCP Server DISABLED

Server URL

Add description

Delete App

few seconds ago

**LLM-1**

qwen3-8b CHAT

REPLY DIRECTLYANSWER
@LLM-1 (x)text**LLM-2**

qwen3-1.7b CHAT

REPLY DIRECTLYANSWER
@LLM-2 (x)text**REPLY DIRECTLY**ANSWER
Sorry, I can't answer these question
s.

View cached variables Clear