

OpenClaw Quick Start

The image we provide has already configured OpenClaw along with Alibaba Bailian and QQBot related plugins. You can follow this tutorial to quickly start OpenClaw and experience its features.

Need to use within docker:

Start docker

```
~/run_usb_docker.sh
```

Enter docker in another terminal:

```
~/enter_docker.sh
```

1. First-time Configuration

Run the one-click configuration script:

```
~/openclaw/setup.sh
```

Follow the prompts to enter Alibaba Cloud Bailian API Key.

Note: The quick start uses Bailian's API by default. If you need to use other APIs, please follow the tutorial below to install from scratch

Get API Key: <https://bailian.console.aliyun.com/>

```
[System Information]
ROS: humble
DOMAIN_ID: 99
IP_Address_1: 192.168.12.33
IP_Address_2: 192.168.2.56
jetson@yahboom:~$ ~/openclaw/setup.sh
=====
OpenClaw 配置向导 / Setup Wizard
=====
请输入阿里云百炼 API Key:
(获取地址: https://bailian.console.aliyun.com/)
Please enter Alibaba Cloud Bailian API Key:
(Get it from: https://bailian.console.aliyun.com/)
DASHSCOPE_API_KEY: █
```

2. Start OpenClaw

Start Gateway in one terminal:

```
openc1aw gateway

root@jetson-yahboom:~/# openc1aw gateway
▼ OpenClaw 2026.3.8 (3caab92) – Automation with claws: minimal fuss, maximal pinch.
14:55:44 [gateway] [plugins] plugins.allow is empty; discovered non-bundled plugins may auto-load: openc1aw-qqbot (/root/.openc1aw/extensions/openc1aw-qqbot/index.ts). Set plugins.allow to explic
it trusted ids.
14:55:45 [canvas] host mounted at http://0.0.0.0:18789/_openc1aw_/canvas/ (root /root/.openc1aw/canvas)
14:55:45 [gateway] ▲ Gateway is binding to a non-loopback address. Ensure authentication is configured before exposing to public networks.
14:55:45 [heartbeat] started
14:55:45 [health-monitor] started (interval: 300s, startup-grace: 60s, channel-connect-grace: 120s)
14:55:45 [gateway] agent model: bailian/qwen3.5-plus
14:55:45 [gateway] listening on ws://0.0.0.0:18789 (PID 48)
14:55:45 [gateway] log file: /tmp/openc1aw/openc1aw-2026-03-17.log
14:55:46 [browser/server] Browser control listening on http://127.0.0.1:18791/ (auth=token)
```

Use TUI interface in another terminal:

```
openc1aw tui

root@jetson-yahboom:~/# openc1aw tui
▼ OpenClaw 2026.3.8 (3caab92) – More integrations than your therapist's intake form.
openc1aw tui - ws://127.0.0.1:18789 - agent main - session main
session agent:main:main
gateway connected | tui8
agent main | session main (openc1aw-tui) | bailian/qwen3.5-plus | tokens 7/1.0m
```

Note: Default uses Bailian's qwen3.5-plus model. You can input /models to select other models. Since only Bailian models are configured, other non-Bailian models cannot be used.

Feature List

After configuring Bailian API Key, you can use:

Feature	Description	Example
 Image Generation	Text-to-image, image editing, image translation	"Generate a cat picture"
 Video Generation	Image-to-video	"Generate a video from this image"
 Voice Synthesis	Multi-character voiceover (CosyVoice)	"Read with a gentle voice..."
 Voice Recognition	Speech-to-text	"Recognize this audio"

Optional Configuration

QQBot (Send QQ messages, detailed configuration methods can be found in the tutorial below)

1. Go to <https://bot.open.qq.com/> to create a bot
2. Get AppID and AppSecret

Edit `~/.openclaw/openclaw.json`:

```
{
  "channels": {
    "qqbot": {
      "enabled": true,
      "appId": "your_appid",
      "clientSecret": "your_secret"
    }
  }
}
```

Or configure directly in the OpenClaw conversation interface by talking with OpenClaw



Usage Examples

Image Generation

User: Generate a cute cat picture
AI: [Generate image]

Voice Synthesis

User: Read "床前明月光，疑是地上霜" with a gentle female voice
AI: [Generate audio file]

QQ Message (requires QQBot configuration)

User: Send me a QQ message saying "It's time to eat"
AI:  Message sent!



Directory Structure

```
~/openclaw/
├─ .env                # API Key configuration
├─ openclaw.json       # Main configuration file
├─ setup.sh            # One-click configuration script
├─ workspace/
│   └─ skills/         # skills directory
│       ├── aliyun-image/      # Image generation
│       ├── alicloud-ai-audio-tts/ # Voice synthesis
│       ├── alicloud-ai-audio-asr/ # Voice recognition
│       ├── alicloud-ai-video-wan-video/ # Video generation
│       └─ qqbot-send/         # QQ message
├─ MEMORY.md           # AI long-term memory
└─ USER.md             # User information
```

Common Commands

```
# Start openclaw
openclaw

# TUI interface
openclaw tui

# Check status
openclaw status

# Configuration wizard
openclaw wizard

# View skills
openclaw skills list

# Help
openclaw --help
```

Available Voice Types (Voice Synthesis)

Based on Bailian's CosyVoice-v2

Character	Voice Type	Characteristics
Elder	longyichen	Stable, narrative feel
Young Woman	longanrou	Gentle, natural
Young Man	longhan_v2	Clear, stable
Little Girl	longhuhu	Lively, cute

Character	Voice Type	Characteristics
Little Boy	longniuniu	Childlike, lively



Common Documentation

- OpenClaw Documentation: <https://docs.openclaw.ai>
- Community: <https://discord.com/invite/clawd>
- Skills Market: <https://clawhub.com>