OpenClaw Common CLI Commands

OpenClaw Common CLI Commands

- 1. Course Content
  - Course Overview
- 2. Initial Configuration
  - 2.1 configure —— Configuration Wizard
  - 2.2 View OpenClaw Version
  - 2.3 View Help Information for All Available Commands
- 3. Gateway Management
- 4. Model Management
  - 4.1 View Model List and Status
  - 4.2 Set Default Model
- 5. Skills and Plugin Management
  - 5.1 Skills Basic Operations
  - 5.2 Plugin Management
- 6. Configuration, Logs, and Other Useful Commands
  - 6.1 View Logs
  - 6.2 Session Management
  - 6.3 Communication Channel Management

1. Course Content

Course Overview

OpenClaw CLI is the command-line management tool provided by the OpenClaw robot system. This section will introduce some of the most frequently used CLI commands.

2. Initial Configuration

`openclaw onboard` is OpenClaw's interactive onboarding wizard. It has been explained in the API-KEY Configuration chapter:


- Configure API Key and model connection information
- Set Gateway running parameters
- Select Skills to enable

```
openclaw onboard
```

2.1 configure —— Configuration Wizard

If parameters need adjustment after initial onboarding, you can use the `configure` command to re-enter the interactive configuration interface:

```
openclaw configure
```



2.2 View OpenClaw Version

```
openclaw --version
```

2.3 View Help Information for All Available Commands

```
openclaw --help
```

```
Examples:
  openclaw models --help
    Show detailed help for the models command.
  openclaw channels login --verbose
    Link personal WhatsApp Web and show QR + connection logs.
  openclaw message send --target +15555550123 --message "Hi" --json
    Send via your web session and print JSON result.
  openclaw gateway --port 18789
    Run the WebSocket Gateway locally.
  openclaw --dev gateway
    Run a dev Gateway (isolated state/config) on ws://127.0.0.1:19001.
  openclaw gateway --force
    Kill anything bound to the default gateway port, then start it.
  openclaw gateway ...
    Gateway control via WebSocket.
  openclaw agent --to +15555550123 --message "Run summary" --deliver
    Talk directly to the agent using the Gateway; optionally send the WhatsApp reply.
  openclaw message send --channel telegram --target @mychat --message "Hi"
    Send via your Telegram bot.
```

3. Gateway Management

- OpenClaw's default gateway is set to start automatically on boot

```
openclaw gateway start     # Start Gateway
openclaw gateway stop      # Stop Gateway
openclaw gateway restart   # Restart Gateway
```

- View the detailed running status of the Gateway, including runtime, connection count, and other information:

```
openclaw gateway status
```

```
Service: systemd (enabled)
File logs: /tmp/openclaw/openclaw-2026-04-28.log
Command: /usr/local/bin/node /home/jetson/.npm-global/lib/node_modules/openclaw/dist/index.js gateway --port 18
789
Service file: ~/.config/systemd/user/openclaw-gateway.service
Service env: OPENCLAW_GATEWAY_PORT=18789

Config (cli): ~/.openclaw/openclaw.json
Config (service): ~/.openclaw/openclaw.json

Gateway: bind=lan (0.0.0.0), port=18789 (service args)
Probe target: ws://127.0.0.1:18789
Dashboard: http://192.168.12.28:18789/
Probe note: bind=lan listens on 0.0.0.0 (all interfaces); probing via 127.0.0.1.

Runtime: running (pid 1511, state active, sub running, last exit 0, reason 0)
RPC probe: ok

Listening: *:18789
Troubles: run openclaw status
Troubleshooting: https://docs.openclaw.ai/troubleshooting
```

4. Model Management

4.1 View Model List and Status

- List all configured models and their basic information:

```
openclaw models list
```

- View the status of all currently available models, including connection status, latency, availability, etc.:

```
openclaw models status
```

4.2 Set Default Model

Set a certain model as the system default model, which will be used by default for subsequent conversations:

```
openclaw models set gpt-4o
```


> **Tip:** The model name must exactly match the identifier in the configuration. You can view available model names via `openclaw models list`.

5. Skills and Plugin Management

5.1 Skills Basic Operations

List all currently installed Skills:

```
openclaw skills list
```



✓ ready	📦 arm-pick-and-place	使用机械臂完成物体抓取/放置功能	openclaw-workspace
✓ ready	📦 comprehensive-task	A comprehensive task that includes garbage sorting, cargo sorting, goods handling between shelves, as well as out-of-stock inspection and restocking. Reference disposal procedures for scenarios involving multiple tasks	openclaw-workspace
✓ ready	📦 robot-navigation	在地图中按照路线规则导航到目标位置，并支持地图点记录与读取	openclaw-workspace
✓ ready	📦 visual-functions	Observe the environment and visually track the target	openclaw-workspace
✓ ready	📦 waste-sorting	Observe and sort the garbage cubes into the corresponding trash cans, which is a task related to garbage disposal	openclaw-workspace


5.2 Plugin Management

List all currently installed plugins:

```
openclaw plugins list
```

Enable or disable a certain plugin:

```
openclaw plugins enable plugin-id     # Enable plugin
openclaw plugins disable plugin-id    # Disable plugin
```



@openclaw/feishu	feishu	disabled	global:feishu/index.ts OpenClaw Feishu/Lark channel plugin (community maintained by @m1heng)	2026.3.13
Weixin	openclaw-weixin	loaded	global:openclaw-weixin/index.ts Weixin channel (getUpdates long-poll + sendMessage)	1.0.3
Reply Bridge	reply-bridge	loaded	global:reply-bridge/index.ts Bridge OpenClaw replies to robot_control TTS	1.0.0
Robot Control	robot-control	loaded	global:robot-control/index.ts Robot arm, mobile chassis and visual function control tools	1.0.0

6. Configuration, Logs, and Other Useful Commands

6.1 View Logs

```
openclaw logs --follow
```

Using the `--follow` parameter will continuously output logs to the terminal. Press `Ctrl+C` to exit tracking mode.

6.2 Session Management

View a list of all currently active sessions:

```
openclaw sessions
```

```
Session store: /home/jetson/.openclaw/agents/main/sessions/sessions.json
Sessions listed: 7
Kind   Key                          Age       Model          Tokens (ctx %)       Flags
direct agent:main:main              15h ago   qwen3.6-plus   unknown/1000k (?%)   system id:eb11227a-e18c-4694-8c45-a56b1bdf5d3d
direct agent:main:feish...9bf6ae    5d ago    qwen3.6-plus   unknown/1000k (?%)   system id:47c556a5-741d-45f2-83b6-88333753d7c6
group  agent:main:openc...wechat    5d ago    qwen3.6-plus   unknown/1000k (?%)   id:a55d8c87-acf8-4f16-ad8d-d0c3c1ef54dc
direct agent:main:openc...wechat    5d ago    qwen3.6-plus   unknown/1000k (?%)   system id:a1e9bfe5-3efa-442b-903c-6380de597c97
direct agent:main:feish...30f803    5d ago    qwen3.6-plus   unknown/1000k (?%)   id:6a840c66-7311-4dd5-b010-5fb53ac298bd
direct agent:main:feish...969539    5d ago    qwen3.6-plus   unknown/1000k (?%)   id:4b2f82b0-b67b-497b-bbbb-dd31e97aaf29
direct agent:main:opena...on-001    6d ago    qwen3.6-plus   unknown/1000k (?%)   system id:7912af8c-fd5e-432c-bb37-04dfd808d1e6
```

6.3 Communication Channel Management

- View all available communication channels (WhatsApp, etc.)

```
openclaw channels list
```

