MiniCPM-V

MiniCPM-V
- 1. Model Size
- 2. Performance
- 3. Using MiniCPM-V
  - 3.1 Running MiniCPM-V
  - 3.2 Starting a Conversation
  - 3.3 Visual Function
  - 3.4 Ending the Conversation
  - 3.5 Chinese Dialogue
- References

Note: Due to performance limitations, the Raspberry Pi 5 2GB and 4GB versions cannot run this model.

1. Model Size

Model	Size
minicpm-v:8b	5.5GB

2. Performance



3. Using MiniCPM-V

3.1 Running MiniCPM-V

If the system does not have a running model, the system will automatically pull the TinyLlama 1.1B model and run it:

```
ollama run minicpm-v:8b
```

3.2 Starting a Conversation

```
Tell me a mathematician story
```

Response time depends on hardware configuration, so please be patient!

```
>>> Tell me a mathematician story
One famous mathematician, Paul Erdős, was known for his unique approach to
collaboration and problem-solving. He believed that mathematics should be
approached with passion and creativity, rather than as just a set of rules
and formulas.
Erdős would often travel the world in search of new collaborators and
unsolved problems, working on them together in whatever spare time he had
available. His ability to connect with other mathematicians from all over
the globe was unparalleled, and many people credit him for helping to
advance mathematics as a collaborative enterprise rather than just an
academic pursuit.
Perhaps one of his most famous collaborations occurred when Erdős met
Andrew Odlyzko at a conference in Moscow during the Cold War. Despite
their political differences, they worked together on some complex
mathematical problems, leading to several important discoveries and
breakthroughs. Their friendship endured for decades, even surviving
through periods of intense international tension.
Overall, Paul Erdős was known as one of the greatest mathematicians of his
time, but it was his passion for collaboration that truly set him apart
from others in the field.
```

3.3 Visual Function

```
What do you see in this picture? :./test_pic.png
#Using ": + the image path" in the conversation allows the model to use its
visual function and interpret the information in the image.
```



3.4 Ending the Conversation

Use the `Ctrl+d` shortcut or `/bye` to end the conversation!

3.5 Chinese Dialogue

If you don't have a Chinese input method, please refer to the Chinese input method switching tutorial.

Chinese Dialogue:



References

> **Ollama**

Official website:https://ollama.com/

GitHub：https://github.com/ollama/ollama

> **MiniCPM-V**

GitHub：https://github.com/OpenBMB/MiniCPM-o

Ollama corresponding model:https://ollama.com/library/minicpm-v