ChatGPT

This document only talks about the operation instructions. You can read the source code of the big program for program related information.

Description

The function of the buttons on the car screen



Take the picture as an example:

- A: Move left
- B: Move right
- C: Return key
- D: Confirm key

Operation steps (English version)


1. First, make sure that the startup big program runs normally. Generally, the startup big program will be turned on when the computer is turned on. If you turn it off, you can restart the car or enter the following command to temporarily turn on the big program If the big program has been started, please do not enter the following command, just skip it directly, otherwise it will cause screen abnormality.

```
cd ~
sh start1.sh
```


You can start the big program,

2. Then enter the sample program. Open iFlytek Spark (chatGPT).

If it is not the English version, you need to switch to the English version in the language interface.



If the sound is too low or there is no sound, you need to go to the volume setting interface to turn up the sound



- 3. You need to apply for your own api-key on the openal official website. This step may require scientific Internet access. All subsequent steps require the establishment of a ladder to use it. If you are not a Chinese user, you may not need scientific Internet access.
- 4. Modify the proxy IP address of the ladder and the applied api-key to these two lines in the ~/.bash_profile file. **The key provided by the system is not available**

sudo nano ~/.bash_profile

After the modification, save and exit.

For specific methods to apply for a key, see this link https://platform.openai.com/docs/quickstart

5. After the fourth step runs normally, restart the car, and then run the example case of iFlytek Spark.

Use the wake-up word "lulu" to wake up the robot in the network state, and then you can talk to the robot freely. This example program breaks down the steps of the conversation robot, so that users can clearly understand the whole process of the conversation robot.

** Make sure that the car is in the network state and can access the website in step 4



Warm Tips: Openai's key is basically not free, it costs money, and you need to prepare at least 20 US dollars to try.