


Functional Parameters



1 Robotic Arm Parameters

index	parameter
name	Elephant collaborative robotic arm
model	myCobot 320-M5
Degrees of Freedom	6
Working radius	350mm
Payload	1kg
Repeat positioning accuracy	±0.5mm
weight	3.3kg
Power Input	24V,9.2A
Operating temperature	0°~45°
Communication interface	Bluetooth Type-C
Service life	2000 hours

2 Workspace




3 Range of motion of joints


joint	scope
J1	-165 ~ +165
J2	-165 ~ +165
J3	-165 ~ +165
J4	-165 ~ +165
J5	-165 ~ +165
J6	-175 ~ +175

4 holes

- The base is flange mounted and can be mounted with both Lego and M6 screws.



- The end of the robotic arm is compatible with LEGO component holes and threaded holes.



5 Basic software function support

Functionality/Development Environment	Support
Free Mobile	support
Joint Movement	support
The Cartesian Movement	support
Track Recording	support
Wireless Control	support
Emergency Stop	support
Windows	support
Linux	support
MAC	support
ROS 1	support
Python	support
C++	support
C#	support
JavaScript	support
myblockly	support
Arduino	support
mystudio	support
Serial Control Protocol	support
TCP/IP	support
MODBUS	support