

Event-Driven Chat Server

In this exercise, you will implement an event-driven *chat* server. The function of the chat is to forward each incoming message's overall client connections (i.e., to all clients) except for the client connection over which the message was received. The challenge in such a server lies in implementing this behavior in an entirely event-driven manner (no threads).

In this exercise, you'll use "select" to check from which socket descriptor is ready for reading or writing. You should call "select" inside a loop, but it should appear only once in your exercise.

When checking the read set, you should distinguish the main socket, which gets new connections, from the other sockets, that negotiate data with the clients.

When the main socket is ready for reading, you should call `accept`; when any other socket is ready for reading you should call `read` or `recv`.

You'll maintain a queue for each connection. This queue will hold all msgs that must be written on that connection.

When checking the write set, note that if a socket descriptor is ready for writing, we can write once to the socket without the risk of being blocked. Since we would like to write all msgs in the queue to the socket descriptor, we will set the socket to be non-blocking.

To make a socket with socket descriptor "fd" to be non-blocking, you can use `ioctl` function as follows:

```
int on = 1;
rc = ioctl(fd, (int)FIONBIO, (char *)&on)
```

Message Handling

Client messages are stored within `struct msg` objects. Each time the server reads a message from one client, it adds a `msg` object to all other clients. See `chatServer.h` and `chatServer.c` for details.

You can assume that at each read operation from a client socket, a full line is read (until the `\r\n`). Once one line was read, you'll not try to read immediately another line. If there is more to read from the client, you'll read it after the next call to `select`. Note that a socket should be added to the write set only if there is something to write to the socket.

Connection Handling

Your chat server will listen at a specified port number for incoming connections. The port is given as a parameter to the program. When a new connection request arrives from some client, the server accepts the connection and creates a new `struct conn` `connection` object for that client. See `chatServer.h` and `chatServer.c` for details.

If the server ends in CTRL-C, you should catch the `SIG_INT` signal, clean everything, and exit.

Output:

Just before calling to select, print:

```
printf("Waiting on select()...\nMaxFd %d\n", pool->maxfd);
```

when accepting a new connection with socket descriptor “sd”, print:

```
printf("New incoming connection on sd %d\n", sd);
```

before reading data from socket descriptor “sd”, print:

```
printf("Descriptor %d is readable\n", sd);
```

after reading data of size “len” from socket descriptor “sd”, print:

```
printf("%d bytes received from sd %d\n", len, sd);
```

when a connection from a client is closed by the client, print:

```
printf("Connection closed for sd %d\n",sd);
```

when the server removes client’s connection for any reason (either the client closes the connection, or the server closes the client’s connection, for example when closing the server), print:

```
printf("removing connection with sd %d \n", sd);
```

in case the server is closed, you should print the above line for each active client (not for the main socket).

Error Handling

If there is no port parameter, or more than one parameter, or the parameter is not a number between 1 to 2^{16} , print:

```
printf("Usage: server <port>");
```

For each failure, until ‘select’ is called, use perror and exit the server.

If select fails, exit the loop, clean the memory, and exit.

For any other error, skip the operation and continue. I.e., if read from a socket or write to socket fail, do nothing, just continue, and skip this read or write operation.