


```


Model:      Name      Variance Std.Dev.
Conditional model:
models[1]:(Intercept) 1.067 ~ 1.023 (sub)
Bayes parameter for Model:comp amp
models[2]:(comp amp) ~ 2.442cond + (1 | sub)
sub (Intercept) 1.99 3.462
Model:      Name      Variance Std.Dev.
Conditional model:
models[3]:(comp amp) ~ 1 + subv36(1 | sub)
Number of obs: 432, groups: F, sub, 36
models[4]:(comp amp ~ 1 + sov + cond + (1 | sub)
[2] ~ 1 + cond + (1 | sub) 3.72e+16
Dispersal estimate for gaussian random (sigma^2) 5.87
Dispersal parameter for Tweedie family (p = 4.1)
Bayes parameter for Model:comp amp
models[5]:(comp amp ~ 1 + sov + cond + (1 | sub) 3.11e+49
models[6]:(comp amp ~ 1 + sov + cond + (1 | sub) 2316.5
Conditional model:
models[2]:(comp amp ~ 1 + sov + cond + (1 | sub) 1.2e+46
models[2]:(comp amp ~ 1 + sov + cond + (1 | sub) 23220 94.522 3 < 2.2e-16 ***
Estimate Std. Error z value Pr(>|z|)
(Intercept) 6.22082 1.30895 4.755 2.20e-06 ***
(Intercept) Denominator 8.71711 1.54000 5.660 0.0003 0.99
models[4] 8.12082 1.41000 5.756 0.0003 0.99
Bayes Factor 1.45439 2.11590 0.6815 0.5003 1.52e-016 18 6 0.002239 **
sovN1 33.867 12364.011 0.003 0.998
sovN2 0.32527 0.570861 0.000 0.99887
sovREM -13.297 489342.059 0.000 1.0
condNb1 32.956 12364.011 0.003 0.998
condNb12 1.26224 1.570861 0.211 0.02703 *
condNb13 -7.354 95335.118 0.000 1.000
sovN2:condNb12 -0.002648 0.807319 -0.003 0.99738
sovN2:condNb12 32.588 12364.011 -0.003 0.998
sovN3:condNb12 0.644750 0.807319 0.799 0.42450
sovN3:condNb12 -32.427 12364.011 -0.003 0.998
sovREM:condNb12 -1.196076 0.807319 -1.482 0.13846
sovN2:condNb13 1.182741 0.807319 1.465 0.14291
sovN3:condNb13 5.893 95335.118 0.000 1.000
sovN3:condNb13 2.457864 0.807319 3.044 0.00233 **
sovN3:condNb13 6.982 95335.118 0.000 1.000
sovREM:condNb13 -0.920083 0.807319 -1.140 0.25442
sovREM:condNb13 52.108 498423.643 0.000 1.000

```

Normal Q-Q Plot



Normal Q-Q Plot



Normal Q-Q Plot

Sample Quantiles

-15
-10
-5
0
5
10
15
20

-3

-2

-1

0


1

2

3


Theoretical Quantiles

Dispersion estimate for gaussian family (sigma^2): 5.87
Dispersion parameter for Tweedie family (v): 4.1
Bayes Factor for Tweedie model (inverse): 1
data: residuals(models[[i]])
Conditional model:
Conditional model < 2.2e-16
Estimate Std. Error z value Pr(>|z|)
Intercept) -2.288251 0.438209 -5.222 1.77e-07 ***
Intercept) -39.570 12364.012 -0.003 0.997
sovN2 -1.397384 0.570861 -2.448 0.01437 *
sovN3 34.009 12364.011 0.003 0.998
sovN2:condNbIT2 -5.433701 0.570861 -9.518 < 2e-16 ***
sovN3:condNbIT2 33.867 12364.011 0.003 0.998
sovREM 0.325227 0.570861 0.570 0.56887
sovREM:condNbIT2 -13.297 489342.059 0.000 1.000
condNbIT2 1.555638 0.570861 2.725 0.00643 **
condNbIT3 32.956 12364.011 0.003 0.998
condNbIT3 1.262241 0.570861 2.211 0.02703 *
condNbIT3 -7.354 95335.118 0.000 1.000
sovN2:condNbIT2 -0.002648 0.807319 -0.003 0.99738
sovN2:condNbIT2 -32.588 12364.011 -0.003 0.998
sovN3:condNbIT2 0.644750 0.807319 0.799 0.42450
sovN3:condNbIT2 -32.427 12364.011 -0.003 0.998
sovREM:condNbIT2 -1.196076 0.807319 -1.482 0.13846
sovREM:condNbIT2 -23.366 490554.801 0.000 1.000
sovN2:condNbIT3 1.182741 0.807319 1.465 0.14291
sovN2:condNbIT3 5.893 95335.118 0.000 1.000
sovN3:condNbIT3 2.457894 0.807319 3.044 0.00233 **
sovN3:condNbIT3 6.982 95335.118 0.000 1.000
sovREM:condNbIT3 -0.920083 0.807319 -1.140 0.25442
sovREM:condNbIT3 52.108 498423.643 0.000 1.000
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1




Normal Q-Q Plot

Sample Quantiles




Theoretical Quantiles


Normal Q-Q Plot



Density of comp_amp



Density of the model residuals



N = 432 Bandwidth = 0.3281