

Name: **SOHEL ZULFIKAR HASAN**ID: **OPD-2023-01-000****06.01.2023 15:13:08****Patient Data:****Birth:** 14.02.1994 **Age:** 28Y**Gender:** M**Height:** --- **Weight:** ---**Examination:****Protocol:** _BRUCE**Ergo / BP:** Trackmaster / BP-200 plus**Lead / J-point:** Standard / I / 80 ms**Prephase:** -- **Warm-up:** 01:17 **Exercise:** 09:32 **Recovery:** 04:01 **Total:** 14:50**Examination Values:****Max Load:** 269 W - 125 % (Set: 215 W)**Max HR:** 195 /min - 102 % (Set: 192 /min)**Rest BP:** -- / --**Max Load BP:** 156 / 89 mmHg**DP-Factor:** --**PWC 130/150/170:** 34 W / 76 W / 118 W**W 130/150/170:** 0.45 W/kg / 1.01 W/kg / 1.57 W/kg**STmax (V3) 8.2 mm / 9.3 mV/s 11:50****Max METs(i):** 10.9 (16.0 % 6.7 km/h)**Rest HR:** 83 /min**(BPsyst x HR) Resting:** --**(BPsyst x HR) Max Load:** 30264 mmHg/min**Medication:****Risk Factor:****Indication:**

C/O ATYPICAL CHEST PAIN

Requested by:**Abort:**

Target HR attained

Interpretation:

TMT IS NEGATIVE FOR EXERCISE INDUCED ISCHEMIA AT HIGH WORKLOAD WITH NORMAL CHRONOTROPIC & INOTROPIC RESPONSE WITH GOOD EFFORT TOLERANCE.

DR. SIVA DM 1ST YR

Name: **SOHEL ZULFIKAR HASAN**ID: **OPD-2023-01-000**

06.01.2023 15:13:08

Birth: 14.02.1994
 Age: 28Y
 Gender: M
 Height: ---
 Weight: ---
 BMI: ---

Max Load 269 W - 125 % (Set: 215 W)
 Max METs(i) 10.9 (16.0 % 6.7 km/h)
 Max HR 195 /min - 102 % (Set: 192 /min)
 Rest BP -- / --
 Max Load BP 156 / 89 mmHg
 (BPsyst x HR) Max Load 30264 mmHg/min
 (BPsyst x HR) Resting --
 DP-Factor --
 PWC 130/150/170 34 W / 76 W / 118 W
 W 130/150/170 0.45 W/kg / 1.01 W/kg / 1.57 W/kg
 STmax (V3) 8.2 mm / 9.3 mV/s 11:50

Prephase --
 Warm-up 01:17
 Exercise 09:32
 Recovery 04:01
 Total 14:50

Protocol BRUCE
 Ergo / BP Trackmaster / BP-200 plus
 Lead / J-point Standard / I / 80 ms


Medication:

Indication: C/O ATYPICAL CHEST PAIN

Risk Factor:

Requested by:

Abort: Target HR attained



Interpretation: TMT IS NEGATIVE FOR EXERCISE INDUCED ISCHEMIA AT HIGH WORKLOAD WITH NORMAL CHRONOTROPIC & INOTROPIC RESPONSE WITH GOOD EFFORT TOLERANCE.

DR. SIVA DM 1ST YR

Name: **SOHEL ZULFIKAR HASAN**
 ID: **OPD-2023-01-000**

06.01.2023 15:13:08

Protocol _BRUCE
Ergo / BP Trackmaster / BP-200 plus
Lead / J-point Standard / I / 80 ms

Indication: C/O ATYPICAL CHEST PAIN

Abort: Target HR attained

Max Load	269 W - 125 % (Set: 215 W)	Prephase	--
Max METs(i)	10.9 (16.0 % 6.7 km/h)	Warm-up	01:17
Max HR	195 /min - 102 % (Set: 192 /min)	Exercise	09:32
Rest BP	-- / --	Recovery	04:01
Max Load BP	156 / 89 mmHg	Total	14:50
(BPsyst x HR) Max Load	30264 mmHg/min		
(BPsyst x HR) Resting	--		
DP-Factor	--		
PWC 130/150/170	34 W / 76 W / 118 W		
W 130/150/170	0.45 W/kg / 1.01 W/kg / 1.57 W/kg		
STmax (V3) 8.2 mm / 9.3 mV/s 11:50			

Step/Stage	Time [mm:ss]	Load [W]	Load [METs(i)]	Elevation [%]	Speed [mph]	HR [/min]	BP [mmHg]	ST I J80 [mm]/[mV/s]	Borg []	Lactate [mg/dl]	VES [count]
Warm-up	01:17	14	1.1	0.0	1.0	155	136 / 82	1.2 / 1.5	-- --	--	0
Step 1	03:00 (04:17)	76	4.6	10.0	1.7	150	118 / 85	1.2 / 1.3	-- --	--	1
Step 2	06:00 (07:17)	129	7.0	12.0	2.5	175	124 / 82	1.1 / 1.4	-- --	--	0
Step 3	09:00 (10:17)	196	10.1	14.0	3.4	190	132 / 71	1.2 / 1.4	-- --	--	0
Max Load	09:32 (10:49)	269	10.9	16.0	4.2	194	156 / 89	1.2 / 1.5	-- --	--	0
Recovery	01:00 (11:49)	0	6.3	0.0	0.0	163	144 / 90	1.4 / 1.6	-- --	--	0
STmax	12:10	0	4.4	0.0	0.0	153	-- / --	1.6 / 1.8	-- --	--	--
Recovery	02:00 (12:49)	0	1.5	0.0	0.0	150	-- / --	1.5 / 1.8	-- --	--	0
Recovery	03:00 (13:49)	0	1.0	0.0	0.0	142	120 / 86	1.2 / 1.4	-- --	--	0
Recovery	04:00 (14:49)	0	1.0	0.0	0.0	136	-- / --	1.0 / 1.1	-- --	--	0
EoE	04:01 (14:50)	0	1.0	0.0	0.0	142	-- / --	1.0 / 1.1	-- --	--	0

Warm-up

155 /min
14 W 1.1 METs(i)
136 / 82
01:17

Step 1

150 /min
76 W 4.6 METs(i)
118 / 85 (136 / 82)
03:00 (04:17)

Step 2

175 /min
129 W 7.0 METs(i)
124 / 82 (118 / 85)
06:00 (07:17)

Step 3


190 /min
196 W 10.1 METs(i)
132 / 71 (124 / 82)
09:00 (10:17)

Max Load

194 /min
269 W 10.9 METs(i)
156 / 89 (132 / 71)
09:32 (10:49)

Recovery

163 /min
0 W 6.3 METs(i)
144 / 90 (156 / 89)
01:00 (11:49)



10 mm/mV 50 mm/s

Standard

Recovery

150 /min
0 W
-- / --
02:00
1.5 METs(i)
(144 / 90)
(12:49)

Recovery


142 /min
0 W
120 / 86
03:00
1.0 METs(i)
(-- / --)
(13:49)

Recovery

136 /min
0 W
-- / --
04:00
1.0 METs(i)
(120 / 86)
(14:49)

EoE

142 /min
0 W
-- / --
04:01
1.0 METs(i)
(-- / --)
(14:50)



10 mm/mV 50 mm/s

Standard

Name: **SOHEL ZULFIKAR HASAN**ID: **OPD-2023-01-000**

06.01.2023 15:13:08

Birth: 14.02.1994

Age: 28Y

Gender: M

Height: ---

Weight: ---

BMI: ---

ST Amplitude [mm], slope [mV/s], J: 80ms

I 1.2 / 1.5 V1 -0.2 / -0.4


II 1.9 / 2.6 V2 2.0 / 2.0

III 0.7 / 1.2 V3 4.0 / 4.5

aVR -1.6 / -2.0 V4 2.3 / 3.1


aVL 0.3 / 0.1 V5 1.0 / 1.9

aVF 1.3 / 1.9 V6 0.4 / 1.1

HR 155 /min**BP 136 / 82****Exercise time 01:17****Stage Warm-up****Load 14 W / 1.1 METs(i)****Protocol _BRUCE**

10 mm/mV 25 mm/s

Standard RNSF / 50Hz



10 mm/mV 25 mm/s

Standard RNSF / 50Hz

Name: **SOHEL ZULFIKAR HASAN**ID: **OPD-2023-01-000**

06.01.2023 15:13:08

Birth: 14.02.1994

Age: 28Y

Gender: M

Height: ---

Weight: ---

BMI: ---

ST Amplitude [mm], slope [mV/s], J: 80ms

I 1.2 / 1.3 V1 -0.6 / -1.1

II 3.1 / 4.2 V2 1.7 / 1.5

III 1.7 / 2.6 V3 6.2 / 6.7

aVR -2.1 / -2.8 V4 4.5 / 5.3

aVL -0.2 / -0.6 V5 2.4 / 3.4

aVF 2.4 / 3.4 V6 1.0 / 1.9

HR 150 /min


BP 118 / 85 (136 / 82)

Exercise time 03:00

Stage Step 1


Load 76 W / 4.6 METs(i)

Protocol _BRUCE



10 mm/mV 25 mm/s

Standard RNSF / 50Hz



10 mm/mV 25 mm/s

Standard RNSF / 50Hz

Name: **SOHEL ZULFIKAR HASAN**ID: **OPD-2023-01-000**

06.01.2023 15:13:08

Birth: 14.02.1994

Age: 28Y

Gender: M

Height: ---

Weight: ---

BMI: ---

ST Amplitude [mm], slope [mV/s], J: 80ms

I 1.1 / 1.4 V1 -0.9 / -1.5

II 3.4 / 5.1 V2 1.4 / 1.1

III 2.1 / 3.3 V3 6.6 / 7.5

aVR -2.3 / -3.3 V4 4.8 / 6.2

aVL -0.6 / -0.9 V5 2.5 / 3.9

aVF 2.8 / 4.2 V6 1.1 / 2.1

HR 175 /min


BP 124 / 82 (118 / 85)

Exercise time 06:00

Stage Step 2

Load 129 W / 7.0 METs(i)

Protocol _BRUCE



10 mm/mV 25 mm/s

Standard RNSF / 50Hz



10 mm/mV 25 mm/s

Standard RNSF / 50Hz

Name: **SOHEL ZULFIKAR HASAN**ID: **OPD-2023-01-000**

06.01.2023 15:13:08

Birth: 14.02.1994

Age: 28Y

Gender: M

Height: ---

Weight: ---

BMI: ---

ST Amplitude [mm], slope [mV/s], J: 80ms

I 1.2 / 1.4 V1 -1.4 / -2.1

II 4.2 / 5.8 V2 0.8 / 0.4

III 3.1 / 4.3 V3 6.7 / 7.0

aVR -2.8 / -3.5 V4 5.3 / 6.4

aVL -1.0 / -1.4 V5 3.1 / 4.6

aVF 3.8 / 5.2 V6 1.9 / 2.9

HR 190 /min


BP 132 / 71 (124 / 82)

Exercise time 09:00

Stage Step 3


Load 196 W / 10.1 METs(i)

Protocol _BRUCE



10 mm/mV 25 mm/s

Standard RNSF / 50Hz



10 mm/mV 25 mm/s

Standard RNSF / 50Hz

Name: **SOHEL ZULFIKAR HASAN**ID: **OPD-2023-01-000****06.01.2023 15:13:08**

Birth: 14.02.1994

Age: 28Y

Gender: M

Height: ---

Weight: ---

BMI: ---

ST Amplitude [mm], slope [mV/s], J: 80ms

I 1.2 / 1.5 V1 -1.5 / -2.1


II 4.3 / 5.9 V2 0.7 / 0.3

III 3.1 / 4.5 V3 6.7 / 7.0

aVR -2.8 / -3.6 V4 5.3 / 6.6


aVL -1.0 / -1.5 V5 3.1 / 4.5

aVF 3.8 / 5.3 V6 1.9 / 3.0

HR 194 /min**BP 156 / 89 (132 / 71)****Exercise time 09:32****Stage Max Load****Load 269 W / 10.9 METs(i)****Protocol _BRUCE**

10 mm/mV 25 mm/s

Standard RNSF / 50Hz



10 mm/mV 25 mm/s

Standard RNSF / 50Hz

Name: **SOHEL ZULFIKAR HASAN**ID: **OPD-2023-01-000****06.01.2023 15:13:08**

Birth: 14.02.1994

Age: 28Y

Gender: M

Height: ---

Weight: ---

BMI: ---

ST Amplitude [mm], slope [mV/s], J: 80ms

I 1.4 / 1.6 V1 -1.4 / -2.0

II 5.2 / 6.8 V2 1.3 / 0.9

III 3.8 / 5.2 V3 7.9 / 8.6

aVR -3.4 / -4.4 V4 6.2 / 7.6

aVL -1.3 / -1.9 V5 3.8 / 5.1

aVF 4.6 / 6.1 V6 2.2 / 3.2

HR 163 /min


BP 144 / 90 (156 / 89)

Exercise time 01:00

Stage Recovery


Load 0 W / 6.3 METs(i)

Protocol _BRUCE



10 mm/mV 25 mm/s

Standard RNSF / 50Hz



10 mm/mV 25 mm/s

Standard RNSF / 50Hz

Name: **SOHEL ZULFIKAR HASAN**ID: **OPD-2023-01-000****06.01.2023 15:13:08**

Birth: 14.02.1994

Age: 28Y

Gender: M

Height: ---

Weight: ---

BMI: ---

ST Amplitude [mm], slope [mV/s], J: 80ms

I 1.5 / 1.8 V1 -1.0 / -1.5

II 5.7 / 7.5 V2 1.7 / 1.5

III 4.1 / 5.6 V3 7.8 / 8.6

aVR -3.6 / -4.6 V4 5.6 / 6.9

aVL -1.2 / -1.8 V5 3.3 / 4.5

aVF 4.8 / 6.5 V6 2.0 / 2.9

HR 150 /min


BP -- / -- (144 / 90)

Exercise time 02:00

Stage Recovery


Load 0 W / 1.5 METs(i)

Protocol _BRUCE



10 mm/mV 25 mm/s

Standard RNSF / 50Hz



10 mm/mV 25 mm/s

Standard RNSF / 50Hz

Name: **SOHEL ZULFIKAR HASAN**ID: **OPD-2023-01-000**

06.01.2023 15:13:08

Birth: 14.02.1994

Age: 28Y

Gender: M

Height: ---

Weight: ---

BMI: ---

ST Amplitude [mm], slope [mV/s], J: 80ms

I 1.2 / 1.4 V1 -0.2 / -0.5

II 3.5 / 5.1 V2 2.0 / 2.0

III 2.3 / 3.6 V3 6.8 / 8.0

aVR -2.2 / -3.1 V4 4.3 / 5.5

aVL -0.4 / -1.0 V5 2.0 / 3.0

aVF 2.9 / 4.4 V6 0.8 / 1.5

HR 142 /min


BP 120 / 86 (--- / ---)

Exercise time 03:00

Stage Recovery


Load 0 W / 1.0 METs(i)

Protocol _BRUCE



10 mm/mV 25 mm/s

Standard RNSF / 50Hz



10 mm/mV 25 mm/s

Standard RNSF / 50Hz

Name: **SOHEL ZULFIKAR HASAN**ID: **OPD-2023-01-000****06.01.2023 15:13:08**

Birth: 14.02.1994

Age: 28Y

Gender: M

Height: ---

Weight: ---

BMI: ---

ST Amplitude [mm], slope [mV/s], J: 80ms

I 1.0 / 1.1 V1 -0.1 / -0.5

II 1.9 / 3.0 V2 2.0 / 2.1

III 0.9 / 1.9 V3 5.9 / 7.1

aVR -1.4 / -2.0 V4 3.1 / 4.3

aVL 0.0 / -0.4 V5 1.1 / 1.9

aVF 1.4 / 2.4 V6 0.2 / 0.8

HR 136 /min


BP -- / -- (120 / 86)

Exercise time 04:00

Stage Recovery


Load 0 W / 1.0 METs(i)

Protocol _BRUCE



10 mm/mV 25 mm/s

Standard RNSF / 50Hz



10 mm/mV 25 mm/s

Standard RNSF / 50Hz

Name: **SOHEL ZULFIKAR HASAN**ID: **OPD-2023-01-000**

06.01.2023 15:13:08

Birth: 14.02.1994

Age: 28Y

Gender: M

Height: ---

Weight: ---

BMI: ---

ST Amplitude [mm], slope [mV/s], J: 80ms

I 1.0 / 1.1 V1 -0.1 / -0.5

II 1.9 / 3.0 V2 2.0 / 2.1

III 0.9 / 1.9 V3 5.9 / 7.1

aVR -1.4 / -2.0 V4 3.1 / 4.3

aVL 0.0 / -0.4 V5 1.1 / 1.9

aVF 1.4 / 2.4 V6 0.2 / 0.8

HR 142 /min


BP -- / -- (-- / --)

Exercise time 04:01

Stage EoE


Load 0 W / 1.0 METs(i)

Protocol _BRUCE



10 mm/mV 25 mm/s

Standard RNSF / 50Hz



10 mm/mV 25 mm/s

Standard RNSF / 50Hz